2088

Section **A** for the entry of Da

AIR MINISTRY.—

Y FOR OFFICIAL USE.

RGANIZATION.

FORM 1090.

REGISTE

2088

WILLETT
1931 — 39

780314

Kept at Willett

in the County of Somer

Diameter of Funnel of Gauge Hi

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREM

An observer who does not conform to this r
year in the space on the right of this par

ng

Pleas

Jan. 1, following

Date	Jan.	Feb.	March	April							v.	Dec.	*Date*
	in.	in.	in.	in.				in.	in.	in.	in.	in.	
1	4	84		21			6		20				1
2	15	17		55					65		18	22	2
3	8		64						70		1·62		3
4			24	3		12	32	54	19			2	4
5		21		8	6	1·02	14	57			9	35	5
6		6		8		12	27			30	27	42	6
7					14	14	2	13		10	42	3	7
8		22		3		18					5	16	8
9		25				5	3				50		9
10		10				9	8	3	18		31		10
11	18	65				14	11	3	3		27		11
12		6					22		7	18			12
13	2				5		28	10	3	3			13
14		7			14	72	76	28	5		47		14
15		18		4	7		3	51	3		2	5	15
16		12		9	27	45		42	11				16
17		3				7	10		9				17
18	4			4		17		75			22		18
19	6	3	4	8				12	8		38		19
20		15	15					32			37		20
21	10	6			14						4		21
22	38	5			4						3		22
23	32	4		38	43			15			37		23
24	18			28	9		58	19			8		24
25	23			38			14						25
26		2		13			14				75	6	26
27	14	12			2·20		5				8		27
28	24	6	15	4	40			2				7	28
29	24		5				9	3		12	7		29
30		×			7			20				10	30
31	84	×		×	14	×			×		×	12	31
TOTAL	3·24	3·49	1·27	2·44	4·24	3·27	3·42	4·39	2·41	·73	6·59	1·60	YEAR'S TOTAL 37·[illegible]9
*Days with ·01 in. or more.	16 ~~1~~	21 ~~3~~	6 ~~1~~	15 ~~2~~	~~14~~ ~~1~~	12 ~~1~~	18 ~~3~~	17 ~~4~~	13 ~~3~~	5 ~~1~~	21 ~~2~~	11 ~~2~~	169
*Days with ·04 in. or more.	15	18	6	13	14	12	15	13	10	4	19	9	148

37.09

40-9999

(Signed) H. C. Venning

*See Instruction 2 (*f*) on other side.

P.T.O.

2088

Section **A** for the entry of Da

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Wellett
in the County of Somerset
Diameter of Funnel of Gauge Hicks in.
Height of top of Gauge above Ground ....ft........in.
,, Ground ,, Sea Level 450. ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	4	84		21			6		20				1
2	15	17		55					65		18	22	2
3	8		64						70		1·62		3
4			24	3		12	32	54	19			2	4
5		21		8	6	1·02	14	57			9	35	5
6		6		8		12	27			30	27	42	6
7					14	14	2	13		10	42	3	7
8		22		3		18					5	16	8
9		25				5	3				50		9
10		10				9	8	3	18		31		10
11	18	65				14	11	3	3		27		11
12		6					22		7	18			12
13	2				5		28	10	3	3			13
14		7			14	72	76	28	5		47		14
15		18		4	7		3	51	3		2	5	15
16		12		9	27	45		42	11				16
17		3				7	10		9				17
18	4			4		17		75			22		18
19	6	3	4	8				12	8		38		19
20		15	15					32			37		20
21	10	6			14						4		21
22	38	5			4						3		22
23	32	4		38	43			15			37		23
24	18			28	9		58	19			8		24
25	23			38			14						25
26		2		13			14				75	6	26
27	14	12			2·20		5				8		27
28	24	6	15	4	40			2				7	28
29	24		5				9	3		12	7		29
30		×			7			20				10	30
31	84	×		×	14	×			×		×	12	31
TOTAL	3·24	3·49	1·27	2·44	4·24	3·27	3·42	4·39	2·41	·73	6·59	1·60	YEAR'S TOTAL 37·09
*Days with ·01 in. or more.	16 ~~1~~	21 ~~3~~	6 ~~1~~	15 ~~2~~	14 ~~1~~	12 ~~1~~	18 ~~3~~	17 ~~4~~	13 ~~3~~	5 ~~1~~	21 ~~2~~	11 ~~2~~	169
*Days with ·04 in. or more.	15	18	6	13	14	12	15	13	10	4	19	9	148

37.09

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H. C. Venning

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No** 2088

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Willett

in the County of Somerset

Diameter of Funnel of Gauge Hicks in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	8			24	18	2	25	11		4			1
2	2			3	47				58	4	4	33	2
3				6			4		26	10			3
4	3							6			42		4
5	97								17				5
6	65	11	13	29					26				6
7	11			9					27	1·55			7
8			44	3	9				96	57			8
9	1·00			20	3				16	2			9
10	45			19	2	2			6	53			10
11				29	2~~3~~					22		10	11
12	65				33				11	44			12
13	13			23	2		43	45		57		32	13
14	42			18	5					5		3	14
15				12	18					7	5	4	15
16	21			21									16
17	12			2						3			17
18				6	12				23		28		18
19					7				11	18			19
20				13	83					68	7	11	20
21			8	13				62		57		14	21
22			2	4					85	23	25	7	22
23									3	45	10	17	23
24					8		13			8			24
25			9				25			23	16		25
26			18	12			17		7	14	14		26
27			45	23	21		10			58		8	27
28			34	6	17		6		31	~~38~~		6	28
29			85	17	20	29		68		38		77	29
30		×	22		6	79	42		83	5	84	3	30
31		×	19	×	2	×	10		×	2	×	46	31
TOTAL	4·84	·11	2·99	3·11	3·16	1·12	1·95	1·92	5·26	7·82	2·35	2·71	YEAR'S TOTAL 37·34
*Days with ·01 in. or more.	13 ~~2~~	1	11 ~~X~~	22 ~~3~~	19 ~~5~~	4 ~~2~~	10	5	16 ~~X~~	25 ~~3~~	10	14 ~~2~~	150
*Days with .04 in. or more.	11	1	10	19	14	2	10	5	16	22	10	12	181

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H. L. Vennery

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2088

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Willett
in the County of Somerset
Diameter of Funnel of Gauge 5 inch in.
Height of top of Gauge above Ground " ft. in.
,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	45	23	9	~~7~~	7				6			38	1
2	28		60	~~79~~	79	23							2
3	25	8	25	~~2~~	2								3
4		8	8	~~2~~	2								4
5	10		45		7						4		5
6		27	2		9		13			11			6
7	2	8	4									12	7
8		2	8		7		20			18			8
9					11					33	2		9
10		25				28	29			1·78	2		10
11	10					2	8	12		5			11
12				12	7		15	4	84	2			12
13					7		23	3		7	2		13
14							3	4		2	20		14
15	25		18				30			6			15
16	25		77			2				7			16
17		17	30			13			5				17
18	11		25			15							18
19			25						11		34		19
20						84			4			2	20
21								44		6			21
22								30	10				22
23				26		18			16	43			23
24		2·12		17				2	9	5	2		24
25		snow		17	2				24	7		6	25
26		45		4	48				7				26
27					5				4	69		44	27
28		13		35			8			19		4	28
29	18			6			2					5	29
30	6	×	11	7			6		11				30
31	23	×	7	×		×			×	21	×		31
TOTAL	2·28	3·88	3·54	1·24	1·83	1·85	1·57	·99	1·91	4·39	·66	1·11	YEAR'S TOTAL 26·25
*Days with ·01 in. or more.	12 ~~1~~	13 ~~1~~	15 ~~1~~	8	13 ~~3~~	8 ~~2~~	11 ~~2~~	7 ~~2~~	12	17 ~~2~~	7 ~~4~~	7 ~~1~~	130 ~~19~~
*Days with .04 in. or more.	11	12	14	8	10	6	9	5	12	15	3	6	111

40-9999

*See Instruction 2 (*f*) on other side. ①

(*Signed*) H. C. Venning.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2088

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Willett

in the County of Somerset

Diameter of Funnel of Gauge Hicks in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 450 ft.

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	3					3		45	23	4	60	49		1
2	14							2	47		20	11		2
3	3	3						25	2	8		27		3
4	20		4	27	25			8	19	33		37		4
5			2		12	3		97		9	47	72		5
6	2		30	14	59					39		41		6
7	20							8		35	9	47		7
8					15			2		3	20	50		8
9			14	6				2		13	43	20		9
10			32	28				5			12	2		10
11	83		5	38				13				44		11
12	33			10				23				7		12
13	37			28								21		13
14	30		49							4	6	27		14
15	7		15		11				25	46	22	31		15
16	29		44						3			7		16
17	39		2	16					37	14		27		17
18	22		10	48					2	2		40		18
19			22					2	12			16		19
20			36	4			17	2	2					20
21			8			7				22		17		21
22			15					2	21			44		22
23			2	22		55			3			2		23
24		20	5			23	8		15					24
25	23	8	2	25						28		66		25
26	2			12		27			12	2	3	9		26
27				14		3				9		22		27
28				4				46	22	17		1·13		28
29								16	10	15		3		29
30	4	×						16	3	17		22		30
31	10	×		×	5	×		3	×		×	15		31
TOTAL	3·81	·31	2·97	2·96	1·27	1·21	·25	3·15	2·68	3·20	2·42	8·89	Year's Total. 33·02	
* Days with .01 in. or more.	18 ~~4~~	3 ×	18 ~~4~~	15	6	7 3	2	17 ~~6~~	17 ~~6~~	19 3	10 ×	29 3	31	161
* Days with .04 in. or more.	14	2	14	15	6	4	2	11	11	16	9	26	130	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. L. Denning.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 2088

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Willett

in the County of Somerset

File. No. 3469/30.

Diameter of Funnel of Gauge Hicks in.

Height of top of Gauge above Ground ....ft ....in.

,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		5	60			26	8		11	5	8	68		1
2						4			20	23	16	12		2
3			9		2	13			41	30	21	2		3
4	2	17		8	4	18			2	60	33	35		4
5		23	3	24		12			30	73	23	9		5
6				38		50					5	15		6
7				48		7				37		3		7
8				31		4				23	30	10		8
9				61		9			9	76	26	8		9
10			23	54		3				2	3			10
11	28					11	2		6	7	38			11
12	8	12				23		8			5			12
13	8	13		29		2				4	16			13
14		3		35	7	2					1·30	30		14
15		12		78	16	52			60		16	30		15
16		13	2	17				3	40		1·13	3		16
17				5	68	25		23	4	7	5	3		17
18		2		37			10	38	71	9				18
19		3		9	8		27		17		10			19
20		40		43	17	2	4		2	2	29			20
21		28	2	5			4		9	5				21
22		16	11	12					11	7				22
23		30	10	2	7			13	11	38		20		23
24	2		5	2	12			26	27	27		28		24
25	44	98		12	7	5						12		25
26		50						24	10		3	58		26
27		10						11	6	2	4	60		27
28		13						26	10	2	2	2		28
29									21	3	8	28		29
30	5	×				2		55	26	5	1·41	40		30
31		×		×	8	×		10	×	78	×	26		31
TOTAL	·97	3·88	1·25	5·50	1·56	2·66	·55	2·37	4·44	5·25	6·85	5·02	Year's Total. 40·30	
* Days with .01 in. or more.	7 2	18 3	9 3	20 2	11	18 9	6 X	11 X	22 2	23 3	23 3	22 5	83	190✓
* Days with .04 in. or more.	5✓	16✓	6✓	18✓	10✓	13✓	5✓	10✓	20✓	18✓	20✓	17✓	157✓	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. L. Venning.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2088.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Willett

in the County of Somerset

Diameter of Funnel of Gauge Hicks in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	5	13	3	8		15	62				5	3		1
2				7		58	2				11			2
3	2			50		13	5	18	70		14			3
4			12	2		7	3		39		9	40		4
5	37		2				39	2	15			15		5
6	4		3			5	23	15	3		8			6
7	14		12				15				1·00	2		7
8	33		16				42				46	2		8
9	50		46				18		12		10	2		9
10	3						5				23			10
11	20	4				15	2		7		56			11
12				13		5	30		61		3			12
13	10					5	6				5	93		13
14		3		8			62		33	9	3	67		14
15					12		7		32		7	22		15
16		6		3	20		6		3		16	19		16
17	25	46			18		50				5	35		17
18	13	19				34	48					10		18
19	39	13		18		59		14		7				19
20	2	20		12		17		2	38					20
21	24		23	56			3		2					21
22		41	32				17			8				22
23	2	6	25	13	16		6			3				23
24	10	2	2	4	12				7	34				24
25	31		37	8			14		32	22	3			25
26	11	17	23				11			6				26
27	10	3	3				9			15				27
28	72		47				8					23		28
29	3	26	2			22				4	9	25		29
30	7	✕	12			5				50				30
31	14	✕	33	✕		✕	8		✕	27	✕	43		31
TOTAL	4·41	2·19	3·33	2·02	·78	2·60	5·01	·51	3·64	1·85	3·33	4·01	Year's Total 33·58	
* Days with .01 in. or more.	24	14	18	13	5	13	26	5	14	11	18	15	176	
* Days with .04 in. or more.	19	11	12	11	—	13	22	3	11	10	16	11	138	

40-9999.

† Spare column, no entries required.

(Signed) H. C. Venning. [P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2088

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at Willett.

in the County of Somerset

Diameter of Funnel of Gauge Hicks in.

Height of top of Gauge above Ground ....ft. ....in.

,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	16			7							22	10		1
2	6	50		6					12			63		2
3		23	9	29	1·04		2					32		3
4	10	34		6	5		2	3				22		4
5	25		26				3							5
6	12	36	34	23	5		24							6
7		57	3	24		3				8		30		7
8		12		2	20		3				18	65		8
9	2		5	6	19		3		1·02			10		9
10	16	2	83	63		10		22						10
11	2		35	11	45		43							11
12	43	19	25	·01		18	4	25	26			25		12
13		4	91	25		19		14	12					13
14			9	3			4		6			12		14
15	42	17		34			1·56		10			14		15
16	7	12	37	8				26	43					16
17	68	9	45				2		3		23			17
18	47	3	26			15			52		16	28		18
19	14	3	4	9	22	2			4					19
20	50	11	17	29	5							20		20
21	35	24	15	8	18				2	3	7	11		21
22	28		34		25					52	54	5		22
23	22	21	2		6		13			18	26			23
24	39	45								98		3		24
25		71	33							11				25
26		45	2		26									26
27	3	46		2						61				27
28	1·20									11				28
29						2				69				29
30		×								5	10			30
31	17	×		×		×			×	25	×			31
TOTAL	6·24	5·44	5·35	2·96	3·00	·69	2·59	·90	2·72	3·61	1·76	3·60	Year's Total 38·76	
* Days with .01 in. or more.	22 ~~3~~	21 ~~3~~	20 ~~3~~	19 ~~4~~	12	7 ~~3~~	12 ~~6~~	5 ~~1~~	11 ~~2~~	11 ~~1~~	8	15 ~~1~~	~~27~~	163
* Days with .04 in. or more.	19	18	17	15	12	4	6	4	9	10	8	14	136	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H.C. Venning. [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2088

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at WILLETT. TAUNTON

in the County of SOMERSET.

Diameter of Funnel of Gauge HICKS. in.

Height of top of Gauge above Ground ....ft........in.

,, Ground ,, Sea Level 450. ft.

Dg
RJ

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		11				60	6	1·26		26	4	38		1
2		2			13					37	6	12		2
3					28	5	2			24	2			3
4	7						16	68	2	62		19		4
5	2					6	12	25	2	50		15		5
6	19					7	88		7	40		5		6
7	16						27		27	21		10		7
8	56						6	49		19		12		8
9	41	5						4		50		45		9
10	16							10		2		39		10
11	22					6	2	47			29	45		11
12	37	5			25		8				80	11		12
13	7				7			2		31	7	70		13
14	61				6		41		4	9		3		14
15	39				11						10	28		15
16	32	2			2					7	37			16
17		15							5					17
18	25				4	8		16	58	25	37			18
19	5							12	2	3	50			19
20	2							3		3	24			20
21									22		25	37		21
22				6		7		32	6		43			22
23				3				3	2		24			23
24			2		4			3	6		25			24
25	13	22			30		20	3		12	74			25
26	25				20					19	8	2		26
27	8				19	21	17	53		9	30			27
28	9	17			6	25		78		18	2			28
29	8				36				2		26	2		29
30	2				10						32	6		30
31	45				15		2			25		36		31
TOTAL	4·97	·79	·2	·9	2·36	1·45	2·47	5·34	1·45	4·92	5·75	4·35	Year's Total 33·96	✓
* Days with .01 in. or more.	23 ~~3~~	8 ~~2~~	1	2	16 ~~3~~	9	13 ~~3~~	17	13	21 ~~3~~	21 ~~3~~	19 ~~3~~	34	163 ✓
* Days with .04 in. or more.	20	6	~~1~~ 0	1	13	9	10	11	7	18	18	16	129	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Henry. C. Venning. [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 2058

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Willett.
in the County of Somerset
Diameter of Funnel of Gauge Hicks
Height of top of Gauge above Ground ......ft. ......in.
,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	12		14	12	9			3	14		10	5		1
2	2			13				17	70		26	22		2
3	24		3	46				37	21		10	60		3
4			40	52	27		33	2	2	41	32	33		4
5			2	23	43		18	14		27	49	4		5
6	49		8				60	15		12	20			6
7	4	10					25	4			43	39		7
8	3	29	8		12		9	2		71	72	24		8
9	5	3						17		24	5	11		9
10	27					5		14	3	10	2	18		10
11	3		14							32	2			11
12	17	5							2	13				12
13				14	3	7	19		22	47	2			13
14	73			3	4	4	43		8	8	11			14
15	64		14		24	47	24			2	32			15
16	11				19		19				21			16
17	75	7			5	12	7				12			17
18	6					17	1·73				76	4		18
19	28		2				14				5	5		19
20	30					78	4	2						20
21	5	21	11		10	17	2	38						21
22	98	28	11	8		44	20	5			32			22
23	2	3		17		2	38				81			23
24			18	3		43	14			7				24
25	1·14	19					14	6		11	31			25
26	20	12		8				5		37	73			26
27		14	21			5	2	43			18			27
28		15		24		9	7	8			23	15		28
29	8		11	12		3	13			44	5			29
30		✕		90		12				11	2			30
31		✕		✕		✕	3	4	✕	26	✕			31
TOTAL	6·80	1·66	1·77	3·25	1·56	3·05	5·61	2·36	1·42	4·23	6·95	2·40	Year's Total 41·06	
* Days with .01 in. or more.	23 ~~4~~	12 2	14 ~~3~~	14 2	10 X	15 2	22 3	18 ~~4~~	8 3	17 X	26 ~~4~~	12 ~~1~~	191	
* Days with .04 in. or more.	19	10	11	12	9	13	19	14	5	16	22	12	162	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) H. L. Venning.

P.T.O.

2088/5
CROWCOMBE
REXTON GORSE
1936—40

780314

Section **A** for the entry of
AIR MINISTR

ation No. 2088/5
L ORGANIZATION

FORM 1090

REGIS

Kept at Crowcombe

in the County of Somers

Diameter of Funnel of Gauge

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEASURE

DAY

An observer who does not conform to … *llowing*
year in the space on the right of this

Plea

Jan. 1, following

Date	Jan.	Feb.	Mar.	Ap								Dec.		*Date*
	in.	in.	in.	i		in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·12	·03	·09		·17	·70							1
2	·02			·06		·90		·02						2
3	[illegible]			·97		·15		·14						3
4			·13				·06							4
5	·46						·55							5
6	·04		·03			·10		·17						6
7	·23		·13				·06							7
8	·25		·16				·27							8
9	·52		·49				·50							9
10	·03						·20							10
11	·20					·24	·20							11
12		·10					·15							12
13	·10			·16		·05	·06							13
14				·16			·70							14
15							·05							15
16		·07			·17		·07							16
17	·28	·50			·30		·15							17
18	·09	·34			·20		·50							18
19	·37					1·24		·21						19
20	·02	·19	·05	·43		·17	·03	·04						20
21			·12											21
22	·24	·95	·48				·08							22
23			·43	·13	·16		·22							23
24	·12		·02	·05	·16									24
25	·29		·20				·21							25
26	·14	·15	·51	·04										26
27	·11		·04				·22							27
28	·62						·02							28
29	·02	·32				·25								29
30	·05	✕				·05								30
31	·14	✕	·56	✕	·05	✕	·11		✕		✕			31
TOTAL	4·36	2·74	3·38	2·09	1·04	3·32	5·11	·58					Year's Total	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ……………………………………………… [P.T.O.

Section **A** **for the entry of** ation No. 2088/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Crowcombe (Rexton Gorse

f 48634/36

in the County of Somerset /4

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground ft. Ten in.

,, Ground ,, Sea Level 530 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·12	·03	·09		·17	·70							1
2	·02			·06		·90		·02						2
3	~~·03~~			·97		·15		·14						3
4			·13				·06							4
5	·46						·55							5
6	·04		·03			·10		·17						6
7	·23		·13				·06							7
8	·25		·16				·27							8
9	·52		·49				·50							9
10	·03						·20							10
11	·20					·24	·20							11
12		·10					·15							12
13	·10			·16		·05	·06							13
14				·16			·70							14
15							·05							15
16		·07			·17		·07							16
17	·28	·50			·30		·15							17
18	·09	·34			·20		·50							18
19	·37					1·24		·21						19
20	·02	·19	·05	·43		·17	·03	·04						20
21			·12											21
22	·24	·95	·48				·08							22
23			·43	·13	·16		·22							23
24	·12		·02	·05	·16									24
25	·29		·20				·21							25
26	·14	·15	·51	·04										26
27	·11		·04				·22							27
28	·62						·02							28
29	·02	·32				·25								29
30	·05	✕				·05								30
31	·14	✕	·56	✕	·05	✕	·11		✕		✕			31
TOTAL	4·36	2·74	3·36	2·09	1·04	3·32	5·11	·58					Year's Total	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

~~[illegible]~~ Crowcombe (Rexton Gorse) X

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2088/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Rexton Gorse, Crowcombe

in the County of Somerset

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground ~~[illegible]~~ ft Ten in.

,, Ground 530 Sea Level ft.

c imp 1936.

486341/36

Days.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1				·04							·30			1
2	1·00	·55		·08							·15	·46		2
3	·05	·21	·09	·28	·87				·03					3
4		·39			·06		·13		·03			x		4
5			·05				·31					·45 x		5
6	·26	·28	·20	·31	·06		·06							6
7	·14	·54	·02	·20		·03								7
8		·09			·18	·02					·24	·38		8
9	·04		·10	·05	·20				1·10			·09		9
10			·60	·74		·11						·49		10
11	·04		·36	·20	·53	·01	·66							11
12	·18	·23	·19			·17			·40			·32		12
13	·42	·05	1·04	·28		·09		·70	·08					13
14	·41		·05	·06			·10		·07			·07		14
15		·17	·02	·30		·02	1·08		·07					15
16		·04	·33	·07				·26	·57					16
17	1·13	·18	·44						·09					17
18	·02	·05	·18		·30	·15			·29		·41	·48		18
19	·03	·03	·07	·10		·02	·03		·04		·02			19
20	·65	·10	·13	·30								·18		20
21	·40	·26	·18	·10	·27		·03							21
22	·21		·40		·17		·16		·04			·13		22
23	·12	·20			·06		·01			·74	·96	·09		23
24	·53	·35	·05						·21	·20	·07			24
25		·81	·31		·11					·81				25
26		·30	·02		·19					·15				26
27		·26								·68				27
28	·89	·29												28
29	·03					·04				·13	·20			29
30		✕				·01		·15		·66	·11			30
31	·17	✕		✕		✕			✕		✕			31
													Year's Total.	
TOTAL	6·72	5·42	4·81	3·13	3·00	·67	2·57	1·11	3·02	3·37	2·46	3·14	39·42	
* Days with .01 in. or more.	20	21	21	15	12	11	10	3	13	7	9	12	154	
* Days with .04 in. or more.	17	20	17	15	12	5	7	3	11	7	8	12	134	

d print.

AB

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

O X R.COOPER X

(Signed) Richard Cooper

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 2088/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Reston Gorse Camcombe
in the County of Somerset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
,, Ground ,, Sea Level 500 ft.

Acc / Dec
Dup W.S.R.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	·11				·58		·98		·40	·03			1
2					·21					·20	·06	·50		2
3					·39	·06				·73				3
4						·07	·19	1·09		·49		·16		4
5						·02	·07			·47		·06		5
6	·16					·07	·74		·12	·30		·15		6
7	·20											·09		7
8	·61							·31		·77				8
9	·41						·36					·78		9
10	·05							·19				·49		10
11	·28					·07	·06	·25			·28	·45		11
12	·38				·22		·03			·35	·70	·15		12
13					·09						·08	·73		13
14	·63				·08		·40							14
15	·26	·29			·13			·03		·13		·35		15
16	·52							·04						16
17										·22				17
18	·24				·06	·10		·22	1·39		·87			18
19	·05							·06	·07		·53			19
20											·21	–		20
21						·11			·10		·20	·73 x		21
22	·03			·11				·43	·11		·46			22
23				·03				·09			·17			23
24	·05		·08						·09		·22			24
25	·10	·24	·05		·40		·23	·12		·12	·78			25
26	·18	·28			·21					·22				26
27	·09				·21	·23	·20	·68		·09	·39			27
28	·09	·16			·05	·22		·80						28
29	·09				·41				·06	·20	·25			29
30	·04	✕			·07	·02			·26		·29			30
31	·44	✕		✕	·14	✕			✕	·25	✕	·17	"d"	31
TOTAL	4·94	1·08	·13	·14	2·67	1·55	2·28	5·29	2·20	4·94	5·52	4·81	Year's Total ~~34·65~~ 35·55	✓
* Days with .01 in. or more.	21	5	2	2	14	11	9	14	8	15	16	13	130	
* Days with .04 in. or more.	20	5	2	1	14	9	8	13	8	15	15	13	123	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2088/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Rexton Lodge, Crowcombe

in the County of Somerset

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ......500....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·08		·06		·12				·27		·12	·08		1
2				·75				·31	·71		·39	·18		2
3	·24		·05					·33	·17			·58		3
4	·02		·48	·59	·31		·21	·02		·41	·37			4
5			·02	·25	·37		·24	·13		·33	·60			5
6	·55		·06				·81	·06		·16	·20			6
7	·03	·24									·69	·65		7
8	·06	·32	·08		·08		·21	·20			·38			8
9	·02	·02						·13		× 1·70		·30		9
10	·33	·02				·04				×				10
11			·14							×				11
12	·14	·04								·03				12
13				·10	·04	·07			·30					13
14	·82			·06	·06	·06	×		·02		·20			14
15	·63				·26	·50	1·09 ×			✓	·46			15
16	·11									× ·65	·09			16
17	·85					·12	·51			–	·10			17
18	·05	·08				·12	·85				·81	·14		18
19	·28						·21				·03			19
20	·36					·72		·61						20
21		·26	·32		·07		·10	·04						21
22	1·05	·24	·10			·64	·16				·33			22
23	✓			·27		·01	·36				·93			23
24	–		·13	·03		·43	·16							24
25	×						·14			·21	·38			25
26	× 1·23	·47		·15				·57		·26	·76			26
27	–	·11	·17								·15			27
28	–	·12	·07	·21		·21	·06				·30	·15		28
29	×			·14			·16			·56				29
30				1·17		·14				·14				30
31							·03			·22				31
													Year's Total	
TOTAL	6·85	1·92	1·68	3·72	1·31	3·06	5·30	2·40	1·47	4·67	7·29	2·08	41·75	
* Days with .01 in. or more.	21	11	12	11	8	12	17	10	5	14	19	7	147	" "d"
* Days with .04 in. or more.	17	9	11	10	8	11	16	9	4	12	18	7	132	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2088/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~193~~ 1940

Kept at Reston Lose, Crowcombe

in the County of Somerset

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....500.......ft.

4 86341/36

Est. June

Inc.

June estd from nearby stns.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·17		✓	·14						·14			1
2	~~·22~~	·15 ~~·1[illegible]~~		✓			✓				1·67			2
3		·15		✓						·20	·87	·21		3
4		✓		✓			✓			·24		·02		4
5		✓					✓			·49	·86	·51 ~~[illegible]~~		5
6	✓	·38					·14			·44	·26	·32		6
7	✓	✓					·15		·10	·02		·22		7
8	✓									·35	·21	·35		8
9							·78			·10	·68	·13		9
10							·20				·25	·30		10
11				✓			·28				1·28			11
12			·31			✓	·12		·18		·16	·10		12
13		✓	✓				1·04			✓	1·22	·09		13
14			·72	✓	·38	No Record kept			·27	·77		·44		14
15	2·40	·56		✓	·55		·03		·21		·25			15
16	✓		·22	✓		✓	·32		·08	1·70				16
17			·64				·02				·27			17
18	✓	·33	·39	·93					·21			·17		18
19		·06	·11	·17			·84	·10	·19		·10			19
20			✓				·04	·05	·02	·26	·31			20
21						✓					·75			21
22			·12		·39	✓			·06					22
23		·17	·14				·35			·18				23
24						✓								24
25	✓		·06			✓								25
26	✓	·26		·09	·28		·08				·06			26
27	✓			·20	·17		·06							27
28	✓	·27			~~·28~~									28
29	✓			·40	~~·17~~					·47		·21		29
30		✕	·38	·75	·06							·09		30
31		✕		✕		✕			✕	·66	✕			31
TOTAL	~~(2·10)~~ ~~(2·62)~~ 2·62	2·35	3·09	2·54	1·96	(·70)	4·45	·15	1·32	5·88	9·34	3·16	Year's Total 34 ~~3·86~~	37·56
* Days with .01 in. or more.	~~10~~	~~13~~	~~12~~	~~14~~	~~7~~	~~6~~	~~18~~	~~2~~	~~9~~	~~14~~	~~17~~	~~14~~	~~136~~	
* Days with .04 in. or more.	8	11	11	9	7	3	15	2	8	13	17	13	116 7	

† Spare column, no entries required.

(Signed)

* See Instruction 3 (f) on other side.

P.T.O.

FORM 1090. **B** Montl
Summ

2089

2089
QUANTOCK HILLS
1931

780314

*** The following register of monthly
&c., is NOT required if daily or v
values are given on the other side.

d also the space for

ter should be sent:—

RAINFALL IN 193 1

At Quantock Hills B

In the County of Somerset

Rain Gauge
Diameter of Funnel 5
Height of Top above Ground 1 *ft.* 0
Height of Ground above Sea Level 10

n Summer
Direction from gauge
Direction from gauge

gauge ..

Month.	Total Depth.	Greatest Fall in 24 hours.		Numb Days ·01 in or more
	Inches.	Inches.	Date.	*
JAN.	3·73			
FEB.	2·84			
MAR.	1·60			
APRIL	3·34			
MAY	4·21			
JUNE	3·49			
JULY	4·24			
AUG.	5·89			
SEPT.	2·33			
OCT.	1·20			
NOV.	7·38			
DEC.	2·23			
Total	42·48			

Signature S. Audry

*See Instruction 2 (*f*) below.

If gauge has been moved during the year state—

Date of move.................. Distance.................. Direction..................

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(269) Wt.5244/391/474 14,000 6/30. Gp. 119/110.

FORM 1090. **B** Montl
Summ

2089

⁎ The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 193 1

At Quantock Hills B.

In the County of Somerset

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft* 0 *in.*
Height of Ground above Sea Level 1020 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 in or more	Number of Days with ·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	3·73				
FEB.	2·84				
MAR.	1·60				
APRIL	3·34				
MAY	4·21				
JUNE	3·49				
JULY	4·24				
AUG.	5·89				
SEPT.	2·33				
OCT.	1·20				
NOV.	7·38				
DEC.	2·23				
Total	42·48				

Signature S. [illegible]

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}$ ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(269) Wt.5244/391/474 14,000 6/30. Gp. 119/110.

2089/5

FORM 1090. **B** M S

—

2089/5

CROW COMBE HOUSE

1937—40

780314

, The following register of mo &c., is NOT required if dai values are given on the oth

n and also the space for

s register should be sent :—

RAINFALL IN 19

At Crowcombe Hou

In the County of Somers

ton

in Summer 10 a.m.

Direction from

2½ miles gauge E.E. by S

Direction from

¼ mile gauge East

Rain Gauge
- Diameter of Funnel
- *Height of Top above Ground*
- *Height of Ground above Sea Level*

Month	Total Depth	Greatest Fall in 24 hours			
	Inches	Inches	Date		
JAN.	6·07				
FEB.	5·19				
MAR.	6·34				
APRIL	3·59				
MAY	2·99				
JUNE	·56				
JULY	2·745				
AUG.	·77				
SEPT.	5·16	-			
OCT.	3·53				
NOV.	2·31	2·31			
DEC.	3·285				
TOTAL	42 53 ~~42 64~~			9.5.38	

Directions from gauge ...	W	N		

If gauge has been moved during the year state—

Date of move (40) Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Signature B Mitchell Young

* See Instruction 3 (*f*) below.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

METEOROLOGICAL OFFICE
9 MAY 1938
AIR MINISTRY
SOUTH KENSINGTON, S.W.7.

N

2089/5

FORM 1090.

B M
Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937

At Croscombe House

In the County of Somerset

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* ft. 5½ *in.*
- *Height of Ground above Sea Level* 474 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	6·07				
FEB.	5·19				
MAR.	6·34				
APRIL	3·59				
MAY	2·99				
JUNE	·55				
JULY	2·745				
AUG.	·77				
SEPT.	5·16	–			
OCT.	3·53				
NOV.	2·31	2·31			
DEC.	3·285				
TOTAL	42 53 ~~42 64~~			9.5.38	

Signature B Michell Young

* See Instruction 3 *(f)* below.

C
Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

D. B MICHELL YOUNG
Croscombe House Taunton

Hour of observation by the clock—in Winter 10 a in Summer 10 am

Nearest Railway Station Croscombe G.W.R. Distance 2½ m. Direction from gauge E.E. by S

Nearest Parish Church at Croscombe Distance ¼ mile Direction from gauge East

Nature of objects nearest to gauge	Wall	House		
Height of objects	12 ft	34 ft		
Distances ...	30 yds	60 yds		
Directions from gauge ...	W	N		

If gauge has been moved during the year state—

Date of move (no) Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005: this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

METEOROLOGICAL OFFICE
9 MAY 1938
AIR MINISTRY
SOUTH KENSINGTON, S.W.7.

N

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2089/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1938

Kept at Crowcombe House Crowcombe

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 480 ft.

Day

~~Entry~~ – Aug 1st is accumulation
– Dec 31st is weight day.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·36	·21	–	–	·16	·02	1·30 ~~1·35~~	–	·26	·19	·34		1
2	–	·12	–	–	–	·66	·23	·05	–	·35	·02	·20		2
3	–	·02	–	·02	·17	–	–	–	–	·18	·05	·21		3
4	–	–	–	–	·47	·12	·01	–	–	·70	·02	·005		4
5	·03	–	–	–	–	·09	·24	·79	–	·50	–	·17		5
6	·03	–	–	·06	–	·01	·05	–	·06	·26	–	·05		6
7	·15	–	–	–	–	·09	·85	–	·10	·33	–	·05		7
8	·05	–	–	–	–	–	·35	–	·12	·08	–	·10		8
9	·60	·01	–	–	–	–	·05	·17	–	·58	–	·005		9
10	·33	·06	–	–	–	·01	·02	–	–	·05	–	·64		10
11	·01	·01	–	–	–	–	·01	·14	–	·005	–	·55		11
12	·19	·01	–	–	–	·06	·08	·34	–	–	·26	·50		12
13	·36	·01	–	–	·30	–	·05	·03	–	·22	·66	·19		13
14	·03	–	–	–	·08	–	–	·01	–	·06	·16	·73		14
15	·61	–	–	–	·09	–	·39	–	·06	–	·60	–		15
16	·34	–	–	–	·15	–	·01	·005	–	·05	·28	·32		16
17	·33	·05	·02	–	·01	–	–	·05	–	–	–	·01		17
18	–	·20	–	–	·01	–	–	–	·06	·20	·005	–		18
19	·23	–	–	–	·09	·10	–	·22	·61	·03	·36	–		19
20	·02	–	–	–	–	–	–	·05	·04	–	·46	–		20
21	·01	–	–	–	–	–	–	–	·005	–	·16	–		21
22	–	–	–	–	–	–	–	·05	·18	–	·20	·24		22
23	·01	–	–	·14	–	·10	–	·39	·21	·01	·40	·13		23
24	–	–	–	·05	–	–	–	·03	·05	–	·24	·01		24
25	·06	–	·08	–	·06	–	–	·05	·06	–	·20	–		25
26	·03	·25	·01	–	·33	–	·21	·02	–	·14	·70	·15		26
27	·16	·20	·05	–	·20	·09	·04	–	–	·22	·15	·01		27
28	·06	·01 ·21	–	–	·23	·14	·19	·68	·01	·12	·22	–		28
29	·09		–	–	·08	·24	–	·35	·06	·005	·01	·01		29
30	·05	✕	–	–	·54	–	–	–		·31	·26	·01		30
31	·02 ·36	✕	–	✕	·16 ·16	✕ ·02	– ·05	– –	✕ ·26	– ·19	✕ ·34	·46		31
TOTAL	~~3·80~~ ~~3·44~~ 4·16	~~1·21~~ 1·16	~~·37~~ ·16	·27 ·27	~~2·96~~ 3·12	~~1·79~~ 1·73	~~2·80~~ 2·83	~~5·915~~ 4·72	~~1·62~~ 1·88	~~4·60~~ 4·59	~~5·065~~ 5·76	~~5·08~~ 4·75	Year's Total ~~36·43~~	35·13
* Days with .01 in. or more.	245	13	54	4	187	13	17	18	184	21	22	232	190 ~~189~~	~~35·41~~
* Days with .04 in. or more.	156	7	82	3	145	110	123	14	123	18	18	176	145 ~~144~~	

4·16 1·16 ·16 ·27 3·12

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) B Michell Young

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2089/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Crowcombe House Crowcombe

in the County of Somerset

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level ft.

f81445/27

Annual total corrected for arithmetic.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·10	–	0·15	0·08	0·15	–	–	0·005	0·08	–	0·16	–		1
2	0·005	–	–	0·16	0·24	–	–	0·35	0·58	–	0·27	0·02		2
3	0·33	–	0·05	0·50	–	–	–	0·45	0·08	–	0·07	0·19		3
4	0·2	–	0·45	0·34	0·3	–	0·28	0·19	0·03	0·3	0·3	0·43		4
5	0·01	–	0·01	0·34	0·23	–	0·48	0·03	–	0·39	0·07	0·3		5
6	–	0·05	0·05	0·01	–	–	0·74	0·01	–	0·29	0·5	–		6
7	0·43	0·06	–	–	–	–	0·09	0·07	–	–	0·41	0·41		7
8	0·01	0·25	0·09	–	0·02	–	0·04	0·08	–	0·86	0·56	0·14		8
9	0·02	0·01	0·005	–	–	– ~~0·03~~	–	0·01	–	0·11	0·03	0·12		9
10	–	–	–	–	–	0·03	–	–	0·09	0·07	–	0·19		10
11	0·29	0·01	0·18	–	–	–	–	–	–	0·48	–	–		11
12	0·18	0·02	–	–	–	0·07	–	–	0·2	0·03	–	–		12
13	–	–	–	0·12	0·04	0·08	0·19	–	0·09	0·05	0·01	–		13
14	0·75	–	–	0·01	0·04	0·05	0·57	–	–	0·16	0·1	0·01		14
15	0·58	–	0·09	–	0·17	– ~~0·44~~	0·22	–	–	0·01	0·31	–		15
16	0·11	–	–	0·05	0·27	0·47	0·12	–	–	0·005	0·29	–		16
17	0·78	0·005	–	–	–	0·11	0·32	–	–	–	0·01	0·01		17
18	0·05	0·07	0·14	–	–	0·15	0·85	–	–	–	0·65	0·04		18
19	0·25	–	–	–	–	0·02	0·005	–	–	–	0·02	0·04		19
20	0·39	–	0·08	–	–	0·85	0·02	0·61	–	–	–	0·05		20
21	0·09	0·22	0·1	0·05	0·07	0·55	0·06	0·06	0·005	–	–	–		21
22	0·80	0·21	0·05	0·105	0·01	0·41	0·23	0·23	–	–	0·25	–		22
23	0·02	–	0·05	0·21	–	0·05	0·64	– ~~0·005~~	–	0·01	0·96	–		23
24	0·45	0·01	0·01	0·01	–	0·45	0·1	0·005 ~~·46~~	–	0·03	–	–		24
25	1·01	0·14	–	–	–	–	0·19	~~[illegible]~~	–	0·27	0·25	–		25
26	0·18	0·07	0·3	0·17	–	0·01	0·01	0·46	–	0·07	0·69	–		26
27	–	0·06	0·09	–	–	0·05	0·06	0·06	–	–	0·25	0·05		27
28	0·05	0·14	–	0·36	–	0·09	0·16	–	–	–	0·21	0·15		28
29	0·08	–	0·01	0·26	–	0·04	0·–	–	–	0·56	0·01	~~[illegible]~~		29
30	–	✕	–	1·35	–	0·2	0·–	0·005	–	0·15	–	0·01		30
31	–	✕	–	✕	–	✕	0·02	0·1	✕	0·22	✕	0·04		31
TOTAL	7 7·165	1·415	6 1·955	3·135 ~~[illegible]~~	1·54	3·53	40 5·~~398~~	2·625	6 1·155	4·05	6·38	2·20	Year's Total 40·15	
* Days with .01 in. or more.	25	15	18	17	11	18	22	17	8	19	23	17	210	
* Days with .04 in. or more.	20	11	13	14	8	13	19	13	6	14	17	12	160	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2089/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Crowcombe House Crowcombe

in the County of Somerset

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground 1 ft.........in.

,, Ground 490ft Sea Level ~~[illegible]~~ ft.

Days.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·04		·04	·13	–	–	–	–	–	·12	–		1
2	–	·01	–	·06	–	–	·06	–	–	–	1·48	·02		2
3	–	·24	–	·03	–	–	·04	–	–	·34	·72	·16		3
4	–	·10	–	·01	–	–	·02	–	–	·23	·83	·02		4
5	·01	·04	–	–	–	–	·02	–	–	·24	·23	·46		5
6	–	·34	–	–	–	–	·01	–	–	·43	–	·27		6
7	·11	·02	–	·03	–	–	·21	–	·09	·04	·27	·21		7
8	·03	–	–	–	–	–	–	–	–	·30	·71	·18		8
9	·01	–	–	–	–	–	·78	·04	·005	·17	·27	·30		9
10	–	–	·01	–	–	–	·32	–	–	·09	·92	·06		10
11	–	·01	·03	·03	–	–	·27	–	–	– ~~·07~~	–	·28		11
12	–	–	·18	~~·15~~	–	·01	·25	–	·24	–	·12	·31		12
13	–	·02	·38	·03	–	–	1·12	–	·05	·21	·02	·15		13
14	–	·01	·48	·15	·50	–	·01	–	·70	·62	1·06	·03		14
15	–	–	–	·03	·24	·06	·05	–	1·24	·01	·27	–		15
16	·07	·31	·17	–	–	·03	·43	–	1·10	2·15	·16	·03		16
17	–	·09	·63	·72	–	–	·06	–	–	–	·06	–		17
18	·25	·33	·39	·005	–	–	–	·04	·14	·10	·22	·15		18
19	–	·08	·08	·005	–	–	·43	–	·35	–	·10	–		19
20	–	–	·01	–	–	–	·06	·06	·06	·26	·65	·03		20
21	–	–	–	–	·40	·35	–	–	–	·01	– ~~·05~~	–		21
22	–	·005	·08	·07	–	·26	–	–	·05	–	·01	–		22
23	–	·06	·15	–	–	–	·01	–	·02	·27	·15	·02		23
24	–	–	–	·13	·01	·01	·36	–	–	–	–	·01		24
25	·11	–	·08	·02	·04	·01	–	–	–	–	·04	–		25
26	·84	·21	–	·08	·24	–	·14	–	–	–	–	–		26
27	·35	·065	–	·03	·14	–	·02	·03	–	–	–	–		27
28	·11	·11	–	·12	·17	–	–	–	–	–	–	–		28
29	·58	·14	·15	·63	–	·02	–	–	–	·04	–	·16		29
30	·02	✕	–	·35	·005	–	–	–	–	·40	–	·09		30
31	·10	✕	·01	✕	·005	✕	–	–	✕	·60	✕	·37		31
TOTAL	2·59	2·225	2·83	2·56	1·98	·76 12·945	4·66	·17	2·045	6·51	8·40	3·30 25·085	Year's Total ~~[illegible]~~	
* Days with .01 in. or more.	13	20	15	19	10	8	21	4	12	19	21	21	183	38·03
* Days with .04 in. or more.	9	14	11	10	8	3	15	3	10	17	19	14	133	

† Spare column, no entries required.

(*Signed*) B. Mitchell Young [P.T.O.

* See Instruction 3 (f) on other side.

2090

FORM 1090. **B** M
S

2090

CROYDON HALL

1931 — 40

780314

⁎ The following register of mont
&c., is NOT required if daily
values are given on the other

n and also the space for

register should be sent:—

RAINFALL IN 193.

At Croydon Hal

In the County of Som

Rain Gauge
Diameter of Funnel
Height of Top above Ground ft.
Height of Ground above Sea Level

in Summer

Direction from gauge

Direction from gauge

Month.	Total Depth.	Greatest Fall in 24 hours.		N D ·0 or	
	Inches.	Inches.	Date.		
JAN.	2.52				
FEB.	5.38				
MAR.	1.16				
APRIL	2.22				
MAY	5.56	3.40	27		
JUNE	4.06				
JULY	2.79				
AUG.	5.20				
SEPT.	3.20				
OCT.	1.34				
NOV.	2.66				
DEC.	3.84				
Total	39.93				

Signature

*See Instruction 2 (*f*) below.

Directions from gauge ..

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copied from Original in File 667591/26

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090. **B** M
S

2090

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1931

At Croydon Hall

In the County of Somerset

Rain Gauge
- Diameter of Funnel .... in.
- *Height of Top above Ground* .... *ft* .... *in.*
- *Height of Ground above Sea Level* 500 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	2·52				
FEB.	5·38				
MAR.	1·16				
APRIL	2·22				
MAY	5·56	3·40.	27th		
JUNE	4·06				
JULY	2·79				
AUG.	5·20				
SEPT.	3·20				
OCT.	1·34				
NOV.	2·66				
DEC.	3·84				
Total	39·93				

Signature ....

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:— ....

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copied from Original in file 667591/26

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

2090

FORM 1090. **B** Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At The Gardens Croydon Hall

In the County of Somerset

Rain Gauge
- Diameter of Funnel 5/8 in.
- *Height of Top above Ground* 3 *ft* ____ *in.*
- *Height of Ground above Sea Level* ____ *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	5·67	1·07	7	~~3~~	13
FEB.	nil	..	..	~~..~~	..
MAR.	2·95	·85	30	~~3~~	9
APRIL	4·31	·50	7	~~5~~	19
MAY	3·07	·83	22	~~6~~	13
JUNE	·39	·32	30	~~2~~	2
JULY	3·46	·55	14	~~2~~	17
AUG.	1·41	·35	14	~~4~~	8
SEPT.	4·28	85	23	~~2~~	18
OCT.	9·31	1·00	8	~~1~~	23
NOV.	2·45	·44	16	~~4~~	10
DEC.	2·90	·68	1	~~4~~	9
Total	40·20			~~42~~	141

Signature ____

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
Captain J. W. Bridges, Croydon Hall
Washford. Somerset.

Hour of observation by the clock—in Winter a.m. 9 o'clock In Summer a.m. 9 o'clock

Nearest Railway Station Washford Distance 3 miles Direction from gauge west

Nearest Parish Church at Rodhuish Distance 1 mile Direction from gauge ____

Nature of objects nearest to gauge	Lean to	Greenhouse		
Heights of objects	18 feet			
Distances ..	20 yards			
Directions from gauge ..	Facing	S. S. E.	(quite	open situation)

If gauge has been moved during the year state—

Date of move ____ Distance ____ Direction ____

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | 18 | }·14 | would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2090

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Croydon Hill Gardens.

in the County of Washford. Somerset

Diameter of Funnel of Gauge 5 ins

Height of top of Gauge above Ground 3 ft. 6 in.

,, Ground ,, Sea Level 580 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·02

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·50	·48	·19	·5	·7	·	·	·	·	·10	·10	·		1
2	·50	·40	·15	·	·17	·	·	·	·1	·2	·1	·52		2
3	·40	·	·63	·	·84	·34	·	·	·	·	·2	·25		3
4	··	·8	·14	·	·2	·	·	·	·	·	·	·		4
5	·30	·10	·4	·	·9	·	·	·	·	·	·	·		5
6	·16	·2	·75	·	·10	·	·	·	·	·	·	·		6
7	·5	·28	·3	·	·23	·	·44	·	·	·13	·	·		7
8	··	·10	·3	·	·7	·	·	·	·	·8	·	·		8
9	·1	·3	·5	·	·9	·	·31	·	·	·2	·	·		9
10	·6	·18	·	·	·26	·	·36	·	·	·88	·4	·		10
11	·6	·32	·	·	·	·	·2	·3	·	1·90	·4	·		11
12	··	·	·	·	·	·5	·23	·21	·	·17	·	·		12
13	··	·	·	·22	·1	·7	·25	·	·72	·	·	·		13
14	··	·	·	·	·10	·36	·34	·5	·	·7	·1	·		14
15	·8	·	·	·	·	·	·1	·4	·	·18	·23	·		15
16	·58	·	·29	·	·	·	·12	·5	·	·15	·1	·5		16
17	··	·2	·77	·	·	·	·	·1	·	·11	·	·		17
18	·13	·8	·34	·	·	·21	·	·3	·8	·	·	·		18
19	·8	·	·29	·	·	·20	·	·	·	·	·4	·		19
20	7	·	·42	·	·	·	·3	·	·16	·	·34	·1		20
21	··	·4	·	·	·	·2	·	·6	·11	·	·2	·		21
22	··	·	·	·	·1	·1	·	·39	·	·9	·	·		22
23	··	·	·	·16	·3	·	·	·31	·10	·	·3	·		23
24	··	·25	·	·15	·	·21	·	·	·11	·45	·	·		24
25	··	·53	·	·15	·	·	·	·5	·1	·2	·	·		25
26	··	·52	·	·12	·9	·25	·	·	·34	·	·	·7		26
27	··	·80	·	·5	·58	·	·	·	·24	·43	·	·		27
28	·	·	·	·	·5	·	·	·	·17	·46	·	·35		28
29	·	✗		·32	·	·	·6	·	·	·30	·	7		29
30	·18	✗	·	·29	·	·	·2	·	·	·	·	4		30
31	·7	✗	·9	✗	·	✗	·10	·	✗	·17	✗	·10		31
TOTAL	2·93	4·23	4·21	1·53	2·75	1·72	2·29	1·32	2·05	5·73	·87	1·46	Year's Total 31·09	
*Days with ·01 in. or more.	16	17	15	9	17	10	13	11	11	19	12	9	159	
*Days with ·04 in. or more.	15	14	13	9	12	8	9	8	9	16	6	8	127	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2090

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Croydon Hall Gardens,
in the County of Washford, Somerset
Diameter of Funnel of Gauge five (5) in.
Height of top of Gauge above Ground 3 ft. 4 in.
„ Ground „ Sea Level 400 ft.

Circ. C sent 30/4/35.

Days

Wrong Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·18

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02					·01		·01	·02	·05				1
2	·05					·03		·65	·15	·01	·70	·49	~~·49~~	2
3	·15							·08	·51		·12	·15	~~·15~~	3
4	·01	·01			·03			·62	·01	·19		·38	~~·38~~	4
5	·27		·04	·26	·38			·03	·12	·43		·43	~~·43~~	5
6			·05	·02	·20	·17		1·25		·05	·55	·68	~~·68~~	6
7	·07		·28	·14	·80			·05		·30	·01	·28	~~·28~~	7
8	·12							·15		·34	·03	·52	~~·52~~	8
9					·14					·07	·38	·76	~~·76~~	9
10			·13	·05						·09	·60	·22	~~·22~~	10
11	·22		·38	·53				·22			·14	·01	~~·01~~	11
12	1·15		·01	·43				·25				·51	~~·51~~	12
13	·22			·08				·33				·05	~~·05~~	13
14	·45		·13	·33						·02		·12	~~·12~~	14
15	·30		·65							·03	·11	·20	~~·20~~	15
16	·10		·16		·17					·16	·13	·32	~~·32~~	16
17	·29		·55							·02		·09	~~·09~~	17
18	·48		·02	·23	·01					·06		·35	~~·35~~	18
19	·25		·26	·70				·04	·10	·02		·73	~~·73~~	19
20			·22			·07			·20			·23	~~·23~~	20
21			·14	·06			·22	·05	·05			·02	~~·02~~	21
22			·07			·10		·05		·20	·01	·05	~~·05~~	22
23	·01		·08						·23	·09		·46	~~·46~~	23
24			·03	·23		·59			·09			·04	~~·04~~	24
25		·26	·10			·15	·04		·08					25
26	·27	·01		·27		·76			·02	·26		·55	~~·55~~	26
27	·04		·03	·13		·22			·17	·07	·02	·07	~~·07~~	27
28				·25		·03				·16		·28	~~·28~~	28
29				·10				·66	·28	·27		·92	~~·92~~	29
30		×						·30	·10	·24		·08	~~·08~~	30
31	·10	×		×	+.01	×	+.01	·02	× +.03	·40	×	·40 ·45	~~·40~~	31
TOTAL	in 4·8~~X~~ 5	·28	in 3·33	in 3·81	in 1·7~~3~~ 4	in 2·1~~3~~ 2	·30 ~~·29~~	in 4·7~~6~~ 7	in 2·1~~3~~ 6	in 3·5~~3~~ 48	in 2·80	in 9.57 ~~9·37~~	Year's Total ~~39·05~~	39·21
*Days with ·01 in. or more.	20~~9~~	3~~2~~	19~~4~~	16~~x~~	7~~3~~	10~~8~~	2	17~~3~~	15~~3~~	23~~5~~	12~~4~~	~~28~~ 30	17~~8~~	
*Days with .04 in. or more.	14	1	15	15	5	4	2	14	12	18	8	~~24~~ 21	142	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

Section **A**

Station No. 2090

L ORGANIZATION.

Form 1090.

5.

Kept at C,

in the County

[illegible]

Diameter of Fun

Height of top of (

,, Ground

round for WID

Her

THE MO

An observer who d

year in the space

ollowing

Jan. 1, following
·30

[illegible] Croydon Hill [illegible] 2090

½" map 31.

Croydon Hill is [illegible]

3 mi W of Watchet station &

~~Th~~ place ht about 600 ft

but direction apparently not quite

true W. because if they are

3½ mi W-SW of Old Cleeve Ch

They are about 700 ft

Require 1" map to fix position

better as hill rises steeply to

1,000 ft.

We have 500 in BR

& 3'6" this should be lowered

Date	Jan.											Dec.		Date
	in.											in.	†	
1	·18											1·60		1
2												·75		2
3												·14		3
4	·03													4
5												·75		5
6												·09		6
7												·04		7
8												·15		8
9														9
10														10
11	·01											·02		11
12	·20													12
13	·09													13
14	·16													14
15												·28		15
16		·20		·20	·73	·02			·50		·14	·46		16
17		·24	·06		·20			·06	·72		1·17	·01		17
18				·67	·10	·45		·36	·07	·10	·02			18
19		·05			·45		·13	·72	·79	·14		·02		19
20		·01		·18	·10	·02	·18		·25	·16	·15	·03		20
21		·57		·05	·49		·08				·28			21
22		·47			·37		·03		·17	·05	·01			22
23		·04	·16		·10				·25	·05				23
24		·16	·28	·05				·20	·17	·28		·35		24
25	·07	·43	·04	·12	·05			·25	·18	·14		·20		25
26	·55	·52		·05	·09	·28						·18		26
27		·65						·43	·09	·01	·01	·57		27
28		·17						·27	·20	·10	·05	·43		28
29	·02						·01	·59	·08	·10	·03	·01		29
30		X							·30	·06	·21	·40		30
31	·06	X ·04	–	X ·03	–	X ·02	–	~~·72~~ ·64	X ·36	·25 ·26	X 1·60	·60 ·30		31
Total	1·19 ~~1·37~~	4·51 ~~4·47~~	1·39 ~~1·43~~	1·42 ~~1·39~~	6·10	2·85 ~~2·86~~	·51 ~~·52~~	3·84 ~~3·80~~	5·68 ~~5·36~~	4·85 ~~4·55~~	6·80 ~~5·86~~	5·87 ~~4·17~~	Year's Total ~~44·94~~	45·0~~8~~ 1
*Days with ·01 in. or more.	9 ~~[illegible]~~	~~[illegible]~~ 22	8	~~[illegible]~~ 11	~~[illegible]~~ 20	18 ~~[illegible]~~	~~[illegible]~~ 7	11	~~[illegible]~~ 23	~~[illegible]~~ 24	~~[illegible]~~ 22	~~[illegible]~~ 21	196	
*Days with ·04 in. or more.	6 ~~[illegible]~~	~~17~~ 18	~~9~~ 8	8	19	12	5	11 ~~10~~	20	21	17	16	161	x

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) R. Witty

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations.

Station No. 2090

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Days

W/D

[illegible]

Kept at Croydon Hall Gardens
in the County of Somerset
Diameter of Funnel of Gauge 5 inches
Height of top of Gauge above Ground 3 ft 6 in.
,, Ground ,, Sea Level ~~800~~ ft. 500 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·30

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	~~April~~ MAY	~~May~~ april	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·18		·04			·03	·02		·04	·36	·66	1·60		1
2		·06	·60			·05	·08		·17	·07		·75		2
3		·04	·0			·11			·06	·15	·15	·14		3
4	·03	·02	·04	·01	·03	·17			·75	·13	·18			4
5		·17		·04	·10	·19			·03	·13		·75		5
6		·23	·08		·25				·30	·27	·20	·09		6
7					·44	·58					·20	·04		7
8					·52	·15				·40	·10	·15		8
9					·30	·02				·26				9
10					·72	·10			·03	1·23	·50			10
11	·01		·13		·54	·10				·06	·03	·02		11
12	·20	·03	·			·18			·11	·02	·52			12
13	·09	·30				·27		·20	·01		·11			13
14	16	·09			·20	·02				·03	·24			14
15		·02		·02	·32	·02			·09		·90	·28		15
16		·20		·20	·73	·02			·50		·14	·46		16
17		·24	·06		·20			·06	·72		1·17	·01		17
18				·67	·10	·45		·36	·07	·10	·02			18
19		·05			·45		·13	·72	·79	·14		·02		19
20		·01		·18	·10	·02	·18		·25	·16	·15	·03		20
21		·57		·05	·49		·08				·28			21
22		·47			·37		·03		·17	·05	·01			22
23		·04	·16		·10				·25	·05				23
24		·16	·28	·05				·20	·17	·28		·35		24
25	·07	·43	·04	·12	·05			·25	·18	·14		·20		25
26	·55	·52		·05	·09	·28						·18		26
27		·65						·43	·09	·01	·01	·57		27
28		·17						·27	·20	·10	·05	·43		28
29	·02						·01	·59	·08	·10	·03	·01		29
30		X							·30	·06	·21	·40		30
31	·06	X ·04	-	X ·03	-	X ·02	-	·72 ·64	X ·36	·25 ·56	X 1·60	·68 ·30	Year's Total	31
TOTAL	1·19 ~~1·37~~	4·51 ~~4·47~~	1·39 ~~1·43~~	1·42 ~~1·39~~	6·10	2·85 ~~2·86~~	·51 ~~·53~~	3·84 ~~3·80~~	5·68 ~~5·30~~	4·85 ~~4·55~~	6·80 ~~5·86~~	5·87 ~~7·17~~	~~44·94~~	45·01
*Days with ·01 in. or more.	9 ~~8~~	~~4~~ 22	8	~~8~~ 11	~~1~~ 20	18 ~~8~~	~~8~~ 7	11	~~8~~ 23	~~8~~ 24	~~5~~ 22	~~5~~ 21	196	
*Days with ·04 in. or more.	6 ~~7~~	~~17~~ 18	~~9~~ 8	8	19	12	5	11 ~~10~~	20	21	17	16	161	x

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) R. Witty

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2090

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Croydon Hall, Washford
in the County of Somerset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 5 in.
,, Ground ,, Sea Level 800 ft.

Days
~~Totals.~~

W. D.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·43

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·30	·24	·30	·21	—	·02	·16	·12	—	—	·09	—		1
2	·5	·19	·1	·8	—	·05	·43	—	—	—	·03	·03		2
3	—	—	—	·8	—	·17	—	—	—	—	·08	—		3
4	·1	—	—	·19	—	·10	·07	·13	·79	—	·10	·01		4
5	—	—	·7	·1	—	·09	—	—	·35	—	·08	·50		5
6	·58	·1	—	—	—	—	·34	—	·13	—	—	·14		6
7	·12	—	·1	—	—	·05	·28	·03	·05	—	·23	—		7
8	·24	—	·7	—	—	—	·30	—	·04	—	1·21	·02		8
9	·23	—	·18	—	—	—	·80	—	—	—	·66	·04		9
10	·43	—	·30	—	—	—	·12	—	·02	—	·24	—		10
11	·7	—	—	—	—	—	·20	—	—	—	·35	—		11
12	·20	·2	—	—	—	·10	·01	·01	·11	—	·60	—		12
13	—	—	—	·07	—	·05	·25	—	·33	·01	·12	—		13
14	·14	—	—	—	—	·05	·07	—	·02	·13	·07	·97		14
15	—	·2	—	—	—	·01	·75	—	·06	·06	·12	·75		15
16	—	—	—	—	·14	—	·02	—	·35	—	·10	·29		16
17	—	·10	—	·03	·25	—	·02	—	·04	—	·16	·22		17
18	·35	·75	—	—	·12	—	·18	—	—	·11	·08	·93		18
19	·4	·32	—	—	·02	·25	·79	—	—	·08	—	·10		19
20	·62	·1	·2	·33	—	·36	·05	·07	—	—	—	—		20
21	·8	·25	·11	·10	—	·07	·01	—	·40	·01	—	—		21
22	·2	—	·9	·62	—	—	·01	—	·06	—	—	—		22
23	·23	·80	·55	—	—	—	·18	—	—	·11	—	·03		23
24	·2	·5	·20	·26	·15	—	·06	—	—	·02	—	—		24
25	·6	·3	·2	·07	·10	—	—	—	·04	·27	·01	—		25
26	·31	—	·45	·18	—	—	·39	—	·53	·34	·04	—		26
27	·20	·20	·32	—	—	—	·05	—	—	·02	—	—		27
28	·16	·17	·1	—	—	—	·06	—	—	·20	—	—		28
29	·72	—	·43	·02	—	—	·06	—	—	·01	·01	·23		29
30	·2		·1	—	—	·09	—	—	—	·01	·05	·17		30
31	·4 ·24	·30	·7 ·21		— ·02	·16	— ·12	—		·90 ·09		— ·43		31
TOTAL	5·18 ~~5·24~~	3·32 ~~3·26~~	3·13 ~~3·22~~	2·04 ~~2·25~~	·80 ~~·78~~	1·60 ~~1·49~~	5·62 ~~5·66~~	·24 ~~·36~~	3.32	2·27 ~~2·28~~	4·34 ~~4·43~~	4·86 ~~4·48~~	Year's Total 36·82	
* Days with .01 in. or more.	25	15	19	13	7	14	26	4	16	16	20	16	191	
* Days with .04 in. or more.	21	10	13	10	5	13	21	2	14	10	17	12	148	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. A. Evens [P.T.O.
For Captain J. W. Bridges

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2090

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1937

Kept at Croydon Hall, Washford

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 5 in.

" Ground " Sea Level 500 ft.

corr. for

W D

Days

~~Totals~~

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ~~✓~~

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·43	·48	·09	—	—	—	—	—	—	·01	·16	·23		1
2	·31	—	·03	·25	—	—	—	—	·09	·07	·10	·32		2
3	·07	·60	—	·08	—	—	—	—	·01	—	—	—		3
4	—	·36	—	·22	·63	—	·02	—	—	—	—	—		4
5	·16	·36	—	·14	·06	—	·01	·02	—	—	—	·46		5
6	·43	—	—	—	—	—	·11	—	—	—	—	·11		6
7	·14	·40	·35	·28	·12	—	·10	—	—	·15	—	—		7
8	—	·73	—	·24	—	·07	—	—	·01	·27	—	·15		8
9	—	·20	—	—	·18	—	·05	—	—	—	·21	—		9
10	·02	·02	·06	·05	·19	·01	—	·05	1·05	—	—	—		10
11	·11	—	1·04	·48	—	·06	—	·10	—	—	—	·65		11
12	·01	—	·35	·20	·40	—	·48	·20	—	—	—	·09		12
13	·43	·18	·39	·01	—	·16	·03	·05	·37	—	—	·44		13
14	—	·01	·48	·44	·02	·16	—	·12	·13	—	—	·07		14
15	—	—	·17	·05	—	—	·06	·03	·10	—	—	·20		15
16	·58	·15	·15	·42	—	—	·43	—	·25	—	—	·18		16
17	·16	·13	·59	·03	—	—	—	·17	·24	—	—	—		17
18	1·20	·10	·88	—	—	—	—	—	·02	—	·21	—		18
19	·22	·06	·40	—	—	·22	—	—	·64	—	·24	·28		19
20	·15	·02	·17	·08	·07	—	—	—	·07	—	·56	—		20
21	·73	·10	·11	·26	·11	—	—	—	·17	—	—	·43		21
22	·45	·34	·40	·06	·30	—	—	—	·02	·08	—	·02		22
23	·13	—	·10	—	·24	—	·13	—	—	·55	·49	·05		23
24	·30	·17	·01	—	·05	—	·02	—	—	·34	·18	—		24
25	·84	·25	—	—	—	—	—	—	·16	·97	—	—		25
26	—	·98	·40	—	·02	—	—	—	—	·30	—	·04		26
27	—	·54	—	—	·13	—	—	—	—	—	—	—		27
28	·01	·40	—	—	—	—	—	—	—	1·40	—	—		28
29	—		—	—	—	—	—	—	—	·17	—	·04		29
30	—	✕	—	—	—	·02	—	—	—	·65	·11	—		30
31	·59	✕	—	✕	—	✕	—	·10	✕	·02	✕	—		31
TOTAL	·48 7.~~47~~ ·52	·09 6.~~58~~ ·19	6.~~17~~ ·08	3.29	2.46	·70	1.44	·84	·01 3.3~~3~~ 4	·16 ~~4.98~~ 5.13	·23 2.~~26~~ ·33	·00 3.~~76~~ ·53	Year's Total 42.85	✓
* Days with .01 in. or more.	22	22	18	17	14	7	11	9	16	13	9	16	174	✓
* Days with .04 in. or more.	19	19	16	15	11	5	7	7	11	12	9	15	146	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. A. Evens (for Captain J. W. Bridges)

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2090

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Croydon Hall, Washford

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 5 in.

,, Ground ,, Sea Level 500 ft.

Days

Totals W D

WER

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·30

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	·54	·20	—	—	·20	·15	·04	—	·22	·25	·39		1
2	—	·15	—	—	—	·80	·06	1.19	—	·36	·03	·36		2
3	—	·03	—	·04	·06	—	—	—	—	·26	·06	·17		3
4	—	—	—	—	·30	·06	—	—	—	1.03	·03	—		4
5	—	—	—	—	—	·05	·40	1.48	—	·61	—	·21		5
6	·05	—	—	·02	—	·09	·07	·13	·01	·57	—	·07		6
7	·23	—	—	—	—	·12	·80	—	·18	·29	—	·18		7
8	·12	—	—	—	—	—	·39	·11	·01	·15	—	·14		8
9	·69	·06	—	—	—	—	·14	·19	—	·75	—	—		9
10	·44	·05	—	—	—	—	—	·09	—	·01	—	·96		10
11	·08	—	—	—	—	—	·01	·09	—	—	—	·81		11
12	·20	—	—	—	—	·05	·06	·09	—	·02	·32	·86		12
13	·46	·03	—	—	·33	—	·03	—	—	·35	·85	·01		13
14	·07	—	—	—	·07	—	—	·01	—	·20	·12	1.45		14
15	·44	—	—	—	·04	—	·37	—	·03	—	—	—		15
16	·37	—	—	—	·11	—	—	—	—	·05	·15	·38		16
17	·50	·01	—	—	·07	—	—	·05	—	—	·14	—		17
18	—	·08	—	—	—	—	—	—	·16	·31	—	—		18
19	·29	·05	—	—	·05	·07	—	·19	·25	·08	·43	—		19
20	·05	—	—	—	—	—	—	·08	·07	—	·63	—		20
21	—	—	—	—	—	—	—	—	—	—	·37	—		21
22	·04	—	—	—	—	—	—	·05	·10	—	·20	—		22
23	—	—	—	·05	—	·03	—	·30	—	—	·50	·06		23
24	—	—	—	·04	—	—	—	·01	—	—	·48	—		24
25	·02	—	·01	—	·04	—	—	·10	·04	—	·29	—		25
26	·18	·21	—	—	·32	—	·06	—	—	·13	·82	—		26
27	·33	·35	·01	—	·28	—	—	—	—	·16	·10	·08		27
28	·09	·02	—	—	·34	·25	·17	·79	·01	·02	·33	—		28
29	·09	·20	—	—	·06	·26	—	·85	—	—	·06	—		29
30	·05	✕	—	—	·80	—	—	—	·08	·16	·35	·02		30
31	·03	✕	—	✕	·19 ·28	·15 ✕	·04	—	·22 ✕	·25	·39 ✕	·60 ·30		31
4.82 TOTAL	·54 5.36 ~~4.82~~	1.24 ~~1.58~~	·02	·15	3.22 ~~3.02~~	1.87 ~~1.42~~	2.60	5.84	1.16 ~~·94~~	5.76	6.65	6.16	Year's Total 39.99	✓
* Days with .01 in. or more.	23	12	2	4	16	11	13	18	12	20	21	17	169	✓
* Days with .04 in. or more.	21	8	—	3	15	9	11	16	8	17	19	15	142	✓

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) William Evens

for Captain J. W. Bridges

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2090

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Croydon Hall, Washford

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 5 in.

,, Ground ,, Sea Level 500 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following —

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·30	—	·21	—	1.04	—	—	01	·07	—	·37	·05		1
2	·11	—	·14	·10	·09	—	—	—	—	—	·19	·08		2
3	·06	—	—	·15	—	—	—	·20	·58	—	·18	·25		3
4	·24	—	·04	·54	—	—	—	·14	·01	—	10	·62		4
5	·02	—	·46	·42	·36	—	·32	—	—	·34	·55	·33		5
6	·03	—	·01	·34	·03	—	·37	·51	—	33	·71	·03		6
7	·55	—	·05	·01	—	—	·79	01	—	·02	·20	—		7
8	·10	·10	—	—	—	—	·08	—	—	—	·17	·50		8
9	·10	·43	·08	—	·03	—	·10	·02	—	·44	·69	·30		9
10	·06	·05	—	—	—	—	—	·08	—	·25	·19	·12		10
11	·25	—	—	—	—	·01	—	·05	·03	·10	—	·25		11
12	·01	·01	·21	—	—	—	—	—	—	·15	·02	—		12
13	·15	·04	—	·01	—	—	—	—	·13	·17	·01	—		13
14	·04	—	—	·20	·02	·04	·12	—	·21	·25	·02	—		14
15	·72	—	—	·06	·05	·06	·32	—	—	·05	·17	—		15
16	·62	—	·03	·02	·08	·49	·36	—	—	01	·25	—		16
17	·15	—	—	·06	·19	—	·05	—	—	—	·24	—		17
18	·98	—	—	—	—	·20	·15	—	—	—	08	—		18
19	·10	07	·08	—	—	·09	·68	—	—	—	·87	·02		19
20	·26	—	—	—	—	—	—	·05	—	—	·01	·02		20
21	·36	—	—	—	·01	·20	·04	·53	—	—	—	—		21
22	30	·34	·12	—	·10	·53	—	·01	—	—	—	—		22
23	1.03	·46	·12	·04	—	·37	·16	·27	—	—	·35	—		23
24	·01	·03	·08	·30	—	·03	·38	—	—	·01	1.01	—		24
25	·12	·01	·13	·02	—	·55	·11	—	—	·06	—	—		25
26	·49	·21	—	—	—	—	·08	—	—	·16	57	—		26
27	·03	·12	—	·14	—	—	—	·48	—	·18	·97	—		27
28	—	20	·11	·04	—	·06	·04	·07	—	—	·13	·02		28
29	·01		·10	·46	—	·21	·22	—	—	—	·21	·16		29
30	·06	✕	—	·06	—	·02	·03	·11	—	·33	·12	—		30
31	·01	✕ 21	—	✕ 1·04	—	✕	·01 ·01	·07	✕	·16 37	✕ ·05	—		31
TOTAL	6·97 ~~7.27~~	2·28 ~~2.07~~	1·76 ~~1.97~~	4·01 ~~2.97~~	·96 ~~2.00~~	2.86	4·42 ~~4.41~~	2·60 ~~2.54~~	·96 ~~1.03~~	3·38 ~~3.01~~	8·06 8.38	2·70 ~~2.75~~	Year's Total	~~38·10~~ 40·96
* Days with .01 in. or more.	30	14	15	19	10	14	21	15	5	18	26	13	200	
* Days with .04 in. or more.	22	11	13	15	6	11	19	11	3	1~~4~~5	22	9	157	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. A. Evens
for Captain J. W. Bridges

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2090

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Croydon Hall, Washford
in the County of Somerset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 5 in.
,, Ground ,, Sea Level 500 ft.

Dsps Acge Totals

Corr. for W.D.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ·05

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	(x)	16	·04	·46	—	—	—	—	—	·62	—		1
2	—	(x)	—	·06	·13	·01	—	—	—	—	·06	—		2
3	—	(x ·49)	—	·08	—	—	·01	—	—	—	1·83	—		3
4	—	·53	—	—	—	—	—	—	—	·29	·98	·12		4
5	—	·09	—	·10	—	—	·01	—	—	·22	·06	—		5
6	·01	—	—	—	—	—	—	—	—	·50	·69	—		6
7	·07	·39	—	—	—	—	·18	—	—	·34	·46	32		7
8	·03	08	—	·01	—	—	·10	—	·02	—	—	·14		8
9	—	—	—	—	—	—	—	—	—	·44	·22	·25		9
10	—	—	—	—	—	—	·40	·11	—	·11	·40	·36		10
11	—	—	—	—	—	—	·41	—	—	·32	·29	19		11
12	—	—	·01	—	—	·06	·07	—	—	—	1·38	·12		12
13	—	—	·27	—	—	—	·69	—	·28	—	21	—		13
14	—	—	·57	—	—	—	·67	—	·02	·10	·60	·04		14
15	—	—	·30	·06	·03	—	—	—	·20	·49	—	·30		15
16	—	[illegible]	·04	·07	·23	·02	—	—	·12	—	·50	—		16
17	—	[illegible]	·12	·09	—	—	·28	—	·08	190	·08	—		17
18	[illegible]	[illegible]	·47	—	—	—	·08	—	—	—	·08	—		18
19	—	·11	·46	·75	—	—	—	·04	—	·19	·14	·12		19
20	—	·03	·17	·14	—	—	·35	—	·39	—	·23	—		20
21	—	—	—	—	—	—	·16	·04	·06	·16	·09	—		21
22	—	—	—	—	·49	·18	—	—	—	—	·49	—		22
23	—	—	·10	·29	·01	·33	—	—	·22	—	—	—		23
24	—	·12	·12	·03	—	·01	—	—	·01	·44	—	—		24
25	—	—	—	—	—	—	·24	—	—	—	—	—		25
26	·40	—	·03	—	·06	—	—	—	—	—	—	—		26
27	·91	·22	—	·05	·20	—	·11	—	—	—	·04	—		27
28	·43	·11	—	·17	·05	—	·06	—	—	—	—	—		28
29	·52	·01	—	·10	·32	—	—	·02	—	—	—	—		29
30	—	✕	·28	·78	—	·04	—	—	—	—	—	·10		30
31		✕ ·16+	·04+ 2·98	✕ ·46+	·01	✕	—	—	✕	~~·42~~ (·62)+	✕	·09 ·05+		31
TOTAL	2·37	3·34 ~~3·18~~	~~3·04~~ ~~3·10~~	3·24 ~~2·82~~	1·53 ~~1·99~~	·65	3·82	·21	1·40	~~5·92~~ 6·54	~~9·45~~ 9·33	~~2·15~~ 2·20	Year's Total ~~37·56~~	37·61
* Days with .01 in. or more.	10	13	14	16	11	7	16	4	10	14	21	12	148	
* Days with .04 in. or more.	6	11	12	14	8	4	14	3	7	14	21	12	126	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) W. A. Evens
For Captain J. W. Budgen

[P.T.O.

CROWCOMBE (ROBIN

FORM 1090. **B** Month
Summ

2090/6

2090/6
CROWCOMBE
ROBIN UPRIGHTS HILL
1938

780314

*** The following register of monthly
&c., is NOT required if daily or
values are given on the other side.

d also the space for
ter should be sent:—
le
y, Bridgwater

RAINFALL IN 1938

At Robin Uprights Hill
In the County of Somerset

Rain Gauge
Diameter of Funnel 5
Height of Top above Ground 1 ft. 0
Height of Ground above Sea Level 10

Summer
CULAR
Direction from gauge ESE
Direction from gauge ENE
ey LEVEL
eafter

Month.	Total Depth.	Greatest Fall in 24 hours.		Number Days ·01 in or more	
	Inches.	Inches.	Date.	*	
JAN.					
FEB.					
MAR.					
APRIL					
MAY					
JUNE	2·09				
JULY	3·25				
AUG.	4·67				
SEPT.	2·09				
OCT.	4·35				
NOV.	5·48				
DEC.	4·92				
Total	~~26·85~~				

not complete
CB 28/3/39

Signature St. Audries

LORD ST AUDRIES

4·194 12/27

*See Instruction 2 (*f*) below.

Directions from gauge ..

If gauge has been moved during the year state—

Date of move................ Distance................ Direction................

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
28 FEB. 1939

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(a) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

N

CROWCOMBE (ROBIN

FORM 1090. **B** Mont[redacted]
Sum

2090/6

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938

At Robin Wrights Hill. Quantocks
In the County of Somerset /4

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 0 *in.*
Height of Ground above Sea Level 1000 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.					
FEB.					
MAR.					
APRIL					
MAY					
JUNE	2·09				
JULY	3·25				
AUG.	4·67				
SEPT.	2·09				
OCT.	4·35				
NOV.	5·48				
DEC.	4·92				
Total	~~26·85~~				

not complete
CB 28/3/39

Signature St. Audries

LORD ST AUDRIES

*See Instruction 2 (*f*) below.

4.794 12/27

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:— Lord St. Audries Fairfield
Stogursey. Bridgwater

Hour of observation by the clock—in Winter IRREGULAR in Summer

Nearest Railway Station Bridgwater Distance 10 miles Direction from gauge ESE

Nearest Parish Church at Dodington Distance 2 miles Direction from gauge ENE

Nature of objects nearest to gauge	OPEN. FAIRLY LEVEL
Heights of objects	Surroundings of heather
Distances	
Directions from gauge	

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
28 FEB. 1939

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(a) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

N

Copy

(2090/8)

FORM 1090. **B** Mon
Sum

**** **The following register of monthl**
&c., is NOT required if daily o
values are given on the other s

2090/8
BICKNOLLER ORCHARDS
1937, 38

780314

nd also the space for

gister should be sent :—

....

....

in Summer....................
Direction from
..............gauge.............
Direction from
..............gauge.............

RAINFALL IN 1937

At Bicknoller (Orchard

In the County of ... Somerset

Rain Gauge
- Diameter of Funnel.........5.....
- *Height of Top above Ground...*0*....ft...*
- *Height of Ground above Sea Level....*29

Month	Total Depth	Greatest Fall in 24 hours		Nu Da 01 in or more	or more
	Inches	Inches	Date	*	*
JAN.	6·60				
FEB.	5·00				
MAR.	5·91				
APRIL	2·89				
MAY	2·42				
JUNE	·51				
JULY	3·03				
AUG.	·70				
SEPT.	4·95				
OCT.	3·86				
NOV.	2·26				
DEC.	2·88				
TOTAL	41·01 ✓	Print A			

Signature ....Dr House †.....

* See Instruction 3 *(f)* below.

Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

See f. 75243 9/38

† per S. L. Rogers Esq.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

N

Copy

2090/8

FORM 1090. **B** Mon
Sum

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937.

At Bicknoller (Orchards)

In the County of Somerset

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 0 *ft.* 10 *in.*
- *Height of Ground above Sea Level* 290 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	6·60				
FEB.	5·00				
MAR.	5·91				
APRIL	2·89				
MAY	2·42				
JUNE	·51				
JULY	3·03				
AUG.	·70				
SEPT.	4·95				
OCT.	3·86				
NOV.	2·26				
DEC.	2·88				
TOTAL	41·01 ✓	Print A			

Signature Dr House †

* See Instruction 3 *(f)* below.

† per S. L. Rogers Esq.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

See f. 75243 9/38

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{c}17\\18\end{array}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

N

FORM 1090.

2090/8

B Monthly Summary.

*** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1938.

At Orchards Bicknoller

In the County of Somerset

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* ft. 10 in.
- *Height of Ground above Sea Level* 290 ft.

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3.46				
FEB.	·97				
MAR.	·09				
APRIL	·17				
MAY	2.67				
JUNE	1·46				
JULY	2·84				
AUG.	5·14	1.05	14		
SEPT.	1·15				
OCT.	3·80				
NOV.	5·33				
DEC.	3·93				
TOTAL	31·01 ✓ *				

Signature Arthur E. House

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

S. E. Tom Hale

Dawlish

Hour of observation by the clock—in Winter 9 in Summer 10

Nearest Railway Station Stogumber Distance Direction from gauge 2½ miles

Nearest Parish Church at BICKNOLLER Distance Direction from gauge S.W ⅓ mile

Nature of objects nearest to gauge	House			
Height of objects	30 ft			
Distances ...	45 ft			
Directions from gauge ...	S. E			

If gauge has been moved during the year state—

Date of move May 1 Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M O
4 JAN. 1939

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{r}17\\18\end{array}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON : PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses : Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

FORM 1090. **B** M
S

2091

2091

BICKNOLLER
FORD
1931 — 40

780314

. The following register of mont
&c., is NOT required if daily
values are given on the other s

n and also the space for

register should be sent:—

RAINFALL IN 193

At Bicknoller

In the County of Somerset

ikcknoller Taunton

Rain Gauge
Diameter of Funnel 5"
Height of Top above Ground 1 ft.
Height of Ground above Sea Level

in Summer 9 a.m.

e 1½' Direction from gauge S.E

e 1¼ Direction from gauge S

Directions from gauge .. W

Month.	Total Depth.	Greatest Fall in 24 hours.		N D ·01 or	
	Inches.	Inches.	Date.		
JAN.	2·95	·73	31	22	16
FEB.	2·14	·48	11	23	16
MAR.	1·13	·57	3	10	7
APRIL	2·47	·66	2	17	14
MAY	4·60	2·87	27	17	13
JUNE	2·68	·60	5	15	13
JULY	3·39	·75	14	22	16
AUG.	4·52	·70	23	21	16
SEPT.	1·71	·32	1	15	12
OCT.	·84	·37	1	11	5
NOV.	5·99	1·62	3	23	19
DEC.	1·85	·61	6	15	11
Total	34·58			211	158

Signature John Tracey

If gauge has been moved during the year state—

Date of move.................. Distance.................. Direction..................

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall? yes
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

May 27 ~~th~~ 2·87 from 4 p.m. May 27 to 9 a.m. May 28. ·25 from 9 a.m. to about 12 noon May 26.

*See Instruction 2 (*f*) below.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.* *9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{l}17\\18\end{array}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace"* *The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090. **B** M
S

2091

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At Bicknoller

In the County of Somerset

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 2 *in.*
Height of Ground above Sea Level 150 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	2·93	·73	31	22	16
FEB.	2·14	·48	11	23	16
MAR.	1·13	·57	3	10	7
APRIL	2·47	·66	2	17	14
MAY	4·62	2·87	27	17	13
JUNE	2·66	·60	5	15	13
JULY	3·39	·75	14	22	16
AUG.	4·52	·70	23	21	16
SEPT.	1·71	·32	1	15	12
OCT.	·84	·37	1	11	5
NOV.	5·99	1·62	3	23	19
DEC.	1·85	61	6	15	11
Total	34·58			214	158

Signature John Tracey

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
John Tracey
Ford Bicknoller Taunton

Hour of observation by the clock—in Winter 9 am in Summer 9 am

Nearest Railway Station Stogumber Distance 1½ Direction from gauge S.E

Nearest Parish Church at Bicknoller Distance 1/4 Direction from gauge S

Nature of objects nearest to gauge	House			
Heights of objects	35 ft			
Distances ..	60 ft			
Directions from gauge ..	W			

If gauge has been moved during the year state—

Date of move ...... Distance ...... Direction ......

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall? yes
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

May 27th 2·87 from 4 p.m. May 27 to 9 a.m. May 28. ·25 from 9 a.m. to about 12 noon May 28.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at* 9 *a.m.*, *Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following* 9 *a.m. on January 1st; it is therefore the amount measured on January 2nd.* 9 *a.m. Greenwich Mean Time is* 10 *a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02, *or* 0·3.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

2091

FORM 1090.

B Monthly Summary.

*** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1932

At Bicknoller

In the County of Somerset

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 2 *in.*
Height of Ground above Sea Level 180 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 in or more	Number of Days with ·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	4·29	·96	9	17	10
FEB.	·11	·04	9	4	2
MAR.	2·31	·61	29	13	10
APRIL	2·36	·27	10	25	19
MAY	3·38	·88	20	24	14
JUNE	1·22	·90	30	4	3
JULY	2·57	·32	30	15	11
AUG.	1·90	·66	21	9	7
SEPT.	4·10	·78	30	19	17
OCT.	7·43	1·48	7	27	21
NOV.	2·16	·60	30	19	10
DEC.	2·64	·69	29	18	15
Total	34·82			193	139

Signature John Tracey

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
John Tracey
Ford, Bicknoller, Taunton

Hour of observation by the clock—in Winter 9 in Summer 9

Nearest Railway Station Stogumber Distance 1½ Direction from gauge S.E.

Nearest Parish Church at Bicknoller Distance ¼ Direction from gauge S.

Nature of objects nearest to gauge	House			
Heights of objects	35 ft			
Distances ..	40 ft			
Directions from gauge ..	W			

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

2091

FORM 1090. **B** Monthly Summary.

C Particulars of Station.

***** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1933

At Bicknoller

In the County of Somerset

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 2 *in.*
- *Height of Ground above Sea Level* 150 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	2·19	·43	13	16	12
FEB.	4·23	1·62	23	18	13
MAR.	3·20	·73	16	16	12
APRIL	1·37	·40	26	9	8
MAY	2·11	·75	3	15	10
JUNE	2·64	·60	25	11	8
JULY	1·43	·26	15	13	10
AUG.	·85	·21	31	9	5
SEPT.	1·69	·37	12	12	10
OCT.	4·32	1·37	10	18	14
NOV.	·79	·34	19	10	3
DEC.	1·83	·46	1	11	6
Total	26·0~~2~~4			158	111

Signature John Tracey

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

John Tracey
Ford, Bicknoller, Taunton

Hour of observation by the clock—in Winter 9. in Summer 9.

Nearest Railway Station Stogumber Distance 1½ Direction from gauge S. E

Nearest Parish Church at Bicknoller Distance 1/4 Direction from gauge S

Nature of objects nearest to gauge	House			
Heights of objects	35			
Distances ..	60			
Directions from gauge ..	W			

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as* 0·1 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17, 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

D

2091

FORM 1090. **B** Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934.

At Ford, Bicknoller

In the County of Somerset

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft* 2 *in.*
- *Height of Ground above Sea Level* 150 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·35	·78	11	21	16
FEB.	6·38	·19	24	7	3
MAR.	2·69	·44	14	20	14
APRIL	3·43	·60	10	18	10
MAY	1·19	·48	6	7	5
JUNE	1·38	·62	25	9	6
JULY	0·22	·08	20	6	2
AUG.	4·32	·98	5	18	11
SEPT.	2·50	·48	2	20	10
OCT.	3·28	·37	4, 10	25	16
NOV.	$2{\cdot}\overset{4}{5}8$	·74	5	13	8
DEC.	$7{\cdot}\overset{1}{6}4$	·76	28	29	26
Total	$33{\cdot}4\overset{4}{4}$			193	137

Signature John Tracey

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

John Tracey
Ford, Bicknoller

Hour of observation by the clock—in Winter 9 in Summer 9

Nearest Railway Station Stogumber Distance 1¼ Direction from gauge S. E.

Nearest Parish Church at Bicknoller Distance 1¼ Direction from gauge N

Nature of objects nearest to gauge	Barn			
Height of objects	35 ft			
Distances ..	80 ft			
Directions from gauge ..	W			

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

2091

FORM 1090.

B Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At Bicknoller

In the County of Somerset

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 3 *in.*
Height of Ground above Sea Level 135 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	0·88	·34	25	12	5
FEB.	3·26	·40	20	20	14
MAR.	1·28	·62	1	10	6
APRIL	4·84	·80	15	19	16
MAY	2·08	1·01	17	12	9
JUNE	2·06	·52	6	20	14
JULY	·46	·12	19	6	5
AUG.	2·73	·46	26	12	11
SEPT.	3·75	·66	3	22	18
OCT.	4·60	·81	9	25	19
NOV.	6·43	1·20	16	25	20
DEC.	4·92	·60	26	20	14
TOTAL	37 [illegible] 53			203	181 151

Signature John Tracey

*See Instruction 2 *(f)* below.

C Particulars of Station,

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
John Tracey
Ford Bicknoller Taunton

Hour of observation by the clock—in Winter 9 in Summer 9

Nearest Railway Station Stogumber Distance 1½ Direction from gauge S. E.

Nearest Parish Church at Bicknoller Distance ¼ Direction from gauge N.

Nature of objects nearest to gauge	House			
Height of objects	35 ft			
Distances ...	30 yds			
Directions from gauge ...	W			

If gauge has been moved during the year state –

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address :—

x Mr. J. W. Barber Quantock Farm Crowcombe Taunton

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

x This is a farm high up on the Quantock Hills.

M.O. 7
2 JAN 1936

D INSTRUCTIONS.

1. Rules for measuring the rainfull and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.
Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

2091

FORM 1090.

B Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936.

At Bicknoller

In the County of Somerset

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 2 *in.*
Height of Ground above Sea Level 130 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	4·29	·63	28	27	20
FEB.	3·21	1·38	22	17	9
MAR.	3·61	·62	25	21	16
APRIL	2·93	1·22	5	16	11
MAY	1·32	30	23	8	6
JUNE	2·75	·67	19	16	13
JULY	5·01	·75	8	30	19
AUG.	·47	24	3	9	2
SEPT.	3·66	·65	12	18	14
OCT.	1·78	·64	30	15	10
NOV.	3·04	·53	7	21	16
DEC.	3·79	1·15	13	21	12
TOTAL	36·01			219	147

Signature John Tracey

*See Instruction 2 (*f*) below.

C Particulars of Station,

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
John Tracey
Ford Bicknoller Taunton

Hour of observation by the clock—in Winter 9 in Summer 9

Nearest Railway Station Stogumber Distance 1½ Direction from gauge S. E

Nearest Parish Church at Bicknoller Distance ¼ Direction from gauge N. E

Nature of objects nearest to gauge	House			
Height of objects	30 ft			
Distances ...	30 ft			
Directions from gauge ...	W			

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
- 2 JAN 1937

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17, 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.
Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

FORM 1090.

2091

B Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937

At Bicknoller

In the County of Somerset

Rain Gauge { Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 2 *in.*
Height of Ground above Sea Level 150 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	6·44	·90	17	25	20
FEB.	4·69	·70	25	24	20
MAR.	5·81	1·07	13	23	18
APRIL	3·04	·80	10	19	10
MAY	2·26	·52	11	13	13
JUNE	0·87	·17	12	10	4
JULY	3·14	1·33	15	17	8
AUG.	0·69	·32	11	9	6
SEPT.	4·33	1·15	10	16	11
OCT.	3·89	1·13	24	13	10
NOV.	2·11	·62	22	13	10
DEC.	3·06	·47	10	22	14
TOTAL	~~20·22~~ 40·22 ✓			204 ✓	149 ✓

Signature John Tracey

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
John Tracey
Ford Bicknoller

Hour of observation by the clock—in Winter 9 in Summer 9

Nearest Railway Station Stogumber Distance 2 miles Direction from gauge S.E.

Nearest Parish Church at Bicknoller Distance 1/4 Direction from gauge N.

Nature of objects nearest to gauge	Tree			
Height of objects	25 ft			
Distances ...	25 yds			
Directions from gauge ...	S.W.			

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

FORM 1090.

B Monthly Summary.

C Particulars of Station.

2091

. The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938.

wet day Ann. Total Corr. for Arith. 28.2.39. O.K.

At ......Bickenhall......

In the County of ......Somerset......

Rain Gauge
- Diameter of Funnel......5......in.
- *Height of Top above Ground*....1....*ft*....2....*in.*
- *Height of Ground above Sea Level*.....180.....*ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·55	·30	18	26	17
FEB.	1·01	·22	17	13	6
MAR.	·10	·04	24	4	1
APRIL	·17	·08	22	4	2
MAY	2·35	·49	29	16	13
JUNE	1·43 2	·67	1	11	8
JULY	2·79	·96	6	15	10
AUG.	4·95	1·10	1	20	15
SEPT.	1·88	·38	18	14	6
OCT.	3·88	·80	3	21	15
NOV.	5·13	·68	12	21	17
DEC.	4·06	·74	13	23	15
TOTAL	30·69 30·69 ✓			188 ✓	5 128 ✓

Signature ......John Tracey......

* See Instruction 3 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

John Tracey
Ford Bickenhall Taunton

Hour of observation by the clock—in Winter......9 a.m.......in Summer.....9 a.m.

Nearest Railway Station.....Stogumber...... Distance...2..... Direction from gauge.....S.E.

Nearest Parish Church at...Bickenhall...... Distance....1/4..... Direction from gauge.....N.

Nature of objects nearest to gauge	House			
Height of objects	25 ft			
Distances ...	25 ft			
Directions from gauge ...	S.W			

If gauge has been moved during the year state—

Date of move.................... Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If **you know of any record of rainfall** not quoted in **British Rainfall**, please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17, 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91 S.O. Code No. 40-9999

FORM 1090.

B Monthly Summary.

. The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1939

At Bickenhall

In the County of Somerset

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 2 *in.*
- *Height of Ground above Sea Level* 130 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	6·88	·91	17	27	19
FEB.	1·37	·30	21	13	8
MAR.	1·57	·38	2	16	12
APRIL	3·78	1·52	30	17	13
MAY	1·41	·38	5	13	7
JUNE	3·19	·35	24	16	12
JULY	4·64	1·03	18	22	16
AUG.	2·60	·79	20	18	11
SEPT.	1·07	·62	2	6	6
OCT.	3·41	·61	8	18	10
NOV.	5·96	·83	22	22	19
DEC.	1·79	·45	3	20	6
TOTAL	37·72			217 9	146

Signature John Tracy

* See Instruction 3 (*f*) below.

C Particulars of Station.

20911

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

John Tracy
Ford Bickenhall Taunton

Hour of observation by the clock—in Winter 9 in Summer 9

Nearest Railway Station [illegible] Distance 2 Direction from gauge S.E.

Nearest Parish Church at Bickenhall Distance 1/4 Direction from gauge N

Nature of objects nearest to gauge	House			
Height of objects	25 ft			
Distances ...	25 yds			
Directions from gauge ...	S.W			

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
-2 JAN. 1940

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005: this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 2778/2036 21,000 10/38 W. H. & S. 668/91 S.O. Code No. 40-9999

FORM 1090. **B** Monthly Summary. **C** Particulars of Station. 2091

***** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1940

At Bicknoller

In the County of Somerset

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 2 *in.*
- *Height of Ground above Sea Level* 140 *ft.*

	Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
					·01 in. or more	·04 in. or more
		Inches	Inches	Date	*	*
2.86	JAN.	2·86	·88	26	10	4
3.10	FEB.	3·10	·73	16	18	12
2.70	MAR.	2·70	·56	17	17	11
2.94	APRIL	2·94	·93	18	19	12
1.88	MAY	1·88	·45	15	9	7
·76	JUNE	0·76	·33	22	9	3
3.59	JULY	3·59	·81	13	20	14
·10	AUG.	0·10	·04	20	5	1
1.99	SEPT.	1·99	·76	14	13	10
5.97	OCT.	5·97	1·98	16	19	10
8.30	NOV.	8·30	1·48	2	21	19
2.84	DEC.	2·84	·38	14	23	14
3703 ~~3683~~	TOTAL	~~36·03~~ 37·03			195	127

Signature ....

* See Instruction 3 *(f)* below.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

John Tracy
Ford Bicknoller Taunton

Hour of observation by the clock—in Winter 9 in Summer 9

Nearest Railway Station Stogumber Distance 2 Direction from gauge S.E.

Nearest Parish Church at Bicknoller Distance 1/4 Direction from gauge N

Nature of objects nearest to gauge	Trees			
Height of objects	30 ft			
Distances ...	25 yds			
Directions from gauge ...	S.W.			

If gauge has been moved during the year state—

Date of move.................... Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M. O. 3a.
3 JAN 1941
B. R.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
  (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
  (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 2778/2036 21,000 10/38 W. H. & S. 668/91 S.O. Code No. 40-9999

Section A **for the entry of Da**

AIR MINISTRY.—

tion No. 2091/2

ORGANIZATION.

FORM 1090.

REGIST

V/Somerset/4

c 1934

Kept at (Lowood), Roadw

in the County of Somers

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASUREM

An observer who does not conform to th

year in the space on the right of this

Ple

owing

Jan. 1, following

2091/2

ROADWATER
LOWOOD
1934 — 38

780314

Date	Jan.	Feb.	Mar.	Ap							Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					—	.03	—	.55	.12	.01	.66	.38		1
2					—	—	—	.01	.51	.01	.20	.08		2
3					.02	—	—	.74	Tr	.14	Tr	.28		3
4					.35	—	—	.01	.16	.36	—	.38		4
5					.20	.11	—	1.08	—	.11	.50	.58		5
6					.74	—	—	.03	.01	.20	.01	.26		6
7					—	—	—	.11	.01	.26	.01	.47		7
8					.10	—	—	—	Tr	.04	.30	.81		8
9					—	—	—	.01	—	.09	.62	.23		9
10					—	—	—	.23	—	Tr	.10	.04		10
11					—	—	Tr	.09	—	—	Tr	.52		11
12					—	—	—	.28	—	Tr	—	.02		12
13					—	—	—	—	Tr	.01	—	.10		13
14					Tr	—	—	—	—	.06	.09	.18		14
15					.13	—	Tr	Tr	—	.17	.11	.27		15
16					—	—	—	—	.42	.01	Tr	.05		16
17					.02	—	Tr	—	.04	.08	—	.32		17
18					—	.03	—	—	.07	.01	—	.63		18
19					Tr	.02	—	.01	.10	—	—	.21		19
20					—		.23	—	.02	—	Tr	.01		20
21					—	} .05	Tr	.03	—	.16	Tr	.04		21
22						—	—	.02	.15	.07	—	.49		22
23				.16	—	.62	.06	.01	.06	Tr	—	.03		23
24				.01	—	.09	.02	—	.04	.01	—	—		24
25				.19	—	.31	—	—	.02	.21	—	.63		25
26				.09	—	.16	—	—	.09	.02	.01	.08		26
27				.23	—	.02	—	Tr	Tr	.10	—	.20		27
28				.05	—	—	Tr	.78	.24	.24	—	.87		28
29				—	—	—	—	.26	.07	.24	Tr	.06		29
30		×		—	—	—	.01	.02	.02	.29	—	.26		30
31		×		×	.04	×	.01	.02	×	Tr	×	.15		31
TOTAL				~~.73~~	1.60	1.44	0.33	4.29	2.15	2.90	2.61	8.63	Year's Total ~~24.18~~	
* Days with .01 in. or more.				6	8	10	5	19	18	24	11	30	~~121~~	
* Days with .04 in. or more.				5	6	6	2	9	13	17	8	27	93	

~~8 not~~

8 days

= 253 days recorded

40-9999

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) H D Badcock Esq

[P.T.O.

Section **A** for the entry of Da … ion No. 2091/2
AIR MINISTRY. … ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

V/Somerset/4
e 1934

Kept at Lowood, Roadwater
in the County of Somerset

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level c 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1					—	.03	—	.55	.12	.01	.66	.38		1
2					—	—	—	.01	.51	.01	.20	.08		2
3					.02	—	—	.74	Tr	.14	Tr	.28		3
4					.35	—	—	.01	.16	.36	—	.38		4
5					.20	.11	—	1.08	—	.11	.50	.58		5
6					.74	—	—	.03	.01	.20	.01	.26		6
7					—	—	—	.11	.01	.26	.01	.47		7
8					.10	—	—	—	Tr	.04	.30	.81		8
9					—	—	—	.01	—	.09	.62	.23		9
10					—	—	—	.23	—	Tr	.10	.04		10
11					—	—	Tr.	.09	—	—	Tr	.52		11
12					—	—	—	.28	—	Tr	—	.02		12
13					—	—	—	—	Tr	.01	—	.10		13
14					Tr	—	—	—	—	.06	.09	.18		14
15					.13	—	Tr	Tr	—	.17	.11	.27		15
16					—	—	—	—	.42	.01	Tr	.05		16
17					.02	—	Tr	—	.04	.08	—	.32		17
18					—	.03	—	—	.07	.01	—	.63		18
19					Tr	.02	—	.01	.10	—	—	.21		19
20					—	}	.23	—	.02	—	Tr	.01		20
21					—	} .05	Tr	.03	—	.16	Tr	.04		21
22						—	—	.02	.15	.07	—	.49		22
23				.16	—	.62	.06	.01	.06	Tr	—	.03		23
24				.01	—	.09	.02	—	.04	.01	—	—		24
25				.19	—	.31	—	—	.02	.21	—	.63		25
26				.09	—	.16	—	—	.09	.02	.01	.08		26
27				.23	—	.02	—	Tr	Tr	.10	—	.20		27
28				.05		—	Tr	.78	.24	.24	—	.87		28
29		×		—	—	—	—	.26	.07	.24	Tr	.06		29
30		×		—	—	—	.01	.02	.02	.29	—	.26		30
31		×		×	.04	×	.01	.02	×	Tr	×	.15		31
TOTAL				~~.73~~	1.60	1.44	0.33	4.29	2.15	2.90	2.61	8.63	Year's Total ~~24.68~~	
* Days with .01 in. or more.				6	8	10	5	19	18	24	11	30	~~134~~	
* Days with .04 in. or more.				5	6	6	2	9	13	17	8	27	~~98~~	

~~8 months~~
~~8 days~~
= 2.53 days recorded

14

40-9999

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(Signed) H D Badcock Esq

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2091/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

File no 327908/34

np. 1934

mp

Kept at Lowood, Roadwater

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level ~~200~~ ft. 200

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	Tr	.02	.81	.03	—	.05	.10	—	.15	.02	.03	.67		1
2	Tr	.01	Tr	—	—	.06	—	—	.04	.09	.12	.12		2
3	.02	Tr	.09	.02	.03	.14	—	—	.59	.13	.17	Tr		3
4	—	.12	Tr	.10	.02	.19	—	—	.02	.10	.17	.60		4
5	—	.21	.04	.16	—	Tr	—	—	.26	.21	.18	.06		5
6	—	—	Tr	.43	—	.54	—	—	—	Tr	.09	.21		6
7	—	—	—	.46	—	.14	—	—	—	.37	Tr	.02		7
8	—	—	—	.25	—	.01	—	—	—	.26	.33	.19		8
9	Tr	—	—	.60	Tr	.07	—	—	.02	1.04	.40	—		9
10	.01	—	.13	.54	—	.08	—	—	—	.03	.02	—		10
11	.33	Tr	.01	.01	—	.09	—	—	.08	.05	.51	Tr		11
12	.07	.14	—	—	—	.26	—	.13	.01	Tr	.09	—		12
13	.11	.07	—	.20	.03	.02	—	—	—	.01	.19	—		13
14	Tr	.01	—	.27	—	.01	—	—	.38	—	.91	.22		14
15	—	.10	—	.72	.16	.02	—	—	.13	—	.13	.37		15
16	—	.13	.02	.16	—	—	Tr	.07	.61	—	1.03	.01		16
17	—	Tr	Tr	.02	.86	.31	Tr	.37	.03	.10	.05	—		17
18	—	.03	—	.38	.01	—	.05	.53	.63	.08	Tr	.02		18
19	—	Tr	—	.07	.13	Tr	.14	—	.21	.13	.12	.02		19
20	—	.55	—	.62	.07	—	.06	—	Tr	Tr	.25	—		20
21	Tr	.26	Tr	.17	—	—	.03	—	.09	.05	.01	.01		21
22	—	.07	.10	.02	—	—	—	—	.17	.05	Tr	Tr		22
23	—	.12	.16	—	.04	—	—	.14	.20	.26	—	.34		23
24	.02	.42	.04	.02	.12	Tr	—	.24	.04	.27	Tr	.22		24
25	.50	.49	—	.10	.05	.45	—	Tr	—	Tr	Tr	.16		25
26	—	.83	—	—	—	—	—	.34	.05	Tr	.01	.59		26
27	—	.16	—	—	—	—	—	.19	.19	.04	.01	.46		27
28	.02	.03	—	—	—	—	.01	.37	.13	.03	.02	.01		28
29	Tr ~~.02~~	×	—	—	—	Tr	—	Tr	.21	.03	.19	.47		29
30	.03	×	—	Tr	Tr	.02	—	.55	.32	.17	1.44	.55		30
31	Tr	×	—	×	.17	×	—	.02	×	.60	×	.32		31
TOTAL	1.11	3.77	1.40	5.35	1.69	2.46	0.39	2.95	4.56	4.12	6.47	5.64	Year's Total. 39.91	
* Days with .01 in. or more.	9	19	9	22	12	17	6	11	23	23	24	22	197	
* Days with .04 in. or more.	4	14	7	16	6	12	3	10	19	18	18	16	139	

Print

40-9999 H.D. BADCOCK ESQ

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) H D Badcock

[P.T.O.

File no 327908/34

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2091/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

File no 327908/34

Kept at Lowood Roadwater, Washford

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 200 ft.

A/c.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	.14	.01	.06	—	.06	.38	Tr	Tr	—	.03	.03		1
2	Tr	Tr	—	.05	—	.20	.01	—	.19	—	.06	Tr		2
3	.02	—	—	.17	—	.08	.04	.09	.51	—	.09	.02		3
4	Tr	—	.08	.01	—	.05	—	—	.38	—	.07	.50		4
5	.65	.02	.01	—	—	—	.35	Tr	.13	—	Tr	.13		5
6	.11	—	.01	—	—	.04	.17	.02	.04	—	.19	.01		6
7	.18	—	.04	—	—	—	.34	—	.02	—	1.19	Tr		7
8	.27	—	.10	—	—	—	.81	—	Tr	—	.61	.02		8
9	.42	—	.31	—	—	.01	.10	—	.03	—	.21	Tr		9
10	.06	Tr	Tr	—	—	—	.16	—	Tr	—	.31	—		10
11	.20	.04	—	.02	—	.11	.03	Tr	.09	—	.54	.01		11
12	Tr	Tr	—	.04	—	.05	.15	—	.21	.01	.10	—		12
13	.08	—	—	Tr	—	.04	.03	Tr	.01	.11	.01	1.02		13
14	Tr	.02	—	.01	—	Tr	.69	—	.04	.04	.03	.86		14
15	—	Tr	—		.14	Tr	—	—	.41	Tr	.08	.31		15
16	—	.10	—	.02}	.23	—	.03	—	.04	—	.10	.16		16
17	.30	.84	—	—	.16	—	.16	Tr	Tr	.10	.05	.73		17
18	.04	.15	x}	—	.02	.29	.64	.01	—	.10	Tr	.08		18
19	.60	.01	.03}	.24	—	.43	.02	.01	—	.02	—	Tr		19
20	.09	.38	.09	+	—	.16	.02	.01	.42	.01	—	Tr		20
21	.01	Tr	.08	+ .76}	—	Tr	.02	—	.02	—	—	—		21
22	.15	.61	.51	~~.03~~	—		.14	—	—	.08	—	.01		22
23	.01	.03	.23	.21	.10	—	.02	—	—	.02	—	Tr		23
24	.06	.02	.02	.03	.10	—	—	—	.03	.22	Tr	Tr		24
25	.33	—	.33	.10	Tr	—	.31	—	.45	.24	.03	—		25
26	.21	.17	.25	Tr	—	—	.04	—	Tr	.05	Tr	—		26
27	.14	.09	.01	—	—	—	.07	—	—	.15	—	Tr		27
28	.62	.03	.38	.01	—	—	.12	—	—	.01	Tr	.18		28
29	.01	.27	.01	—	—	.11	Tr	—	—	.01	.05	.18		29
30	.03	×	.06	—	—	.06	.01	—	—	.64	Tr	Tr		30
31	.20	×	.19	×	.01	×	.08	—	×	.09	×	.42		31
TOTAL	4.82	2.92	2.75	1.73	0.76	1.69	4.94	0.14	3.02	1.90	3.75	4.67	Year's Total. 33.09	
* Days with .01 in. or more.	25	16	20	~~14~~ 15	7	14	27	5	17	17	18	17	19~~8~~9	
* Days with .04 in. or more.	19	10	13	9	5	13	17	1	12	11	14	11	135	

40-9999 × Probably all on 19th

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) H D Badcock

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2091/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Lowood, Roadwater, Washford

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

„ Ground „ Sea Level 200 ft.

~~Total~~

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.27	Tr	.01	.20	—	—	—	—	.07	.03	.11	.27		1
2	.07	.50	Tr	.07	—	—	Tr	—	Tr	Tr	Tr	.02		2
3	Tr	.30	.01	.22	.42	—	.01	—	—	—	Tr	.01		3
4	.13	.32	—	.11	.07	—	.03	.01	—	—	—	.34		4
5	.36	Tr	.02	.03	Tr	—	.14	—	—	—	—	.09		5
6	.16	.36	.34	.22	.07	Tr	.04	—	—	.07	.01	Tr		6
7	Tr	.70	.04	.17	Tr	.09	—	—	Tr	.15	Tr	.17		7
8	—	.09	Tr	Tr	.24	.01	.04	—	.01	—	.19	.01		8
9	.01	.01	.02	.01	.14	—	.01	.02	1.02	—	Tr	.02		9
10	.08	.01	.99	.53	—	.05	.03	.06	—	—	—	.57		10
11	.01	—	.30	.15	.35	.01	.50	.09	—	—	—	.07		11
12	.40	.15	.31	.01	Tr	.15	.01	.04	.30	—	—	.45		12
13	Tr	.01	.60	.45	Tr	.06	—	.19	.05	—	—	.04		13
14	—	Tr	.08	.04	—	—	.15	.01	.05	—	—	.15		14
15	.53	.11	.11	.35	—	—	.72	—	.21	—	—	.14		15
16	.15	.13	.83	.04	—	.01	.01	.13	.25	—	—	Tr		16
17	1.25	.06	.86	—	—	—	—	—	.03	—	.19	—		17
18	.23	.04	.31	—	—	.18	—	—	.66	—	.19	.22		18
19	.18	.02	.15	.04	.01	Tr	.01	—	.07	Tr	.51	.05		19
20	.73	.10	.10	.20	.07	—	—	—	.09	—	.01	.31		20
21	.43	.31	.29	.08	.31	—	.02	—	.01	.05	.01	.01		21
22	.16	Tr	.11	Tr	.18	—	.07	—	Tr	.56	.41	.04		22
23	.23	.21	.01 ~~.29~~	—	.09	—	—	—	—	.24	.21	Tr		23
24	.71	.20	Tr	—	Tr	—	—	—	.10	1.01	.01	Tr		24
25	Tr	1.00	.37	—	.06	—	—	—	Tr	.24	—	.02		25
26	Tr	.54	.02	Tr	.08	Tr	—	—	—	Tr	Tr	.01		26
27	.02	.62	—	.01	Tr	—	—	—	—	1.07	Tr	—		27
28	.75	.03	—	—	—	Tr	—	—	—	.15	—	.01		28
29	.03		—	—	—	.02	—	—	—	.67	.06	Tr		29
30	.45	✕	—	—	—	—	—	.05	.01	.02	.14	Tr		30
31	.42	✕	—	✕	—	✕	—	Tr	✕	.16	✕	—		31
TOTAL	7.76	5.82	5.88	2.93	2.09	0.58	1.79	0.60	2.93	4.42	2.05	3.02	Year's Total 39.87	✓
* Days with .01 in. or more.	24	23	22	19	13	9	15	9	15	13	13	22	~~39.87~~	197 ✓
* Days with .04 in. or more.	20	18	16	16	12	5	7	6	11	11	9	13	144	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. D. Badcock [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2091/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938.

Kept at Lowood, Roadwater

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ~~X~~0 in.

" Ground " Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	.18	Tr	—	—	.89	.01	1.17	—	.30	.02	.33		1
2	—	.02	Tr	.02	.08	—	—	—	—	.27	.02	.12		2
3	Tr	Tr	—	—	.25	.05	Tr	—	—	.98	.01	Tr		3
4	.01	—	Tr	—	Tr	.03	.31	1.44	—	.51	—	.13		4
5	.01	—	—	.01	—	.04	.05	.02	.01	.51 ~~.26~~	—	.10		5
6	.20	—	—	—	—	.08	.80	Tr	.06	.26 ~~.12~~		.09		6
7	.11	—	—	—	—	—	.37	—	.02	.12 ~~.60~~	—	.15		7
8	.60	.05			—	—	.11	.10	—	.60 ~~.02~~	—	Tr		8
9	.46	.02	—			—	~~Tr~~ .01	.21	—	.02		.82		9
10	.03	.03	—	—	—	—	Tr	.08	—	.01	—	.74		10
11	.14	.01	—	—	—	.06	.05	1.33	—	.01	.25	.86		11
12	.40	.01	—	—	.30	Tr	.02	Tr	—	.26	.83	.03		12
13	.05	—	—	—	.05	—	—	.02	—	.12	.12	1.02		13
14	.47	—	—	—	.04	—	.36	—	.02	Tr	Tr	Tr		14
15	.31	—	—	—	.06	—	Tr	Tr	—	.03	.12	.34		15
16	.42	.01	—	—	.13	—	—	.02	—	—	.11	.01		16
17	Tr	.13	—	—	Tr	—	—	—	.08	.25	Tr	—		17
18	.23	Tr	—	—	Tr	.09	—	.16	.31	.06	.41	—		18
19	.05	—	—	—	—	—	—	.03	.05	Tr	.54	Tr		19
20	Tr	—	—	—	—	—	—	Tr	Tr	—	.28	—		20
21	.02	—	—	—	—	—	—	.05	.07	—	.19	.04		21
22	Tr	—	—	.06	—	.02	—	.20	—	—	.39	.01		22
23	—	—	—	.05	—	—	—	Tr	.01	—	.52	Tr		23
24	.02	—	Tr	—	.04	—	Tr	.09	.03	—	.23	Tr		24
25	.15	.20	Tr	—	.26	—	.05	—	Tr	.11	.78	.04		25
26	.26	.34	.01	—	.19	.07	.06	—	—	.12	.07	.01		26
27	.08	.01	—	—	.26	.11	.19	.66	Tr	.02	.26	Tr		27
28	.09	.15	—	—	.06	.19	—	.74	—	Tr	.04	Tr		28
29	.04		—	—	.76	Tr	—	—	.07	.11	.34	.02		29
30	.01	✕	—		.14	.09	—		.25	Tr	.39	.03		30
31	.47	✕	—	✕	.14	✕	.02	—	✕	.20	✕	.24		31
TOTAL	4.63	1.16	0.01	0.14	2.76	1.72	2.41	6.32	0.98	4.87	5.92	5.13	Year's Total 36.05	HC ✓
* Days with .01 in. or more.	24	13	1	4	15	12	14	16	12	21	21	20	173	HC ✓
* Days with .04 in. or more.	18	6	0	2	15	10	10	12	7	16	18	14	128	HC ✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. D. Bradcock

P.T.O.

2091/5

Section **A** for the entry

AIR MINIS

FOR ~~OFFICIAL~~ USE.

ALL ORGANIZATION.

FORM 1090.

REGI

31. Somerset/4

2091/5
DODINGTON
1931 — 39

780314

Kept at Dodingto

in the County of Som

Diameter of Funnel of Gauge

Height of top of Gauge above Gr

,, Ground ,, Sea

THE MORNING MEA

AY.

An observer who does not conform
year in the space on the right of

e following

Jan. 1, following

Date	Jan.	Feb.	March							t.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·12	·	·20	·	·	·06	·	·21	·02	·	·	1
2	·24	·	·	·72	·09	·	·	·	·42	·	·15	·27	2
3	·07	·	·70	·	·	·	·	·	·48	·	1·64	·12	3
4	·05	·	·17	·06	·	·11	·44	·94	·09	·03	·005	·	4
5	·	·19	·	·25	·005	·69	·14	·12	·	·02	·12	·35	5
6	·	·07	·	·10	·07	·11	·18	·01	·	·42	·18	·50	6
7	·	·005	·	·	·12	·10	·02	·09	·	·19	·34	·17	7
8	·01	·44	·	·03	·	·18	·04	·17	·	·	·09	·14	8
9	·	·26	·	·	·	·10	·06	·01	·	·	·50	·	9
10	·	·18	·	·	·005	·06	·16	·01	·	·	·23	·	10
11	·20	·38	·	·	·	·07	·09	·16	·12	·	·27	·	11
12	·	·03	·	·	·	·	·23	·	·14	·16	·005	·	12
13	·	·	·	·	·04	·005	·22	·11	·	·01	·	·02	13
14	·05	·06	·	·	·16	·50	·43	·16	·02	·	·49	·005	14
15	·01	·13	·	·07	·08	·	·	·60	·005	·	·	·09	15
16	·	·14	·	·10	·37	·39	·	·36	·10	·	·	·	16
17	·	·	·	·02	·	·09	·18	·01	·20	·	·01	·	17
18	·10	·	·005	·03	·	·18	·19	·59	·	·	·21	·	18
19	·15	·26	·005	·03		·12	·	·08	·05	·	·33	·	19
20	·05	·04	·08	·	·	·	·	·50	·	·005	·28	·	20
21	·03	·03	·	·005	·27	·	·	·	·	·	·08	·	21
22	·38	·	·10	·	·01	·	~~·07~~	·	·	·	·02	·	22
23	·18	·02	·	·56	·44	·03	·01	1·26	·	|	·26	·	23
24	·33	·06	·	·40	·07	·	·60	·10	·	·	·03	·	24
25	·16	·	·	·36	·	·	·15	·	·	·	·05	·03	25
26	·	·06	·	·18	·	·	·19	·	·	·	·69	·05	26
27	·09	·11	·	·	1·91	·	·04	·	·	·03	·09	·	27
28	·25	·02	·06	·07	·27	·	·01	·08	·	·14	·	·04	28
29	·24		·12	·	·01	·	·13	·06	·	·14	·	·01	29
30	·02	×	·	·	·02	·	·05	·17	·	·	·	·	30
31	·73	×	·	×	·09	×	·	·	×	·	×	·46	31
TOTAL	3·39	2·68	1·23	3·18	4·02	2·73	3·62	5·59	1·83	1·16	6·06	2·25	YEAR'S TOTAL 37·66
*Days with ·01 In. or more.	21	20	7	16	17	15	22	21	10	11	22	13	195
*Days with ·04 in. or more.	17	15	6	12	12	13	19	17	9	5	18	10	147

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W. Joan. Malet.

[P.T.O.

Section **A** for the entry

FOR ~~OFFICIAL~~ USE. 2091/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Somerset/4

Kept at Dodington

in the County of Somerset.

Cup 1930..

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level About ft. 450'

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·12	·	·20	·	·	·06	·	·21	·02	·	·	1
2	·24	·	·	·72	·09	·	·	·	·42	·	·15	·27	2
3	·07	·	·70	·	·	·	·	·	·48	·	1·64	·12	3
4	·05	·	·17	·06	·	·11	·44	·94	·09	·03	·005	·	4
5	·	·19	·	·25	·005	·69	·14	·12	·	·02	·12	·35	5
6	·	·07	·	·10	·07	·11	·18	·01	·	·42	·18	·50	6
7	·	·005	·	·	·12	·10	·02	·09	·	·19	·34	·17	7
8	·01	·44	·	·03	·	·18	·04	·17	·	·	·09	·14	8
9	·	·26	·	·	·	·10	·06	·01	·	·	·50	·	9
10	·	·18	·	·	·005	·06	·16	·01	·	·	·23	·	10
11	·20	·38	·	·	·	·07	·09	·16	·12	·	·27	·	11
12	·	·03	·	·	·	·	·23	·	·14	·16	·005	·	12
13	·	·	·	·	·04	·005	·22	·11	·	·01	·	·02	13
14	·05	·06	·	·	·16	·50	·43	·16	·02	·	·49	·005	14
15	·01	·13	·	·07	·08	·	·	·60	·005	·	·	·09	15
16	·	·14	·	·10	·37	·39	·	·36	·10	·	·	·	16
17	·	·	·	·02	·	·09	·18	·01	·20	·	·01	·	17
18	·10	·	·005	·03	·	·18	·19	·59	·	·	·21	·	18
19	·15	·26	·005	·03	·	·12	·	·08	·05	·	·33	·	19
20	·05	·04	·08	·	·	·	·	·50	·	·005	·28	·	20
21	·03	·03	·	·005	·27	·	·	·	·	·	·08	·	21
22	·38	·	·10	·	·01	·	~~·07~~	·	·	·	·02	·	22
23	·18	·02	·	·56	·44	·03	·01	1·26	·		·26	·	23
24	·33	·06	·	·40	·07	·	·60	·10	·	·	·03	·	24
25	·16	·	·	·36	·	·	·15	·	·	·	·05	·03	25
26	·	·06	·	·18	·	·	·19	·	·	·	·69	·05	26
27	·09	·11	·	·	1·91	·	·04	·	·	·03	·09	·	27
28	·25	·02	·06	·07	·27	·	·01	·08	·	·14	·	·04	28
29	·24		·12	·	·01	·	·13	·06	·	·14	·	·01	29
30	·02	×	·	·	·02	·	·05	·17	·	·	·	·	30
31	·73	×	·	×	·09	×	·	·	×	·	×	·46	31
TOTAL	3·39	2·60	1·23	3·18	4·02	2·73	3·62	5·59	1·83	1·16	6·06	2·25	YEAR'S TOTAL 37·66
*Days with ·01 in. or more.	21	20	7	16	17	15	22	21	10	11	22	13	195
*Days with ·04 in. or more.	17	15	0	12	12	13	19	17	9	5	18	10	147

40-9999

(Signed) W. Joan. Malet. [P.T.O.

*See Instruction 2 (*f*) on other side.

2091/5

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Dodington

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. . in.

,, Ground ,, Sea Level ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13	·	·	·06	·90	·	·28	·20	·005	·06	TR.	·01	1
2	·01	·	·	·03	·44	·	·TR	·	·58	·03	·02	·15	2
3	·	·	·	·17	·005	·06	·06	·	·14	·01	·	·05	3
4	·03	·	·	·005	-	·03	·	·03	·	·01	·49	·	4
5	·64	·	×	·	·	·	·	·08	·27	·		·	5
6	·70	·	·11	·22	·	·	·08	·	·20	TR.		·	6
7	·28	·	·03	·04	TR	·	·	·	·33	1·24		·	7
8	·	·	·41	·01	·09	·	·	·	·81	·20		·	8
9	·70	·01	·	·16	·12	·	·	·	·88	·		·	9
10	·40	·	·	·25	·01	·02	·	·	·	·40		·	10
11	·02	·	·	·08	·05	·	·	/	·	·21		·12	11
12	·47	·	·	·	·24	·	·005	·	·15	·43		·06	12
13	·13	·	·	·25	·03	·	·22	·38	·	·85	TR:	·30	13
14	·35	·	·	·23	·07	·	·	·01	·	·05	·06	·03	14
15	·01	·	·	·09	·17	·	TR	·	·	·09	·09	·03	15
16	·22	·	·	·06	·	·	·09	·	·	·	·	·	16
17	·	·	·	·03	·	·	TR.	·	·	·02	·04	·	17
18	·	·	·	·	·07	·	·	·	·13	·	·27	·	18
19	·01	·	·	·04	·10	·	·	·	·09	·19	~~20~~	·	19
20	·01	·	·	·12	1·04	·	·02	·01	·	·46	·20	·11	20
21	·005	·	·08	·17	·01	·	·	·	·01	·68	·04	·12	21
22	·	·	·04	·07	·	·	·04	·36	·81	·19	·23	·03	22
23	·	·05	·	·	·13	·	·31	·	·11	·38	·16	·09	23
24	·	·	·	·	·13	·	·30	·	·06	·10		·	24
25	·	·02	·07	·	·08	·	·19	·	·14	·38	·13	·	25
26	·	·	·17	·	·	·	·08	·	·02	·22	·17	·	26
27	·	·	·36	·22	·24	·	·14	·	·	·66	·	·05	27
28	·	·	·31	·11	·06	TR	·005	·	·	·	·	·03	28
29	·	·	·54	·11	·12	·20	·005	·47	·40	·44	·03	·77	29
30	·01	×	·29	·03	·05	·85	·50	·01	·79	·09	·73	·04	30
31	·	×	·09	×	TR	×	·19	·	×	-	×	·45	31
TOTAL	4·12	·08	2·50	2·55	4·15	1·16	2·50	1·55	5·92	7·39	2·66	2·44	YEAR'S TOTAL 37·02
*Days with ·01 in. or more.	17 ~~7~~	3 ~~2~~	13 ~~1~~	22 ~~4~~	21 ~~3~~	5 ~~2~~	14 ~~1~~	9 ~~4~~	18 ~~2~~	24 ~~4~~	14 ~~8~~	17 ~~5~~	~~37~~ 177
*Days with ·04 in. or more.	10	1	11	18	18	3	13	5	16	20	12	12	~~[illegible]~~

40-9999

(Signed) W. Joan. Malet.

139 139

[P.T.O.

*See Instruction 2 (*f*) on other side.

209/5

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 209175

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Dodington
in the County of Somerset.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 450 ft.

D 1936

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·50	·16	·12	·	·13	·	·	·	·11	·	·02	·60	1
2	·32	·	·54	·	·98	·15	·	·	·	·	·	·06	2
3	·	·12	·24	·	·01	·	·	·	·	·	·	·	3
4	·15	·06	·10	·	·04	·	·	·	·	·	·	·	4
5	·08	·	·43	·	·08	·	·	·	·	·	·05	·	5
6	·	·26	·02	·	·10	·	·11	·	·	·13	·	·	6
7	·05	·12	·	·	·02	·	·	·	·	·19	·	·	7
8	·	·	·15	·	·17	TR:	·06	·	·	·08	·	·	8
9	·	·20	·	·	·09	·	·18	·	·	·48	·05	·	9
10	·05	·16	TR:	·	·	TR:	·	·02	·	1·60	·06	·	10
11	·13	·	·	·	·	·10	·12	·10	·	·18	·	·	11
12	·	·	·	·	TR.	·06	·18	·	·73	·	·	·	12
13	·	·	·	·	·13	·02	·26	·04	·	·07	·06	·	13
14	·05	·	·	·	·	·	·	·06	·	·02	·38	·	14
15	·41	·	·29	·	·	·	·56	·07	·	·32	·	·05	15
16	·	·	·53	·	·	·05	·	·03	·	·14	·	·01	16
17	·01	·15	·43	·	·	·41	·	·02	·03	·	·	·	17
18	·05	·	·22	·	·	·31	·	·	·	·	·03	·	18
19	·04	·	·27		·	·	·	·	·14	·	·40	·01	19
20	V	·02	·	·	·	·26	·	·05	·19	·	·03	·	20
21	·	·03	·	·	·20	·	·	·21	·	·10	·03	·	21
22		·	·	·04	·	·	·	·41	·05	·	·	·	22
23		·	·	·20	·	·19	·	·09	·	·44	·	·	23
24	Frost	·17	·	·13	·01	·	·	·	·	·04	·	·	24
25		1·50	·	·22	·03	·46	·	·	·	·	·	·04	25
26			·	·10	·58	·	·	·	·	·19	·	·	26
27	^	·01	·	·	·06	·	·	·	·	·87	·	·38	27
28	·	·09	·	·54	·	·	·09	·	·	·17	·	·03	28
29	·08	·	·01	·07	·			·	·	·	·		29
30	·09	×	·23	·07	·	·	·13	·	·09	·07	·	·07	30
31	·23	×	·04	×	·	×		·	×	·08	×		31
TOTAL	2·24	3·05	3·62	1·37	2·63	2·01	1·69	1·10	1·34	5·17	1·11	1·25	YEAR'S TOTAL 26·58
*Days with ·01 in. or more.	15	15	15	8	15	10	10	~~8~~ 11	7	18	10	~~8~~ 9	~~23~~ 143
*Days with .04 in. or more.	14	12	13	8	11	9	10	8	6	17	6	6	120

40-9999
*See Instruction 2 (*f*) on other side.

(*Signed*) W. Joan. Malet.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2009/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Dodington

in the County of Somerset.

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·07	·	·	·	·	·05	·	·58	·10	·	·29	·25		1
2	·15	·	·08	·	·	·	·	TR.	·47	·02	·14	·10		2
3	·03	·01	·	·02	·	·	·	·14	·01	·11	·	·23		3
4	·18	·	·04	·29	·35	·	·	·05	·27	·68	·	·30		4
5	·	·	·07	·02	·16	·01	·	·90	·01	·13	·26	·58		5
6	·04	·	·28	·19	·36	·	·	·	·02	x ·85 }	·	·49		6
7	·12	·	·	·	·	·	·	·10	·	x	·07	·20		7
8	·	·	·	·11	·15	·	·	·01	·01	·02	·11	·13		8
9	·	·	·13	·	·	·	·	TR.	·	·11	·66	·22		9
10	·31		·31	·51	·	·	·	·18	·	·	·05	·01		10
11	·55	·	·03	·30	·	·	·	·28	·	·	·	·36		11
12	·11	·	·	·13	·	·	·	·38	·	TR:	·	·07		12
13	·41	·	·05	·36	·	·	·	·	·	·07	TR:	·22		13
14	·37	·	·47	·	·	·	·	·	·	·	·18	·26		14
15	·26	·	·14	·	·10	·	·01	TR:	·01	·26	·11	·21		15
16	·11	·	·34	·	·04	·	·	·	·12	TR:	·03	·05		16
17	·21	·	·02	·25	·	·	·	·	·28	·22	·	·21		17
18	·21	·	·12	·60	·	·	·	·	·	·04	·	·28		18
19	·03	·	·24	·	·03	·12	·	·05	·29	TR:	·	·22		19
20	·	·	·19	·20	·	·	·01	·	·05	·	·01	·02		20
21	·	·	·05	·	·	·25	·	·02	·03	·22	·	·09		21
22	·	·	·09	·	·	·	·	·	·16	·01	·	·61		22
23	·	·	·01	·16	·	·65	·	·	·04	·	·	·02		23
24	·	·20	·07	·	·	·01	·	·	·16	·05	·	·01		24
25	·23	·12	·	·40	·	·12	·	·	·02	·18	·	·58		25
26	·06	·01	·16	·08	·	·25	·	·	·13	·02	·02	·08		26
27	·	·	·	·08	·	·05	·	·03	·02	·12		·22		27
28	·	·	·	·02	·	·03	·09	·94	·17	·36	·	·65		28
29	·	·	·	·	·	·	·	·37	·07	·25	·	·02		29
30	·10	X	·	·	·	·	·01	·01	·02	·42	·	·19		30
31		X	·	X	·	X	TR		X	·01	X	·12		31
TOTAL	3·55	·34	2·89	3·72	1·19	1·54	·12	4·04	2·46	4·15	1·93	7·00	Year's Total 32·93 ✓	
*Days with ·01 in. or more.	~~8~~ 19	4 ~~2~~	20 ~~8~~	17 ~~8~~	7 x	10 ~~8~~	4 ~~3~~	15 4	21 9	22 ~~5~~	12 ~~8~~	31 ~~5~~	~~43~~ ✓	182
*Days with .04 in. or more.	17	2	17	14	6	7	1	11	12	17 ~~6~~	9	26	~~138~~	139

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required

(*Signed*) W. Joan. Malet.

[P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 2091/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Dodington.
in the County of Somerset.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 450 ft.

dafs

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·	·05	·39	·01	·	·10	·17	·	·10	·40	·10	·68		1
2	·	·05	TR.	·	·	·11	·	·	·16	·21	·07	·		2
3	·	·03	·13	·	·03	·20	·	·	·63	·42	·18	·		3
4	·	·14	·	·11	·03	·21	·	·	·13	·66	·19	·38		4
5	·02	·09	·04	·19	·	·10	·	·	·28	·50	·21	·11		5
6	·	·	·	·21	·	·47	·	·	·	·	·15	·28		6
7	·	·	·	·62	·	·09	·	·	·	·23	·	·08		7
8	·	·	·	·15	·	TR.	·	·	·	·15	·31	·19		8
9	·04	·	·	·59	·	·10	·	·	·08	·84	·20	·05		9
10	·02	·	·	·36	·	·03	·	·	·	·07	·05	·		10
11	·31	TR.	·	·01	·	·06	·	·	·04	·07	·43	·		11
12	·07	·11	·	·	·	·20	·	·03	·05	·03	·04	·		12
13	·12	·04	·	·18	·01	·03	·	·	·	·03	·17	·		13
14	·	·	·	·37	·03	·01	·	·	·50 }	·	1·30	·57		14
15	·	·05	·	·66	·10	·08	·	TR.	×	·	·17	·22		15
16	·	·08	·14	·14	·	·01	·01	·05	·35	·	1·29	·		16
17	·	TR.	·	·04	·62	·36	·01	·73	·01	·02	·05	·		17
18	·	·01	·	·27	× ·28 }	·01	·06	·23	·31	·10	·	·06		18
19	·	·02	·	·07	×	·02	·18	·	·16	·03	·17	·04		19
20	·	·25	·	·05	·28	·	·06	·	·	·	·32	·		20
21	·	·30	·02	·03	·	·	·05	·	·23	·16	·01	·		21
22	·	·08	·	·04	·	·	·	·	·12	·05	·	·		22
23	·	·12	·11	·02	·14	·	·	·10	·13	·49	·	·23		23
24	·04	·28	·06	·	·12	·	·	·30	·10	·17	·	·23		24
25	·30	·46	·	·18	·04	·08	·	·	·	·	·	·16		25
26	·	·43	·	·	·	·	·	·25	·14	·01	·13	·78		26
27	·	·07	·	·	·	·	TR.	·16	·05	·09	·06	·59		27
28	·02	·08	·	·	·	·	·	1·73	·08	·07	·04	·		28
29	TR.	·	·	·	·	·	·	·	·11	·02	·07	·36		29
30	·05	×	·	·	·	·01	·	·45	·27	·13	1·38	·34		30
31	TR.	×		×	·09	×	·	·20	×	·87	×	·50		31
TOTAL	·99	2·74	·89	4·30	1·77	2·28	·54	4·23	4·03	5·82	7·09	5·85	Year's Total 40·53	
*Days with ·01 in. or more.	~~3~~ 10	~~3~~ 20	~~1~~ 7	~~4~~ 21	~~4~~ 13	~~7~~ 20	~~2~~ 7	~~1~~ 11	~~1~~ 22	~~6~~ 25	~~1~~ 24	~~0~~ 19	~~33~~	199
*Days with .04 in. or more.	7	17	6	17	9	13	5	10	~~22~~ 21	19	23	19	~~167~~	166

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) W. Joan Malet.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2091/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Oct - Dec

Kept at Dodington

in the County of Somerset.

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	·18	·03	·07	·	·20	·64			·	·09	·08		1
2	·01	·	·	·08	·	·22	·02			·	·09	·		2
3	·	·	·	·63	·	·14	·07	·28	·77	·	·09	·02		3
4	·02	·	·22	·03	·	·02	·01	·	1·03	·	·14	·49		4
5	·49	·	·08	·	·	·	·44	·01	·29	·	TR:	·07		5
6	·08	·	·01	·	·	·03	·11	·	·04	·	·10	·		6
7	·19	·	·09	·	·	·	·09	·	·01	·	·86	·01		7
8	·26	·	·09	·	·	·	·55	·	·	·	·27	·03		8
9	·42	·	·47	·	·	·02	·20	·	·07	·	·32	·		9
10	·01	·	·	·	·	·	·01	·	·05	·	·33	·		10
11	·20	·04	·	·	·	·15	·01	·07		·	·49	·02		11
12	·	·	·	·13	·	·07	·32	·02	·69	·	·15	·		12
13	·12	·	·	TR.	·	·04	·09	·03	·	·15	·02	·87		13
14	·	·05	·	·28	·	·02	·70	·	·29	·04	·11	·56		14
15	·	·	·	·	·18	·	·	·	·14	·		·28		15
16	·	·06	·	·07	·31	·	·06	·	·06	·	·11	·13		16
17	·19	·56	·	·	·32	·	·20	·	·	·09		·36		17
18	·17	·18	·01	·	·09	·25	·42	·01	·	·15	·	·10		18
19	·55	·04	·03	·19	·	1·20	TR.	·02	·	·	·	·		19
20	·05	·20	·18	·13	·	·15	··	·02	·65	·	·	·		20
21	·	·	·08	·65	·	·	·	·	·02	TR:	·	·		21
22	·24	·79	·55	TR.	·	·	·22	·	·	·11	·	·01		22
23	·03	·12	·47	·16	·20	·	·06	·	·	·03	·	·01		23
24	·08	·04	·01	·01	·14	·	·01	·	·07	·22	·	·		24
25	·24	·	·54	·	·	·	·15	·	·54	·15	·05	·		25
26	·12	·18	·34	·14	·	·	·10	·	·05	·09	·	·		26
27	·04	·10	·05	·	·	·	·30	·	·	·24	·	·		27
28	·60	·	·57	·04	·	·	·16	·	·	·01	·	·18		28
29	·01	·17	·01	·	·	·09	·	·	·	·09	·10	·28		29
30	·04	×	·02	·	TR	·05	·01	·	·	·57	·	·		30
31	·10	×	·26	×	·11	×	·25	·	×	·08	×	·24		31
TOTAL	4·27	2·71	4·11	2·61	1·35	2·65	5·20	·46	4·77	2·02	3·32	3·74	Year's Total. 37·21	
* Days with .01 in. or more.	~~6~~ 25	14	~~7~~ 21	~~8~~ 14	7	~~4~~ 15	~~6~~ 26	~~6~~ 8	~~4~~ 17	2 14	7 18	~~6~~ 18	~~44~~ 197	
* Days with .04 in. or more.	19	14	14	12	7	11	20	2	~~13~~ 14	12	17	12	~~153~~ 154	

40-9999 4·27

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. Joan Malet.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2091/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Dodrington
in the County of Somerset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
,, Ground ,, Sea Level 450 ft.

Ave Days.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ✓

Please read the Notes and Instructions Overleaf.

×13

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15	·	·	·12	·	·	·01	·	·11	·03	·05	·35		1
2	·02	·44	·	·11	·	·	·	·	·	·	·	·02		2
3	·	·17	·06	·28	·32	·	·	·	·	·	·	·01		3
4	·13	·37	·	×·13	·16	·	·09	·	·	·	·	·50		4
5	·20	·	·15	·01	·	·	·29	·	·	·	·	·04		5
6	·23	·34	·40	·28	·05	·	·16	·	·	·04	·	·01		6
7	·	·54	·03	·21	·	·	·	·	·	·01	·01	·45		7
8	·	·15	·	·	·20	·01	·02	·	·	·	·19	·		8
9	·	·02	·02	·05	·15	·	·04	·04	·59	·	·	·14		9
10	·11	·	1·02	·70	·	·08	×·50	·17	·	·	·	·25		10
11	·01	·	·35	·09	·40	·02	×	·27	·	·	·	·11		11
12	·46	·30	·19	·02	·	·29	·	·10	·43	·	·	·39		12
13	·	×·07	·65	·37	·	·30	·	·13	·08	·	·	·12		13
14	·		·08	·12	·	·	·18	·	·11	·	·	·11		14
15	·59	·10	·02	·25	·	·	·97	·	×·86	·	·	·05		15
16	·09	·11	·36	·10	·	·03	~~TR~~	·24	×	·	·	·		16
17	1·00	·08	·41	·	·	·	TR.	·01	·32	·	·30	·		17
18	·18	·09	·25	·	·	·29	·	TR.	·44	·	·20	·22		18
19	·22	·05	·06	·07	·18	·04	·02	·	·08	·	·35	·08		19
20	·54	·	·10	·21	·02	·	·	·	·	·	·	·28		20
21	·22	·41	·41	·22	·21	·	·16	·	·03	·03	·06	·11		21
22	·21	·02	·38	·	·21	·	·01	·	·01	·60	·53	·07		22
23	·26	·25	·03	·	·04	·	·13	·	·	·19	+·32	·01		23
24	·73	·38	·	·	·	·	·	·	·07	·62		·01		24
25	·	·61	·36	·	·	·	·	·	·01	·36	·	·02		25
26	·	·33	TR:	·	·29	TR.	·	·	·	·	·	·01		26
27	·01	·36	·	·02	·	·	·	·	·	·74	·			27
28	·03	·07	·	·	·	·	·	·	·	·17	·			28
29	·02	—	·	·	·	·	·	·	·	·66	·24	·01		29
30	1·03	✕	·	·	·	·01	·	·15	·	·	·27	·		30
31	·24	✕	·	✕	·	✕	·	·	✕	·15	✕	·		31
TOTAL	6·68	5·26	5·33	3·36	2·23	1·07	2·58	1·11	3·14	3·60	2·52	3·36	Year's Total 40·24	✓
* Days with .01 in. or more.	23 ~~5~~	23	~~X~~20	~~8~~19	12	~~4~~9	14	X8	~~3~~14	~~8~~12	12	24 ~~9~~	~~4~~	190 ✓
* Days with .04 in. or more.	18	20	16	16	11	5	10	7	11	9	10	16	~~[illegible]~~	~~150~~ 149 ✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. Joan. Malet. [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2091/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

ack ✓
wesR.

Kept at Dodington

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 450 ft.

Days ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·	·19		·		·70	·	1·92	·	·39	·	·26		1
2	·	·03	·	·04	·05	·	·	·	·	·29	·08	·12		2
3	·	·	·	·	·29	·07	·	·	·01	·58	·02	·		3
4	·02	·	·	·	·	·23	·21	·44	·	·30	·	·12		4
5	·	·	·	·03	·	·03	·33	·13	·	·29	·	·68		5
6	·20	·	·	·	·	·	·88	·	·08	·17	·	·01		6
7	·21	·	·	·	·	·	·52	·21	·08	·30	·	·06		7
8	·78	✓ ·19 ✗	·	·	·	·	·22	·10	·	·43	·	·		8
9	·40		TR.	·	·	·04	·03	·14	·	·02	·	·63		9
10	·04	·03		·	·	·	·03	·10	·	·	·	·55		10
11	·17	·01	·	·	·	·	·05	·07	·	·	·20	·52		11
12	·34	·	·	·	·20	·	·	·	·	·13	·38	·10		12
13	·02	·	·	·	·05	·	·	·	·	·02	·19	·68		13
14	·55	·	·	·	·05	·	·35	·	·	·	·	·		14
15	·22	·	·	·	·12	·	·04	·	·07	·03	·04	·36		15
16	·37	·03	·	·	·	·	·	·11	·	·	·12	·		16
17	·	·11	·	·	·	·	·	·	·03	·15	·	·		17
18	·15	·	·	·	·03	·	·	·10	✓ ·95 ✗	·06	·37	·		18
19	·03	·	·	·	·	·	·	·04		·	·53	·		19
20	·02	·	·	·	·	·	·	✓ ·12 ✗		·	·19	·		20
21	·02	·	·	·	·	·	·		·12	·	·20	·		21
22	·	·	·	·02	·07	·	·	·46	·19	·	·37	·		22
23	·	·	·	·04	·	·	·	·01	·03	·	·29	·		23
24	·01	·	·20		·	·	·	·07	·05	·	·17	·12		24
25	·11	·23	·04	·	·33	·	·15	·03	·	·13	·54	·		25
26	·26	·20	·01	·	·19	·	TR.	·	·	·12	·08	·		26
27	·13	·01	·	·	·25	·20	·30	·36	·04	·08	·25	·		27
28	·08	·12	·	·	·10	·31	·	·78	·	·	·05	·		28
29	·12	–	TR	·	·41	·	·	·	·	·28	·23	·		29
30	·09	×	·	·	·22	·04	·	·	·42	·02	·29	·17		30
31	·32	×	·	×	·14	×	·	·	×	·16	×	·24		31
TOTAL	4·66	1·15	·25	·13	2·50	1·62	3·11	5·19	2·07	3·95	4·59	4·02	Year's Total 33·24 ✓	
* Days with .01 in. or more.	24 ~~8~~	12 ~~5~~	X 3	X 4	15 X	8 X	~~7~~ 12	~~2~~ 19	~~3~~ 13	~~4~~ 20	X 20	15 X	165 ~~29.~~ ✓	
* Days with .04 in. or more.	18	7 ✓	2	2	14	7	10	17	10 ✓	16	19	14	136. ✓	

† Spare column, no entries required.

(*Signed*) W. Joan Malet [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2091/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Dodington

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 450 ft.

afs

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	·	·11	·08	·10	·	·	·01	·12	·	·09	·02		1
2	·	·	·	·15	·	·	·03	·44	·53	·	·34	·25		2
3	·19	·	·04	·38	·	·	·	·32	·03	·	·14	·38		3
4	·		·50	·48	·30		·27	·01	·	·49	·35	·18		4
5	·		·02	·48	·39		·29	·26	·	·31	·49	·		5
6	·72		·26	·	·		·72	·03	·	·19	·18	·		6
7	·		·	·	·		·04	·	·	·	·43	·48		7
8	·01	·35	·08	·	·		·03	·05	·	·76	·49	·21		8
9	·13	·01	·	·	·		·	·02	·	·26	·03	·12		9
10	·36		·	·	·		·	·04	·14	·06	·	·28		10
11	·02		·20	·	·01	·02	·	·01	·	·34	·	·		11
12	·04	·04	·	·	·	·	·	·	·01	·12	·	·		12
13	·		·	·08	·04	·	·19	·	·19	·30	·02	·		13
14	·73		·	·05	·03	·04	·54	·	·	·10	·06	·		14
15	·56		·09	·	·07	·54	·17	·	·	·01	·25	·03		15
16	·13		·	·	·15	·	·17	·	·	·	·27	·		16
17	·80		·	·	·	·06	·05	·	·	·	·21	·		17
18	·08	·08	·07	·	·	·19	·76	·	·	·	·58	·04		18
19	·21		·	·	·	·	·03	·	·	·	·	·02		19
20	·27		·	·	·	·54	·01	1·29	·	·	·	·		20
21	·03	·26	·07	·	·04	·60	·05	·08	·	·	·	·		21
22	·64	·28	·16	·33	·	·37	·19	·09	·	·	·31	·01		22
23	·02		·02		·	·07	·47	·	·	·03	·91	·		23
24	·88		·	·02	·	·45	·30	·	·	·	·	·		24
25		·13	·02		·	·		·	·	·02	·20	·		25
26	·24	·04	·	·09	·	·	·	·29	·	·	·62	·		26
27		·19	·17	·02	·	·07	·05	·02	·	·	·26	·09		27
28		·19	·09	·24	·	·14	·02	·	·	·	·31	·		28
29		×	·	·06	·	·01	·13	·	·	·23	·04	·		29
30		×	·01	1·00	·	·02	·	·	·	·	·	·		30
31		×		×	·	×	·01	·07	×	·41	×	·19		31
TOTAL	6·13	1·57	1·91	3·46	1·13	3·12	4·52	3·03	1·02	3·63	6·58	2·30	Year's Total 38·40	
* Days with .01 in. or more.	~~3~~21	10	~~4~~16	~~3~~15	~~2~~9	~~3~~14	~~6~~23	16	~~2~~6	~~3~~15	~~2~~ ~~24~~ 22	~~4~~14	~~39~~	181
* Days with .04 in. or more.	17 ✓	9 ✓	12 ✓	13 ✓	7 ✓	11 ✓	17 ✓	~~9~~10	4 ✓	~~1~~12	~~22~~20	10 ✓	142	✓

† Spare column, no entries required.

(Signed) W. Joan Malet.

[P.T.O.

* See Instruction 3 (f) on other side.

2092

Section **A** for the entry of
AIR MINISTRY

FORM 1090.

REGIST

Kept at Weacombe H
in the County of Somers

Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
,, Ground ,, Sea Le

THE MORNING MEASUR

An observer who does not conform to th
year in the space on the right of this

2092

BICKNOLLER

WEACOMBE HSE

1931 - 1937

780314

Y FOR OFFICIAL USE.
RGANIZATION.

ng

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·08		·23			·05						1
2	·38	~~0~~		·63	·12				·24				2
3	·09		·12						·38		·15	·24	3
4			·65	·08		·13	·30	·58	·18		1·45	·12	4
5		·15		·12		·63	·27	·17	·16				5
6		·05		·08	·08	·15	·37				·02	·28	6
7					·16	·08	·04	·10		·44	·24	·58	7
8		·22				·11		·11		·16	·31	·04	8
9		·18				·03	·17	·03			·03	·15	9
10		·11				·02	·04				·50		10
11	·15	·30				·09	·06	·07			·25		11
12		·03					·18		·05		·25		12
13					·10		·16	·05	·09	·22			13
14	·05	·02			·12	·67	·64	·05	·04			·02	14
15		·11		·04	·04			·40			·45		15
16		·05		·07	·30	·40		·22				·07	16
17						·05	·10		·17				17
18	·08					·09	·14	·53	·06				18
19	·10	·11				·06	·03	·04			·20		19
20		·03	·11					·40	·11		·30		20
21	·07	·10			·13						·52		21
22	·38	·03	·03								·03		22
23	·13				·35	·02		·96			·03		23
24	·22			·30	·04		·55	·08			·25		24
25	·15			·26			·04						25
26				·24			·21				·05	·05	26
27	·10	·04		·15	2·75		·08				·45	·05	27
28	·15	·04	·07		·26		·03				·09		28
29	·06		·11		·02		·08	·07					29
30	·08	×			·10·			·03	~~·20~~	·20		·04	30
31	·60	×		×	·10	×		·19	×		×		31
TOTAL	2·79	1·65	1·09	2·20	4·58	2·53	3·54	4·08	1·50	1·02	5·57	1·64	YEAR'S TOTAL 32·19
*Days with ·01 in. or more.	16	17	6	11	15	14	20	18	10	4	19	11	161
*Days with ·04 in. or more.	16	13	5	11	14	11	18	16	10	4	15	10	143

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) O. T. Sadler

P.T.O.

2092

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Weacombe House

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level ft.

Total + days ✓

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·08		·23			·05						1
2	·38	0		·63	·12				·24				2
3	·09		·12						·38		·15	·24	3
4			·65	·08		·13	·30	·58	·18		1·45	·12	4
5		·15		·12		·63	·27	·17	·16				5
6		·05		·08	·08	·15	·37				·02	·28	6
7					·16	·08	·04	·10		·44	·24	·58	7
8		·22				·11		·11		·16	·31	·04	8
9		·18				·03	·17	·03			·03	·15	9
10		·11				·02	·04				·50		10
11	·15	·30				·09	·06	·07			·25		11
12		·03					·18		·05		·25		12
13					·10		·16	·05	·09	·22			13
14	·05	·02			·12	·67	·64	·05	·04			·02	14
15		·11		·04	·04			·40			·45		15
16		·05		·07	·30	·40		·22				·07	16
17						·05	·10		·17				17
18	·08					·09	·14	·53	·06				18
19	·10	·11				·06	·03	·04			·20		19
20		·03	·11					·40	·11		·30		20
21	·07	·10			·13						·52		21
22	·38	·03	·03								·03		22
23	·13				·35	·02		·96			·03		23
24	·22			·30	·04		·55	·08			·25		24
25	·15			·26			·04						25
26				·24			·21				·05	·05	26
27	·10	·04		·15	2·75		·08				·45	·05	27
28	·15	·04	·07		·26		·03				·09		28
29	·06		·11		·02		·08	·07					29
30	·08	×			·10			·03	~~·20~~	·20		·04	30
31	·60	×		×	·10	×		·19	×		×		31
TOTAL	2·79	1·65	1·09	2·20	4·58	2·53	3·54	4·08	1·50	1·02	5·57	1·64	YEAR'S TOTAL 32·19
*Days with ·01 in. or more.	16	17	6	11	15	14	20	18	10	4	19	11	161
*Days with ·04 in. or more.	16	13	5	11	14	11	18	16	10	4	15	10	143

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) O. T. Sadler

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.**

Station No 2092

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Weacombe House ~~Somerset~~ Taunton

in the County of Somerset

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level ft.

Cond. for Rept. W.D.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12			·35		·02	·73	·28		·73			1
2	·06			·05	·82		·20	·15		·02	·03	·15	2
3					·22				·35			·05	3
4				·20			·07		·14	·04			4
5								·10			·47		5
6	·37		·08					·05	·16				6
7	·50		·02	·20			·08		·16				7
8	·23			·01					·36	1·40			8
9			·38		·07				·35	·40			9
10	·88	·01		·11	·02				·03				10
11	·50			·21		·01				·40		·10	11
12				·06	·06					·10			12
13	·48				·25				·11	·40		·25	13
14	·13			·22			·27	·40		·75	·10	·04	14
15	·22			·23	·03					·05	·10	·02	15
16				·10	·18					·07			16
17	·18			·15			·10						17
18				·08									18
19					·10		~~·16~~		·16		·30		19
20	·10			·03	·05		~~·16~~		·16	·07		·07	20
21	·03			·05	·40					·40	·08	·15	21
22			·07	·03				·18		·55		·05	22
23				·03	·02				·81	·14	·15	·10	23
24					·05		·40		·12	·40	·13		24
25					·13		·33		·04	·14			25
26		·02	·10		·08		·15		·13	·35	·05		26
27			·07	·08			·08		·95	·15	·09	·01	27
28			·30	·20	·32		·07			·70		·06	28
29			·19	·10	·02						·03	·85	29
30		X	·55	·15	·16	·24		·47	·33	·35	·53	·01	30
31		X	·30	X	·05	X	·54		X	·07	X	·39	31
			·35	–	·02	·73	·28	–	·73				YEAR'S TOTAL
TOTAL	3·68	·03	2·41	2·29	3·55	·98	2·57	1·35	4·19	6·95	2·06	2·30	32·36
*Days with ·01 in. or more.	12	2	11	20	20	3	12	6	17	21	12	15	151
*Days with .04 in. or more.	11	0	10	16	15	2	11	6	16	20	10	12	129

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2092

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at weacombe House
in the County of Somerset
Diameter of Funnel of Gauge 4½ in.
Height of top of Gauge above Ground ft 9 ins
,, Ground ,, Sea Level 350 ft.

Days
10.V. 30/1/34

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·35	·10	·08		·10				·13		·04	·45		1
2	·17		·45		·86	·20						·15		2
3		·06	·14		·03									3
4	·21		·02		·03									4
5	·06		·33		·08						·08			5
6		·16			·09		·07			·09				6
7	·04	·07								·11				7
8			·06		·10		·18			·06				8
9		·16			·10		·18			·41				9
10	·05	·15								1·36	·05			10
11						·40	·10	·13		·24				11
12				·15	·02	·05	·12		·67					12
13					·10	·10	·20			·04	·29			13
14	·06							·03						14
15	·35		·20				·27	·03		·20		·06		15
16			·53			·02				·09				16
17	·04	·11	·18			·25			·03					17
18	·03		·18			·13								18
19	·06		·21						·05		·33			19
20						·33		·07	·10					20
21		·05			·05	·03		·11		·08	·03			21
22				·05	·01			·25	·08					22
23		·85		·18		·40			·18	·42				23
24		·36		·11						·05				24
25		·65		·10	·11	·48			·28			·04		25
26		·85		·03	·61				·05					26
27					·08				·26	·16		·48		27
28		·08		·21						·58		·15		28
29	·10		·04	·19			·03			·12		·03		29
30	·05	×	·07	·09			·04		·05	·10		·06		30
31	·20	×		×		×			×	·06	×			31
TOTAL	1·77	3·65	2·49	1·11	2·37	2·39	1·19	·62	1·88	4·17	·82	1·42	Year's Total 23·88	
*Days with ·01 in. or more.	14	13	13	9	15	11	9	6	11	17	6	8	132	
*Days with ·04 in. or more.	13	13	12	8	11	9	8	4	10	17	5	7	117	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) O. T. Sadler.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2092

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Weacombe Ho

in the County of Som

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 4 ft 11 in.

,, Ground ,, Sea Level ft.

Days

alf

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	—	—	—	—	·05	—	·60	·07	—	·37	·28		1
2	·20	—	·04	—	—	—	—	—	·43	—	·11	·05		2
3	—	·03	—	—	—	—	—	·50	—	·09	—	·25		3
4	·10	—	—	·31	·28	—	—	·12	·58	·49	—	·37		4
5	—	—	·06	·04	·20	·04	—	·95	—	·10	·42	·37		5
6	—	—	·26	·20	·45	—	—	—	·02	·32	—	·30		6
7	·09	—	—	—	—	—	—	·13	—	·25	—	·40		7
8	—	—	—	—	·14	—	—	—	—	—	·15	·57		8
9	—	—	·21	·05	—	—	—	—	—	·16	·55	·15		9
10	·20	—	·31	·58	—	—	—	·10	—	—	·10	·10		10
11	·77	—	·04	·30	—	—	—	·26	—	—	—	·46		11
12	·06	—	—	·15	—	—	—	·22	—	—	—	·03		12
13	·40	—	·05	·38	—	—	—	—	—	·03	·01	·10		13
14	·20	—	·35	—	—	—	—	—	—	·34	·15	·16		14
15	·07	—	·09	—	·09	—	—	—	·19	—	·14	·27		15
16	·07	—	·34	—	·03	—	—	—	·06	—	—	·05		16
17	·12	—	—	·15	—	—	—	—	·39	·14	—	·18		17
18	·12	—	·18	·46	—	—	—	—	·05	—	—	·29		18
19	—	—	·23	—	—	·06	—	·03	·15	—	—	·16		19
20	—	—	·29	·11	—	—	·10	—	·06	—	—	—		20
21	—	—	·07	—	—	·16	—	·03	—	·15	·02	·14		21
22	—	—	·13	—	—	—	—	·02	·09	·02	—	·30		22
23	—	—	·02	·10	—	·70	—	—	·05	—	—	—		23
24	—	·20	·05	—	—	·22	·09	—	·15	—	—	—		24
25	·20	·08	—	·17	—	—	—	—	·01	·20	—	·58		25
26	·02	—	·06	·14	—	·19	—	—	·06	—	—	·10		26
27	—	—	—	·16	—	—	—	—	—	·07	—	·16		27
28	—	—	—	·04	—	·06	·06	·85	·25	·32	—	·67		28
29	—	—	—	—	—	—		·25	·08	·25	—	·03		29
30	·11	×	—	—	—	—		·05		·36	—	·15		30
31	—	×	—	×	—	×			×		×	·14		31
TOTAL	2·76	·31	2·78	3·54	1·19	1·48	·25	4·11	2·69	3·29	2·02	6·81	Year's Total 31·03	
*Days with ·01 in. or more.	16	3	18	16	6	8	3	14	17	16	10	28	155	
*Days with ·04 in. or more.	14	2	17	16	5	8	3	11	15	14	8	26	139	

† Spare column, no entries required.

(*Signed*) J. T. Sadler

[P.T.O.

40-9999

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE. /

Section **A** for the entry of Daily Observations.

Station No. 2092

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Bicknoller Weacombe House

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 320 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	–	·63	–	–	·12	·15	–	·13	·15	·04	·59		1
2	-	·02	–	–	–	·07	–	–	·06	·13	·18	·14		2
3	-	-	·15	-	·03	·16	–	–	·50	·48	·22	–		3
4	-	·13	–	·06	–	·14	–	–	·06	·25	·44	·44		4
5	-	·09	·03	·10	–	·30	–	–	·35	·63	·14	·07		5
6	-	-	-	·37	–	·50	–	–	–	–	·07	·20		6
7	-	-	-	·43	–	·07	–	–	–	·23	–	·08		7
8	–	-	·01	·21	–	–	–	–	–	·10	·27	–		8
9	–	–	-	·55	–	·07	–	–	·05	·76	·25	–		9
10	-	-	·10	·28	–	·07	–	–	–	·03	–	–		10
11	·29	-	·05	–	–	·06	–	–	·05	·09	·36	·02		11
12	·06	·07	–	–	–	·18	–	·07	–	[illegible]	·09	[illegible]		12
13	·08	·06	–	·18	–	·03	–	–	–	·02	·13	–		13
14	–	–	–	·20	·05	–	–	–	–	–	·96	·15		14
15	-	·05	–	·84	–	·07	–	–	·34	–	·12	·21		15
16	-	·05	·03	·09	–	–	–	·08	·35	–	1·06	·02		16
17	–	–	–	·03	·15	·19	–	·53	·01	·04	·05	–		17
18	–	-	–	·20	·98	·02	·08	·26	·25	–	–	·02		18
19	–	-	–	·08	·09	·02	·04	–	·20	–	·14	·03		19
20	–	·28	–	·41	·20	–	·10	–	–	–	·37	–		20
21	-	·27	-	·04	–	–	·07	–	·23	·07	·02	–		21
22	-	·02	·10	·05	–	-	–	–	·10	·07	–	–		22
23	-	·17	·09	–	·10	–	–	·09	·12	·45	–	·27		23
24	·02	·26	·05	–	·12	-	–	·27	·06	–	–	·12		24
25	·22	·50	–	·05	·08	·05	–	–	–	·03	–	·10		25
26	-	·70	–	–	–	–	–	·18	·08	·19	·08	·50		26
27	-	·07	–	–	–	–	–	·23	–	·04	·04	·62		27
28	·02	·02	–	–	–	–	–	·95	·06	·02	·04	–		28
29	–	×	–	–	–	–	–	–	·12	–	·10	·30		29
30	-	×	–	–	-	·03	–	·46	·20	·10	1·05	·35		30
31	–	×	–	×	·08	×	-	·15	×	·64	×	·26		31
TOTAL	·69	2·76	1·24	4·17	1·88	2·15	·49	3·27	3·32	4·52	6·22	4·49	Year's Total 35·20	
*Days with ·01 in. or more.	6	16	10	18	10	18	5	11	20	21	23	20	178	
*Days with .04 in. or more.	4	13	7	17	9	14	5	11	19	17	22	16	154	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) FOR O. T. SADLER

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2092

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1030.

REGISTER OF RAINFALL IN 1936.

Kept at Heacombe House

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ......ft. 11 in.

,, Ground ,, Sea Level ....ft.

Totals

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	·10	·01	·06		·22	·63				·05	·04		1
2	·01			·07		·41	·03				·10			2
3				·70		·08	·07	·20	·49		·15			3
4			·13	·05		·04			·41		·06	·38		4
5	·50		·06				·38	·04	·19			·08		5
6	·07		·04			·08	·11	·03	·05		·13			6
7	·16		·06				·37				·78	·05		7
8	·21		·06				·68				·30			8
9	·38		·40			·02	·20		·14		·25			9
10	·02						·03				·25			10
11	·19	·02		·04		·10		·05	·10		·44			11
12				·12		·04	·22		·39		·10			12
·07 13	·07					·10	·03					1·00		13
14		·05		·02			·55		·53			·48		14
15					·24				·32	·08	·06	·24		15
16		·02		·08	·24		·04		·05	·03	·05	·13		16
17	·23	·71			·30		·49			·06	·04	·25		17
18	·04	·18			·03	·24	·36	·02		·13		·07		18
19	·56		·04	·09		·70		·02						19
20	·11	·25	·09	·13		·26		·04	·50			·02		20
21	·04		·09	·68					·02					21
22	·11	·83	·60		✗		·19			·10		·02		22
23		·05	·25	·16	·30		·04			·05				23
24	·05	·04			·16				·03	·17				24
25	·27		·69	·10			·20		·49	·13	·04			25
26	·13	·15	·25				·05		·03	·07				26
27	·07		·03				·08			·11				27
28	·62		·45	·04			·12					·15		28
29	·01	·16	·02			·06				·11	·08	·15		29
30	·04	✗	·09			·11				·53				30
31	·11	✗	·21	✗	·18	✗	·20		✗	·07	✗	·32	Year's Total	31
TOTAL	4·07	2·56	3·57	2·34	1·45	2·86	5·07	·40	3·74	1·64	2·90	3·38	33·98	
* Days with .01 in. or more.	24	12	19	14	7	14	22	7	15	13	16	15	178	
* Days with .04 in. or more.	21	10	16	13	6	13	19	4	12	12	16	13	155	

Printed in B.R. 1936

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2092

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at St Andries Weacombe House

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ „ Ground „ Sea Level 320 ft.

Received 8/36.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·07	·10	·01	·06	—	·22	·63	—	—	—	·05	·04		1
2	·01	—	—	·07	—	·$\overset{8}{4}$1	·03	—	—	—	·10	—		2
3	—	—	—	·70	—	·08	·07	·20	·49	—	·15	—		3
4	—	—	·13	·05	—	·04	—	—	·41	—	·06	·38		4
5	·50	—	·06	—	—	—	·38	—	·19	—	—	·08		5
6	·07	—	·04	—	—	·08	·11	·04	·05	—	·13	—		6
7	·16	—	·06	—	—	—	·37	·03	—	—	·78	·05		7
8	·21	—	·06	—	—	—	·68	—	—	—	·30	—		8
9	·38	—	·40	—	—	·02	·20	—	·14	—	·25	—		9
10	·02	—	—	—	—	—	·03	—	—	—	·25	—		10
11	·19	·02	—	·04	—	·10	—	·05	·10	—	·46	—		11
12	—	—	—	·12	—	·04	·22	—	·39	—	·10	—		12
13	·07	—	—	—	—	·10	·03	—	—	—	—	1·00		13
14	—	·05	—	·02	—	—	·55	—	·53	—	—	·48		14
15	—	—	—	—	·24	—	—	—	·32	·08	·06	·24		15
16	—	·02	—	·08	·24	—	·04	—	·05	·03	·05	·13		16
17	·23	·71	—	—	·30	—	·49	—	—	·06	·04	·25		17
18	·04	·18	—	—	·03	·24	·36	·02	—	·13	—	·07		18
19	·56	—	·04	·09	—	·70	—	·02	—	—	—	—		19
20	·11	·25	·09	·13	—	·26	—	·04	·50	—	—	·02		20
21	·04	—	·09	·68	—	—	—	—	·02	—	—	—		21
22	·11	·83	·60	—	—	—	·19	—	—	·10	—	·02		22
23	—	·05	·25	·16	·30	—	·04	—	—	·05	—	—		23
24	·05	·04	—	—	·16	—	—	—	·03	·17	—	—		24
25	·27	—	·69	·10	—	—	·20	—	·49	·13	·04	—		25
26	·13	·15	·25	—	—	—	·05	—	·03	·07	—	—		26
27	·07	—	·03	—	—	—	·08	—	—	·11	—	—		27
28	·62	—	·45	·04	—	—	·12	—	—	—	—	·15		28
29	·01	·16	·02		—	·06	—	—	—	·11	·08	·15		29
30	·04	✕	·09		—	·11	—	—	—	·53	—	—		30
31	·11	✕	·21	✕	·18	✕	·20	—	✕	·07	✕	·32		31
TOTAL	4·07	2·56	3·57	2·34	1·45	2·$\overset{8}{4}$6	5·07	·40	3·74	1·64	2·90	3·38	Year's Total 33·$\overset{9}{5}$8	
* Days with .01 in. or more.	24	12	19	14	7	14	22	7	15	13	16	15	178	
* Days with .04 in. or more.	21	10	16	13	6	13	19	4	12	12	16	13	155	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) St Andries for O T. Sadler [P.T.O.

Copy by B.R.O.

2092

FORM 1090. **B** Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937.

At Bicknoller (Weacombe Ho.)

In the County of ....

Rain Gauge { Diameter of Funnel......................in.

Height of Top above Ground.........ft............in.

Height of Ground above Sea Level.................ft.

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	6·31				
FEB.	4·15				
MAR.	5·56				
APRIL	2·92				
MAY	2·22				
JUNE	·55				
JULY	2·87				
AUG.	·96				
SEPT.	5·06				
OCT.	4·10				
NOV.	1·91				
DEC.	2·97				
TOTAL	39·58				

Signature The late O.T. Sadler Esq. ‡

* See Instruction 3 (*f*) below.

‡ per S. L. Rogers Esq/.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter..................in Summer..................

Nearest Railway Station.............................. Distance.................. Direction from gauge............

Nearest Parish Church at.............................. Distance.................. Direction from gauge............

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

2093

FORM 1090. **B**

. The following register of mon
&c., is NOT required if daily
values are given on the other

2093

WILLITON
ALLER FARM
1931—35, 1937—40

780314

---

n and also the space for

register should be sent:—

....

....

RAINFALL IN 193

At Aller, Willito

In the County of Somer

Rain Gauge
Diameter of Funnel 5
Height of Top above Ground 3 *ft*
Height of Ground above Sea Level

...in Summer...

Direction from
e... gauge ...

Direction from
e... gauge ...

Month.	Total Depth.	Greatest Fall in 24 hours.		N D ·01 or	
	Inches.	Inches.	Date.		
JAN.	2·61	·74	31	17	15
FEB.	1·83	·55	11	17	12
MAR.	1·23	·61	4	6	5
APRIL	2·4	·66	2	13	12
MAY	4·47	2·4	27	13	13
JUNE	2·91	·79	5	14	12
JULY	3·55	·63	14	19	17
AUG.	4·42	·76	23	21	15
SEPT.	1·6	·49	2	13	10
OCT.	·97	·4	6	8	5
NOV.	6·39	1·55	3	22	19
DEC.	1·89	·64	6	12	10
Total	34·27			175	145

Signature R. G. Horegood

*See Instruction 2 (*f*) below.

Directions from gauge ..

If gauge has been moved during the year state—

Date of move............ Distance............ Direction............

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}$ ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090. **B** 2093

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At Aller, Williton,

In the County of Somerset.

Rain Gauge

Diameter of Funnel 5 in.

Height of Top above Ground 3 *ft* ... *in.*

Height of Ground above Sea Level ~~200~~ 195 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	2·61	·74	31	17	15
FEB.	1·83	·55	11	17	12
MAR.	1·23	·61	4	6	5
APRIL	2·4	·66	2	13	12
MAY	4·47	2·4	27	13	13
JUNE	2·91	·79	5	14	12
JULY	3·55	·63	14	19	17
AUG.	4·42	·76	23	21	15
SEPT.	1·6	·49	2	13	10
OCT.	·97	·4	6	8	5
NOV.	6·39	1·55	3	22	19
DEC.	1·89	·64	6	12	10
Total	34·27			175	145

Signature R. G. Horegood

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter ... in Summer ...

Nearest Railway Station ... Distance ... Direction from gauge ...

Nearest Parish Church at ... Distance ... Direction from gauge ...

Nature of objects nearest to gauge

Heights of objects

Distances . .

Directions from gauge . .

If gauge has been moved during the year state—

Date of move ... Distance ... Direction ...

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

*See Instruction 2 (*f*) below.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning, without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090.

B Monthly Summary.

*** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1932

At Aller, Williton

In the County of Somerset

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 3 *ft* ... *in.*
Height of Ground above Sea Level 200 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	4·43	1·01	9	15	11
FEB.	·04	·02	10 25	2	–
MAR.	2·4·	·67	29	12	10
APRIL	2·72	·32	6	22	19
MAY	3·23	·79	20	24	18
JUNE	1·12	·76	30	4	4
JULY	2·64	·56	30	15	12
AUG.	1·85	·55	21	9	7
SEPT.	4·32	·89	22	18	14
OCT.	6·76	·84	7	24	20
NOV.	2·10	·63	30	12	10
DEC.	2·84	·83	29	17	15
Total	34·45			174	140

Signature R. G. Hosegood

*See Instruction 2 (*f*) below.

2093

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

R. G. HOSEGOOD

Hour of observation by the clock—in Winter 8 o/c in Summer 8 o/c

Nearest Railway Station Williton Distance ... Direction from gauge ...

Nearest Parish Church at " Distance ... Direction from gauge ...

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move ... Distance ... Direction ...

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
3 JAN 1933

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | 18 | } ·14 | would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2093

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Aller, Williton,

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 3 ft. in.

,, Ground ,, Sea Level 200 ft.

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·48	·19	·11						·04			·43		1
2	·31		·50		·08	·21					·03	·03		2
3	·08	·04	·14		·83									3
4	·28	·01	·04		·05									4
5	·11		·43		·05						·03			5
6	·01	·18	·03		·04		·17			·11				6
7	·01	·06			·11					·09				7
8			·06		·07	·01	·16							8
9		·18			·13		·22			·40	·03			9
10	·12	·26								1·64				10
11						·21	·09	·19		·09				11
12				·21		·04	·04		·65	·10	·03			12
13					·08	·14	·29	·05		·03				13
14	·07									·11	·15			14
15	·42		·12				·12	·05		·16				15
16			·79			·01		·01		·08				16
17	·03	·12	·26			·23			·02					17
18	·06		·24			·11								18
19	·03		·26			·06			·09		·33			19
20		·02				·32		·05	·13		·01			20
21		·05				·08		·25	·04	·11	·01			21
22				·10	·01			·18	·09					22
23		·12		·15		·40			·18	·46				23
24		·84		·12				·02	·28	·03				24
25		·57		·12	·10	·46			·05			·12		25
26		1·07		·03	·21					·03		·01		26
27				·20	·43				·22	·69		·53		27
28		·10		·05			·03			·23		·08		28
29				·13			·05					·02		29
30	·10	×	·10	·12			·04		·05			·06		30
31	·24	×		×		×			×	·19	×		Year's Total	31
TOTAL	2·35	3·81	3·08	1·23	2·19	2·28	1·21	·80	1·84	4·55	·62	1·28	25·24	
*Days with ·01 in. or more.	15	15	13	10	13	13	10	8	12	17	8	8	142	
*Days with ·04 in. or more.	11	13	12	9	12	11	9	6	11	14	2	5	115	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) R. G. Hoegood

[P.T.O.

FORM 1090.

B Monthly Summary.

2093

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 193~~3~~4

At Aller, Williton

In the County of Somerset

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 3 *ft* *in.*
Height of Ground above Sea Level 200 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	4·16	1·02	11	17	15
FEB.	·28	·24	25	3	1
MAR.	3·38	·54	14	19	17
APRIL	3·49	·6	18	19	14
MAY	1·54	·6	6	7	6
JUNE	1·35	·62	23	9	9
JULY	·29	·19	20	3	2
AUG.	4·19	1·10	5	12	10
SEPT.	2·27	·54	2	11	10
OCT.	3·28	·4	28	19	16
NOV.	1·98	·67	9	9	7
DEC.	8·37	·87	8	29	26
Total	34·58 ✓			157	133

Signature R. G. Hosegood

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station Williton Distance 2 miles Direction from gauge ....

Nearest Parish Church at Do. Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

F

2093

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At Aller, Williton,

In the County of Somerset

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 3 *ft* *in.*
- *Height of Ground above Sea Level* 200 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	·86	·37	25	8	4
FEB.	3·1-	·63	25	14	13
MAR.	1·21	·59	2	~~2~~8	6
APRIL	4·75	·88	15	20	17
MAY	1·43	·74	15	8	8
JUNE	2·25	·57	6	14	12
JULY	·39	·1-	19	5	4
AUG.	3·17	·6-	28	11	11
SEPT.	4·01	·6-	16	22	20
OCT.	4·61	·8-	9	22	21
NOV.	6·48	1·04	30	20	18
DEC.	4·51	·59	26	15	14
Total	36·77			167	148

Signature R. G. Hosegood

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter 8 o/c in Summer

Nearest Railway Station Distance Direction from gauge

Nearest Parish Church at Distance Direction from gauge

Nature of objects nearest to gauge				
Height of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O.
8 JAN 1936

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

Copy by B.R.O.

2093

FORM 1090.

B Monthly Summary.

. **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 193.7

At Williton (Allen Farm)

In the County of ....

Rain Gauge
- Diameter of Funnel..........................in.
- *Height of Top above Ground.........ft............in.*
- *Height of Ground above Sea Level.................ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	7·54				
FEB.	4·83				
MAR.	5·40				
APRIL	3·03				
MAY	2·19				
JUNE	·48				
JULY	2·59				
AUG.	1·14				
SEPT.	3·37				
OCT.	3·89				
NOV.	1·83				
DEC.	3·11				
TOTAL	39·40 ✓				

Signature R. G. Hosegood Esq. ‡

* See Instruction 3 *(f)* below.

‡ per S. L. Rogers Esq.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter.......................in Summer..................

Nearest Railway Station.............................. Distance................... Direction from gauge...............

Nearest Parish Church at.............................. Distance................... Direction from gauge...............

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

H.O. 1936

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest **daily** fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

COPY BY BRO

2093

Form 1090.

B Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938

At Williton (Allen Farm)

In the County of Somerset

Rain Gauge
Diameter of Funnel..........in.
Height of Top above Ground........ft..........in.
Height of Ground above Sea Level..........ft.

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·56				
FEB.	·95				
MAR.	·03				
APRIL	·13				
MAY	2·51				
JUNE	1·53				
JULY	2·52				
AUG.	5·62				
SEPT.	1·23				
OCT.	3·78				
NOV.	5·09				
DEC.	4·44				
TOTAL	31·39				

Signature R. G. Hosegood Esq ‡

‡ Per S. L. Rogers Esq.

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

....

....

Hour of observation by the clock—in Winter..........in Summer..........

Nearest Railway Station.......... Distance.......... Direction from gauge..........

Nearest Parish Church at.......... Distance.......... Direction from gauge..........

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.......... Distance.......... Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
  (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
  (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005: this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{r}17\\18\end{array}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91
S.O. Code No. 40-9999

FORM 1090.

2093

B Monthly Summary.

⁎ The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1939.

At Aller Farm, Williton

In the County of Somerset

Rain Gauge
- Diameter of Funnel.........................in.
- *Height of Top above Ground.........ft.............in.*
- *Height of Ground above Sea Level.................ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	6.42				
FEB.	1.42				
MAR.	1.35				
APRIL	3.00				
MAY	1.16				
JUNE	2.45				
JULY	4.26				
AUG.	2.98				
SEPT.	1.02				
OCT.	3.02				
NOV.	6.01				
DEC.	1.57				
TOTAL	34.75				

Signature R. G. Hosegood

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

....

....

Hour of observation by the clock—in Winter....................in Summer....................

Nearest Railway Station.............................. Distance.................. Direction from gauge..............

Nearest Parish Church at.............................. Distance.................. Direction from gauge..............

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copy by B.R.O.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 }·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91
S.O. Code No. 40-9999

FORM 1090.

B Monthly Summary.

C Particulars of Station.

2093.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 193..

At Williton (Aller Farm)

In the County of Somerset.

Rain Gauge

Diameter of Funnel........................in.

Height of Top above Ground.......*ft.* as before

Height of Ground above Sea Level...............*ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2·98				
FEB.	2·63				
MAR.	2·24				
APRIL	3·01				
MAY	1·81				
JUNE	0·80				
JULY	3·26				
AUG.	0·17				
SEPT.	1·30				
OCT.	5·36				
NOV.	8·36				
DEC.	2·63				
TOTAL	34·55				

Signature R. G. Hosegood.

* See Instruction 3 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter......................in Summer....................

Nearest Railway Station...................................... Distance.................Direction from gauge............

Nearest Parish Church at...................................... Distance.................Direction from gauge............

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 2778/2036 21,000 10/38 W. H. & S. 668/91 S.O. Code No. 40-9999

WILLITON (TOWER

FORM 1090. **B** M S

2093/2

2093/2
WILLITON
TOWER HILL
1936

X80314

. The following register of mo
&c., is NOT required if da
values are given on the ot

on and also the space for

is register should be sent :—

RAINFALL IN 1

At ....

In the County of Som

Rain Gauge { Diameter of Funnel..........
Height of Top above Ground.....
Height of Ground above Sea Leve

.......in Summer..................
Direction from
ce................gauge............
Direction from
nce................gauge...........

Directions from gauge ...

Month	Total Depth	Greatest Fal in 24 hours			
	Inches	Inches	Date	*	*
JAN.					
FEB					
MA					
APR					
MAY					
JUN					
JUL					
AUG.					
SEPT.					
OCT.					
NOV.					
DEC.					
TOTAL		print			

TOWER HILL, WILLITON
(Mr. M. L. Fry).

January	3.68
February	2.77
March	2.88
April	2.21
May	.95
June	2.32
July	5.13
August	.38
September	3.61
ober	1.39
mber	3.08
er	3.5
tal	

Signature ~~Mr~~. M. L. Fry Esq.

footnote per S. L. Rogers, Esq.

* See Instruction 3 *(f)* below.

If gauge has been moved during the year state—

Date of move.. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

no A sent per ~~Mr~~ S. L. Rogers
press cutting

Circ E sent 21/5/37

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005 : this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON : PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses : Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

N

WILLITON (TOWER

2093/2

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

At ....

In the County of Somerset/4

Rain Gauge
- Diameter of Funnel.........................in.
- *Height of Top above Ground.........ft.............in.*
- *Height of Ground above Sea Level.................ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.					
FEB.					
MAR.					
APR.					
MAY					
JUNE					
JULY					
AUG.					
SEPT.					
OCT.					
NOV.					
DEC.					
TOTAL		print		✓	

TOWER HILL, WILLITON
(Mr. M. L. Fry).

January	3.68
February	2.77
March	2.88
April	2.21
May	.95
June	2.32
July	5.13
August	.38
September	3.61
ober	1.39
mber	3.08
er	3.5
tal	

Signature ~~Mr~~. M. L. Fry Esq.
footnote per S. L. Rogers, Esq.

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter..................in Summer..................

Nearest Railway Station.................. Distance.................. Direction from gauge..................

Nearest Parish Church at.................. Distance.................. Direction from gauge..................

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.................. Distance.................. Direction..................

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

wA sent per ~~Mr~~ S. L. Rogers
press cuttings

Circ E sent 21/5/37

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005: this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

N

Section **A** for the entry of I

AIR MINISTRY.

ation No. 2093/5

ORGANIZATION.

FORM 1090.

REGIST

Kept at X (Eastfield) W

in the County of Som

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASUR

An observer who does not conform to th
year in the space on the right of this

P

—

2093/5

WILLITON
EASTFIELD
1933 — 40

780314

owing

Jan. 1, following

Date	Jan.	Feb.	March	A							Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·50	·13	·10	—	·9	tr	—	—	·5	·1	·1	·45	1
2	·23	tr	·58	—	·88	·21	—	—	—	—	·2	·2	2
3	tr	·5	·9	—	·3	tr	—	—	—	—	—	—	3
4	·29	·1	·3	—	·4	—	—	—	—	—	—	—	4
5	·9	tr	·47	—	·3	—	—	—	—	—	—	—	5
6	—	·18	·2	—	·10	—	·15	—	—	·13	tr	tr	6
7	·19	·5	—	—	tr	—	tr	—	—	·7	—	·3	7
8	—	tr	·5	—	·5	tr	·17	tr	—	·3	—	—	8
9	—	·17	—	—	·15	tr	·23	tr	—	·63	·5	—	9
10	·8	·13	—	—	—	—	tr	tr	—	1·61	·2	—	10
11	·6	—	—	—	tr	·19	·10	·18	—	·23	—	—	11
12	tr	—	—	·24	·3	·3	·24	—	·72	·1	—	·1	12
13	tr	—	—	—	·6	·27	·11	·6	tr	·3	—	—	13
14	·18	—	—	—	—	—	—	·3	—	·7	·24	tr	14
15	·37	—	·18	—	—	—	·9	·3	—	·20	—	·2	15
16	—	—	·74	—	—	tr	tr	·1	·3	·3	—	tr	16
17	·5	·11	·18	—	—	·28	tr	tr	·4	—	tr	—	17
18	·4	—	·25	—	—	·8	—	tr	—	—	·6	—	18
19	tr	—	·24	—	tr	tr	·2	tr	·5	—	·33	·1	19
20	—	·2	—	tr	—	·27	—	·5	·16	—	tr	—	20
21	—	·4	—	—	tr	·8	—	·25	—	·10	·2	—	21
22	—	—	—	·2	·1	—	—	·23	·16	·3	·1	—	22
23	—	—	—	·22	—	·26	—	tr	·13	·99	—	—	23
24	—	1·30*	—	·13	—	tr	—	·3	·2	·2	—	—	24
25	—	·82*	—	·7	·9	·28	—	—	·35	—	—	·3	25
26	—	·71	—	·3	·67	tr	—	—	·3	·34	—	—	26
27	—	·1	—	—	·3	—	—	—	·14	·36	—	·44	27
28	—	·9	—	·20	—	—	·3	—	·1	·18	—	·7	28
29	—		·1	·16	—	—	·1	tr	—	tr	—	·3	29
30	—	×	·6	·9	tr	—	·3	—	·4	·14	—	·5	30
31	·30	×	—	×	tr	×	tr	—	×	·4	×	tr	31 Print of
TOTAL	2·35	3·82	3·27	1·16	2·24	2·07	1·18	·87	1·87	4·75	·76	1·16	YEAR'S TOTAL 25.50
*Days with ·01 in. or more.	12	3 15	14	9	14	10	11	9	14	21	9	11	149
*Days with .04 in. or more.	6 12	12	11	7	9	9	7	5	10	14	4	4	104

40-9999

*See Instruction 2 (f) on other side,

D N X MISS. E HEATHCOTE X

(Signed) E Heathcote

~~P.T.O.~~

Section **A** for the entry of Daily Observations. ation No. 2093/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Somerset for

Kept at (Eastfield) Williton

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 11 in.

,, Ground ,, Sea Level 184 ft.

c 1933

Cf 2093 2094

OK print

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·50	·13	·10	—	·9	tr	—	—	·5	·1	·1	·45	1
2	·23	tr	·58	—	·88	·21	—	—	—	—	·2	·2	2
3	tr	·5	·9	—	·3	tr	—	—	—	—	—	—	3
4	·29	·1	·3	—	·4	—	—	—	—	—	—	—	4
5	·9	tr	·47	—	·3	—	—	—	—	—	—	—	5
6	—	·18	·2	—	·10	—	·15	—	—	·13	tr	tr	6
7	·19	·5	—	—	tr	—	tr	—	—	·7	—	·3	7
8	—	tr	·5	—	·5	tr	·17	tr	—	·3	—	—	8
9	—	·17	—	—	·15	tr	·23	tr	—	·63	·5	—	9
10	·8	·13	—	—	—	—	tr	tr	—	1·61	·2	—	10
11	·6	—	—	—	tr	·19	·10	·18	—	·23	—	—	11
12	tr	—	—	·24	·3	·3	·24	—	·72	·1	—	·1	12
13	tr	—	—	—	·6	·27	·11	·6	tr	·3	—	—	13
14	·18	—	—	—	—	—	—	·3	—	·7	·24	tr	14
15	·37	—	·18	—	—	—	·9	·3	—	·20	—	·2	15
16	—	—	·74	—	—	tr	tr	·1	·3	·3	—	tr	16
17	·5	·11	·18	—	—	·28	tr	tr	·4	—	tr	—	17
18	·4	—	·25	—	—	·8	—	tr	—	—	·6	—	18
19	tr	—	·24	—	tr	tr	·2	tr	·5	—	·39	·1	19
20	—	·2	—	tr	—	·27	—	·5	·16	—	tr	—	20
21	—	·4	—	—	tr	·8	—	·25	—	·10	·2	—	21
22	—	—	—	·2	·1	—	—	·23	·16	·3	·1	—	22
23	—	—	—	·22	—	·26	—	tr	·13	·99	—	—	23
24	—	1.30*	—	·13	—	tr	—	·3	·2	·2	—	—	24
25	—	·82*	—	·7	·9	·28	—	—	·35	—	—	·3	25
26	—	·71	—	·3	·67	tr	—	—	·3	·34	—	—	26
27	—	·1	—	—	·3	—	—	—	·14	·36	—	·44	27
28	—	·9	—	·20	—	—	·3	—	·1	·18	—	·7	28
29	—		·1	·16	—	—	·11	tr	—	tr	—	·3	29
30	—	×	·6	·9	tr	—	·3	—	·4	·14	—	·5	30
31	·30	×	—	×	tr	×	tr	—	×	·4	×	tr	31 Print
TOTAL	2·35	3·82	3.27	1·16	2·24	2.07	1·18	·87	1·87	4·75	·76	1·16	YEAR'S TOTAL 25.50
*Days with ·01 in. or more.	12	3 15	14	9	14	10	11	9	14	21	9	11	149
*Days with .04 in. or more.	6 12	12	11	7	9	9	7	5	10	14	4	4	104

40-9999

*See Instruction 2 (*f*) on other side.

D N MISS. E HEATHCOTE

(*Signed*) E Heathcote

~~P.T.O.~~

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2093 | 5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at The Eastfield Marais, Willit

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 11½ in.

,, Ground ,, Sea Level 200 ft.

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	[illegible]	~~tr~~	tr	tr	—	·5	—	·63	·6	tr	·29	·33		1
2	·19	—	tr	—	—	—	—	tr	·55	—	·8	·6		2
3	·1	·2	—	tr	·2	—	—	·45	tr	·19	tr	·29		3
4	·13	tr	·2	·17	·29	—	—	·9	·16	·30	—	·38		4
5	—	—	·7	·3	·32	·7	—	1.07	—	·8	·46	·37		5
6	·1	—	·26	·4	·54	—	—	·1	·3	·28	tr	·28		6
7	·9	tr	—	—	—	tr	—	·14	—	·21	·1	·46		7
8	—	—	—	—	·16	tr	—	tr	·1	tr	·28	1·04		8
9	·1	—	·15	tr	—	—	—	tr	—	·9	·55	·14		9
10	·25	tr	·28	·46	—	—	—	·8	tr	—	·6	·8		10
11	1·09	—	·2	·39	—	—	tr	·28	—	—	—	·53		11
12	·7	tr	tr	·21	—	—	tr	·14	—	tr	—	·2		12
13	·62	—	·5	·41	tr	tr	—	—	—	·2	—	·12		13
14	[illegible]	—	·55	·1	tr	—	—	—	—	·3	·9	·18		14
15	·10	—	·9	tr	·12	—	tr	tr	·11	·26	·10	·28		15
16	·4	—	·55	—	·2	—	—	tr	—	·5	—	·5		16
17	·15	—	·2	·24	—	—	tr	—	·41	·5	—	·29		17
18	·15	—	·20	·58	tr	tr	~~tr~~	tr	·11	·2	—	·40		18
19	tr	—	·19	—	tr	·5	tr	·2	·8	tr	—	·18		19
20	—	—	·18	·5	—	—	·19	—	·2	tr	·1	tr		20
21	—	—	·10	—	tr	·8	—	·2	tr	·15	·3	·15		21
22	tr	—	·6	tr	—	—	—	tr	·10	·4	—	·45		22
23	—	—	·4	·15	—	·65	·6	·2	·6	—	—	·2		23
24	tr	·20	·4	tr	—	·18	·3	—	·8	·1	—	tr		24
25	·22	·3	—	·15	tr	·14	tr	—	·3	·25	—	·69		25
26	·2	tr	·7	·14	—	·18	—	—	·6	·2	—	·73		26
27	—	—	—	·16	—	·5	—	—	·1	·5	tr	·19		27
28	—	·1	—	·4	—	·2	·3	·62	·27	·26	tr	·64		28
29	—	×	—	—	—	—	tr	·26	·8	·25	tr	·2		29
30	—	×	—	—	—	—	tr	·8	·3	·36	tr.	·14		30
31	·10	×	—	×	·2	×	tr	·3	×	·4	×	·13		31
TOTAL	3·54	·26	2·94	3·33	1.52	1.47	·31	3.87	2·28	3·01	1·86	8·07	Year's Total 32·46	
*Days with ·01 in. or more.	19	4	19	16	8	10	4	16	19	22	17	29	144	
*Days with .04 in. or more.	15	1	16	14	5	9	2	11	13	14	8	25	136	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2093/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Eastfield, Williton

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level ~~200~~ ft. 184

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·02	·55	·02	tr	·08	·07	nil	·15	·08	·05	·40		1
2	nil	tr	·02	nil	nil	·05	nil	nil	·03	·07	·11	·17		2
3	tr	tr	·18	·01	·03	·10	nil	nil	·60	·29	·26	nil		3
4	nil	·13	tr	·07	·03	·18	nil	nil	·06	·27	·38	·44		4
5	tr	·17	·02	·12	nil	·09	nil	nil	·35	·45	·11	·06		5
6	nil	nil	nil	·40	nil	·59	nil	nil	nil	nil	·06	·16		6
7	nil	nil	nil	·42	nil	·07	nil	nil	nil	·38	nil	·07		7
8	nil	nil	tr	·24	nil	tr	nil	nil	nil	·07	·27	·20		8
9	·01	nil	nil	·56	tr	·05	nil	nil	nil	·90	·32	nil		9
10	·02	tr	·08	·42	nil	·04	tr	nil	·05	·02	nil	tr		10
11	·25	·01	·02	tr	nil	·07	tr	tr	·07	·06	·45	·01		11
12	·06	·10	nil	nil	nil	·18	nil	·07	nil	tr	·09	tr		12
13	·09	·03	nil	·25	·04	·03	nil	nil	tr	·01	·17	nil		13
14	tr	·03	nil	·25	tr	tr	nil	nil	·26	tr	·91	·15		14
15	nil	nil	nil	·79	·08	·04	tr	tr	·07	nil	·12	·21		15
16	nil	·04	·02	·09	nil	tr	nil	·05	·62	tr	1·06	·02		16
17	nil	tr	nil	·01	·89	·25	tr	·47	·02	·07	·02	nil		17
18	nil	·02	tr	·27	tr	tr	·04	·95	·31	·07	tr	·02		18
19	tr	tr	nil	·07	·08	·02	·10	tr	·02	·03	·14	·02		19
20	tr	·30	nil	·54	·05	nil	·13	nil	tr	·04	·30	nil		20
21	tr	·37	nil	·07	nil	nil	·08	nil	·06	·07	·02	nil		21
22	nil	·03	·08	·03	nil	nil	nil	tr	·11	·07	nil	nil		22
23	nil	·10	·06	nil	·08	nil	nil	·09	·17	·36	nil	·33		23
24	·03	·41	·05	·03	·12	tr	nil	·27	tr	·39	nil	·21		24
25	·35	·42	tr	·14	·06	·03	nil	nil	nil	tr	tr	·15		25
26	nil	·60	nil	nil	tr	tr	nil	·25	·05	·01	·04	·60		26
27	nil	·10	nil	nil	nil	tr	tr	·21	·21	·04	·03	·48		27
28	·03	·02	nil	nil	nil	nil	nil	·40	·05	·02	·02	·02		28
29	tr	×	nil	nil	tr	tr	nil	tr	·05	·01	·16	·42		29
30	·03	×	nil	nil	nil	tr	nil	·48	·25	·11	1·06	·46		30
31	nil	×	nil	×	·18	×	nil	·07	×	·61	×	·27		31
TOTAL	·88	2·91	1·08	4·49	1·74	1·87	·42	3·41	3·56	4·80	6·15	4·87	Year's Total. 36·48	
* Days with .01 in. or more.	10	18	10	21	11	16	5	11	21	25	23	22	193	✓
* Days with .04 in. or more.	4	11	6	16	8	13	5	11	18	19	19	17	147	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2093/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Eastfield, Williton

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level ~~200~~ ft. 184

Corr: for 3:A
Jan; Mar, May
Sept. Oct. Annual
Total

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·11	·01	·04	—	·20	·51	tr	tr	—	·04	·02		1
2	tr	tr	tr	·06	—	·34	·01	tr	·18	—	·10	tr		2
3	—	—	tr	·90	—	·10	·05	·28	·43	—	·13	tr		3
4	tr	—	·09	·02	—	·02	tr	tr	·46	—	·06	·39		4
5	·55	·01	·02	—	—	—	·39	·02	·05	—	·01	·06		5
6	·08	—	·02	—	—	·06	·14	·01	·06	—	·14	·01		6
7	·18	—	·05	—	—	tr	·85	tr	·01	tr	·85	·01		7
8	·23	tr	·05	—	—	—	·84	—	tr	—	·38	·02		8
9	·38	tr	·39	—	—	·02	·16	—	·10	tr	·24	tr		9
10	·03	tr	—	—	—	—	·05	—	tr	—	·16	—		10
11	·14	·05	—	·03	—	·12	·04	—	·10	—	·49	·01		11
12	—	—	—	·06	tr	·04	·13	·03	·25	tr	·04	—		12
13	·04	—	—	tr	—	·03	·02	tr	·02	·04	·01	1·15		13
14	—	·03	·01	tr	—	tr	·62	tr	·56	·02	·04	·67		14
15	tr	—	—	—	·14	—	tr	—	·28	—	·06	·25		15
16	—	·06	—	·01	·21	tr	·06	—	·05	—	·04	·22		16
17	·24	·43	—	tr	·24	—	·34	—	—	·09	—	·32		17
18	·04	·15	tr	—	·05	·36	·45	·02	—	·12	—	·04		18
19	·50	—	tr	·11	—	·55	·01	tr	—	·01	—	·01		19
20	·04	·32	·04	·10	—	·26	·02	·05	·31	tr	—	tr		20
21	·03	—	·26	·65	—	·01	·01	—	·02	tr	—	—		21
22	·14	·94	·43	tr	—	—	·19	—	·01	·08	—	·01		22
23	·01	·04	·23	·14	·31	tr	·03	—	tr	·03	—	—		23
24	·08	·02	·01	·01	·24	—	tr	—	·05	·16	·02	tr		24
25	·34	tr	·46	·04	—	—	·20	—	·51	·14	·03	—		25
26	·18	·12	·14	—	—	tr	·04	—	·01	·05	tr	—		26
27	·08	·04	·02	—	—	—	·04	—	—	·09	—	tr		27
28	·60	·02	·42	·03	—	—	·14	—	—	·01	·01	·19		28
29	·02	·14	tr	—	—	·05	·01	—	—	·03	·04	·18		29
30	·03	×	·09	—	tr	·09	tr	—	—	·45	tr	·01		30
31	·14	×	·23	×	·02	×	·16	—	×	·06	×	·35		31
TOTAL	4·23 4·07	2·84	3·47 ~~3·14~~	2·29	1·21 1·09	2·28	5·54	·41	3·4~~8~~6	1·41	3·08	3·92	Year's Total ~~33·71~~	[illegible]
* Days with .01 in. or more.	24	15	19	14	4	15	24	6	19	15	20	19	200	
* Days with .04 in. or more.	18	10	13	8	6	11	20	2	14	10	14	11	157	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) ~~(Mrs.)~~ .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2093/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Eastfield, Williton

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

„ Ground „ Sea Level 200 ft.

~~1849~~ 5

Totals ✓ JH.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	[illegible]	—	tr	'11	—	—	tr	—	'04	'04	'08	'30		1
2	'02	'35	—	'10	—	—	—	—	tr	—	'02	'02		2
3	tr	'21	'04	'19	'41	—	'01	—	tr	—	—	tr		3
4	'09	'37	—	'14	'18	—	'03	'02	—	—	—	'34		4
5	'15	—	'10	'04	'01	—	'29	tr	—	—	—	'04		5
6	'15	'34	'19	'27	'04	tr	'08	—	—	'04	tr	—		6
7	'01	'59	'04	'11	—	'03	tr	—	'01	'06	—	'11		7
8	—	'03	'01	tr	'17	—	'04	—	tr	tr	'23	—		8
9	'01	'01	'02	'03	'17	—	'01	'02	1'05	—	—	'02		9
10	'04	'05	'78	'65	—	'06	'03	'03	—	—	—	'45		10
11	'04	0'3	'28	'12	'54	'01	'68	'40	—	—	—	'08		11
12	'41	'14	'16	'01	tr	'18	'03	'05	'57	tr	tr	'44		12
13	'01	'04	'61	'31	tr	'02	tr	'12	'02	—	—	'08		13
14	—	tr	'04	'06	—	—	'61	tr	'07	—	—	'09		14
15	'48	'07	'09	'26	—	—	'65	tr	'16	—	—	'13		15
16	'27	'09	'79	'3	—	tr	tr	'11	'37	—	tr	—		16
17	1'30	'11	'61	—	—	—	tr	'06	'45	—	'26	—		17
18	'12	0·5	'27	—	—	'13	—	tr	'63	—	'19	'32		18
19	'26	tr	'12	'01	'02	'03	'03	—	'04	—	'33	'04		19
20	'78	'01	'14	'17	'04	tr	tr	—	'03	—	—	'40		20
21	'35	'23	'22	'09	'26	—	'01	—	'03	'04	—	'02		21
22	'17	'03	'16	—	'14	tr	'07	—	'01	'59	'45	'03		22
23	'25	'20	'01	—	'07	—	tr	—	—	'12	'23	—		23
24	'48	'14	tr	—	tr	—	tr	—	'14	1'07	'01	tr		24
25	—	'93	'36	—	'06	—	tr	—	tr	'09	—	'03		25
26	—	'25	'01	tr	'10	tr	tr	tr	—	tr	—	'01		26
27	'06	'39	—	—	—	—	tr	—	—	'80	—	—		27
28	'62	'02	'01	—	—	tr	—	—	—	'16	—	'01		28
29	'02		—	—	—	'01	—	—	—	'68	'07	tr		29
30	'45	✕	—	—	—	tr	—	'08	—	'02	'11	tr		30
31	'21	✕	—	✕	—	✕	—	—	✕	'23	✕	tr		31
TOTAL	6·93	4·60	5·06	2·40	2·21	'47	2·59	'89	3·62	3·97	1·98	2·99	Year's Total 38·09	✓ ✓
* Days with .01 in. or more.	26	24	23	18	14	8	14	9	15	13	11	20	195	✓ ✓
* Days with .04 in. or more.	21	18	18	14	12	3	7	5	10	12	9	13	142.	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) E. Heathcote [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2093/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Eastfield, Williton

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 200 ft.

Totals ✓ WSR

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	tr	·11	—	tr	tr	·91	·01	1·17	—	·32	·01	·24		1
2	tr	·02	—	·03	·11	—	tr	—	—	·21	·01	·08		2
3	tr	—	—	—	·35	·11	tr	—	—	·71	·01	tr		3
4	·01	—	—	—	tr	·02	·14	·90	—	·51	tr	·09		4
5	·02	—	—	tr	—	·04	·11	·02	·01	·24	—	·06		5
6	·10	—	—	—	—	·05	·80	—	·18	·23	—	·06		6
7	·9	—	—	—	—	—	·36	tr	·02	·06	tr	·11		7
8	·44	·04	—	—	—	—	·10	·13	tr	·38	—	·01		8
9	·31	·06	—	—	—	tr	·02	·54	—	·01	tr	·95		9
10	·01	—	—	—	—	—	tr	·08	—	tr	—	·62		10
11	·09	·02	—	—	—	·06	·05	·95	—	—	·51	·62		11
12	·33	·01	—	—	·21	—	—	tr	—	·16	·68	·08		12
13	·03	—	—	—	·06	—	—	·03	—	·04	·06	·85		13
14	·44	tr	—	—	·05	—	·38	·03	·03	—	tr	·01		14
15	·34	tr	—	—	·04	—	·01	—	—	·03	·08	·35		15
16	·19	tr	tr	—	·02	—	tr	·02	—	—	·18	·02		16
17	—	·11	tr	—	tr	—	tr	tr	·02	·21	tr	—		17
18	·15	—	—	—	tr	·05	tr	·04	·64	·01	·38	—		18
19	·04	—	—	—	—	tr	—	·03	·10	—	·40	—		19
20	·01	—	—	—	—	—	—	·01	·01	—	·19	—		20
21	·01	—	—	tr	—	tr	—	·05	·04	—	·14	·04		21
22	·01	—	—	·05	—	·04	—	·38	tr	tr	·32	·02		22
23	tr	—	—	·04	tr	tr	—	·01	·02	tr	·28	—		23
24	·04	—	·03	tr	·03	—	—	·09	·04	—	·14	—		24
25	·04	·19	tr	—	·25	tr	·10	·01	—	·09	·66	·05		25
26	·22	·27	tr	—	·16	·05	tr	—	—	·11	·11	·02		26
27	·09	·01	—	tr	·25	·07	·26	·63	·01	·04	·21	—		27
28	·04	·10	—	—	·02	·18	·01	·75	—	·01	·06	tr		28
29	·04		tr	—	·51	tr	tr	—	·01	·20	·31	·01		29
30	·01	✕	—	—	·11	·07	tr	—	·14	tr	·32	·04		30
31	·34	✕	—	✕	·14	✕	·02	—	✕	·13	✕	·19		31
TOTAL	3·43	·94	·03	·12	2·31	1·65	2·40	5·83	1·36	3·40	4·99	4·55	Year's Total 31·31 ✓	
* Days with .01 in. or more.	26	11	1	3	15	12	14	20	14	20	21	22	179 ✓	
* Days with .04 in. or more.	17	4	–	2	12	11	9	13	5	16	18	15	125 ✓	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) C. M. Heathcote (Miss) [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2093/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Eastfield Williton

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 200 ft.

Totals
E.R.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	—	·10	·04	10	—	tr	tr	·04	tr	·12	·01		1
2	·01	—	tr	·14	→	—	tr	·21	·64	—	·15	·21		2
3	·16	—	·02	·35	→	—	tr	·48	·01	—	·11	·43		3
4	—	—	·51	·25	-28	—	·33	tr	·01	·28	·40	·16		4
5	—	—	·01	·32	·14	—	·16	·68	—	·24	·58	—		5
6	·55	—	·03	tr	—	—	·58	·03	—	·11	·32	—		6
7	·01	·04	—	—	—	tr	·03	·01	—	—	·08	·33		7
8	·02	·32	·05	—	·05	—	·03	·04	—	·55	·64	·16		8
9	tr	·02	·01	—	—	—	—	·02	—	·21	·08	·09		9
10	·30	—	tr	—	—	·01	—	·02	·02	·09	·02	·11		10
11	·01	tr	·14	—	tr	tr	—	tr	—	·10	·01	tr		11
12	·04	·02	—	tr	tr	tr	—	—	·16	·09	·01	—		12
13	·01	tr	—	·04	·03	·06	·71	tr	·08	·28	·01	—		13
14	·41	—	tr	·01	·02	·03	·37	—	—	·10	·06	tr		14
15	·67	—	·02	tr	·10	·34	·24	—	—	·02	·18	tr		15
16	·15	tr	tr	tr	·08	tr	·12	—	—	—	·25	—		16
17	1·15	tr	tr	tr	—	·04	·14	—	—	tr	·03	tr		17
18	·04	·05	·09	—	—	·04	·44	—	—	tr	·55	tr		18
19	·21	—	—	—	—	·03	·02	·04	tr	—	·03	·03		19
20	·21	—	tr	—	·01	·18	·02	·40	—	—	—	—		20
21	·11	·25	·10	tr	·06	·54	·02	·04	tr	—	—	—		21
22	·42	·36	·04	·08	—	·35	·21	·02	—	—	·16	—		22
23	tr	·01	·04	·16	—	·02	·42	—	—	tr	·46	—		23
24	·65	tr	·15	·05	—	·45	·04	—	—	·01	tr	—		24
25	·21	·08	·01	—	—	→	·10	—	—	·08	·20	—		25
26	·01	·03	tr	·09	—	tr	—	·31	—	·31	·62	tr		26
27	—	·10	·11	—	—	·04	·03	·04	—	tr	·13	tr		27
28	·02	·16	·10	·40	—	·08	·09	·01	—	—	·16	·12		28
29	—		tr	·05	—	·04	·04	—	—	·28	·03	—		29
30	—	✕	tr	1·33	—	·16	tr	tr	—	·16	·01	·02		30
31	—	✕	—	✕	—	✕	·01	tr	✕	·18	✕	—		31
TOTAL	6·30	1·44	1·56	3·39	·84	2·44	3·91	2·98	1·02	3·09	5·81	1·64	Year's Total 3448	
* Days with .01 in. or more.	23	12	17	14	10	16	22	15	7	14	24	11	191	
* Days with .04 in. or more.	16	8	11	13	7	12	15	9	4	15	19	8	137	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) E. M. Heathcote

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 2093/5 V

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Eastfield, Williton
in the County of Somerset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 200 ft.

Yr/Tots

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	·10	—	·03	·15	tr	—	—	—	—	·06	—		1
2	—	·08	—	·05	—	—	·02	—	—	tr	1·77	tr		2
3	tr	·37	—	·03	—	—	—	—	—	·19	·62	·07		3
4	—	·07	—	—	—	—	·04	—	—	·11	·04	·02		4
5	tr	·01	—	—	—	—	—	—	—	·25	·67	·37		5
6	·07	·27	—	—	tr	—	·06	—	—	·22	·32	·32		6
7	tr	·03	—	·05	—	—	·04	tr	·06	·01	—	·17		7
8	—	—	—	—	—	—	—	tr	tr	·35	·25	·18		8
9	—	—	—	—	—	—	·43	·03	tr	·06	1·06	·27		9
10	—	—	tr	—	—	—	·40	—	tr	·19	·13	·25		10
11	—	—	tr	tr	—	·12	·09	—	tr	—	·94	·10		11
12	—	—	·15	—	—	·02	·25	—	·22	—	·07	—		12
13	—	tr	·65	—	—	—	·56	tr	·04	·71	·62	·11		13
14	—	—	·06	·03	·08	—	·02	—	·29	·45	·01	·29		14
15	—	tr	tr	·10	·34	·03	·02	—	·16	·01	·43	—		15
16	·02	·46	·06	·03	—	tr	·32	—	·06	1·45	·10	·02		16
17	—	·04	·45	—	—	—	·08	—	·01	—	·07	—		17
18	·05	·34	·32	·96	—	—	·01	tr	·06	·07	07	tr		18
19	—	—	·11	·11	—	—	·15	—	·25	—	·17	tr		19
20	—	—	tr	·02	—	—	·20	·01	·04	·20	·06	·11		20
21	—	—	tr	—	·43	·29	tr	tr	—	—	·64	—		21
22	—	tr	·04	·09	—	·29	tr	tr	·10	·01	tr	—		22
23	—	·09	·15	·08	tr	·01	·01	tr	·03	·16	tr	tr		23
24	—	—	·02	—	tr	—	·28	—	—	—	—	—		24
25	·30	—	·03	tr	·02	·02	—	—	—	—	—	—		25
26	·70	·18	—	·05	·16	—	·06	—	—	—	·01	—		26
27	·52	·06	—	·07	·09	—	·06	—	tr	—	tr	—		27
28	·75	tr	—	·29	·53	tr	—	·02	—	—	—	tr		28
29	—	·12	·12	·59	tr	·05	—	—	—	tr	—	·17		29
30	·13	✕	tr	·28	·01	—	—	—	—	·35	—	·08		30
31	—	✕	·02	✕	—	✕	—	—	✕	·70	✕	·13		31
TOTAL	2·54	2·22	2·18	2·86	1·81	·83	3·10	0·06	1·32	5·19	8·11	2·55	Year's Total 32·77	
* Days with .01 in. or more.	8	13	13	16	9	8	20	3	12	18	21	15	156	
* Days with .04 in. or more.	7	11	10	11	6	4	15	—	10	15	19	13	121	

† Spare column, no entries required.

(*Signed*) G. M. Heathcote (Miss)

[P.T.O.

* See Instruction 3 (f) on other side.

WILLITON (C.E. SC

2093/7

FORM 1090. **B** M S

** The following register of mo &c., is NOT required if dai values are given on the oth

RAINFALL IN 19

—

2093/7
WILLITON
C.E. SCHOOL
1936

780314

n and also the space for
s register should be sent :—
....
....
.....in Summer....................
Direction from
e...............gauge...........
Direction from
ce...............gauge...........

At ....

In the County of ...So........

Rain Gauge
Diameter of Funnel...........
Height of Top above Ground........
Height of Ground above Sea Level..

Month	Total Depth	Greatest Fall in 24 hours		*	*
	Inches	Inches	Date		
JAN.					
FEB.					
MAR					
APRI					
MAY					
JUNE					
JULY					
AUG.					
SEPT.					
OCT.					
NOV.					
DEC.					
TOTAL		print			

WILLITON C.E. SCHOOL

January	4.34
February	3.13
March	3.36
April	2.65
May	1.13
June	2.08
July	5.89
August	.43
September	3.91
October	1.64
November	3.04
December	3.79
Total	35.39

Number of rain days, 153: total for 1935, 37.15in.; 1934, 31.30.

Directions from gauge ...

If gauge has been moved during the year state—

Date of move.. Distance.............. Direction...........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

per Mr S. L. Rogers

press Cuttings

Signature THE HEADMASTER *

Circ E sent 21/5/37

* See Instruction 3 (*f*) below. * per S. L. Rogers Esq

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005 : this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON : PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

N

WILLITON (C.E. SC

2093/7

FORM 1090.

B M Summary.

C Particulars of Station.

. The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

At ....

In the County of Somerset/4

Rain Gauge
- Diameter of Funnel..........in.
- *Height of Top above Ground..........ft..........in.*
- *Height of Ground above Sea Level..........ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.					
FEB.					
MAR					
APRI					
MAY					
JUNE					
JULY					
AUG.					
SEPT.					
OCT.					
NOV.					
DEC.					
TOTAL		print			

New

WILLITON C.E. SCHOOL

January	4.34
February	3.13
March	3.36
April	2.65
May	1.13
June	2.08
July	5.89
August	.43
September	3.91
October	1.64
November	3.04
December	3.79
Total	35.39

Number of rain days, 155: total for 1935, 37.15in.; 1934, 31.30.

Signature ~~THE HEADMASTER~~ *

* See Instruction 3 (*f*) below. * per S.L. Rogers Esq

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter..........in Summer..........

Nearest Railway Station.......... Distance.......... Direction from gauge..........

Nearest Parish Church at.......... Distance.......... Direction from gauge..........

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.......... Distance.......... Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Wr A sent per Mr S.L. Rogers

press cuttings

Circ E sent 21/5/37

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

2094

Section **A** for the entry of

AIR MINISTRY

OPY FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

REGIST

2094

WILLITON

THE WHITE HOUSE

1931 —— 39

780314

Kept at The White Hou

in the County of Som

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASU

An observer who does not conform to t *llowing*

year in the space on the right of thi

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	*Date*
	in.	in.	in.								in.	in.	
1	.02	.09	—	.25	—	—	.05	—	.24	—	—	—	1
2	.18	—	—	.69	.08	—	—	—	.61	—	.12	.29	2
3	.06	—	.63	—	—	—	—	—	.18	—	1.75	.12	3
4	.01	—	.76	.07	—	.14	.39	.82	.18	.02	—	—	4
5	—	.16	—	.11	.01	.71	.22	.24	—		.02	.29	5
6	—	.05	—	.06	.06	.05	.14	—	—	.43	.23	.58	6
7	—	—	—	—	.09	.05	—	.19	—	.07	.38	.03	7
8	—	.11	—	—	—	.09	—	.14	—	—	.05	.11	8
9	.02	.22	—	—	—	.06	.08	.02	—	—	.53	—	9
10	.01	.15	—	—	—	.02	—	.04	.02	—	.33	—	10
11	.16	.48	—	—	—	.08	.06	.05	.07	—	.31	—	11
12	—	.02	—	—	—	—	.21	—	.63	—	—	—	12
13	—	—	—	—	.01	—	.16	.04	.04	—	—	.02	13
14	.03	.03	—	—	.12	.56	.54	.04	.06	—	.49	—	14
15	—	.13	—	.05	.06	—	.01	.43	.01	—	—	.05	15
16	—	.12	—	.07	.21	39	—	.21	.09	—	—	—	16
17	—	—	—	.04	—	.01	.10	—	.09	—	.02	—	17
18	.04	—	—	—	—	.07	.15	.49	—	—	.17	—	18
19	.06	.06	.01	—	—	60	—	.12	.09	—	.22	—	19
20	—	.64	.11	—	—	—	—	.46	—	—	.49	—	20
21	.06	.12	—	—	.09	—	—	—	—	—	.03	—	21
22	.43	.04	.03	—	.03	—	—	—	—	—	.02	—	22
23	.16	—	—	.32	.27	02	—	.70	.01	—	.31	—	23
24	.17	.01	—	.38	.04	—	.68	.07	—	—	—	—	24
25	.14	—	—	.20	—	—	.04	—	—	—	.04	.03	25
26	—	.05	—	.12	—	—	.24	—	—	—	.52	—	26
27	.08	.04	—	—	3.01	—	.07	—	—	.02	.11	—	27
28	.14	.03	.09	—	.21	—	.01	.03	—	.04	—	.06	28
29	.10	—	.09	—	.03	—	.07	.03	—	.15	02	.08	29
30	.02	×	—	—	.04	—	.02	.16	—	—	—	—	30
31	.76	×	—	×	.09	×	—	—	×	—	×	.09	31
TOTAL	2.65	1.95	1.12	2.36	4.45	2.85	3.24	4.28	1.72	.73	6.16	1.75	YEAR'S TOTAL 33.26
*Days with ·01 in. or more.	20	19	7	12	17	14	19	19	14	6	21	12	180
*Days with ·04 in. or more.	14	15	5	12	13	11	16	16	10	4	16	10	142

40-9999

(*Signed*) S L Rogers

P.T.O.

*See Instruction 2 (*f*) on other side.

2094

Section **A** for the entry of [redacted] OPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at The White House, Williton

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 95 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.09	—	.25	—	—	.05	—	.24	—	—	—	1
2	.18	—	—	.69	.08	—	—	—	.61	—	.12	.29	2
3	.06	—	.63	—	—	—	—	—	.18	—	1.75	.12	3
4	.01	—	.76	.07	—	.14	.39	.82	.18	.02	—	—	4
5	—	.16	—	.11	.01	.71	.22	.24	—		.02	.29	5
6	—	.05	—	.06	.06	.05	.14	—	—	.43	.23	.58	6
7	—	—	—	—	.09	.05	—	.19	—	.07	.38	.03	7
8	—	.11	—	—	—	.09	—	.14	—	—	.05	.11	8
9	.02	.22	—	—	—	.06	.08	.02	—	—	.53	—	9
10	.01	.15	—	—	—	.02	—	.04	.02	—	.33	—	10
11	.16	.48	—	—	—	.08	.06	.05	.07	—	.31	—	11
12	—	.02	—	—	—	—	.21	—	.03	—	—	—	12
13	—	—	—	—	.01	—	.16	.04	.04	—	—	.02	13
14	.03	.03	—	—	.12	.56	.54	.04	.06	—	.49	—	14
15	—	.13	—	.05	.06	—	.01	.43	.01	—	—	.05	15
16	—	.12	—	.07	.21	.39	—	.21	.09	—	—	—	16
17	—	—	—	.04	—	.01	.10	—	.09	—	.02	—	17
18	.04	—	—	—	—	.07	.15	.49	—	—	.17	—	18
19	.06	.06	.01	—	—	.60	—	.12	.09	—	.22	—	19
20	—	.64	.11	—	—	—	—	.46	—	—	.49	—	20
21	.06	.12	—	—	.09	—	—	—	—	—	.03	—	21
22	.43	.04	.03	—	.03	—	—	—	—	—	.02	—	22
23	.16	—	—	.32	.27	02	—	.70	.01	—	.31	—	23
24	.17	.01	—	.38	.04	—	.68	.07	—	—	—	—	24
25	.14	—	—	.20	—	—	.04	—	—	—	.04	.03	25
26	—	.05	—	.12	—	—	.24	—	—	—	.52	—	26
27	.08	.04	—	—	3.01	—	.07	—	—	.02	.11	—	27
28	.14	.03	.09	—	.21	—	.01	.03	—	.04	—	.06	28
29	.10	—	.09	—	.03	—	.07	.03	—	.15	02	.08	29
30	.02	×	—	—	.04	—	.02	.16	—	—	—	—	30
31	.76	×	—	×	.09	×	—	—	×	—	×	.09	31
TOTAL	2.65	1.95	1.12	2.36	4.45	2.85	3.24	4.28	1.72	.73	6.16	1.75	YEAR'S TOTAL 33.26
*Days with ·01 in. or more.	20	19	7	12	17	14	19	19	14	6	21	12	180
*Days with ·04 in. or more.	14	15	5	12	13	11	16	16	10	4	16	10	147

40-9999

(Signed) S L Rogers

P.T.O.

*See Instruction 2 (*f*) on other side.

2094

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Station No 2094
File No 814452/27

Kept at Williton
in the County of Somerset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 97 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·36	—	—	·08	·58	·02	·19	·24	—	—	·03	—	1
2	—	—	—	·03	·17	—	—	—	·41	·02	—	·17	2
3	—	—	—	·20	·01	—	·07	—	·11	—	—	·04	3
4	·02	—	—	—	—	—	—	·07	—	·04	·47	·01	4
5	·55	—	·09	—	—	—	·01	·04	·14	—	—	—	5
6	·79	—	·04	·25	—	—	·08	—	·13	—	—	—	6
7	·21	—	·01	·04	—	—	—	—	·28	·93	—	—	7
8	—	—	·40	—	·12	—	—	—	·33	·35	—	—	8
9	·93	·02	—	·13	—	—	—	—	·01	·02	—	—	9
10	·70	—	—	·28	—	·03	—	—	—	·48	—	—	10
11	·01	—	—	·07	·04	—	—	—	—	·15	—	·14	11
12	·49	—	—	—	·28	—	—	—	·15	·31	—	—	12
13	·15	—	—	·23	—	—	·27	·42	—	·75	—	·24	13
14	·24	—	—	·14	·07	—	—	·04	—	·04	·26	·07	14
15	·01	—	—	·07	·16	—	—	—	—	·08	·10	·02	15
16	·22	—	—	·17	—	—	·07	—	—	—	—	—	16
17	—	—	—	·01	—	—	—	—	—	—	—	—	17
18	—	—	—	—	·07	—	—	—	·13	—	·31	—	18
19	·03	—	—	·07	·07	—	—	—	·12	·07	—	—	19
20	·02	—	—	·04	·78	—	—	—	—	·44	·05	·12	20
21	—	—	·08	·08	—	—	—	·42	·02	·57	—	·27	21
22	—	—	·03	·05	·02	—	—	—	·90	·14	—	·06	22
23	—	—	—	—	·01	—	·39	—	·10	·45	·15	·11	23
24	—	—	—	—	·08	—	·28	—	·04	·12	—	—	24
25	—	·02	·11	—	·04	—	·20	—	·10	·30	·08	—	25
26	—	—	·12	·08	—	—	·09	—	·08	·14	·08	·02	26
27	—	—	·27	·26	·26	—	·05	—	—	·47	—	·02	27
28	—	—	·27	·23	·02	—	—	—	—	—	—	·04	28
29	—	—	·68	·15	·13	·25	·01	·37	·29	·32	·04	·77	29
30	·03	×	·32	—	·06	·66	·62	—	·74	·07	·55	·03	30
31		×	·28	×	·03	×	·28	—	×		×	·40	31
TOTAL	4·46	·04	2·70	2·66	3·	·96	2·61	1·60	4·08	6·26	2·12	2·53	YEAR'S TOTAL 33·02
Days with ·01 in. or more.	16	2	13	21	20	4	14	7	18	22	11	17	165
Days with ·04 in. or more.	10	—	11	19	15	2	12	7	16	20	10	12	134

40-9999

(Signed) S L Rogers

P.T.O.

File No 814452/27 2094

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2094

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at The White House, Williton

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 97 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·43	·15	·09		·08				·06			·45		1
2	·28	·06	·51		·87	·19					·02	·01		2
3	—	·04	·08		·04									3
4	·27		·03		·04									4
5	·07		·43		·03						·04			5
6	—	·17	·02		·11		·14			·12				6
7	·03	·06			·01					·07		·02		7
8			·04		·07	·01	·15			·02				8
9					·14		·16			·55	·03			9
10		·12								1·38				10
11	·08					·21	·11	·19		·28				11
12				·21	·02	·04	·21		·64		·02			12
13					·06	·29	·17	·06		·04				13
14								·03		·05	·25			14
15	·40		·14				·11	·01		·19				15
16			·58			·01		·01		·10		·03		16
17		·11	·26			·27			·02					17
18	·10		·20			·11			·05		·02			18
19	·03		·25				·01		·10		·33			19
20						·36		·10			·01			20
21						·09		·20		·10				21
22				·06				·28	·10	·02				22
23				·17		·30			·20	·39				23
24		1·44		·11				·02	·01	·03				24
25		·57		·06	·12	·22			·31			·04		25
26		·80		·03	·60				·02	·11				26
27					·08				·12	·59		·45		27
28		·10		·23			·03			·16		·09		28
29	·06			·16			·01					·04		29
30	·06	×	·08	·08			·02		·03	·11		·06		30
31	·31	×		×		×			×	·05	×		Year's Total	31
TOTAL	2.12	3·62	2.71	1.11	2.27	2.10	1.12	·85	1.66	4.36	·72	1.19	23·83	
*Days with ·01 in. or more.	12	11	13	9	14	12	11	9	12	19	8	9	139	
*Days with ·04 in. or more.	10	11	11	8	11	10	7	5	8	16	3	6	106	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2094

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Williton

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ... in.

,, Ground ,, Sea Level 97 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03			—	—			.55	.10	—	.40	.25		1
2	.19		.01	—	—			—	.42	.01	.11	.05		2
3		.01		.21	—			.35	—	.07	—	.22		3
4	.13		.01	—	.29			.08	.14	.37	—	.36		4
5	—		.02	.03	.23			.89	—	.11	.37	.43		5
6	.01		.27	.13	.56			—	.01	.26	.01	.23		6
7	.10		—	—	—			.12	—	.19	.01	.40		7
8	—		—	—	.14			—	.01	—	.14	.77		8
9	—		.13	.02	—			—	—	.08	.50	.19		9
10	.21		.27	.53	—			.08	—	—	.08	.05		10
11	1.06		.08	.36	—			.22	—	—	—	.45		11
12	.08		—	.15	—			.22	—	—	—	.02		12
13	.52		.07	.35	—			—	—	.01	—	.11		13
14	.23		.40	—	—			—	—	.04	.12	.17		14
15	.11		.11	—	.13			—	.13	.29	.10	.27		15
16	.05	.02	.42	—	.01			—	—	—	—	.04		16
17	.19		.02	.30	.02			—	.46	.10	—	.25		17
18	.14		.15	—	—			—	.03	.01	—	.37		18
19	—		.26	.50	—	.03		.01	.15	—	—	.18		19
20	—		.21	.05	—	—	.11	—	.03	—	—	—		20
21	—		.07	—	—	.09		.02	—	.14	.03	.14		21
22	—		.07	—	—	—		—	.11	.04	—	.34		22
23	.01		.02	.14	—	.60		—	.05	—	—	.01		23
24	.01	.17	.04	—	—	.18	.08	—	.09	.21	—	—		24
25	.18	.02	—	.16	—	.13		—	.02	—	—	.57		25
26	—		.07	.13	—	.17		—	.06	—	.01	.07		26
27	—		—	.17	—	.04		—	—	.06	—	.17		27
28	—		—	.03	—	.03	.02	.79	.25	.29	—	.64		28
29	—		—	—	—	—		.29	.08	.26	—	.01		29
30	.12	×	—	—	—	—		.14	.01	.39	—	.17		30
31	—	×	—	×	.03	×		—	×	.02	×	.13		31
TOTAL	3.37	.22	2.65	3.26	1.41	1.27	.21	3.76	2.15	2.95	1.88	7.06	Year's Total 30.19 ✓	
*Days with ·01 in. or more.	18	4	20	16	8	8	3	13	18	20	12	29	169 ✓	
*Days with .04 in. or more.	14	1	14	13	5	6	2	11	13	16	8	26	129 ✓	

† Spare column, no entries required.

(*Signed*) S L Rogers

[P.T.O.

40-9999

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2094

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Williton

in the County of Somerset

File number 814452/27

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 97 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		·01	·52	·01		14	·08		·13	·24	·04	·70		1
2			·01			06			·03	·07	·11	·16		2
3			·18	·01	·02	08			·52	·31	·25	—		3
4		·12		·09	·02	14			·07	·18	·33	·42		4
5		·14	·02	·13		06			·30	·56	·14	·07		5
6				·45		50					·06	·20		6
7				·40		10				·27		·09		7
8				·25						·10	·25	·27		8
9				·50		·04			·06	1·01	·28			9
10	·01		·13	·40		·03				·03	·01			10
11	·01					·05			·06	·06	·38	·01		11
12	·30	·07	·01			·15		·05			·09			12
13	·06	·07		·24	·03	·01					·12			13
14	·09			·24					·25		·92	·14		14
15		·06		·69	·11	·09			·11		·11	·25		15
16		·08	·02	·09	·76			·04	·71		1·03	·02		16
17				·01		·21		·57	·01	·08	·02			17
18				·24		·01	·07	·53	·36	·05				18
19				·07	·09	·01	·10		·18	·05	·12			19
20		·33		·45	·14		·09			·03	·33			20
21		·32	·01	·05			·07		·08	·08	·01			21
22		·06	·09	·02					·16	·07				22
23		·08	·13	~~·44~~	·08			·09	·11	·38		·34		23
24	·38	·34	·05	·02	·10			·25	·05	·35		·21		24
25		·37		·14	·07						·01	·18		25
26		·54						·23	·05		·05	·60		26
27		·10						·31	·20	·03	·03	·50		27
28	·02	·01						·86	·05	·03	·02	·01		28
29									·11	·01	·11	·40		29
30		×						·43	·19	·11	1·24	·42		30
31		×		×	·11	×		·04	×	·58	×	·25	Year's Total	31
TOTAL	·87	2·70	1·17	4·50	1·53	1·68	·41	3·40	3·79	4·68	6·06	5·24	36·03	
*Days with ·01 in. or more.	7	16	11	21	11	16		[illegible]	22	23	25	20	176	
*Days with ·04 in. or more.	4	14	6	16	8	12	5	11	20	18	19	17	150	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) S L Rogers

[P.T.O.

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

2094

Kept at Williton

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ... in.

,, Ground ,, Sea Level 97 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·11		·07		·21	·54				·04	·03	1
2	·01		·02	·03		·32					·11		2
3				1·21		·09	·04	·26	·58		·11		3
4			·08	·03		·02		·01	·29		·06	·48	4
5	·54		·02				·33	·04	·19			·07	5
6	·07		·02			·06	·21		·06		·17		6
7	·12		·04				·71		·01		·90	·03	7
8	·26		·05				·61				·44	·02	8
9	·40		·39			·01	·33		·17		·24		9
10	·02						·03				·33		10
11	·18	·05		·04		·11	·30	·03	·05		·45	·01	11
12				·06		·01	·20	·01	·30		·08		12
13	·07					·06	·01			·09		1·07	13
14							·61		·80	·02	·01	·77	14
15					·14				·24		·05	·26	15
16		·07			·21		·05		·04		·07	·07	16
17	·25	·69			·24		·28			·08	·05	·43	17
18	·04	·12			·05	·26	·43	·03		·17		·06	18
19	·45		·02	·08		·74	·01						19
20	·12	·32	·04	·11		·28	·03		·40				20
21			·10	·69				·05					21
22	·14	·85	·56				·18			·07		·02	22
23		·04	·29	·17	·28		·02			·03			23
24	·07	·02	·01		·12				·05	·19	·02		24
25	·32		·48	·10			·19		·55	·13	·04		25
26	·14	·12	·23				·05		·01	·06			26
27	·10	·07	·01				·03			·13			27
28	·60		·37	·03			·14				·02	·22	28
29	·01	·20				·04				·03	·08	·18	29
30	·02	✕	·07			·08				·54			30
31	·13	✕	·23	✕	·06	✕	·17		✕	·12	✕	·28	31
TOTAL	4·07	2·66	3·03	2·62	1·10	2·29	5·50	·43	3·74	1·66	3·27	4·0	YEAR'S TOTAL 34·37
*Days with ·01 in. or more.	23	12	19	12	7	14	24	7	15	13	19	16	181
*Days with ·04 in. or more.	18	11	13	9	7	11	18	3	13	10	16	11	140

40-9999

(Signed) S L Rogers [P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2094

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Williton

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 97 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.16	~~.32~~		.12					.04	.04	.08	.30		1
2	.02	.32		.10			.02		~~.04~~	~~.04~~	~~.08~~	.03		2
3		.21	.04	.19	.42							~~.03~~		3
4	.12	.34		.15	.12		.02	.03				.39		4
5	.22		.12	.04			.09					.05		5
6	.18	.28	.25	.24	.06		.30			.07				6
7		.59	.05	.07						.05	.01	.12		7
8	.01	.03			.12		.08				.20			8
9			.04	.04	.20		.02	.03	1.39			.03		9
10	.09	.05	.78	.69		.06	.02	.06				.49		10
11			.34	.12	.60	.02	.65	.40				.07		11
12	.42	.15	.19			.17	.04	.05	.65			.39		12
13		.04	.67	.33		.04		.13	.07			.05		13
14			.05	.06			.13		.08			.14		14
15	.43	.08	.04	.22			1.33		.15			.14		15
16	.19	.12	.83	.07		.01	.01	.15	.34					16
17	1.25	.11	.58						.48		.27			17
18	.16	.04	.23			.14			.88		.20	.32		18
19	.39	.03	.10		.02	.02	.03		.02		.37	.05		19
20	.67	.02	.13	.20	.04				.03			.34		20
21	.32	.27	.21	.11	.20		.02		.03	.04		.02		21
22	.17	.03	.19		.20		.07			.58	.43	.02		22
23	.24	.21			.08					.10	.24			23
24	.52	.15							.14	.94	.03			24
25		.80	.38		.02					.13		.03		25
26		.40	.02		.16						.02			26
27	.07	.44		.02						.82				27
28	.74	.03				.02				.13		.02		28
29	.03									.68	.07			29
30	.43	✕						.09	.02	.03	.13			30
31	.28	✕		✕		✕			✕	.22	✕			31
													Year's Total	
TOTAL	7.11	4.74	5.24	2.77	2.24	.48	2.83	.94	4.02	3.86	2.05	3.01	39.29	✓
* Days with .01 in. or more.	23	23	20	17	13	8	15	8	14	13	12	19	185	✓
* Days with .04 in. or more.	20	18	19	16	11	5	8	6	10	12	9	13	147	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) S L Rogers [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.　　Station No. 2094

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938.

Kept at The White House, Williton

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 97 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·15				·89	·01	1·39		·27	·09	·29		1
2		·02		·04	·12					·28		·08		2
3	·02				·36	·11	·01			·61				3
4						·03	·14	·74		·44		·06		4
5	·02					·05	·25			·30		·08		5
6	·13					·05	·74		·14	·15		·05		6
7	·14						·38			·13		·12		7
8	·44	·05					·12	·11		·35				8
9	·29	·07				·05	·03	·42		·02		·81		9
10	·02	·01						·10				·59		10
11	·09					·05	·05	·76			·37	·60		11
12	·33				·24	·10				·13	·62	·07		12
13	·04				·05			·02		·03	·10	·70		13
14	·43				·06		·40		·02					14
15	·26				·03					·02	·06	·34		15
16	·30				·03			·05			·17	·01		16
17		·16							·04	·18				17
18	·14					·07		·05	·64		·38			18
19	·04							·03	·10	·02	·35			19
20											·19			20
21								·05	·07		·17	·08		21
22				·07		·07		·39			·29	·02		22
23				·05				·02	·02		·21			23
24	·03		·05		·01			·11	·04		·13			24
25	·06	·19	·01		·26		·12			·09	·63	·05		25
26	·24	·26			·15		·66			·11	·13	·02		26
27	·10	·02			·26	·12		·55	·02	·04	·21			27
28	·05	·10			·06	·15		·75			·08			28
29	·05				·49					·22	·41	·01		29
30	·02	✕			·12	·09			·20		·38	·06		30
31	·33	✕		✕	·15	✕	·02		✕	·11	✕	·18		31
TOTAL	3.57	1.03	·06	·16	2·39	1·83	2·93	5·77	1·29	3·50	4·94	4·22	Year's Total 31·72	✓
* Days with .01 in. or more.	23	10	2	3	15	13	13	17	10	19	19	20	164	✓
* Days with .04 in. or more.	18	7	1	3	12	12	9	14	7	15	19	16	133	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) S L Rogers

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2094

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at The White House, Williton

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 97 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04		.07	.08	.14				.04		.10	.01		1
2				.12				.21	.63		.15	.25		2
3	.16		.02	.27				.73			.09	.42		3
4	.01		.50	.26	.25		.33			.26	.43	.14		4
5				.38	.21		.15	.53		.23	.63	.01		5
6	.45			.01	.03		.48	.02		.08	.12			6
7		.03					.02	.01			.15	.28		7
8		.30	.04		.04		.03	.06		.48	.62	.17		8
9	.03	.01						.01		.24	.08	.06		9
10	.29					.01		.02	.02	.07		.11		10
11			.16							.09				11
12	.05	.02						~~.03~~	.03	.11				12
13				.07	.03	.06	.11	~~.19~~	.19	.32				13
14	.71			.02	.03	.03	.28			.04	.09			14
15	.65		.01		.10	.35	.20			.01	.17			15
16	.13			.06	.09		.14				.18			16
17	1.07					.04	.06				.12	.01		17
18	.03	.05	.09			.08	.80				.58	.01		18
19	.18						.01	.04			.01			19
20	.18				.01	.03	.01	.94						20
21	.04	.22	.08			.16		.03						21
22	.70	.33	.10	.05		.65	.24	.01			.13			22
23			.01	.18		.40	.39			.01	.74			23
24	.41		.14	.04		.03	.08							24
25	.47	.10				.47	.10	.01		.11	.21			25
26		.03		.10				.32		.33	.64			26
27		.07	.13			.04	.03	.04			.12	.02		27
28		.22	.11	.42		.07	.08				.16	.11		28
29	.13			.05		.01	.04			.25	.02			29
30		✕		1.23		.25				.15				30
31		✕		✕		✕	.01	.02	✕	.16	✕			31
TOTAL	5.73	1.38	1.46	3.34	.93	2.68	3.59	3.00	.91	2.94	5.54	1.60	Year's Total 33.10	
* Days with .01 in. or more.	19	11	13	16	10	16	21	16	5	17	22	13	179	
* Days with .04 in. or more.	16	7	10	14	6	11	15	9	3	15	20	8	134	

† Spare column, no entries required.

(*Signed*) S L Rogers

* See Instruction 3 (f) on other side.

[P.T.O.

WILLITON (CATWELL)

Section **A** for the entry of D
AIR MINISTRY.

tion No. 2094/2
ORGANIZATION

FORM 1090

REGIST

Kept at Catwell. Willito
in the County of Somerset
Diameter of Funnel of Gauge
Height of top of Gauge above Groun
,, Ground ,, Sea L

14452/27

2094/2
WILLITON
CATWELL
1938-40

THE MORNING MEASUREM
DAY

An observer who does not conform to
year in the space on the right of this
lowing
Pleas

Jan. 1, following

780314

Date	Jan.	Feb.	Mar.	Apr								Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						·87	—	1·27	—	·27	—	·27		1
2						—	—	—	—	·26	·06	·07		2
3						·11	·01	—	—	·73	Trace	—		3
4						·02	·23	·90†	—	·46	—	·08	*Thunder Storm	4
5						·05	·09	—	·01	·32	—	·06		5
6						·05	·83	—	·12	·16	—	·05		6
7						—	·36	—	·02	·12	—	·11		7
8						—	·11	·11	—	·37	—	—		8
9						·02	·02	·41	—	·02	—	·85		9
10						—	Trace	·09	—	—	—	·58		10
11						·05	·05	·80	—	—	·41	·62		11
12						—	—	—	—	·15	·68	·08		12
13						—	—	·01	—	·04	·11	·72		13
14						—	·40	—	·03	—	—	—		14
15						—	Trace	—	—	·02	·06	·36		15
16						—	—	·05	—	—	·19	·01		16
17						—	—	—	·02	·19	—	—		17
18						·07	—	·07	·75	·02	·40	—		18
19						—	—	—	·10	Trace	·38	—		19
20						—	—	·02	—	—	·20	—		20
21						—	—	·09	·08	—	·17	·04		21
22						·07	—	·32	—	—	·31	·02		22
23	Commenced					—	—	·01	·01	—	·25	—		23
24	~~started~~ This record				·03	—	—	·09	·04	—	·14	—		24
25	on the 24th May				·25	—	·12	—	—	·08	·65	†·07	†Snow Water	25
26					·15	·05	·04	—	—	·11	·12	—		26
27					·25	·07	·11	·60	·02	·04	·22	—		27
28					·04	·13	—	·77	—	—	·06	—		28
29					·52	—	—	—	—	·23	·28	·01		29
30		✕			·12	·07	—	—	·22	—	·34	·06		30
31		✕		✕	·15	✕	·01	—	✕	·12	✕	·19		31
TOTAL					unf ~~1·51~~	1·63	2·38	5·61	1·42	3·71	5·04	4·25	Year's Total ~~25·55~~	
* Days with .01 in. or more.					—	2	3	3	6	3	—	3	~~20~~	
* Days with .04 in. or more.					~~8~~	11	10	13	6	16	19	16	~~99~~	

n/p incomplete GB 29/3/39

✱ 1"·25 fell in 30 minutes Thunder Storm

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

Mr. F. S. Hayne

(Signed) F.S. Hayne

[P.T.O.

WILLITON (CATWELL)

Section **A** for the entry of D[redacted]ion No. 2094/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Catwell. Williton nr Taunton

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground one ft. — in.

,, Ground ,, Sea Level 75 ft.

814452/27

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug. See below	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	✱ in.	in.	in.	in.	in.	†	
1						·87	—	1·27	—	·27	—	·27		1
2						—	—	—	—	·26	·06	·07		2
3						·11	·01	—	—	·73	Trace	—		3
4						·02	·23	·90†	—	·46	—	·08	†Thunder storm	4
5						·05	·09	—	·01	·32	—	·06		5
6						·05	·83	—	·12	·16	—	·05		6
7						—	·36	—	·02	·12	—	·11		7
8						—	·11	·11	—	·37	—	—		8
9						·02	·02	·41	—	·02	—	·85		9
10						—	Trace	·09	—	—	—	·58		10
11						·05	·05	·80	—	—	·41	·62		11
12						—	—	—	—	·15	·68	·08		12
13						—	—	·01	—	·04	·11	·72		13
14						—	·40	—	·03	—	—	—		14
15						—	Trace	—	—	·02	·06	·36		15
16						—	—	·05	—	—	·19	·01		16
17						—	—	—	·02	·19	—	—		17
18						·07	—	·07	·75	·02	·40	—		18
19						—	—	—	·10	Trace	·38	—		19
20						—	—	·02	—	—	·20	—		20
21						—	—	·09	·08	—	·17	·04		21
22						·07	—	·32	—	—	·31	·02		22
23	Commenced					—	—	·01	·01	—	·25	—		23
㉔	~~started~~ this record				·03	—	—	·09	·04	—	·14	—		24
25	on the 24th May				·25	—	·12	—	—	·08	·65	†·07	†Snow water	25
26					·15	·05	·04	—	—	·11	·12	—		26
27					·25	·07	·11	·60	·02	·04	·22	—		27
28					·04	·13	—	·77	—	—	·06	—		28
29					·52	—	—	—	—	·23	·28	·01		29
30		×			·12	·07	—	—	·22	—	·34	·06		30
31		×		×	·15	×	·01	—	×	·12	×	·19		31
TOTAL					unp ~~1·21~~	1·63	2·38	5·61	1·42	3·71	5·04	4·25	Year's Total ~~25·55~~	w/p
* Days with .01 in. or more.					—	2	3	3	6	3	—	3	~~20~~	incomplete
* Days with .04 in. or more.					~~8~~	11	10	13	6	16	19	16	~~99~~	GB 29/3/39

✱ 1·25 fell in 30 minutes Thunder storm

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

Mr. F. S. Hayne

(Signed) F.S. Hayne

[P.T.O.

WILLITON (CATWELL)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations File no 904268/39 Station No. 209412

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Catwell Williton

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 76 ft.

904268/39

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·05	—	·10	·07	·13	—	—	—	·05	—	·11	·02		1
2	—	—	—	·14	—	—	Trace	·25	·64	—	·18	·25		2
3	·18	—	·02	·29	—	—	·39	·71	—	—	·09	·41		3
4	·02	—	·49	·27	·27	—	·17	—	—	29	·42	·15		4
5	—	—	·01	·35	·20	—	·54	·55	—	·25	·64	·01		5
6	·51	—	·02	·01	·03	—	—	·01	—	·14	·14	—		6
7	·01	·04	—	—	—	—	·03	·01	—	—	·19	·32		7
8	·01	·34	·05	—	·05	—	·03	·05	—	·57	·66	·17		8
9	03	·02	—	—	—	—	—	·04	—	·18	·09	·07		9
10	·30	—	—	—	—	Trace	—	—	·03	·08	—	·12		10
11	—	—	·16	—	—	—	—	—	—	·10	Trace	Trace		11
12	·05	—	—	·01	—	—	—	—	·21	·10	·01	—		12
13	Trace	—	—	·07	·04	·07	·13	—	·03	·34	Trace	—		13
14	·75	—	—	·02	·03	·04	·28	—	—	·06	·08	—		14
15	·67	—	·02	—	·11	·36	·21	—	—	·01	·20	—		15
16	·13	—	—	·05	·09	—	·14	—	—	—	·28	—		16
17	1·14	—	—	—	—	·05	·18	—	—	—	·01	·01		17
18	·05	·05	·10	—	—	·06	·75	—	—	—	·57	·01		18
19	·19	—	—	—	—	·03	·01	†·05	—	—	·01	·01		19
20	·20	—	—	—	·01	·16	·01	·97	—	—	—	—		20
21	·04	·23	·08	—	·08	†[illegible]	·03	·04	—	—	—	—		21
22	·76	·35	·10	·07	—	·38	·22	·01	—	—	·15	—		22
23	Trace	·01	·02	·17	—	·04	·43	—	—	·01	·73	—		23
Snow 24	·48	—	·17	·04	—	·44	·06	—	—	·04	—	Trace		24
water 25	·44	·09	Trace	—	—	—	·10	·02	—	·10	·23	—		25
26	·01	·03	—	·10	—	—	—	·32	—	·31	·64	—		26
27	—	·09	·12	—	—	·04	·03	·05	—	—	·12	·02		27
28	·03	·20	·09	·40	—	·09	·09	—	—	—	·16	·10		28
29	·10		—	·06	—	·02	·04	—	—	·26	·02	—		29
30	—	×	—	1·26	—	·29	Trace	—	—	·14	—	—		30
31	—	×	—	×	—	×	·02	·03	×	·16	×	Trace		31
TOTAL	6·15	1·45	1·55	3·38	1·04	2·63	3·89	3·11	·96	3·14	5·73	1·67	Year's Total 34·70	
* Days with .01 in. or more.	13	11	15	17	11	15	22	15	5	18	23	14	189	
* Days with .04 in. or more.	16	8	10	14	8	13	15	10	3	16	19	8	140	

Mr. F.S. HAYNE.

* See Instruction 3 (f) on other side. † Thunder Rain

~~Thunder Rain~~ † Spare column, no entries required.

(Signed) F.S. Hayne [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2094/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Catwell. Williton
in the County of Somerset
Diameter of Funnel of Gauge Five in.
Height of top of Gauge above Ground one ft. — in.
,, Ground ,, Sea Level 75 ft.

July 18/19 ? 2 days [illegible]

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	·05	—	·03	·12	—	—	—	—	—	·05	—		1
2	—	·04	—	·05	—	—	·03	—	—	—	1·43	—		2
3	—	·44	—	·04	—	—	—	—	—	·21	·75	·09		3
4	—	·05	—	·02	—	—	·04	—	—	·10	·04	·02		4
5	—	—	—	—	—	—	—	—	—	·24	·70	·35		5
6	·07	·31	—	—	—	—	·07	—	—	·24	·30	·36		6
7	·02	·03	—	·02	—	—	·04	—	·08	Trace	—	·12		7
8	—	—	—	—	—	—	—	—	—	·33	·29	·25		8
9	—	—	—	—	—	—	·45	·05	—	·10	·91	·29		9
10	—	—	—	—	—	—	·41	—	—	·14	·24	·21		10
11	—	—	·01	·01	—	·15	·14	—	—	—	·85	·10		11
12	—	—	·15	—	—	·01	·25	—	·27	—	·09	—		12
13	—	Snow water ·01	·67	—	—	—	·54	—	·04	·09	·60	·13		13
14	—	—	·01	·03	·12	—	·01	—	·45	·43	·02	·25		14
15	—	—	—	·12	·34	·05	·02	—	·17	·01	·45	—		15
16	Snow water ·01	S. water ·64	·13	·01	—	—	·32	—	·06	1·72	·10	·01		16
17	—	S. water ·06	·46	—	—	—	·09	—	·01	—	·07	·01		17
18	Snow water ·27	·30	·31	·92	—	—	—	Trace	·05	·06	·05	·09		18
19	—	·05	·09	·12	—	—	·18	—	·33	—	·19	—		19
20	—	—	Trace	·01	—	—	·25	·02	·03	·18	·05	·01		20
21	—	—	—	—	·44	·35	—	—	—	—	·58	—		21
22	—	—	·04	·08	—	·23	—	—	·13	—	[illegible]	—		22
23	—	·05	·13	·10	—	·01	—	—	·04	·20	—	—		23
24	—	—	·01	·01	—	·03	·30	—	—	—	Trace	—		24
25	·12	—	·04	·04	·05	·03	—	—	—	—	—	—		25
26	·83	·18	—	—	·15	—	·12	—	—	—	·01	—		26
27	·48	·07	—	·07	·09	—	—	—	—	—	—	—		27
28	·73	—	—	·26	·43	—	—	·03	—	—	—	—		28
29	Snow water ·08	·13	·12	·66	—	·05	—	—	—	Trace	—	·10		29
30	·01	✕	—	·29	Trace	—	—	—	—	·38	—	·07		30
31	·07	✕	·02	✕	—	✕	—	—	✕	·64	✕	·18		31
TOTAL	2·69	2·41	2·19	2·89	1·74	·91	3·26	·10	1·66	5·07	7·77	2·64	Year's Total 33·33	
* Days with .01 in. or more.	11	15	14	20	8	9	17	3	12	16	21	18	164	
* Days with .04 in. or more.	8	13	10	12	8	5	14	1	10	15	19	14	129	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) F. S. Hayne

2095

KILVE

1931 – 1940

780314

Section **A** for the e

AIR MI

FORM 1090.

RE

Kept at Kilve C

in the County of S

Diameter of Funnel of Gau

Height of top of Gauge abov

,, Ground ,,

THE MORNING

An observer who does not co
year in the space on the rig

Please

2095

FOR OFFICIAL USE.

L ORGANIZATION.

2093
c/2093
2096

~~from surrounding~~ stations
in Aug. ∴ annual
total. please correct
26/2/32.
Kept as usual.
week in August
with neighbouring
gauges.

following
months

Jan. 1, following.

Date	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.									in.	in.	
1	–	·09									–	–	1
2	·26	–									–	·21	2
3	·09	–									1·45	·04	3
4	–	–									–	–	4
5	–	·13									·09	·25	5
6	–	·07									·21	·45	6
7	–	–									·36	·14	7
8	–	·24									·09	·01	8
9	·01	·21									·06	–	9
10	–	·13									·32	–	10
11	·16	·27	–	–	–	·08	·09	–	·12	–	·18	–	11
12	–	·14	–	–	–	·03	·22	–	·10	·21	·25	–	12
13	–	–	–	–	–	–	·09	·08	·01		–	–	13
14	·07	·07	–	–	·14	–	·37	·06	·07		·23	–	14
15	–	·09	–	·06	–	·57	·06	·05	·05		–	·10	15
16	–	·17	–	·08	–	–	–	·78	·18		–	–	16
17	–	–	–	–	·48	–	·18	·23	·10		–	–	17
18	·09	·27	–	·03	–	·10	–	–	–		·21	–	18
19	–	·09	–	·02	–	·22	·09	·49	–		·39	–	19
20	–	–	·09	–	–	–	–	·07	·07		·32	–	20
21	·04	·01	–	–	·23	–	–	·21	–		–	–	21
22	·21	·03	–	–	–	–	–	–	–		·09	–	22
23	·16	–	–	·28	·48	·08	·05	~~–~~ (1·56)	–		·21	–	23
24	·19	–	–	·49	·04	–	·35	~~[illegible]~~	–		–	–	24
25	·17	–	–	·26	–	–	·04	–	–		·05	–	25
26	–	·03	–	·13	–	–	·36	–	–		·65	–	26
27	·07	·07	–	–	2·25	–	–	~~[illegible]~~	–	·06	·12	·04	27
28	·25	·02	·11	–	·15	·02	·06	–	–	·09	–	·05	28
29	·09	~~×~~	·14	–	·09	–	–	–	–	·11	·03	–	29
30	·07	×	–	–	–	–	·24	(·25)	–	–	–	–	30
31	·67	×	–	×	–	×	·09	5·65 (~~4·80~~)	×	–	×	·28	31
TOTAL	2·80	2·13	1·62	2·81	4·17	2·46	3·42	~~2·55~~	1·64	1·18	5·37	1·60	YEAR'S TOTAL 34·00 ~~[illegible]~~
Days with ·01 in. or more.	16	18	6	15	13	14	19	~~13~~ 17	12	9	19	10	~~164~~ 168
Days with ·04 in. or more.	15	14	6	13	12	12	19	~~13~~ 15	11	7	18	9	~~149~~ 151

40-9999

(Signed) Agnes Fry

[P.T.O.

Section **A** for the

AIR M L ORGANIZATION.

FOR OFFICIAL USE.

2095

2093
2097
2096

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Kilve Court

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 150 ft.

2nd 906 sent suggesting ·25 for Aug 28-30. & 1·56 for 23rd Aug. Stretch 3/5/32.

Observer agrees 5/3/32.

Aug 22-31st estimated by request from neighbouring stations

Observer informed

NO.

in Aug. ∴ annual total. please correct.

Stretch 26/2/32.

Away most of Aug but ... Kept as usual. Uncertain about last week in August & suggests comparison with neighbouring gauges.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

NOTE : Aug. is W.D. July & Sept also other months are OK..

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·09	—	·22	—	—	—	—	·25	—	—	—	1
2	·26	—	—	·86	·04	—	—	—	·31	·05	—	·21	2
3	·09	—	·97	—	·09	—	—	—	·29	—	1·45	·04	3
4	—	—	·17	·06	—	·20	·43	—	·09	·02	—	—	4
5	—	·13	·14	·11	·02	·71	·27	·75	—	·02	·09	·25	5
6	—	·07	—	·11	·07	·15	·07	·08	—	·56	·21	·45	6
7	—	—	—	—	·09	·05	—	—	—	·06	·36	·14	7
8	—	·24	—	·06	—	·16	—	·10	—	—	·09	·01	8
9	·01	·21	—	·04	—	·05	·29	·09	—	—	·06	—	9
10	—	·13	—	—	—	·04	·07	—	—	—	·32	—	10
11	·16	·27	—	—	—	·08	·09	—	·12	—	·18	—	11
12	—	·14	—	—	—	·03	·22	—	·10	·21	·25	—	12
13	—	—	—	—	—	—	·09	·08	·01		—	—	13
14	·07	·07	—	—	·14	—	·37	·06	·07		·23	—	14
15	—	·09	—	·06	—	·57	·06	·05	·05		—	·10	15
16	—	·17	—	·08	—	—	—	·78	·18		—	—	16
17	—	—	—	—	·48	—	·18	·23	·10		—	—	17
18	·09	·27	—	·03	—	·10	—	—	—		·24	—	18
19	—	·09	—	·02	—	·22	·09	·49	—		·39	—	19
20	—	—	·09	—	—	—	—	·07	·07		·32	—	20
21	·04	·01	—	—	·23	—	—	·21	—		—	—	21
22	·21	·03	—	—	—	—	—	—	—		·09	—	22
23	·16	—	—	·28	·48	·08	·05	— (1·56)	—		·24	—	23
24	·19	—	—	·49	·04	—	·35	[illegible]	—		—	—	24
25	·17	—	—	·26	—	—	·04	—	—		·05	—	25
26	—	·03	—	·13	—	—	·36	—	—		·65	—	26
27	·07	·07	—	—	2·25	—	—	[illegible]	—	·06	·12	·04	27
28	·25	·02	·11	—	·15	·02	·06	—	—	·09	—	·05	28
29	·09	✕	·14	—	·09	—	—	—	—	·11	·03	—	29
30	·07	✕	—	—	—	—	·24	(·25)	—	—	—	—	30
31	·67	✕	—	✕	—	✕	·09	5·65 (~~4·80~~)	✕	—	✕	·28	31
TOTAL	2·80	2·13	1·62	2·81	4·17	2·46	3·42	~~2·55~~	1·64	1·18	5·37	1·60	YEAR'S TOTAL 34·00 ~~31·7~~
Days with ·01 in. or more.	16	18	6	15	13	14	19	~~13~~ 17	12	9	19	10	~~164~~ 168
Days with ·04 in. or more.	15	14	6	13	12	12	19	~~13~~ 15	11	7	18	9	~~149~~ 151

40-9999

(Signed) Agnes Fry

[P.T.O.

File. 897 178 129 2095

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations.

Station No 2095

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at KILVE COURT

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

„ Ground „ Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	—	—	·02	·76	—	·21	·85	Tr.	·02	·02	—	1
2	·24	·005	—	·03	·14	—	·02	·01	·49	Tr.	Tr.	·11	2
3	—	—	Tr.	·01	—	·02	·05	—	·11		Tr.	·03	3
4	—	—	—	Tr.	Tr.	·02	—	·08	—	·03	·48	Tr.	4
5	·30	—	·04	—	—	—	—	·01	·32	—	Tr	—	5
6	·53	—	·03	·25	—	—	—	—	·13	—	·01	—	6
7	·22	—	·02	·03	·04	—	·33	—	·67	1·40	—	—	7
8	—	—	·36	—	·13	—	Tr	—	·17	·23	—	—	8
9	·65	·01	Tr.	·07	·12	—	—	—	·02	—	—	—	9
10	·48	—	·01	·18	·01	·03	·	—	·03	·39	—	—	10
11	—	Tr	—	·04	·05	—	—	—	·02	·13	—	·08	11
12	·39	—	—	—	·17	—	—	—	·17	·47	—	01	12
13	·39	—	—	·21	·01	—	·22	·40	—	·88	—	·29	13
14	·10	—	—	·17	·64	—	Tr.	·01	·	·04	·04	·01	14
15	·24	—	—	·11	·13	—	—	—	—	·07	·10	Tr.	15
16	Tr.	—	—	·09	Tr.	—	·04	—		—	—	—	16
17	·19	—	—	·02	·01	—	Tr.	—		—	·03	—	17
18	Tr.	—	—	—	·07	—	—	—	·20	—	·28	—	18
19	Tr	—	—	·08	·06	—	—	—	·10	·18	—	—	19
20	·02	—	—		·88	—	·01	·04	·Tr.	·35	·22	·12	20
21	Tr.	—	—	·14	·01	—	—	·27	·01	·61	·04	·16	21
22	·01	—	·12	·07	—	—	·03	—	·84	·40	·14	·03	22
23	—	·02	—	—	·09	—	·26	—	·11	·12	·10	·09	23
24	—	Tr.	—	—	·09	—	·49	—	·06	·38	—	—	24
25	—	·01	·08	—	·03	—	·14	—	·19		·03		25
26	—	·02	·10	·20	—	—	·06	—	Tr.	·11	·06	—	26
27	—	—	·29	·16	·25	—	·12	—	Tr.	·66	—	—	27
28	—	—	·25	·08	·06	—	·05	·01	—	—	·02	·05	28
29	—	—	·42	·15	·16	·20	·01	·38	·40	·34	·03	·75	29
30	—	×	·33	·05	·06	·75	·46	·02	·65	·08	·56	·04	30
31	—	×	·08	×	·01	×	·32	—	×	Tr.	×	·30	31
TOTAL	3·85	·06	2·13	2·16	3·38	1·02	2·82	2·08	4·69	6·89	2·17	2·07	YEAR'S TOTAL 33·32
*Days with ·01 in. or more.	14	4	13	21 (or 22)	23	5	17	11	19	20	15	14	176
*Days with ·04 in. or more.	12	—	10	16 (or 17)	18	2	13	6	15	18	10	10	130

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) ....

P.T.O.

File 897178129 2095

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. ~~2095~~ 2095

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at KILVE COURT

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

17 & 18 Febs. obtained from Fairfield as our reading was defective

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·48	·11	50 }		·14	Tr.			·07			·60	1
2	·19				1.03	·16						·01	2
3	·05	·08	17		·04	·01							3
4	·17		·03		·02								4
5	·07		·30		·14			—			·04		5
6	Tr.	·21	·05		·13			—		·13			6
7	·04	·28	·02		·03			Tr		·17			7
8	—	Tr	·17		·15	Tr	·23	Tr		·03			8
9		·11			·10	·01	·13	·01		·42	·02		9
10	·07	·08						·11		1·53	·07		10
11	·09	Tr				·16	·07			·16			11
12	Tr			·08	·01	·03	·19		·67				12
13			Tr		·10	·08	·28	·02		·07	·04		13
14	·02				Tr			·03		·02	·30		14
15	·42		·17				·35	·05		·40		·06	15
16	—		·62		—			·03				·01	16
17	·02	·20	·35			·38	Tr	—		·07			17
18	·05	—	·25			·18	Tr				·03		18
19	·04		·21					—	·08		·35	·01	19
20						·08		·10			·02		20
21	—	·02			·12	·02		·13	·05	·07	·02	Tr.	21
22	—	—		·03	·01			·34	.06				22
23	—	·32		·22	·03	·27		·05	·30	·47			23
24	—	1·40		·08	—			·02		·04			24
25		·87		·18	—	·29			·35			·08	25
26		·70		·11	·64			—	·12	·25		·01	26
27		·02			·04				·18	·55		·49	27
28	·01	·14		·29			·04			·15		·03	28
29	·09	×		·10			·01						29
30	·04	×	·11	·06			·05		·06	·05		·04	30
31	·13	×	·02	×		×			×	·04	×		31
TOTAL	1·98	4·59	2·97	1·15	2·73	1·67	1·35	89	1·94	462	·89	1·34	YEAR'S TOTAL 26·07
*Days with ·01 in. or more.	17	14	14 (15)	9	16	12	9	11	·10	18	9	10	149
*Days with .04 in. or more.	14	12	11 (12)	8	11	8	8	6	10	16	4	5	113

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Agnes Fry

P.T.O.

2095

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~2095~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at KILVE COURT

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

" Ground " Sea Level 150 ft.

File No. 37178/29

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	—				·03	—	·60	·08	·01	·16	·17		1
2	·14	—	·04			—	—	Tr	·41	·01	·13	·13		2
3	—	·01	—			—	—	·21	—	·11		·23		3
4	·10	—	·03	·33	·32	—	—	·11	·42	·66		·41		4
5	—	—	·09	·01	·20	·02	—	·77	—	·20	·28	·57		5
6	—	—	·23	·28	·35	—	—	Tr	·02	·43	·01	·27		6
7	·11	—	—	—	—	—	—	·14	—	·20	·06	·32		7
8	—	—	—	—	·13	—	—	Tr	·01	·02	·10	·49		8
9	—	—	·14	·09	—	—	—	Tr		·06	·47	·28		9
10	·21	Tr	·33	·51	—	—	—	·31			·07	·03		10
11	·62	—	·03	·31	—	—	—	·05			Tr	·41		11
12	·07	Tr	—	·19	—	—	·01	46			—	·03		12
13	·43	—	·21	·37	—	—	—	—		·03	·01	·11		13
14	·22	Tr	·47	Tr	—	—	—	—		·03	·13	·21		14
15	·10	—	·13	—	·18	—	—	Tr	·14	·19	·06	·19		15
16	·01	·01	·35	—	·05	—	—	—	·38	·16	—	·04		16
17	·09	—	·02	·25	·06	—	—	—	·07		—	·20		17
18	·11	—	·17	·41	—	—	—	—	·02	·01	—	·22		18
19	—	—	·25	Tr	—	·11	—	·03	·24		—	·22		19
20	—	—	·39	·14	—	—	·02	—	·07	Tr.	·02	·02		20
21	—	—	·07	Tr	—	·28	·01	·02	·01	·18	·01	·08		21
22	·01	—	·07	—	—	—	·03	Tr	·10	·01	—	·46		22
23	—	—	·01	·11	—	·72	·07	·03	·09		—	·02		23
24	—	·17	·04	Tr	—	·13	·05	—	·15	Tr	—	·12		24
25	·22	·10	—	·37	—	·35	—	—	·01	·19	—	·57		25
26	·02	—	·09	·14	—	·13	—	—	·10	·01	·01	·10		26
27	—	—	—	·12	—	·05	—	—		·08	—	·18		27
28	—	—	—	·08	—	—	·09	1·38	·23	·21	—	·85		28
29	—	×	—	—	—	—	—	·31	·08	·26	—	·01		29
30	·08	×	—	—	—	—	·01	·14	·01	·47	—	·16		30
31	—	×	—	×	—	×	Tr	—	×	Tr	×	·10		31
TOTAL	2·57	·29	3·16	3·71	1·29	1·82	·29	4·56	2·64	3·53	1·52	7·08	Year's Total 32·46	
*Days with ·01 in. or more.	17	4	20	16	7	9	8	14	20	22	14	7·08 31	182	
*Days with ·04 in. or more.	13	2	16	15	7	7	3	11	14	14	9	26	137	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Agnes Fry

[P. T. O.

Section **A** for the entry of Daily Observations. File No. 897178/29 St. No. 2095 FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

2095

Kept at Kilve Court

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·56	·02	—	·03	·11	—	·11	·37	·08	·38	1
2	·01	·04	·01	—	—	·11	Tr.	—	·10	·17	·18	·08	2
3	·01	·01	·13	—	·03	·13	—	—	·51	·47	·15	—	3
4	—	·14	·01	·08	·02	·17	—	—	·08	·23	·14	·38	4
5	—	·05	·02	·09	—	·02	—	—	·31	1·40	·26	·08	5
6	—	—	·02	·42	—	·42	—	—	Tr.	·01	·06	·22	6
7	—	—	Tr.	·50	—	·05	—	—	—	·18	—	·06	7
8	—	—	—	·19	—	Tr.	—	—	—	·15	·27	·18	8
9	·02	—	—	·48	—	·04	—	—	·08	·85	·22	·01	9
10	—	—	·09	·20	—	·03	—	—	—	·03	·04	·01	10
11	·27	—	·01	—	—	·03	Tr.	—	·05	·14	·40	—	11
12	·07	·10	—	—	—	·18	—	·02	—	Tr.	·07	—	12
13	·11	·02	—	·20	·02	·03	—	—	—	—	·22	—	13
14	—	Tr.	—	·36	—	·05	—	—	·23	Tr.	1·02	·46	14
15	—	·03	—	·79	·10	·14	—	·01	·10	—	·13	·21	15
16	—	·04	·01	·11	Tr.	—	Tr.	·03	·37	—	1·09	—	16
17	—	—	—	·03	·72	·17	—	·44	·01	—	·03	—	17
18	—	—	—	·23	·03	Tr.	·07	·08	·27	·13	Tr.	·06	18
19	—	Tr.	—	·08	·23	·05	·08	Tr.	·17	·13	·14	—	19
20	—	·21	·01	·27	·26	—	·14	—	—	—	·33	—	20
21	—	·38	·01	·08	Tr.	—	·05	—	·44	·15	·02	—	21
22	—	·04	·11		—	—	—	—	·14	·04	—	—	22
23	—	·22	·08	Tr.	·16	—	—	·08	·20	·45	—	·35	23
24	·04	·28	·06	—	·15	—	—	·28	·08	·35	—	·22	24
25	·25	·33	—	·19	·07	·10	—	Tr.	—	Tr.	—	·26	25
26	—	·80	—	—	—	—	—	·11	·14	—	·15	·64	26
27	—	·08	—	—	—	—	—	·17	·13	·04	·04	·60	27
28	·02	·02	—	—	—	—	—	1·45	—	·03	·04	—	28
29	—	×	—	—	—	—	—	·02	·17	·03	·08	·32	29
30	·02	×	—	—	—	·02	—	·54	·19	·09	1·08	·27	30
31	—	×	—	×	·11	×	—	·20	×	·78	×	·32	31
TOTAL	·82	2·79	1·13	4·32	1·90	1·77	·45	3·43	3·88	6·22	6·24	5·11	YEAR'S TOTAL 38·06
*Days with ·01 in. or more.	10	17	14	18	12	18	5	13	21	22	24	20	194
*Days with ·04 in. or more.	5	13	6	16	9	12	5	9	20	18	22	18	153

40-9999

(Signed) Agnes Fry [P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2095

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Kilve Court

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	·12	·01	·04	—	·30	·54	—	Tr.	—	·07	·04		1
2	·02	·01	—	·08	—	·20	·06	—	·24	—	·07	—		2
3	Tr.	—	—	·52	—	·06	·03	·11	·53	—	·14	·04		3
4	Tr	—	·17	·02	—	·02	—	·01	1·10	—	·15	·58		4
5	·66	—	·04	—	—	—	·40	·01	·19	—	·01	·05		5
6	·03	—	·01	—	Tr.	·03	·05	·02	·02	—	·15	·01		6
7	·10	—	·05	—	—	—	·15	—	·01	—	·58	—		7
8	·23	—	·05	—	—	—	1·04	—	—	—	·20	·01		8
9	·37	—	·15	—	—	·01	·21	—	·09	—	·32	Tr.		9
10	·02	Tr.	·01	—	—	—	—	—	Tr.	—	·30	—		10
11	·19	·02	—	Tr.	—	·19	·01	·04	·07	—	·42	·02		11
12	·01	Tr.	—	·12	—	·03	·35	—	·36	—	·12	—		12
13	·08	—	—	·01	—	·04	·11	·01	·01	·10	—	·85		13
14	—	·04	—	·02	—	·01	·58	—	·23	·02	·06	·44		14
15	—	—	—	Tr.	·14	—	·01	—	·20	—	·05	·22		15
16	·02	·08	—	·07	·30	—	·04	—	·06	—	·06	·25		16
17	·29	·67	—	—	·36	—	·28	—	—	·04	·02	·17		17
18	·05	19	—	—	·06	·84	·38	·02	—	·11	—	·15		18
19	·57	·03	·04	·12	—	·80	·01	—	—	—	—	—		19
20	·18	·24	·13	·08	—	·17	·07	·02	·62	—	—	·01		20
21	—	—	·09	·84	—	·01	·61	—	·01	—	—	—		21
22	·13	·78	·64	·01	—	—	·19	—	—	·08	—	·01		22
23	·03	·10	·20	·14	·24	—	·02	—	—	·07	—	—		23
24	·07	·02	·01	—	·18	—	—	—	·03	·13	·01	—		24
25	·25	—	·54	·19	—	—	·17	—	·53	·15	·03	—		25
26	·13	·11	·32	—	—	—	·27	—	·02	·03	—	—		26
27	·04	·08	·02	—	—	—	·29	—	—	·18	—	·02		27
28	·58	·01	·42	·04	—	—	·17	—	—	—	·02	·15		28
29	·02	·13	·02	—	—	·12	—	—	—	·04	·08	·24		29
30	·02	×	·10	—	·01	·03	·01	—	—	·40	–	Tr.		30
31	·09	×	·20	×	·18	×	·20	—	×	·09	×	·22		31
TOTAL	4·21	2·63	3·22	2·30	1·47	2·77	5·65	·24	4·32	1·44	2·86	3·48	Year's Total 34·59	
* Days with .01 in. or more.	26	16	21	15	8	16	27	8	18	13	20	19	207	
* Days with .04 in. or more.	17	11	15	11	7	9	20	2	12	11	15	13	143	

40-9999.

* See Instruction 2 (f) on other side.

Mrs A. Fry

† Spare column, no entries required.

(*Signed*) Agnes Fry [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2095

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at Kilve Court

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·16	·24	—	·13	—	—	Tr	—	·07	·03	·05	·37		1
2	·01	Tr	—	·10	—	—	—	—	·07	—	—	·02		2
3	Tr	·21	·05	·30	1·03	—	—	·04	—	—	—	—		3
4	·14	·15	Tr	·12	·13	—	·07	—	—	—	—	·45		4
5	·25	·23	·25	·03	—	—	·28	—	—	—	—	—		5
6	·18	·01	·30	·22	·03	—	·07	—	—	·05	—	—		6
7	—	·27	·05	·10	·01	—	—	—	·01	·01	·01	—		7
8	—	·50	—	—	·20	—	·07	—	—	—	·20	·12		8
9	—	·11	·02	·04	·14	—	Tr	·05	1·05	—	·32	·04		9
10	·07	·02	×1·03	·72	·09	·09	·03	·06	—	—	—	·34		10
11	·01	—	·47	·07	·46	·03	·47	·19	—	—	—	·07		11
12	·36	—	·15	·10	—	·24	·02	·08	·69	—	—	·35		12
13	Tr	·30	·55	·37	—	·12	—	·08	·02	—	—	·17		13
14	—	·05	·05	·20	—	—	·45	—	·10	—	—	·06		14
15	·62	—	·07	·20	—	—	1·08	—	·25	—	—	·04		15
16	·10	·03	·53	·08	—	—	—	·22	·58	—	—	—		16
17	·92	·12	·50	—	—	—	Tr	—	·25	—	·25	—		17
18	·22	·08	·20	—	—	·23	—	Tr	×1·19	—	·15	·20		18
19	·30	·15	·05	·04	·05	·03	·04	—	·10	—	·27	—		19
20	·51	—	·09	·17	·02	—	·02	—	—	—	—	32		20
21	·25	·36	·35	·19	·26	—	·19	—	·03	·04	·04	·01		21
22	·25	·02	·29	Tr	·13	—	·13	—	—	·61	·47	·02		22
23	·20	·20	·02	—	·11	—	—	—	—	·18	·27	—		23
24	·64	·25	—	—	—	—	—	—	·06	·75	·02	—		24
25	·01	·60	·35	—	·07	—	—	—	—	·15	—	—		25
26	—	·26	·01	—	·29	Tr	—	—	—	—	—	·02		26
27	—	·30	·02	·02	—	—	—	—	—	56	—	—		27
28	·40	·03	—	—	—	—	—	—	—	·12	—	—		28
29	·06	✕	—	—	—	·02	—	—	—	·70	·32	·01		29
30	—	✕	—	—	—	—	—	·05	·02	·03	·22	—		30
31	·30	✕	—	✕	—	✕	—	—	✕	·20	✕	—		31
TOTAL	5·96	4·49 ~~[illegible]~~	5·40	3·20	3·02	·76	2·92	·77	4·49	3·43	2·59	2·61	Year's Total 39·64	39·64 ✓
* Days with .01 in. or more.	22	23	22	19	15	7	13	8	15	13	13	17	187	✓
* Days with .04 in. or more.	19	18	18	17	12	4	10	8	11	10	11	12	150	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) N. L. C. Hurle [P.T.O.

X Mrs. Cooke-Hurle X (Mrs)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2095

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Oct. + Ann. Total Corr. for Arith. 28.2.39. EM7.

Wet day Ann. Total Corr. for Arith. EM7.

Kept at KILVE COURT

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·12	—	—	—	·70	·18	1·53	—	·27	·03	·37		1
2	—	·03	—	·11	·12	—	—	—	—	·36	·02	·07		2
3	·01	Tr	—	—	·27	·06	·02	·01	·01	·33	—	—		3
4	·01	—	—	—	·01	·09	·45	·43	—	·25	—	·04		4
5	·01	—	—	—	—	·09	·02	·04	·01	·27	—	·14		5
6	·13	—	—	—	—	·07	·78	—	·08	·09	—	·04		6
7	·15	—	—	—	—	·09	·37	—	·02	·20	—	·14		7
8	·55	·03	—	—	—	—	·14	·12	—	·19	—	·01		8
9	·27	·14	—	—	—	·06	·02	·10	—	·02	—	·47		9
10	·02	·02	—	—	—	—	·02	·07	—	·01	—	·43		10
11	·08	·02	—	—	—	—	·05	·17	—	·10	·24	·58		11
12	·15	·01	—	—	·12	—	—	—	—	—	·41	·10		12
13	·01	—	—	—	·04	—	—	—	—	·01	·10	·50		13
14	·42	·01	—	—	·04	—	·35	—	·03	—	—	·01		14
15	·18	—	—	—	·14	—	·02	·01	—	·04	·05	·30		15
16	·19	Tr	Tr	—	·09	—	—	·03	—	·06	·01	·01		16
17	—	·17	—	—	—	—	·01	—	·03	·17	—	—		17
18	·09	—	—	—	·02	·05	·02	·02	·65	—	·37	—		18
19	·01	—	—	—	—	—	—	·02	·08	—	·47	—		19
20	·01	—	—	—	—	—	—	·12	—	—	·15	—		20
21	·02	—	—	—	—	—	—	·11	·09	—	·10	·05		21
22	—	—	—	·16	—	·08	—	·30	·14	·02	·27	·06		22
23	—	—	—	·05	—	·01	—	—	·03	—	·17	—		23
24	Tr.	—	·19	Tr.	·06	—	—	·10	·05	—	·09	—		24
25	·10	·15	·02	—	·21	—	·12	·33	—	·09	·35	·05		25
26	·26	·16	—	—	·13	Tr	—	—	—	·07	·10	·02		26
27	·08	·02	—	—	·22	·11	·16	·44	·05	·07	·20	—		27
28	·05	·07	—	—	·03	·22	·01	·73	·02	—	·10	·01		28
29	·11	X	·02	—	·32	—	—	—	·02	·20	·17	·02		29
30	·02	✕	—	—	·17	·04	—	—	·37	·03	·25	·09		30
31	·22	✕	—	✕	·10	✕	Tr	—	✕	·11	✕	·15		31
TOTAL	315	95	23	32	209	167	274	468	168	295 6	365	366	Year's Total 27·76 8	✓
* Days with .01 in. or more.	25	13	3	3	17	13	17	19	16	22	20	23	191 9	✓
* Days with .04 in. or more.	16	6	1	3	14	12	9	14	8	17	17	17	137 4	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) N. L. Cooke-Hurle

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations
Station No. 2095

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Kilve Court
in the County of Somerset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 150 ft.

D 6 S
28

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	–	·06	·12	·15	–	·01	·07	·07	–	·13	·04		1
2	–	–	–	·13	–	–	·01	·4	·47	–	·36	·24		2
3	·18	–	·03	·29	–	–	–	·35	Tr	–	·13	·36		3
4	–	–	·37	·4	·22	–	·25	·01	–	·4	·37	·17		4
5	–	Tr	·02	·48	·25	–	·25	·38	–	·26	·51	Tr		5
6	·62	–	·03	·01	–	–	·44	·02	–	·21	·13	–		6
7	·01	·01	–	–	–	–	·02	·01	–	–	·3	·37		7
8	–	·17	·05	–	·02	–	·02	·1	–	·6	·45	·14		8
9	·06	·02	·01	–	–	–	–	·01	–	·26	·09	·08		9
10	·27	–	Tr	–	–	–	–	·03	–	·11	–	·12		10
11	·01	–	·21	–	–	–	–	–	–	·09	–	–		11
12	·1	·02	–	Tr	–	–	–	–	·14	·14	–	–		12
13	·01	Tr	–	·03	·04	·03	·15	–	·02	·29	·01	–		13
14	·56	–	Tr	·06	·03	·07	·43	–	–	·07	·05	–		14
15	·44	–	·06	·14	·05	·33	·08	–	Tr.	·02	·19	·03		15
16	·09	·01	–	–	·11	Tr	·11	–	–	–	·26	–		16
17	·79	·02	–	–	Tr	·05	·27	–	–	–	·16	Tr		17
18	·04	·06	·07	–	–	·18	·4	–	–	–	·46	·03		18
19	·15	·01	–	–	–	·07	·03	–	–	–	Tr	·02		19
20	·27	–	Tr	–	·01	·27	·01	2·16	–	–	–	–		20
21	·03	·22	·06	T	·03	·32	·07	·05	–	–	–	–		21
22	·47	·27	·07	·03	–	·32	·12	·08	–	–	·29	·01		22
23	·02	·02	·02	·20	–	·04	·37	–	–	·02	·66	–		23
24	·19	Tr	·01	·03	–	·48	·07	–	–	–	–	·01		24
25	·91	·10	–	–	–	·01	·08	–	–	·03	·13	–		25
26	·02	·02	·02	·10	–	–	–	·37	–	·07	·55	–		26
27	–	·10	·15	·01	–	·05	·05	·03	–	–	·17	·04		27
28	·03	·06	·10	·27	–	·12	·02	–	–	–	·3	·19		28
29	·04	×	–	·05	–	·03	·07	–	–	·14	·03	–		29
30	–	×	·02	1·08	–	·05	–	–	–	·07	–	–		30
31	–	×	–	×	–	×	·02	·02	×	·27	×	·06		31
TOTAL	5·37	1·11	1·36	3·43	·91	2·42	3·35	4·09	·70	3·07	5·73	1·91	Year's Total 33·45	
* Days with .01 in. or more.	24 ~~7~~	14 ~~8~~	18 ~~8~~	17 ~~5~~	10 ~~4~~	16 ~~8~~	24 ~~8~~	16 ~~7~~	4 ~~1~~	17 ~~8~~	22 ~~7~~	16 ~~5~~	~~6t~~	198
* Days with .04 in. or more.	17	6	10	12	6	13	16	9	3	14	20	11	137	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) N. L. Cooke-Hurle

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2095

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1920

Kept at Kilve Court

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·02	—	·03	—	·01	—	—	—	—	·05	—		1
2	—	·05	—	·05	—	—	·03	—	—	—	1·01	·01		2
3	—	·41	—	·02	—	—	—	—	—	·18	·75	·16		3
4	·02	·21	—	·04	—	—	·1	—	—	—	·05	—		4
5	—	·01	—	~~—~~	—	—	·01	—	—	·08	·88	·23		5
6	·04	·28	—	~~—~~	—	—	·04	—	—	·18	·2	·36		6
7	·03	·05	—	·03	—	—	·1	—	·05	—	—	·07		7
8	·01	—	—	—	—	—	—	—	—	·29	·19	·25		8
9	—	—	—	—	—	—	·47	·03	·01	·03	·95	·35		9
10	—	—	—	—	—	—	·32	—	—	·18	·25	·28		10
11	—	—	—	·03	—	·06	·28	—	—	—	·3	·02		11
12	—	—	·15	—	—	·07	·3	—	·4	—	·55	—		12
13	—	—	·53	—	—	—	·5	—	·08	·18	·25	·07		13
14	—	—	·1	·02	·45	—	·02	—	·78	·96	·01	·36		14
15	—	—	—	·27	·34	·11	·07	—	·2	·01	·36	·01		15
16	—	·56	·22	·02	—	—	·23	—	·06	1·96	·19	·05		16
17	—	·05	·55	—	—	—	·08	—	·01	·01	·05	·01		17
18	—	·38	·2	·67	—	—	—	—	·06	·17	·08	·18		18
19	—	·03	·08	·18	—	—	·27	—	·19	—	·08	—		19
20	—	—	·03	·02	—	—	·25	·05	·21	·26	·02	—		20
21	—	—	—	—	·49	·49	·05	—	—	—	·6	—		21
22	—	—	·12	·07	·04	·23	—	—	·09	·03	—	—		22
23	—	·05	·05	·17	—	—	·01	—	·04	·12	—	—		23
24	—	—	—	—	—	·02	·29	—	—	·02	—	—		24
25	—	—	·05	·03	·03	—	—	—	—	—	—	—		25
26	1·1	·15	—	·02	·15	—	·28	—	—	—	·01	—		26
27	·52	·04	—	—	·12	—	·06	—	—	—	—	·01		27
28	·8	—	—	·15	·52	—	—	·02	—	—	—	—		28
29	·11	·15	·11	·59	—	·11	—		—	·01	—	·18		29
30	·03	✕	—	·37	·01	·11	—		—	·2	—	·05		30
31	·08	✕	·03	✕	—	✕	—		✕	·62	✕	·15		31
TOTAL	2·74	2·44	2·22	2·78	2·15	1·21	3·76	·1	2·18	5·49	6·83	2·8	Year's Total 34·7	
* Days with .01 in. or more.	10	15	13	19	9	9	21	3	13	19	21	19	171	
* Days with .04 in. or more.	6	12	11	10	7	7	17	1	11	13	18	14	127	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Norah L. C. Hurle

[P.T.O.

FORM 1090 KILVE (H

B

n.

2095/5

—

2095/5

KILVE

HAREFIELD

1939 - 40

7P0314

, The following register of r … tion and also the space for
&c., is NOT required if …
values are given on the … this register should be sent :—

……………………………………………

……………………………………………

RAINFALL IN …

At ……Harefild Kil… ………in Summer…………………

In the County of …..Som…

…ance……………gauge………… Direction from gauge…………

…tance……………gauge………… Direction from gauge…………

Rain Gauge
Diameter of Funnel………
Height of Top above Ground….
Height of Ground above Sea Lev…

Month	Total Depth	Greatest Fa… in 24 hours			
	Inches	Inches	Date		
JAN.	6.30 7.69				
FEB.	1.39				
MAR.	1.49				
APRIL	3.44				
MAY	·92				
JUNE	2.52				
JULY	3.52				
AUG.	3.41				
SEPT.	·88				
OCT.	3.13				
NOV.	5.99				
DEC.	1.85				
TOTAL	34.84				

Directions from gauge …

If gauge has been moved during the year state –

Date of move……………………………………… Distance…………… Direction……….

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

………………………………………………………………………

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

~~Jan & Feb totals adjusted to agree with accumulated total~~ ~~AB~~

Copy by B.R.O

from ✗ S.L. Rogers ✗ press cutting

Print

W* Signature ……E. Preedy…………

per S.L. ROGERS, Esq.

* details supplied by obs.

* See Instruction 3 (*f*) below.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W.H.&S. 668/91 S.O. Code No. 40-9999

N

FORM 1090 KILVE (H

2095/5

B

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1930

At Harefield Kilve

In the County of Somerset

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* ft. 7 in. *
- *Height of Ground above Sea Level* 300 ft.

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	6·30 7·69				
FEB.	1·39				
MAR.	1·49				
APRIL	3·44				
MAY	·92				
JUNE	2·52				
JULY	3·52				
AUG.	3·41				
SEPT.	·88				
OCT.	3·13				
NOV.	5·99				
DEC.	1·85				
TOTAL	34·84				

Print

Wx *Signature* E. Preedy

per S.L. ROGERS, Esq.

* details supplied by obs.

* See Instruction 3 *(f)* below.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state –

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Jan & Feb totals adjusted
to agree with accumulated total
ABB

Copy by B.R.O
from X S.L. Rogers X Press cutting

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
- (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
- (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91 S.O. Code No. 40-9999

N

2095/5

FORM 1090. **B** Monthly Summary.

***,* The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 19~~3~~40

At Kilve, Harefield

In the County of Somerset

Rain Gauge
Diameter of Funnel..........................in.
Height of Top above Ground..........ft..............in.
Height of Ground above Sea Level..................ft.

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	~~1·67~~	2·67			
FEB.	~~5·59~~	2·29			
MAR.		2·30			
APRIL	2·78				
MAY	1·92				
JUNE	1·06				
JULY	3·85				
AUG.	·08				
SEPT.	2·09				
OCT.	6·03				
NOV.	7·75				
DEC.	2·72				
TOTAL	35·54				

Signature ....

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Hour of observation by the clock—in Winter......................in Summer..................

Nearest Railway Station.............................. Distance.................. Direction from gauge..............

Nearest Parish Church at.............................. Distance.................. Direction from gauge..............

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Jan-March apportioned by ref to nearby stns.

COPY BY B.R.O

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON : PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses : York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 2778/2036 21,000 10/38 W. H. & S. 668/91 S.O. Code No. 40-9999

OLD CLEEVE.

Section **A** for the entry c

AIR MINISTI

FORM 1090.

REGI

Kept at Confaxe Old C

in the County of Somerset

Diameter of Funnel of Gauge

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEASU

An observer who does not conform
year in the space on the right of

2095/7

OLD CLEEVE

1935 — 40

780314

Station No. 2095/7

LL ORGANIZATION.

35 .

Som/4

he following

Jan. 1, following

Date	Jan.	Feb.	Mar.								v.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1										·23	·68	1·15		1
2									·14	·14	·02	·49		2
3									·01	·03	·13	·18		3
4									·80	·15	·17	·005		4
5									·07	·08	·16	·65		5
6									·30	·23	·13	·06		6
7											·10	·15		7
8										·30	·006	·08		8
9										·11	·28	·18		9
10									·02	1·06	·32			10
11										·04	·02	·01		11
12									·07	·07	·43	·01		12
13									·01		·06			13
14											·17			14
15									·08		·68	·31		15
16									·40		·10	·24		16
17									·46		·95	·03		17
18									·02	·09	·03			18
19									·43	·07	·005	·02		19
20									·18	·03	·11	·03		20
21										·01	·25			21
22									·18	·08	·01			22
23									·18	·05				23
24								·13	·12	·25		·29		24
25								·23	·07	·34		·15		25
26										·01		·12		26
27								·24	·03	·01	·04	·46		27
28								·17	·16	·04	·02	·44		28
29								·77	·06	·05	·02	·01		29
30		×							·14	·01	·14	·37		30
31		×		×		×		·44	×	·14	×	·39		31
TOTAL								imp ~~1·98~~	3.91	3·62	4·84	5·73	Year's Total.	
* Days with .01 in. or more.									22	25	26	24		
* Days with .04 in. or more.									17	19	18	17		

40-9999

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) Rev Preb. E.P. LIDDON.

[P.T.O.

OLD CLEEVE.

Section **A** **for the entry** — **Station No.** 2095/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Som/4

Kept at [illegible] Old Cleeve, Washford

in the County of Somerset.

Som/4

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft 8½ in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1										·23	·68	1·15		1
2									·14	·14	·02	·49		2
3									·01	·03	·13	·18		3
4									·80	·15	·17	·005		4
5									·07	·08	·16	·65		5
6									·30	·23	·13	·06		6
7											·10	·15		7
8										·30	·006	·08		8
9										·11	·28	·18		9
10									·02	1·06	·32			10
11										·04	·02	·01		11
12									·07	·07	·43	·01		12
13									·01		·06			13
14											·17			14
15									·08		·68	·31		15
16									·40		·10	·24		16
17									·46		·95	·03		17
18									·02	·09	·03			18
19									·43	·07	·005	·02		19
20									·18	·03	·11	·03		20
21										·01	·25			21
22									·18	·08	·01			22
23									·18	·05				23
24								·13	·12	·25		·29		24
25								·23	·07	·34		·15		25
26										·01		·12		26
27								·24	·03	·01	·04	·46		27
28								·17	·16	·04	·02	·44		28
29								·77	·05	·05	·02	·01		29
30		×							·14	·01	·14	·37		30
31		×		×		×		·44	×	·14	×	·39		31
TOTAL								imp ~~[illegible]~~	3·91	3·62	4·84	5·73	Year's Total.	
* Days with ·01 in. or more.									22	25	26	24		
* Days with ·04 in. or more.									17	19	18	17		

40-9999

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) Rev Preb. E.P. Liddon.

[P.T.O.

Copy or to 1090

RAINFALL CHART

Scientific
Instrument Makers
Established 1850.

NEGRETTI & ZAMBRA
LONDON

38 Holborn Viaduct:
122 Regent Street:
Works : Barnsbury, N.

Kept by The Rev Preb. Liddon **YEAR** *At* Carfax Old Cleeve

Time of Observation 9·30am **193 .** *County* Washford Somerset

Rules for observing Rainfall will be found on the back of this Chart.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Inches	Jan. Feb. Mar. Apr. May June July Aug. Sept. Oct. Nov. Dec.
	in.	*in.*	*in.*	*in.*	*in.*	*in.*	*in.*	*in.*	*in.*	*in.*	*in.*	*in.*		
1										·14	·58	1·15	9	
2									·14	·23	·02	·49		
3									·01	·03	·13	·18		
4									·80	·15	·17	·005	8	
5									·07	·08	·16	·55		
6									·30	·23	·13	·06		
7											·10	·15		
8										·30	·005	·08	7	
9										·11	·28	·18		
10									·02	1·06	·32	·		
11										·04	·02	·01	6	
12									·07	·07	·43	·01		
13									·01		·06			
14											·17			
15									·08		·68	·31	5	
16									·40		·10	·24		
17									·45		·95	·03		
18									·02	·09	·03	·	4	
19									·43	·07	·005	·02		
20									·18	·03	·11	·03		
21										·01	·25			
22									·18	·08	·01		3	
23									·18	·05				
24								·13	·12	·25		·29		
25								·23	·07	·34		·15	2	
26										·01		·12		
27								·24	·03	·01"	·04	·46		
28								·17	·16	·04	·02	·44	1	
29								·77	·05	·05	·02	·01		
30									·14	·01	·14	·37		
31								·44		·14		·39		
Totals								1·98	3·91	3·62	4·84	5·72	½	MONTHLY TOTALS

X Old Cleeve X

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2095/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

contd 1935

Kept at Carfax. Old Cleeve Washford

in the County of Somerset 14

Diameter of Funnel of Gauge 7 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 150–200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ·34

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	·13	·01	·05	—	·01	·9	·10	—	—	·05	—		1
2	·01	·005	—	·07	—	·07	·46	·01	—	—	·04	·02		2
3	—	—	—	·32	—	·20	·04	·005	·07	—	·09	·005		3
4	—	—	·10	·02	—	·07	·02	·33	·46	—	·07	·005		4
5	·62	·01	·02	—	—	·05	—	·01	·23	—	·07	·49		5
6	·07	—	—	—	—	—	·33	·02	·12	—	·01	·04		6
7	·22	—	·03	—	·01	·05	·22	·01	·03	—	·20	·01		7
8	·18	—	·08	—	—	—	·25	—	·02	—	1·01	·01		8
9	·41	·01	·29	—	—	—	·85	—	·11	—	·45	·02		9
10	·02	·01	·01	—	—	·02	·18	—	·08	—	·32	·005		10
11	·21	·02	—	—	—	—	·10	—	—	—	·17	—		11
12	·01	—	—	04	—	·14	·01	·02	—	—	·46	·005		12
13	·08	—	—	04	—	·05	·20	—	·30	·01	·05	—		13
14	—	·02	—	·01	—	·03	·04	—	·01	·11	·01	1·11		14
15	—	·005	—	·01	—	—	·65	—	·06	·03	·01	·60		15
16	—	·07	—	·01	·16	—	—	—	·36	—	·06	·25		16
17	·25	·80	—	·03	·23	—	·02	—	·07	—	·07	·13		17
18	·03	·21	·02	—	·19	—	·14	—	·005	·07	·03	·52		18
19	·55	·01	·02	—	·02	·21	·62	·03	—	·16	—	·05		19
20	·10	·31	·07	·17	—	·51	·02	·01	—	·02	—	·01		20
21	·04	·005	·11	·08	—	·23	·03	·02	·62	·01	—	·005		21
22	·16	·69	·49	·66	—	—	·01	—	·01	·005	—	—		22
23	·02	·04	·21	·01	—	—	·13	—	·005	·12	—	·01		23
24	·09	·02	·02	·19	·16	—	·02	—	—	·03	—	·005		24
25	·29	·005	·41	·02	·13	—	·03	—	·02	·21	·01	—		25
26	·19	·14	·16	·12	—	—	·28	—	·62	·17	·03	—		26
27	·11	·09	·02	·01	—	—	·03	—	·02	·05	·005	—		27
28	·65	·04	·38	—	—	—	·04	—	·02	·13	·005	·005		28
29	·02	·14	·01	·03	—	—	·13	·005	—	·02	·01	·14		29
30	·02	×	·04	—	—	·15	—	—	—	·03	·05	·14		30
31	·15	×	·20	×	·01	×	·01	—	×	·57	×	·01		31
TOTAL	4·51	2·83	2·70	1·86	·91	1·79	4·90	·57	3·24	1·745	3·28	4·035	Year's Total 32·37	
* Days with .01 in. or more.	26	18	21	19	8	14	28	10	19	16	22	17	218	
* Days with .04 in. or more.	18	11	12	8	5	11	16	2	12	8	15	10	128	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) E. Parry Liddon [P.T.O.

(the Rev Preb)

X Rev. Preb. E. P. Liddon X

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2095/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1937

Kept at Carfax Old Cleeve Washford

in the County of Somerset

Diameter of Funnel of Gauge 7 in.

Height of top of Gauge above Ground ft. 4 in.

,, Ground ,, Sea Level 150-200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15	·01	·01	·16	—	—	—	—	·06	·04	·05	·09		1
2	·02	·39	—	·09	—	—	—	—	Trace	Trace	·01	·24		2
3	·01	·22	·02	·17	·42	—	—	—	—	—	Trace	·01		3
4	·10	·20	Trace	·11	·09	—	—	—	—	—	—	·02		4
5	·20	·01	·04	·04	—	—	·19	·04	—	—	—	·37		5
6	·15	·28	·26	·26	·04	—	—	—	Trace	·13	Trace	·07		6
7	·01	·72	·04	·07	·15	·05	—	—	·01	·14	·02	·01		7
8	—	·05	Trace	—	—	Trace	·08	—	·01	Trace	·18	·09		8
9	·01	·01	·02	·03	·16	—	—	·03	1·06	—	—	·01		9
10	·06	·01	·85	·49	Trace	·05	·05	·09	·01	—	—	·02		10
11	·03	Trace	·28	·19	·52	·02	·57	·11	—	—	·01	·57		11
12	·34	·13	·30	—	·01	·19	·03	·03	·69	—	—	·06		12
13	·01	·02	·62	·40	—	·02	—	·14	·06	—	—	·37		13
14	·01	Trace	·04	·03	—	—	·28	—	·08	—	—	·07		14
15	·40	·10	·25	·31	—	—	·49	—	·14	—	—	·10		15
16	·16	·13	·49	·04	—	Trace	—	·14	·20	—	—	·19		16
17	·99	·07	·65	—	—	—	—	·01	·25	—	·26	·01		17
18	·09	·04	·33	—	—	·13	—	·01	1·78	—	·21	·01		18
19	·30	·01	·09	·02	·01	·02	—	—	·09	—	·39	·32		19
20	·60	·06	·08	·16	·04	—	—	—	·06	—	·01	·05		20
21	·35	·26	·20	·07	·28	—	·02	—	·01	—	·01	·05		21
22	·13	·01	·10	Trace	·17	—	·04	—	Trace	·52	·32	·20		22
23	·20	·17	·01	—	·07	—	—	—	—	·28	·15	·02		23
24	·63	·13	—	—	—	—	—	—	·10	·92	·04	·01		24
25	·03	·96	·39	—	—	—	—	—	Trace	·22	Trace	Trace		25
26	—	·30	·02	—	·15	—	—	—	—	—	·01	·03		26
27	·04	·43	—	·02	Trace	—	—	—	—	·83	—	·02		27
28	·08	·02	—	—	—	—	—	—	—	·16	—	Trace		28
29	·04		—	—	—	—	—	·01	—	·66	·07	·02		29
30	·48	✕	—	—	—	—	—	—	·02	·03	—	—		30
31	·32	✕	—	✕	—	✕	—	—	✕	·16	✕	Trace		31
Total	5·93	4·74	5·09	2·66	2·11	·48	1·75	·61	4·63	4·04	1·71	3·08	Year's Total 36·78	✓ ✓
* Days with .01 in. or more.	29	26	22	18	13	7	9	10	17	12	15	27	205	✓ ✓
* Days with .04 in. or more.	22	18	17	14	11	4	7	5	12	11	8	15	144	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) E Parry

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2095/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Carfax Old Cleeve Washford

in the County of Somerset

Diameter of Funnel of Gauge 7 in.

Height of top of Gauge above Ground — ft. 11 in.

,, Ground ,, Sea Level 150-200 ft.

Sept. Dec. & Ann. Total Corr. for Arith.
1.3.39. OM7.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	Trace	·38	—	—	—	·12	·07	·02	—	·19	·15	·33		1
2	—	·13	—	—	—	·87	·02	·98	—	·28	·04	·32		2
3	·01	·02	—	·05	·07	·01	—	Trace	—	·35	·01	·08		3
4	·01	Trace	—	—	·33	·10	Trace	—	—	·76	·01	·01		4
5	·01	—	·01	—	Trace	·04	·25	1·12	—	·52	~~[illegible]~~	·12		5
6	·01	—	—	—	—	·02	·09	·06	·01	·26	—	·11		6
7	·12	—	—	—	Trace	·10	·71	Trace	·04	·25	—	·10		7
8	·10	—	—	—	—	Trace	·39	—	·01	·05	—	·11		8
9	·48	·04	—	—	—	—	·14	·11	—	·42	—	·01		9
10	·37	·05	—	—	—	Trace	Trace	·45	—	·02	—	·81		10
11	·01	·02	—	—	—	—	·02	·05	—	—	—	·55		11
12	·10	·01	Trace	—	—	·09	·05	2·14	—	·01	·22	·88		12
13	·34	·01	—	—	·17	Trace	—	Trace	—	·14	·80	·02		13
14	·05	—	—	—	·03	—	—	·01	—	—	·10	1·22		14
15	·42	Trace	—	—	·04	—	·37	—	·03	·05	—	·01		15
16	·30	—	—	—	·05	—	—	—	—	·02	·09	·35		16
17	·23	·01	—	—	·04	—	—	·02	·10	—	·09	·02		17
18	·01	·13	—	—	·01	—	—	—	·30	·23	—	—		18
19	·14	·01	—	—	·02	·08	—	·07	·05	·02	·37	—		19
20	·01	—	—	—	—	—	—	·02	—	—	·40	—		20
21	Trace	—	—	—	—	—	—	·02	Trace	—	·21	·03		21
22	Trace	—	—	—	—	—	—	·07	·06	—	·21	·02		22
23	—	—	—	·06	Trace	·03	—	·29	Trace	—	·30	·01		23
24	·05	—	·01	·05	—	Trace	—	Trace	·01	—	·19	—		24
25	·04	—	Trace	—	·03	—	—	·15	·03	—	·17	·04		25
26	—	·20	·01	—	·24	—	·05	Trace	—	·11	·66	·02		26
27	·26	·27	—	—	·17	·01	—	—	·01	·12	·14	Trace		27
28	·07	·01	—	—	·26	·14	·15	·75	·01	·02	·24	·01		28
29	·04	·10	—	—	·05	·15	Trace	·76	—	Trace	·09	·02		29
30	·05		—	—	·47	·01	—	—	·04	·13	·29	·04		30
31	·01		—		·10		—	—		—		·20		31
TOTAL	3·24	1·39	·03	·16	2·08	1·77	2·31	7·09	~~·64~~ ·70	3·95	4·75	5·3~~4~~9	Year's Total 32·8~~0~~6	
* Days with .01 in. or more.	25	15	3	3	16	14	12	18	13	20	21	26	186	
* Days with .04 in. or more.	17	8	—	3	12	9	10	13	6	15	18	15	126	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2095/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~193~~ ~~1940~~ 1939

Kept at Carfax Old Cleeve Washford

in the County of Somerset

Diameter of Funnel of Gauge 7 in.

Height of top of Gauge above Ground — ft. 11 in.

,, Ground ,, Sea Level 150–200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	—	·08	·10	·10	—	—	·02	Trace	—	·13	·03		1
2	·02	—	—	·09	·01	—	—	·19	·65	—	·16	·28		2
3	·16	—	·04	·35	—	—	—	·13	·01	—	·10	·54		3
4	·02	—	·37	·25	·25	—	·26	Trace	Trace	·32	·60	·18		4
5	Trace	—	·01	·32	·05	—	·20	1·3	—	·18	·63	·01		5
6	·35	—	·01	·01	·01	—	·67	·01	—	·02	·13	—		6
7	·02	·05	—	—	—	·22	·03	·02	—	·47	·11	·39		7
8	·04	·28	·06	—	·05	—	·06	·05	—	·21	·62	·21		8
9	·01	·03	·01	—	—	—	—	·04	—	—	·05	·05		9
10	·26	·01	Trace	—	—	·01	—	·01	·02	·07	·01	·15		10
11	·01	—	·14	—	—	—	—	—	—	·09	·01	—		11
12	·08	·03	—	·01	—	—	—	—	·23	·13	·01	—		12
13	·01	·01	—	·13	·03	·05	·09	—	·03	·23	·01	Trace		13
14	·69	—	—	·01	·03	·05	·21	—	—	·05	·12	Trace		14
15	·67	—	·02	—	·05	·37	·24	—	—	·01	·22	·01		15
16	·10	—	—	·06	·11	—	·08	—	—	Trace	·27	Trace		16
17	·86	Trace	—	—	Trace	·10	·10	—	—	Trace	·03	·01		17
18	·05	·05	·06	—	—	·05	·73	—	—	—	·69	·01		18
19	·15	—	Trace	—	—	·01	·01	·03	—	—	·02	·02		19
20	·21	—	—	—	·01	·06	·02	·68	—	—	Trace	—		20
21	·03	·22	·08	·02	·11	·47	·01	·02	Trace	—	—	Trace		21
22	·87	·42	·11	·05	·01	·43	·16	·01	—	·01	·22	—		22
23	·01	·01	·04	·21	—	·02	·33	—	—	·01	·79	—		23
24	·40	—	·15	·04	—	·45	·04	—	—	·04	·01	·01		24
25	·62	·14	—	Trace	—	·01	·11	—	—	·08	·26	—		25
26	·02	·03	—	·10	—	—	—	·52	—	·13	·61	—		26
27	Trace	·17	·10	·02	—	·05	·02	—	—	—	·09	·01		27
28	·02	·16	·12	·43	—	·11	·10	·04	—	—	·19	·12		28
29	·10		Trace	·05	—	·01	·04	—	—	·23	·03	—		29
30	·01	×	Trace	1·15	—	Trace	·01	—	—	·10	·01	·01		30
31	—	×	—	×	—	×	·01	·03	×	·23	×	—		31
TOTAL	5·87	1·61	1·40	3·45	·82	2·47	3·43	2·83	·94	2·61	6·13	2·04	Year's Total 33·60	
* Days with .01 in. or more.	28	14	16	19	13	17	23	16	5	19	28	17	215	
* Days with .04 in. or more.	17	8	12	14	7	12	16	7	2	15	19	9	138	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) E. Parry Liddon

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2095/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~193~~ 1940

Kept at Carfax Old Cleeve Watchet

in the County of Somerset

Diameter of Funnel of Gauge ~~4~~ 8 in.

Height of top of Gauge above Ground — ft. 11 in.

,, Ground ,, Sea Level 150—200 ft.

Corr. for W.D.
Circ. C sent 16.4.41

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·13	·12	·04	·30	—	—	—	—	—	·61	—		1
2	—	·07	Trace	—	·18	—	—	—	—	—	·04	—		2
3	—	·06	—	·07	Trace	—	·04	—	—	—	1·41	·03		3
4	—	·57	—	·05	—	—	—	—	—	·21	·64	·10		4
5	·01	·05	—	·04	—	—	·04	—	—	·10	·04	·03		5
6	Trace	·01	—	—	—	—	—	—	—	·32	·62	·31		6
7	·03	·37	—	—	—	—	·10	—	—	·23	·35	·32		7
8	·01	·02	—	·02	—	—	·19	—	·09	·02	·01	·15		8
9	Trace	Trace	—	—	—	—	—	—	—	·40	·25	·21		9
10	Trace	—	—	—	—	—	·49	·07	·01	·07	·80	·31		10
11	Trace	—	·01	—	—	—	·49	Trace	—	Trace	·25	·31		11
12	Trace	·02	·01	·01	—	·22	·06	—	—	—	·86	·12		12
13	—	—	·11	—	—	·03	·23	—	·25	—	·09	Trace		13
14	—	·02	·71	—	—	—	·33	—	·03	·10	·55	·07		14
15	—	Trace	·04	·04	·05	—	·01	—	·13	·50	·03	·25		15
16	·01	·01	·01	·10	·24	·02	·02	—	·13	·01	·61	·01		16
17	—	·57	·11	·03	·01	—	·28	—	·07	1·78	·07	·01		17
18	—	·14	·35	—	—	—	·10	—	·01	·01	·06	·01		18
19	·27	·28	·39	·90	—	—	Trace	·02	·08	·13	·10	·14		19
20	—	·04	·10	·11	—	—	·23	—	·30	·01	·20	·01		20
21	—	Trace	·01	—	—	—	·39	·03	·03	·10	·05	·03		21
22	—	Trace	—	·01	·52	·27	·01	—	Trace	Trace	·49	—		22
23	—	—	·06	·13	·02	·30	—	—	·10	—	Trace	—		23
24	—	·08	·11	·05	—	·03	Trace	—	·01	·09	—	—		24
25	·03	Trace	Trace	Trace	Trace	—	·27	—	—	—	—	·01		25
26	·15	—	·04	·03	·06	·04	Trace	—	—	—	—	—		26
27	·92	·14	—	·06	·16	—	·05	—	—	—	—	—		27
28	·50	·04	—	·14	·06	—	·06	—	—	—	·01	Trace		28
29	·71	Trace	—	·14	·21	—	—	·02	—	—	—	Trace		29
30	—	✕	·14	·70	Trace	·05	—	—	—	—	—	·09		30
31	—	✕	·03	✕	Trace	✕	—	—	✕	~~·31~~ ·61	✕	·09		31
TOTAL	·13+ ~~2·64~~ 2·77	·12+ ~~2·62~~ 2·61	·04+ ~~2·35~~ 2·27	·30+ ~~2·67~~ 2·93	~~1·81~~ 1·51	·96	3·39	·14	1·24	~~4·39~~ 5·00	~~8·44~~ 7·53	~~2·61~~ 2·78	Year's Total ~~32·96~~	33·13
* Days with .01 in. or more.	~~10~~ 11	18	17	19	~~11~~ 10	8	19	4	13	~~17~~ 18	~~23~~ 22	21	180	
* Days with .04 in. or more.	~~5~~ 6	13	12	14	~~9~~ 8	5	16	1	8	~~13~~ 14	~~20~~ 19	13	129	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) E. Parry Tiller

[P.T.O.

Cui A. Watch

Station No. 2095/9

Section **A** for the e
AIR MI
.INFALL ORGANIZATION

FORM 1090

RE

~~1939~~ 1940

2095/9
WATCHET
CHAPEL CLEEYE
1940

>P0314

Kept at CHAPEL CLE

in the County of S

34 ~~Dp~~

Diameter of Funnel of Gau

Height of top of Gauge ab

,, Ground ,,

6 extd fr nearby stns ;

THE MORNING ME VIOUS DAY

An observer who does not co of the following year in the space on the righ

Jan. 1, following

Date	Jan.	Feb.	Ma								Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·05	–	·05	·12	–	–	–	–	–	·06	–		1
2	-	·04	–	·02	–	–	·03	–	–	–	1·44	–		2
3	-	·37	–	·01	–	–	–	–	–	·19	·67	·08		3
4	-	·04	–	·14	–	–	07	–	–	·06	·05	·03		4
5	-	–	–	–	–	–	–	–	–	·20	·60	·37		5
6	.02	·21	–	–	–	–	05	–	–	(·20)	·28	·47		6
7	-	·07	–	·02	–	–	·37	–	·09	–	–	·16		7
8	-	–	–	–	–	–	–	–	–	35	·17	·26		8
9	-	–	–	–	–	–	·29	·06	–	·08	·81	·31		9
10	-	–	·01	–	–	–	·61	·01	·01	·20	·27	·28		10
11	-	–	–	–	–	·14	·08	–	–	–	·87	·17		11
12	-	–	·07	–	–	·04	·40	–	·17	–	·12	–		12
13	-	·01 Snow	·70	–	–	–	·21	–	·05	·02	·55	·02		13
14	-	–	·10	·06	–	–	–	–	·16	·53	·02	·27		14
15	-	(·51)	–	·20 Hail	·02	·02	·02	–	·12	–	·55	–		15
16	.01 Snow	~~·21~~ Snow	·05	·33	·31	–	·32	–	·06	1·70	·08	·01		16
17	-	·12	·32	–	–	–	·13	–	–	–	·06	–		17
18	.15	·32	·38	·76	–	–	–	–	·04	·11	{·12}	·13		18
19	Snow	·03	·18	·10	–	–	·29	–	·20	·18	{·05}	–		19
20		–	–	–	–	–	·24	·04	·07	–	{·52}	·02		20
21	-	–	–	–	·54	·30	·03	–	–	–	–	–		21
22	-	–	·08	·19 Thunder	–	·41	–	–	·06	·06	–	–		22
23	-	·08	·06	·05	–	–	–	–	·03	–	–	–		23
24	-	–	–	·03	–	·01	·28	–	·01	–	–	–		24
25	.13	–	·03	·03	·05	·04	–	–	–	–	–	–		25
26	.91	~~·25~~	–	·13	·17	·01	·07	–	–	–	–	–		26
27	.50	·03	–	·08	·06	–	·04	–	–	–	–	–		27
28	.62	–	–	·64	·27	–	–	·05	–	–	–	–		28
29	-	·08	·04	34	–	·07	–	–	–	–	–	·11		29
30	-	✕	–	(·30)	·01	–	–	–	–	·32	–	·03		30 Part
31	.10	✕	–	✕	–	✕	–	–	✕	·59	✕	·19		31 wk
TOTAL	2.44	2.01 ~~1.71~~	2.02	3.16 ~~2.88~~	1.59	1.04	3.53	·16	1.07	4.55 ~~4.35~~	7.47	2.91	Year's Total ~~31.7~~	32.97
* Days with .01 in. or more.	8 ~~2~~	~~7~~ 14	~~2~~ 13	~~6~~ 18	~~3~~ 9	~~8~~ 9	~~3~~ 18	~~x~~ 4	~~3~~ 13	~~x~~ 16	~~x~~ 19	~~5~~ 17	~~31~~	158
* Days with .04 in. or more.	6	13	11	~~11~~ 12	6	5	15	3	10	~~14~~ 15	18	12	~~125~~	127

* See Instruction 3 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) G S Lysaght Esq. [P.T.O.

Cui A. Watch [redacted]

Section A for the e[redacted]

Station No. 2095/9

AIR MI[redacted]INFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at .CHAPEL CLEEVE

in the County of Somerset

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground.......ft.........in.

,, Ground ,, Sea Level 86 ft.

f 374721/34 Dgp.

Feb 16, Apr 30 + Oct 6 estd fr nearby stns.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	.05	–	.05	.12	–	–	–	–	–	.06	–		1
2	–	.04	–	.02	–	–	.03	–	–	–	1.44	–		2
3	–	.37	–	.01	–	–	–	–	–	.19	.67	.08		3
4	–	.04	–	.14	–	–	.07	–	–	.06	.05	.03		4
5	–	–	–	–	–	–	–	–	–	.20	.60	.37		5
6	.02	.21	–	–	–	–	.05	–	–	(.20)	.28	.47		6
7	–	.07	–	.02	–	–	.37	–	.09	–	–	.16		7
8	–	–	–	–	–	–	–	–	–	.35	.17	.26		8
9	–	–	–	–	–	–	.29	.06	–	.08	.81	.31		9
10	–	–	.01	–	–	–	.61	.01	.01	.20	.27	.28		10
11	–	–	–	–	–	.14	.08	–	–	–	.87	.17		11
12	–	–	.07	–	–	.04	.40	–	.17	–	.12	–		12
13	–	.01 Snow	.70	–	–	–	.21	–	.05	.02	.55	.02		13
14	–	–	.10	.06	–	–	–	–	.16	.53	.02	.27		14
15	–	–	–	.20 Hail	.02	.02	.02	–	.12	–	.55	–		15
16	.01 Snow	(.51) ~~.21~~ Snow	.05	.03	.31	–	.32	–	.06	1.70	.08	.01		16
17	–	.12	.32	–	–	–	.13	–	–	–	.06	–		17
18	.15	.32	.38	.76	–	–	–	–	.04	.11	.12	.13		18
19	Snow	.03	.18	.10	–	–	.29	–	.20	.18	.05	–		19
20	↓	–	–	–	–	–	.24	.04	.07	–	.52	.02		20
21	–	–	–	–	.54	.30	.03	–	–	–	–	–		21
22	–	–	.08	.19 Thunder	–	.41	–	–	.06	.06	–	–		22
23	–	.08	.06	.05	–	–	–	–	.03	–	–	–		23
24	–	–	–	.03	–	.01	.28	–	.01	–	–	–		24
25	.13	–	.03	.03	.05	.04	–	–	–	–	–	–		25
26	.91	~~.25~~	–	.13	.17	.01	.07	–	–	–	–	–		26
27	.50	.03	–	.08	.06	–	.04	–	–	–	–	–		27
28	.62	–	–	.64	.27	–	–	.05	–	–	–	–		28
29	–	.08	.04	.34	–	.07	–	–	–	–	–	.11		29
30	–	✕	–	(.30)	.01	–	–	–	–	.32	–	.03		30 Part
31	.10	✕	–	✕	–	✕	–	–	✕	.59	✕	.19		31 WR
TOTAL	2.44	~~1.71~~ 2.01	2.02	~~2.88~~ 3.18	1.59	1.04	3.53	~~.06~~ .16	1.07	~~4.35~~ 4.55	7.47	2.91	Year's Total ~~31.7~~	32.97
* Days with .01 in. or more.	8 ~~2~~	x14	~~2~~ 13	~~6~~ 18	~~3~~ 9	~~3~~ 9	~~3~~ 18	x4	~~3~~ 13	x16	x19	~~5~~ 17	~~31~~	158
* Days with .04 in. or more.	6	13	11	~~11~~ 12	6	5	15	3	10	~~11~~ 15	18	12	~~125~~	127

* See Instruction 3 (f) on other side.

N

† Spare column, no entries required.

(Signed) G. S. Lysaght Esq. [P.T.O.

2096

Section **A** for the entry of

AIR MINISTRY

OPY FOR OFFICIAL USE.

. ORGANIZATION.

FORM 1090.

REGIST

2096

STOGURSEY
HIGH STREET
1931 —— 35

780397

Kept at Stogursey

in the County of Somers

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASU

An observer who does not conform to t
year in the space on the right of this

llowing

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	–	·14	–	·16	–	–	·06	–	·18	–	–	–	1
2	·26	–	–	·69	·06	–	~~3~~	–	·30	·03	–	·15	2
3	·02	–	·69	–	–	–	–	–	·36	–	1·32	·12	3
4	·03	–	·20	·08	–	·16	·31	·60	·09	·01	–	–	4
5	–	·10	–	·09	–	·57	·23	·02	–	·01	·12	·20	5
6	–	·06	–	·10	·01	·07	·81	·08	–	·50	·20	·41	6
7	–	–	–	–	·06	·08	·02	·07	–	·09	·42	·04	7
8	–	·14	–	·06	–	·20	–	·24	–	–	·14	·01	8
9	·01	·27	–	·09	–	–	·10	–	–	–	·46	–	9
10	–	·13	–	–	·07	·06	[illegible]	–	–	–	·21	–	10
11	·14	·36	–	–	–	·08	·04	·10	·10	–	·27	–	11
12	–	·03	–	–	–	–	·47	–	–	–	·38	–	12
13	–	–	–	–	·02	–	·05	·08	·03	·16	–	·01	13
14	·03	·03	–	–	·11	·36	·36	·15	–	–	–	–	14
15	·01	·06	–	·02	·05	–	·01	·38	–	–	–	–	15
16	–	·16	–	·07	·43	·31	–	·30	·15	–	–	–	16
17	·09	·02	–	·03	·02	·07	·21	–	·12	–	·05	–	17
18	·15	–	–	·03	–	·06	·18	·57	–	–	·12	–	18
19	–	·06	–	·02	–	·12	–	·05	–	–	·18	–	19
20	·04	·05	·07	–	–	–	–	·29	–	–	·30	–	20
21	–	·02	·14	–	·24	–	–	–	–	–	·08	–	21
22	·33	–	–	–	–	–	–	–	–	–	·01	–	22
23	·17	–	–	·32	·29	–	–	·82	–	–	·16	–	23
24	·13	·02	–	·31	·09	–	·91	·05	–	–	–	–	24
25	·17	–	–	·32	–	–	–	–	–	–	·06	·09	25
26	–	·04	–	·10	–	–	·46	–	–	–	·61	–	26
27	·08	·07	–	–	1·32	–	·10	–	–	–	·10	–	27
28	·17	–	·14	·05	·34	–	–	·06	–	–	–	·05	28
29	·13	×	·13	–	·01	–	·09	–	–	·13	–	–	29
30	–	×	–	–	·02	–	–	·15	–	–	–	–	30
31	·55	×	–	×	–	×	–	–	×	–	×	·19	31
TOTAL	2·51	1·76	1·37	2·54	3·14	2·14	4·41	4·01	1·33	·93	5·19	1·27	YEAR'S TOTAL 30·60
*Days with ·01 in. or more.	18	18	6	17	16	12	17	17	8	7	19	10	165
*Days with ·04 in. or more.	13	13	6	13	11	12	15	16	7	4	18	8	136

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) ~~[illegible]~~ ~~fr~~ P. Hallam

[P.T.O.

2096

Section | **A** | for the entry of [redacted] OPY FOR OFFICIAL USE.
AIR MINISTRY [redacted] ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Stogursey
in the County of Somerset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
,, Ground ,, Sea Level 130 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·14	–	·16	–	–	·06	–	·18	–	–	–	1
2	·26	–	–	·69	·06	–	~~3~~	–	·30	·03	–	·15	2
3	·02	–	·69	–	–	–	–	–	·36	–	1·32	·12	3
4	·03	–	·20	·08	–	·16	·31	·60	·09	·01	–	–	4
5	–	·10	–	·09	–	·57	·23	·02	–	·01	·12	·20	5
6	–	·06	–	·10	·01	·07	·81	·08	–	·50	·20	·41	6
7	–	–	–	–	·06	·08	·02	·07	–	·09	·42	·04	7
8	–	·14	–	·06	–	·20	–	·24	–	–	·14	·01	8
9	·01	·27	–	·09	–	–	·10	–	–	–	·46	–	9
10	–	·13	–	–	·07	·06	[illegible]	–	–	–	·21	–	10
11	·14	·36	–	–	–	·08	·04 [illegible]	·10	·10	–	·27	–	11
12	–	·03	–	–	–	–	·47 ·47	–	–	–	·38	–	12
13	–	–	–	–	·02	–	·05	·08	·03	·16	–	·01	13
14	·03	·03	–	–	·11	·36	·36	·15	–	–	–	–	14
15	·01	·06	–	·02	·05	–	·01	·38	–	–	–	–	15
16	–	·16	–	·07	·43	·31	–	·30	·15	–	–	–	16
17	·09	·02	–	·03	·02	·07	·21	–	·12	–	·05	–	17
18	·15	–	–	·03	–	·06	·18	·57	–	–	·12	–	18
19	–	·06	–	·02	–	·12	–	·05	–	–	·18	–	19
20	·04	·05	·07	–	–	–	–	·29	–	–	·30	–	20
21	–	·02	·14	–	·24	–	–	–	–	–	·08	–	21
22	·33	–	–	–	–	–	–	–	–	–	·01	–	22
23	·17	–	–	·32	·29	–	–	·82	–	–	·16	–	23
24	·13	·02	–	·31	·09	–	·91	·05	–	–	–	–	24
25	·17	–	–	·32	–	–	–	–	–	–	·06	·09	25
26	–	·04	–	·10	–	–	·46	–	–	–	·61	–	26
27	·08	·07	–	–	1·32	–	·10	–	–	–	·10	–	27
28	·17	–	·14	·05	·34	–	–	·06	–	–	–	·05	28
29	·13	×	·13	–	·01	–	·09	–	–	·13	–	–	29
30	–	×	–	–	·02	–	–	·15	–	–	–	–	30
31	·55	×	–	×	–	×	–	–	×	–	×	·19	31
TOTAL	2·51	1·76	1·37	2·54	3·14	2·14	4·41	4·01	1·33	·93	5·19	1·27	YEAR'S TOTAL 30·60
*Days with ·01 in. or more.	18	18	6	17	16	12	17	17	8	7	19	10	165
*Days with ·04 in. or more.	13	13	6	13	11	12	15	16	7	4	18	8	136

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) ~~fr~~ P. Hallam

P.T.O.

2096

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Stogursey High Street

in the County of Somerset

Diameter of Funnel of Gauge ~~8~~ 5 in.

Height of top of Gauge above Ground 0 ft. 9 in.

,, Ground ,, Sea Level 120 ft. ?

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	·12 in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	~~·14~~	–	–	·04	·60	–	·18	·56	–	·02	·02	–	1
2	·[illegible]2	–	–	·01	·36	–	–	·01	·50	–	–	·15	2
3	–	–	–	·24	–	·05	–	–	·14	–	–	–	3
4	–	–	–	–	–	·02	–	·04	–	–	·40	–	4
5	·25	–	·01	–	–	–	–	–	·30	–	–	–	5
6	·50	–	·02	·24	–	–	·16	–	·19	–	–	–	6
7	·17	–	·02	·05	–	–	–	–	·16	·93	–	–	7
8	–	–	·35	–	–	–	–	–	·72	·23	–	–	8
9	·57	–	–	·09	·21	·02	–	–	·32	–	–	–	9
10	·38	–	–	·20	·02	–	–	–	·01	·42	–	–	10
11	·04	–	–	·07	·03	–	·05	–	·02	·10	–	·10	11
12	·36	–	–	·18	·23	–	·22	–	·18	·44	–	–	12
13	·10	–	–	·21	·01	–	–	·39	–	·94	–	·26	13
14	·35	–	–	·08	·15	–	–	–	–	·05	·01	·02	14
15	·02	–	–	·05	–	–	–	–	–	·14	·10	–	15
16	·19	–	–	·01	–	–	–	–	–	–	–	–	16
17	–	–	–	–	–	–	–	–	–	–	·01	–	17
18	–	–	–	–	·07	–	–	–	·10	–	·31	–	18
19	·01	–	–	·03	·05	–	–	–	·05	·32	–	–	19
20	·03	–	–	·14	·97	–	–	–	–	·33	·11	·10	20
21	–	–	·15	·11	·03	–	–	·32	–	·58	·02	·08	21
22	–	–	–	·07	·06	–	·05	–	·80	·04	·22	–	22
23	–	·09	–	–	·12	–	·21	–	·07	·50	·10	·08	23
24	–	·02	–	–	·03	–	·36	–	·06	·11	–	–	24
25	–	–	–	–	–	–	·05	–	·19	·36	·04	–	25
26	–	–	·14	·25	–	–	·05	–	–	·13	·02	–	26
27	–	–	·35	·19	·28	–	·12	–	–	·47	–	·03	27
28	–	–	·30	·05	·01	–	·05	–	–	–	–	–	28
29	–	–	·48	·08	·15	·14	[illegible]	·67	·39	·30	–	·70	29
30	–	×	·28	·02	·01	·66	·14	–	·64	·08	·70	·06	30
31	–	×	·15	×	·01	×	·57	–	×	·01	×	·42	31
TOTAL	3·11	·11	2·25	2·41	3·40	·89	2·21	1·99	4·84	6·50	2·06	2·00	YEAR'S TOTAL 31·77
*Days with ·01 in. or more.	15	2	11	22	20	5	13	6	18	21	13	11	157
*Days with ·04 in. or more.	11	1	8	18	12	3	13	5	16	19	8	9	123

40-9999

(Signed) for P. Hallam

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2096

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Stogursey, High Street

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground • ft 6 in.

,, Ground ,, Sea Level 140 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·54	·14	·09	–	·16	–	–	–	·11	–	–	·56		1
2	·20	–	·44	–	·89	–	–	–	–	–	–	–		2
3	–	–	·14	–	–	–	–	–	–	–	–	–		3
4	·10	–	–	–	·03	–	–	–	–	–	–	–		4
5	·02	–	·34	–	·07	–	–	–	–	–	·06	–		5
6	–	·28	·01	–	·10	–	–	–	–	–	–	–		6
7	·07	·09	–	–	·04	–	·20	–	–	·14	–	–		7
8	–	–	·16	–	·13	–	–	–	–	·13	–	–		8
9	–	·12	–	–	·10	–	–	–	–	·03	–	–		9
10	–	·15	–	–	–	–	–	–	–	·31	·05	–		10
11	–	–	–	–	·22	·18	·12	·10	–	1·25	–	–		11
12	·17	–	–	–	–	·02	·05	–	·62	·21	–	–		12
13	–	–	–	–	–	·02	·08	–	–	–	·09	–		13
14	–	–	–	–	–	–	·18	·12	–	·15	·16	–		14
15	·42	–	·15	–	–	–	·25	·01	–	–	–	·06		15
16	–	–	·56	–	–	–	·01	·03	–	·45	–	–		16
17	·06	·19	·42	–	–	·08	·32	–	–	·18	–	–		17
18	·02	–	·29	–	–	·36	–	–	·08	–	·06	–		18
19	–	·04	·32	–	–	·24	–	–	·15	–	·30	·01		19
20	–	–	–	–	–	·10	–	·07	·05	–	·01	–		20
21	–	–	–	–	–	–	–	·11	·40	·12	·01	–		21
22	–	–	–	·08	·12	–	–	·43	–	–	–	–		22
23	–		–	·21	–	·30	–	·02	·34	·40	–	–		23
24	–	2·14	–	·09	–	–	–	·03	·16	·02	–	–		24
25	–		–	·11	–	·32	–	–	·02	–	–	·06		25
26	–	·78	–	·11	·55	–	–	–	–	·15	–	–		26
27	–	·02	–	·56	·07	–	–	–	–	·58	·10	·34		27
28	–	·15	–	·11	–	–	·04	–	–	·09	–	–		28
29	·09	✕	·01	·09	–	–	–	–	–	–	–	·01		29
30	–	✕	·14	–	–	–	·04	–	·14	–	–	·05		30
31	·19	✕		✕	–	✕	–	–	✕	–	✕	–		31
TOTAL	1·88	4·10	3·07	1·36	2·48	1·62	1·29	·92	2·07	4·21	·84	1·09	Year's Total 24·93	
*Days with ·01 in. or more.	11	13	13	8	12	9	10	9	10	15	9	7	126	
*Days with ·04 in. or more.	9	12	11	8	11	7	9	5	9	13	7	5	106	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) St. Audries

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2096

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Stogursey . HIGH STREET

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 0 ft. 6 in.

,, Ground ,, Sea Level 130 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	—	—	—	~~·05~~	—	—	·37	·36	·01	·09	·26		1
2	·08	—	·07	—	—	—	—	—	—	·01	·14	·19		2
3	·11	~~·03~~	·05	—	—	—	—	—	—	·06	—	·23		3
4	—	—	·01	·38	·31	—	—	·17	—	·46	—	·30		4
5	·03	—	·25	—	·14	—	—	·19	—	·38	·18	·60		5
6	—	—	—	—	·32	—	—	·80	—	·45	·02	·41		6
7	·03	—	·15	—	—	—	—	·09	—	·18	·09	·27		7
8	·10	—	·19	—	·13	—	—	—	—	·06	·65	·35		8
9	—	—	·11	·17	—	—	—	—	—	·04	·04	·17		9
10	·24	—	·03	·18	—	—	—	—	—	—	—	·01		10
11	·48	—	—	·45	—	—	—	·23	·10	—	—	·40		11
12	·04	—	·10	·36	—	—	—	·70	—	—	—	·05		12
13	·35	—	·32	·12	—	—	—	—	—	—	—	·18		13
14	·31	—	·18	·34	—	—	—	—	—	—	·10	·29		14
15	·20	—	—	—	·16	—	—	·01	—	·22	·05	·14		15
16	·01	—	·36	—	·09	—	—	—	—	—	—	·03		16
17	·03	—	·02	—	—	—	—	—	·24	·21	—	·24		17
18	·28	—	·11	·20	—	—	—	·02	—	·01	—	·28		18
19	—	—	·22	·34	—	—	—	—	·25	—	—	·18		19
20	—	—	·10	·10	—	—	·02	—	·11	—	—	—		20
21	—	—	·02	—	—	·24	—	—	—	·12	—	·08		21
22	—	—	·07	—	—	—	—	—	·15	—	—	·57		22
23	—	—	—	—	—	·61	—	—	·09	—	—	·01		23
24	—	·12	·07	—	—	·12	·03	—	·15	·03	—	·03		24
25	·20	·06	·	·18	—	·50	—	—	—	·16	—	·58		25
26	·02	—	·08	·24	—	·21	—	—	·11	·01	—	·07		26
27	—	—	—	·03	—	·01	—	—	—	·09	—	·19		27
28	—	—	—	·06	—	—	·10	1·40	·18	·27	—	·62		28
29	·06	×	—	·13	—	—	—	·48	·05	·34	—	·01		29
30	—	×	—	—	—	·01	—		—	·39	—	·16		30
31	—	×	—	×	—	×	—	·04	×	—	×	·09		31
TOTAL	2·55	·18	2·51	3·28	1·15	1·74	·15	4·50	1·79	3·50	1·36	6·99	Year's Total. 29·70	
* Days with .01 in. or more.	18	2	20	15	6	8	3	12	11	20	9	30	154	
* Days with .04 in. or more.	13	2	16	14	6	6	1	10	11	15	8	25	127	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Dr. P. Hallam St. Audries

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of **Daily Observations.**

Station No. 2096

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Stogursey HIGH STREET

in the County of Somset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	·36	–	–	·07	·18	–	·07	·43	·10	·30		1
2	–	·04	–	–	–	·05	–	–	·12	·13	·04	·03		2
3	–	·01	·15	–	·08	·12	–	–	·56	·22	·10	–		3
4	–	·11	–	·10 ~~·08~~	–	·10	–	–	–	·43	·25	·43		4
5	–	·06	·01	·12	–	·05	–	–	·30	·76	·18	·07		5
6	–	–	–	·30	–	·26	–	–	–	–	·02	·14		6
7	–	–	–	·45	–	·05	–	–	–	·20	–	–		7
8	–	–	–	·19	–	·01	–	–	–	·20	·32	·10		8
9	·02	–	–	·44	–	·18	–	–	·10	·71	·35	–		9
10	–	–	·07	·20	–	·02	–	–	–	·02	–	–		10
11	·33	–	–	–	–	·08	·07	–	·02	·23	·40	–		11
12	·03	·10	–	–	–	·19	–	–	–	–	·05	–		12
13	·09	·03	–	·18	·01	·02	–	–	–	–	·20	–		13
14	–	·06	–	·35	–	·0[illegible]	–	–	·30	–	1·13	·20		14
15	–	·04	–	·80	·08	·04	–	–	·01	–	·02	·28		15
16	–	·12	·03	·28	–	–	–	·03	·23	·04	1·21	·01		16
17	–	–	–	·08	·50	·32	–	·50	·01	–	·01	–		17
18	–	–	–	·20	·25	–	·03	·06	·10	·02	–	·02		18
19	–	–	–	·04	·04	·07	·07	–	·14	·12	·15	·04		19
20	–	·32	–	·32	·26	–	·10	–	–	–	·31	·02		20
21	–	·43	·04	·01	–	–	·07	–	·39	·14	–	–		21
22	–	·08	·10	–	–	–	–	·04	·17	·03	–	·02		22
23	–	·10	·05	·02	·15	–	–	·32	·15	·50	–	·30		23
24	·03	·18	·14	–	·15	–	–	–	·13	·14	–	·17		24
25	·24	·29	–	·19	·05	·03	–	·14	–	–	–	·13		25
26	–	·60	–	–	–	–	–	·25	·17	–	·20	·62		26
27	–	·05	–	–	–	–	–	·64	·02	·03	·05	·63		27
28	–	·02	–	–	–	–	–	–	·07	·04	·03	·04		28
29	–	✕	–	–	–	–	–	–	·05	·03	·10	·26		29
30	·02	✕	–	–	–	–	–	·55	·21	·12	1·34	·25		30
31	–	✕	–	✕	–	✕	–	·20	✕	·69	✕	·45		31
TOTAL	·76	2·64	·95	4·27	1·57	1·68	·52	2·73	3·32	5·23	6·56	4·51	Year's Total 34·74	
* Days with .01 in. or more.	7	18	9	18	10	18	6	10	21	22	22	22	163	
* Days with .04 in. or more.	3	15	7	16	9	13	5	9	17	17	18	17	146	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

for P. Hallam

P.T.O.

FORM 1090. **B** Mon
Sum

2096/5

STOGURSEY SCHOOL
1934, 35

780314

20965

V/Somerset/4

*** The following register of monthly … and also the space for &c., is NOT required if daily or … values are given on the other si…

…gister should be sent:— Bridgwater.

RAINFALL IN 193~~4~~

At Stogursey School
In the County of Somerset

Rain Gauge
Diameter of Funnel 5
Height of Top above Ground 1 ft 0
Height of Ground above Sea Level 14

…in Summer
10 Direction from gauge SE
… yds Direction from gauge E

Month.	Total Depth.	Greatest Fall in 24 hours.		Num Day ·01in or more	or mor
	Inches	Inches	Date	*	*
JAN.					
FEB.					
MAR.					
APRIL					
MAY					
JUNE					
JULY					
AUG.					
SEPT.					
OCT.					
NOV.					
DEC.					
Total	30·45				

Directions from gauge ..

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

don't print unless we get monthly values but put in Wyrbls ? 25/7
~~In close agreement with other two stations at Stogursey.~~

Flinch 1/7/35.

Circ A requesting monthly totals sent 2/7/35
Flinch.

Signature

H. T. Gough Esq.,

*See Instruction 2 (*f*) below.

Inserted in pages 7/8/35

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

N

20965

v/Somerset/4

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934.

At Stogursey School

In the County of Somerset

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft* 0 *in.*
Height of Ground above Sea Level 140 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.					
FEB.					
MAR.					
APRIL					
MAY					
JUNE					
JULY					
AUG.					
SEPT.					
OCT.					
NOV.					
DEC.					
Total	30·45				

Signature ~~[illegible]~~

X H. T. Gough Esq. X

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
Mr H. T. Gough, Stogursey School, Bridgwater.

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station Bridgwater Distance 10 Direction from gauge SE

Nearest Parish Church at Stogursey Distance 400 yds Direction from gauge E

Nature of objects nearest to gauge				
Height of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

do not print unless we get monthly values but put in [illegible] at 25/7

~~In close agreement with other two stations at Stogursey.~~

[illegible] 1/7/35.

[illegible]

Circ A requesting monthly totals sent 2/7/35
[illegible]

Inserted in pages [illegible] 7/8/35.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\ \cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

N

STOGURSEY SCHOOL

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 209615

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Stogursey Church of England SCHOOL

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 140? ft.

1934 rp. years total not reqd. Requested monthly totals in future

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						·04	·18	–	·07	·33	·11	·24		1
2						·08	–	–	·11	·15	·06	·03		2
3						·15	–	–	·46	·22	·23	–		3
4						·06	–	–	·10	·33	·13	·40		4
5						·02	–	–	·28	·65	·19	·07		5
6						·22	–	–	–	–	·02	·15		6
7						·04	–	–	–	·22	·02	·07		7
8						·03	–	–	–	·17	·32	·05		8
9						·20	–	–	·09	·67	·25	·03		9
10						·02	–	–	–	·02	–	–		10
11						·08	·11	–	·03	·22	·46	–		11
12						·14	–	–	–	–	·05	–		12
13						·02	–	–	–	–	·22	–		13
14						·16	–	–	·32	–	1·16	·21		14
15						–	–	–	·02	–	·04	·25		15
16						–	·01	·05	·21	·03	1·07	–		16
17						·21	·04	·42	–	·02	–	–		17
18						~~0~~	–	·05	·10	·02	–	·04		18
19						·11	·22	–	·14	·12	·15	·04		19
20						–	–	–	–	–	·31	·02		20
21						–	·08	–	·39	·13	·01	–		21
22						–	–	–	·15	·03	–	·02		22
23						–	–	·15	·17	·50	·01	·30		23
24						–	–	·17	·10	·10	–	·17		24
25						·04	–	–	–	·01	–	·13		25
26						–	–	·14	·17	–	·20	·58		26
27						–	–	·26	·03	·04	·05	·64		27
28						–	–	·65	·07	·02	·03	–		28
29						·01	–	–	·11	·03	·10	·34		29
30		✕				–	–	·54	·18	·09	1·28	·27		30 Print
31		✕		✕		✕		·20	✕	·68	✕	·38	d	31
TOTAL	·86	2·62	·98	4·16	1·66	1·63	·64	2·63	3·30	4·80	6·47	4·43	Year's Total 34·18	
* Days with .01 in. or more.						18	6	10	21	24	24	22	–	
* Days with .04 in. or more.						13	5	10	18	16	19	18	–	

40-9999. H. T. GOUGH Esq.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) S. Andrews for H. T. Gough [P.T.O.

2097

Section **A** for the entry of D

AIR MINISTRY.

FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

REGIST

2097

STOGURSEY

FAIRFIELD HOUSE

1931 — 40

780314

Kept at Stogursey. F

in the County of Somerse

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASUR

An observer who does not conform to t … *llowing*

year in the space on the right of this

Jan. 1, following

Date	Jan.	Feb.	March							Nov.	Dec.	Date
	in.	in.	in.							in.	in.	
1	·02	·16	—	·18	—	—	·07	—	·25	·02	—	—	1
2	·25	—	—	·69	·10	—	—	—	·21	—	·10	·17	2
3	·03	—	·70	—	—	—	—	—	·54	—	1·37	·07	3
4	·01	—	·16	·05	—	·18	·35	·63	·06	·01	—	—	4
5	—	·10	—	·10	—	·63	·23	·08	—	—	·16	·22	5
6	—	·06	—	·10	·03	·08	·69	Trace	—	·49	·20	·41	6
7	—	Trace	—	—	·06	·09	·08	·24	—	·09	·47	·09	7
8	·02	·17	—	·11	—	·23	·02	·15	—	—	·06	·01	8
9	—	·25	—	·05	—	·04	·07	—	—	—	·48	—	9
10	—	·11	—	—	·06	·06	·05	—	—	—	·20	—	10
11	·14	·31	—	—	—	·05	·04	·10	·12	—	·27	—	11
12	—	·02	—	—	—	—	·36	—	·02	·16	—	—	12
13	—	—	—	—	·02	—	·08	·15	·03	·01	—	Trace	13
14	·04	·04	—	—	·13	·41	·45	·10	·05	—	·39	—	14
15	—	·07	—	·03	·04	—	—	·56	—	—	—	·06	15
16	—	·14	—	·07	·33	·32	—	·28	·18	—	—	—	16
17	—	·02	—	·02	·01	·06	·20	—	·08	—	·01	—	17
18	·08	—	—	·03	—	·10	·18	·60	—	—	·17	—	18
19	·13	·09	—	·02	—	·10	Trace	·08	·03	—	·24	·01	19
20	—	·05	·06	—	—	—	—	·29	—	—	·25	—	20
21	·03	·02	—	Trace	·30	—	—	—	—	—	·08	—	21
22	·32	·01	·11	—	·01	—	—	—	—	—	·02	—	22
23	·16	—	—	·42	·31	·02	—	1·15	—	—	·18	—	23
24	·14	·02	—	·37	·07	—	·92	·04	—	—	—	—	24
25	·17	—	—	·29	—	—	·05	—	—	—	·05	·03	25
26	—	·03	—	·10	—	—	·40	—	—	—	·68	·03	26
27	·07	·06	—	—	2·11	—	·09	—	—	Trace	·12	Trace	27
28	·18	·01	·12	·06	·15	—	·02	·07	—	·01	—	·03	28
29	·11	×	·14	—	Trace	—	·08	·03	—	·12	·03	·01	29
30	·01	×	—	—	·02	—	—	·16	·01	—	—	—	30
31	·62	×	—	×	·09	×	—	—	×	—	×	·21	31
TOTAL	2·53	1·68	1·29	~~3·84~~ 2·69	3·84	2·37	4·43	4·71	1·58	·91	5·53	1·35	YEAR'S TOTAL 32·91
*Days with ·01 in. or more.	19	20	6	17	17	14	20	17	12	8	21	13 13	184
*Days with ·04 in. or more.	13	13	6	13	12	13	18	16	8	4	18	7	141

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) S. Audries

[P.T.O.

2097

Section A for the entry of [redacted] FOR OFFICIAL USE.

AIR MINISTRY.~~—METEOROLOGICAL OFFICE.—BRITISH RAINFALL~~ ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Stogursey Fairfield House

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·10	—	·18	—	—	·07	—	·25	·02	—	—	1
2	·25	—	—	·69	·10	—	—	—	·21	—	·10	·17	2
3	·03	—	·70	—	—	—	—	—	·54	—	1·37	·07	3
4	·01	—	·16	·05	—	·18	·35	·63	·06	·01	—	—	4
5	—	·10	—	·10	—	·63	·23	·08	—	—	·16	·22	5
6	—	·06	—	·10	·03	·08	·69	Trace	—	·49	·20	·41	6
7	—	Trace	—	—	·06	·09	·08	·24	—	·09	·47	·09	7
8	·02	·17	—	·11	—	·23	·02	·15	—	—	·06	·01	8
9	—	·25	—	·05	—	·04	·07	—	—	—	·48	—	9
10	—	·11	—	—	·06	·06	·05	—	—	—	·20	—	10
11	·14	·31	—	—	—	·05	·04	·10	·12	—	·27	—	11
12	—	·02	—	—	—	—	·36	—	·02	·16	—	—	12
13	—	—	—	—	·02	—	·08	·15	·03	·01	—	Trace	13
14	·04	·04	—	—	·13	·41	·45	·10	·05	—	·39	—	14
15	—	·07	—	·03	·04	—	—	·56	—	—	—	·06	15
16	—	·14	—	·07	·33	·32	—	·28	·18	—	—	—	16
17	—	·02	—	·02	·01	·06	·20	—	·08	—	·01	—	17
18	·08	—	—	·03	—	·10	·18	·60	—	—	·17	—	18
19	·13	·09	—	·02	—	·10	Trace	·08	·03	—	·24	·01	19
20	—	·05	·06	—	—	—	—	·29	—	—	·25	—	20
21	·03	·02	—	Trace	·30	—	—	—	—	—	·08	—	21
22	·32	·01	·11	—	·01	—	—	—	—	—	·02	—	22
23	·16	—	—	·42	·31	·02	—	1·15	—	—	·18	—	23
24	·14	·02	—	·37	·07	—	·92	·04	—	—	—	—	24
25	·17	—	—	·29	—	—	·05	—	—	—	·05	·03	25
26	—	·03	—	·10	—	—	·40	—	—	—	·68	·03	26
27	·07	·06	—	—	2·11	—	·09	—	—	Trace	·12	Trace	27
28	·18	·01	·12	·06	·15	—	·02	·07	—	·01	—	·03	28
29	·11	×	·14	—	Trace	—	·08	·03	—	·12	·03	·01	29
30	·01	×	—	—	·02	—	—	·16	·01	—	—	—	30
31	·62	×	—	×	·09	×	—	—	×	—	×	·21	31
TOTAL	2·53	1·68	1·29	~~3·84~~	3·84	2·37	4·43	4·71	1·58	·91	5·53	1·35	YEAR'S TOTAL 32·91
*Days with ·01 in. or more.	19	20	6	2·69 17	17	14	20	17	12	8	21	13 13	184
*Days with ·04 in. or more.	13	13	6	13	12	13	18	16	8	4	18	7	141

40-9999

(Signed) S. Andrews [P.T.O.

*See Instruction 2 (*f*) on other side.

2097

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932

Kept at STOGURSEY. FAIRFIELD House

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12	-	-	·03	·75	-	·20	·57	TRACE	·03	·01	-	1
2	·02	-	-	·02	·18	-	TRACE	-	·58	·01	-	·16	2
3	-	-	-	·25	TRACE	·04	·05	-	·11	-	TRACE	·02	3
4	·01	-	-	-	-	·02	-	·07	-	·02	·40	-	4
5	·29	-	·03	-	-	-	-	·01	·28	-	-	-	5
6	·48	-	·02	·23	-	-	-	-	·15	-	-	-	6
7	·17	-	·02	·07	·02	-	-	-	·81	1·09	-	-	7
8	-	-	·35	-	·08	-	-	-	·27	·20	-	-	8
9	·62	·01	-	·08	·12	-	TRACE	-	·26	-	-	-	9
10	·41	TRACE	-	·25	·01	·03	-	-	·03	·44	-	-	10
11	·02	-	-	·03	·07	-	TRACE	-	·01	·09	-	·10	11
12	·37	-	-	TRACE	·18	-	-	-	·18	·46	-	·01	12
13	·10	-	-	·21	·01	-	·22	·44	TRACE	·93	-	·28	13
14	·37	-	-	·21	·05	-	-	-	-	·04	·02	·02	14
15	TRACE	-	-	·15	·15	-	-	-	-	·08	·09	TRACE	15
16	·21	-	-	·08	-	-	·03	-	-	TRACE	-	-	16
17	-	-	-	·02	·01	-	-	-	-	-	·02	-	17
18	-	-	-	-	·06	-	-	-	·13	-	·30	-	18
19	·01	-	-	·08	·10	-	-	-	·05	·29	TRACE	-	19
20	·03	-	-	·08	·96	-	-	·02	-	·34	·13	·10	20
21	TRACE	-	·11	·14	TRACE	-	-	·27	·01	·60	·05	·11	21
22	-	-	·03	·06	-	-	·03	·02	·84	·16	·17	·02	22
23	-	·04	-	-	·17	-	·25	-	·08	·36	·10	·08	23
24	-	TRACE	-	-	·08	-	·37	-	·07	·12	TRACE	-	24
25	-	·02	·04	·02	·03	-	·12	-	·19	·39	·03	·01	25
26	-	-	·10	·21	-	-	·03	-	-	·15	·07	-	26
27	-	-	·37	·20	·26	-	·13	-	-	·44	·02	·02	27
28	-	-	·28	·11	·04	-	·04	TRACE	-	-	-	·02	28
29	-	-	·47	·09	·16	·17	·01	·50	·38	·29	·02	·70	29
30	·01	×	·27	·01	·05	·70	·49	·02	·67	·10	·64	·04	30
31	-	×	·21	×	·01	×	·28	-	×	·01	×	·47	31
TOTAL	3·24	·07	2·30	2·63	3·55	·96	2·25	1·92	5·10	6·64	2·07	2·16	YEAR'S TOTAL 32·89
*Days with ·01 in. or more.	16	3	13	23	23	5	14	9	19	23	15	16	179
*Days with ·04 in. or more.	10	1	9	17	17	3	10	5	16	19	9	9	125

40-9999

(Signed) St. Audries

[P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2097

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Stogursey, Fairfield House

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·52	·12	·09	–	·15	–	–	–	·12	–	–	·56		1
2	·23	–	·41	–	·94	·14	–	–	–	–	–	·02		2
3	–	·08	·14	–	·01	TRACE	–	–	–	–	–	–		3
4	·13	TRACE	·02	–	·03	–	–	–	–	–	–	–		4
5	·05	–	·38	–	·08	–	–	–	–	–	·04	–		5
6	TRACE	·19	·04	–	·10	–	·20	–	–	·13	–	–		6
7	·05	·09	·02	–	·03	–	TRACE	TRACE	–	·21	–	–		7
8	TRACE	–	·13	–	·14	–	·04	TRACE	–	·02	–	–		8
9	–	·10	–	–	·12	TRACE	·11	–	–	·37	·01	–		9
10	·04	·10	–	–	–	–	TRACE	·01	–	1·44	·06	–		10
11	·10	–	–	–	–	·07	·15	·08	–	·20	–	–		11
12	·01	–	–	·06	·01	·03	·12	–	·64	–	–	–		12
13	·01	–	TRACE	–	·12	·04	·29	·02	–	·12	·02	–		13
14	·02	–	–	–	–	–	–	·02	–	·01	·31	–		14
15	·45	–	·20	–	–	–	·50	·03	–	·41	·01	·04		15
16	–	·01	·52	–	–	·04	–	·02	–	·06	–	TRACE		16
17	·01	·20	·39	–	–	·37	TRACE	–	–	–	–	–		17
18	·05	–	·26	–	–	·15	–	–	–	–	·04	–		18
19	·02	–	·36	–	–	TRACE	–	·01	·06	–	·31	TRACE		19
20	–	·02	–	–	–	·09	–	·06	·19	–	TRACE	·01		20
21	–	·03	–	–	·13	·01	–	·09	–	·10	·01	–		21
22	–	–	–	·02	TRACE	–	–	·46	·10	–	–	–		22
23	–	×·49	–	·20	–	·29	–	·07	·33	·42	–	–		23
24	–	×·95	–	·09	–	–	–	·02	–	·02	–	–		24
25	–	×·82	–	·12	·02	·37	–	–	·37	–	–	·08		25
26	–	·66	–	·15	·66	–	–	–	·14	·30	–	·01		26
27	–	·01	–	–	TRACE	–	–	–	·02	·42	–	·34		27
28	–	·11	–	·42	–	–	·05	–	–	·10	–	TRACE		28
× 29	·08		·01	·13	–	–	TRACE	–	–	–	–	·01		29
SNOW 30	·04	×	·11	·09	–	–	·05	–	·06	·03	–	·05		30
31	·16	×	·01	×	–	×	–	–	×	TRACE	×	•·01		31
TOTAL	1·97	3·98	3·09	1·28	2·54	1·60	1·51	·89	2·03	4·36	·81	1·13	Year's Total 25·19	• Heavy white frost
*Days with ·01 in. or more.	17	16	16	9	14	11	9	12	10	17	9	10	150	
*Days with .04 in. or more.	12	12	12	8	9	9	9	5	9	13	5	5	108	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) St. Audries

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2097

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Stogursey · FAIRFIELD HOUSE

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	–	–	–	–	·01	–	·44	·04	TRACE	·14	·23		1
2	·13	–	·06	–	–	–	–	–	·35	TRACE	·11	·19		2
3	·01	–	–	TRACE	–	–	–	·11	–	·10	–	·26		3
4	·13	–	·05	·32	·31	–	–	·12	·27	·57	–	·35		4
5	TRACE	–	·02	·02	·20	–	–	·74	–	·20	·21	·59		5
6	TRACE	–	·24	·16	·31	–	–	–	·01	·40	–	·42		6
7	·11	–	–	–	–	–	–	·10	–	·20	·04	·29		7
8	–	–	–	–	·17	–	–	·01	–	·05	·10	·44		8
9	·01	–	·16	·09	–	–	–	TRACE	–	·05	·60	·17		9
10	·29	–	·20	·48	–	–	–	·44	–	–	·03	·02		10
11	·51	–	·03	·33	–	–	·02	·05	–	–	–	·42		11
12	·05	TRACE	–	·13	–	–	–	·47	–	–	–	·03		12
13	·42	TRACE	·12	·36	–	–	–	–	TRACE	·02	·01	·19		13
14	·30	–	·39	TRACE	–	–	–	–	–	·03	·10	·25		14
15	·13	–	·15	–	·17	–	–	·01	·07	·23	·05	·15		15
16	·02	·01	·41	–	–	–	–	–	·14	·01	TRACE	·02		16
17	·08	–	·03	·24	·03	–	–	–	·06	·18	–	·23		17
18	·16	–	·10	·43	–	–	–	–	–	·01	–	·28		18
19	–	–	·22	–	TRACE	·17	–	·03	·20	–	–	·16		19
20	TRACE	–	·12	·12	–	–	·01	–	·03	–	·01	·01		20
21	–	–	·04	–	TRACE	·24	–	·02	·01	·15	·02	·07		21
22	–	–	·07	–	–	–	–	TRACE	·11	TRACE	–	·50		22
23	–	–	·01	·16	–	·66	·04	·02	·11	–	–	·01		23
24	–	·13	·05	–	–	·09	·01	–	·10	·03	–	·01		24
25	·22	·10	–	·22	–	·62	–	–	TRACE	·20	–	·57		25
26	·02	–	·08	·06	–	·20	–	–	·12	TRACE	TRACE	·10		26
27	–	–	–	·07	–	·01	–	–	TRACE	·09	–	·19		27
28	–	–	–	·12	–	TRACE	·10	1·47	·18	·29	–	·65		28
29	–	×	–	–	–	–	–	·30	·04	·31	–	TRACE		29
30	·07	×	–	–	–	–	·02	·02	·01	·41	–	·17		30
31	TRACE	×	–	×	–	×	–	–	×	TRACE	×	·09		31
TOTAL	2·68	·24	2·55	3·31	1·19	2·00	·20	4·35	1·85	3·53	1·42	7·06	Year's Total. 30·38	
* Days with .01 in. or more.	18	3	20	16	6	8	6	16	17	20	12	30	172	
* Days with .04 in. or more.	13	2	16	15	5	6	2	10	13	15	8	24	129	

40-9999

† Spare column, no entries required.

(*Signed*) S. C. Andrews

* See Instruction 2 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL ~~USE.~~

Section **A** for the entry of Daily Observations.

Station No. 2097

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Stogursey Fairfield House

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	TRACE	·38	–	–	·02	·17	–	·07	·35	·09	·27		1
2	–	·03	TRACE	–	–	·11	–	–	·06	·16	·08	·04		2
3	–	·01	·13	–	·07	·13	–	–	·51	·27	·20	–		3
4	–	·11	–	·08	·01	·15	–	–	·11	·42	·18	·40		4
5	–	·06	·02	·08	–	·03	–	–	·30	·58	·21	·07		5
6	–	–	–	·32	–	·36	–	–	–	–	·03	·16		6
7	–	–	–	·48	–	·07	–	–	–	·23	TRACE	·05		7
8	–	–	–	·19	–	·02	–	–	–	·13	·32	·08		8
9	·02	–	–	·49	–	·13	–	–	·08	·74	·19	·03		9
10	–	–	·07	·20	–	·02	–	–	–	·02	·03	TRACE		10
11	·31	–	–	–	–	·07	·05	–	·03	·20	·47	–		11
12	·04	·12	–	–	–	·20	–	TRACE	–	–	·06	–		12
13	·10	·03	–	·19	·02	·02	–	–	–	·01	·24	–		13
14	–	·03	–	·34	–	·03	–	–	·34	–	1·24	·28		14
15	–	·05	–	·80	·08	·05	–	TRACE	·05	–	·09	·33		15
16	–	·03	·03	·24	–	–	·01	·03	·27	·02	1·18	·02		16
17	–	–	–	·02	·52	·24	–	·40	TRACE	·01	·02	–		17
18	–	TRACE	–	·26	·02	–	·03	·05	·14	·08	–	·02		18
19	–	–	–	·05	·23	·10	·08	–	·13	·07	·15	·03		19
20	–	·23	TRACE	·28	·20	–	·10	–	TRACE	–	·33	–		20
21	–	·41	·01	·01	–	–	·08	–	·34	·16	·01	·01		21
22	–	·07	·14	·03	–	–	–	TRACE	·15	·03	–	–		22
23	–	·11	·12	·01	·20	–	–	·06	·20	·46	–	·21		23
24	·04	·29	·06	–	·17	–	–	·26	·10	·10	–	·18		24
25	·25	·36	–	·18	·06	·04	–	–	–	–	–	·11		25
26	–	·67	–	–	–	–	–	·15	·15	TRACE	·22	·61		26
27	–	·05	–	–	–	–	–	·30	·03	·04	·04	·62		27
28	TRACE	·02	–	–	–	–	–	·67	·07	·03	·05	–		28
29	–	✕	–	–	–	–	–	–	·11	·03	·10	·35		29
30	·01	✕	–	TRACE	–	TRACE	–	·52	·18	·10	1·26	·29		30
31	–	✕	–	✕	·10	✕	–	·20	✕	·79	✕	·33		31
TOTAL	·77	2·68	·96	4·25	1·68	1·79	·52	2·64	3·42	5·03	6·79	4·49	Year's Total 35·02	
* Days with .01 in. or more.	7	18	9	19	12	18	7	10	21	24	24	22	191	
* Days with .04 in. or more.	5	12	6	15	9	12	5	9	19	17	20	17	146	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) St. Audries

[P.T.O.

COPY FOR OFFICIAL USE Copy by BRO.

Section **A** for the entry of Daily Observations Station No. 2097

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at Fairfield Stogursey

in the County of Somerset

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	tr	·08	·03	·05		·14	·46	tr			·06	·06		1
2	tr			·11		·33			·18		·08			2
3				·61		·11	·04	·07	·75		·14	·04		3
4			·09	·01		·01	tr	·01	1·37		19	·65		4
5	·47		·02				·40	·01	·28		·01	·06		5
6	·05					·06	·04	·03	·01		·08			6
7	·10		·04				·08		·02		·73	·01		7
8	·23		·05				·85		tr		·23			8
9	·34		·53			·01	·15		·08		·28			9
10	·01						·01				·33			10
11	·15			tr		·14	tr	·07	·05		·32	·02		11
12				·15		·08	·33	·01	·62		·10	tr		12
13	·08		tr			·04	·03	·01		·09		·75		13
14		·03		·22		·01	·62		·21	·01	·05	·45		14
15		·01			·13				·13		·06	·25		15
16	·01	·06		·09	·32		·05		·08		·08	·14		16
17	·25	·52			·37		·15			·07	·03	·21		17
18	·04	·15			·22	·71	·36	·01		·05		·10		18
19	·47	·03	·03	·17		1·45	tr	tr				tr		19
20	·10	·20	·11	·05		·19	·02	·03	·65			tr		20
21	·03		·07	·68		tr			·01					21
22	·09	·78	·52				·19			·13		·01		22
23	·01	·13	·29	·13	·23		·01			·05		tr		23
24	·07	·02	tr		·18		·02		·05	·14	·01			24
25	·17		·37	·24			·23		·51	·20	·03			25
26	·13	·12	·30				·15		·02	·04				26
27	·04	·13	·05				·35			·28		tr		27
28	·57	tr	·45	·03			·06				·01	·13		28
29	·01	·14	tr			·10				·03	·07	·22		29
30	·06	✕	·05			·02	·02			·40		tr		30
31	·08	✕	·25	✕	·10	✕	·23		✕	·09	✕	·15		31
TOTAL	3·56	2·40	3·25	2·54	1·55	3·40	4·85	·25	5·02	1·58	2·89	3·25	Year's Total 34·54	
* Days with .01 in. or more.	24	14	17	13	7	15	24 ~~27~~	9	17	13	20	16	~~192~~ 189	
* Days with .04 in. or more.	19	10	14	11	7	11	18	2	13	11	15	13	144	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) The Lord St Audries * [P.T.O.

* per Mid-Wessex Rainfall Ass.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2097

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Stogursey. Fairfield House

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 150 ft.

Received 8/37

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	TRACE	·08	·03	·05	–	·14	·46	TRACE	–	–	·06	·06		1
2	TRACE	–	–	·11	–	·33	–	–	·18	–	·08	–		2
3	–	–	–	·61	–	·11	·04	·07	·75	–	·14	·04		3
4	–	–	·09	·01	–	·01	TRACE	·01	1·37	–	·19	·65		4
5	·47	–	·02	–	–	–	·40	·01	·28	–	·01	·06		5
6	·05	–	–	–	–	·06	·04	·03	·01	–	·08	–		6
7	·10	–	·04	–	–	–	·08	–	·02	–	·73	·01		7
8	·23	–	·05	–	–	–	·85	–	TRACE	–	·23	–		8
9	·34	–	·53	–	–	·01	·15	–	·08	–	·28	–		9
10	·01	–	–	–	–	–	·01	–	–	–	·33	–		10
11	·15	–	–	TRACE	–	·14	TRACE	·07	·05	–	·32	·02		11
12	–	–	–	SNOW WATER ·15	–	·08	·33	·01	·62	–	·10	TRACE		12
13	·08	–	TRACE	–	–	·04	·03	·01	–	·09	–	·75		13
14	–	·03	–	·22	–	·01	·62	–	·21	·01	·05	·45		14
15	–	·01	–	–	·13	–	–	–	·13	–	·06	·25		15
16	·01	·06	–	·09	·32	–	·05	–	·08	–	·08	·14		16
17	·25	·52	–	–	·37	–	·15	–	–	·07	·03	·21		17
18	·04	·15	–	–	·22	·71	·36	·01	–	·05	–	·10		18
19	·47	·03	·03	·17	–	1·45	TRACE	TRACE	–	–	–	TRACE		19
20	·10	·20	·11	·05	–	·19	·02	·03	·65	–	–	TRACE		20
21	·03	–	·07	·68	–	TRACE	–	–	·01	–	–	–		21
22	·09	·78	·52	–	–	–	·19	–	–	·13	–	·01		22
23	·01	·13	·29	·13	·23	–	·01	–	–	·05	–	TRACE		23
24	·07	·02	TRACE	–	·18	–	·02	–	·05	·14	·01	–		24
25	·17	–	·37	·24	–	–	·23	–	·51	·20	·03	–		25
26	·13	·12	·30	–	–	–	·15	–	·02	·04	–	–		26
27	·04	·13	·05	–	–	–	·35	–	–	·28	–	TRACE		27
28	·57	TRACE	·45	·03	–	–	·06	–	–	–	·01	·13		28
29	·01	·14	TRACE	–	–	·10	–	–	–	·03	·07	·22		29
30	·06	×	·05	–	–	·02	·02	–	–	·40	–	TRACE		30
31	·08	×	·25	×	·10	×	·23	–	×	·09	×	·15		31
TOTAL	3·56	2·40	3·25	2·54	1·55	3·40	4·85	·25	5·02	1·58	2·89	3·25	Year's Total. 34·54	
* Days with .01 in. or more.	24	14	17	13	7	15	24	9	17	13	20	16	189	
* Days with .04 in. or more.	19	10	14	11	7	11	18	2	13	11	15	13	144	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) St. Audries

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2097

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at STOGURSEY. Fairfield House

in the County of Somerset

Diameter of Funnel of Gauge 5 ins

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·20	–	–	·13	–	–	–	–	·10	·02	·04	·34		1
2	·02	·20	–	·06	–	–	–	–	·09	–	–	·02		2
3	–	·16	·03	·22	·25	–	–	–	–	–	–	–		3
4	·12	·25	–	·16	·14	–	·02	·03	–	–	–	·43		4
5	·26	–	·10	–	~~·02~~	–	·40	–	–	–	–	·02		5
6	·19	·27	x·42	·28	·02	–	·09	–	TR.	·03	–	–		6
7	–	·45	·03	·13	–	–	–	–	·02	–	TR	·12		7
8	–	·07	–	–	·17	–	·07	–	·01	–	·19	–		8
9	–	–	x·03	·03	·11	–	·01	·09	·91	–	–	·05		9
10	·05	·02	·93	·65	–	·09	·05	·06	–	–	–	·48		10
11	TR.	–	·34	·05	·42	·02	·45	·06	–	–	–	·09		11
12	·47	·21	·13	·15	–	·34	·03	·09	·83	–	–	·40		12
13	–	·06	·61	·40	–	·02	–	·08	·04	–	–	·09		13
14	–	·01	·06	·07	–	–	·28	TR.	·08	–	–	·07		14
15	·48	·04	·04	·19	–	–	·99	·01	·22	–	–	·04		15
16	·07	·15	·45	·07	–	·04	–	·22	·50	–	–	–		16
17	·85	·07	·48	–	–	–	–	–	·73	–	·26	–		17
18	·16	·14	·28	–	–	·09	–	–	1·10	–	·18	·20		18
19	·23	·04	·03	·07	·13	TR.	–	–	·08	–	·33	·07		19
20	·65	TR.	·22	·18	·02	–	–	–	–	–	–	·22		20
21	·15	·44	·33	·22	·27	–	·21	–	·01	·02	·02	·02		21
22	·20	–	x·25	–	·11	–	·10	–	–	·49	·50	·02		22
23	·20	·17	·02	–	·03	–	–	–	–	·16	·21	–		23
24	·72	·30	–	–	–	–	–	–	·05	·50	·02	–		24
25	–	·66	·30	–	·14	–	–	–	·01	·37	–	·02		25
26	–	·33	·01	–	·14	–	–	–	–	–	–	·01		26
27	–	·29	–	·02	–	–	–	–	–	·50	–	–		27
x Snow 28	x·25	·02	–	–	–	–	–	–	–	·17	–	–		28
29	x·05	✕	–	–	–	·02	–	–	–	·68	·37	–		29
30	·34	✕	–	–	–	–	–	·01	–	·03	·19	–		30
31	·20	✕	–	✕	–	✕	–	–	✕	·20	✕	–		31
TOTAL	5·86	4·35	5·09	3·08	1·95	·62	2·70	·65	4·78	3·17	2·31	2·71	Year's Total 37·27	
* Days with .01 in. or more.	21	22	21	18	13	7	12	9	16	12	11	19	181	
* Days with .04 in. or more.	20	19	15	16	10	4	9	6	12	8	9	13	141	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) St. Audries

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2097

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Stogursey · Fairfield House

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·15	–	–	–	·55	·01	·72	–	·31	·04	·42		1
2	–	·06	–	·05	·05	–	·02	–	–	·37	·02	·09		2
3	–	–	–	–	·23	·02	·02	·08	·09	·33	·01	–		3
4	·01	–	–	–	–	·25	·41	·60	–	·25	–	·06		4
5	–	–	–	–	–	·06	·12	–	·01	·32	–	·18		5
6	·14	–	–	–	–	·05	·75	–	·03	·10	–	·04		6
7	·15	–	–	–	–	–	·39	Trace	·04	·24	–	·03		7
8	·55	·01	–	–	–	–	·18	·17	–	·22	–	·01		8
9	·25	·20	–	–	–	–	·02	·05	–	·01	–	·48		9
10	·03	·01	–	–	–	–	·01	·11	–	·01	–	·34		10
11	·09	Trace	–	–	–	–	·04	·09	–	–	·15	·53		11
12	·23	–	–	–	·11	–	–	–	–	·10	·28	·09		12
13	·01	–	–	–	·04	–	–	–	–	·01	·13	·67		13
14	·50	–	–	–	·04	–	·35	–	·03	–	Trace	–		14
15	·16	–	–	–	·08	–	·08	·01	–	·04	·02	·34		15
16	·22	Trace	–	–	·02	–	–	·03	–	–	·06	Trace		16
17	–	·10	–	–	–	–	·05	–	·04	·13	Trace	–		17
18	·15	–	–	–	·04	·04	–	·01	·82	·05	·35	–		18
19	·01	–	–	–	–	–	–	Trace	·08	–	·40	–		19
20	–	–	–	–	–	–	–	·08	–	–	·19	–		20
21	·02	–	–	–	–	–	–	·06	·09	·01	·15	·02		21
22	–	–	–	·02	–	·08	–	·24	·22	·01	·22	·01		22
23	–	–	–	·04	–	·01	–	·01	·04	–	·23	–		23
24	–	–	·16	–	·02	–	–	·14	·04	–	·13	Trace		24
25	·07	·18	·03	–	·21	–	·19	·10	–	·09	·36	·04		25
26	·27	·18	Trace	–	·14	·04	·03	–	–	·10	·13	·06		26
27	·07	·02	–	–	·21	·07	·17	·38	·04	·05	·20	–		27
28	·06	·07	–	–	·10	·27	·02	·70	·03	–	·08	·01		28
29	·13	✕	Trace	–	·41	–	–	–	·05	·17	·18	·04		29
30	·03	✕	–	–	·16	·08	–	–	·43	·04	·29	·09		30
31	·24	✕	–	✕	·13	✕	–	–	✕	·11	✕	·14		31
TOTAL	3·39	·98	·19	·11	1·99	1·52	2·86	3·58	2·08	3·07	3·62	3·69	Year's Total 27·08	
* Days with .01 in. or more.	22	·10	2	3	16	12	18	18	16	23	21	21	182	
* Days with .04 in. or more.	16	7	1	2	14	10	11	14	12	18	18	16	139	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) St Audries

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2097

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Stogursey, Fairfield House
in the County of Somerset
Diameter of Funnel of Gauge 5 in. 5
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	-	·05	·08	·12	-	TRACE	·07	·22	-	·08	·03		1
2	-	-	-	·09	TRACE	-	·02	·42	·46	-	·32	·18		2
3	·17	-	·06	·25	-	-	-	·19	TRACE	-	·10	·39		3
4	·01	-	·47	·27	·22	-	·22	·02	-	·53	·25	·21		4
5	-	-	·03	·44	·39	-	·18	·14	-	·34	·45	·01		5
6	·48	-	·02	·01	TRACE	-	·40	·01	-	·13	·19	-		6
7	TRACE	·01	-	-	-	-	·02	·01	-	-	·27	·31		7
8	·03	·19	·05	-	·02	-	·02	·10	-	·66	·47	·13		8
9	·05	·04	TRACE	-	TRACE	-	-	·04	-	·21	·06	·08		9
10	·33	-	-	-	-	·03	-	TRACE	·08	·06	TRACE	·15		10
11	TRACE	-	·19	-	-	-	-	-	-	·13	-	TRACE		11
12	·07	·02	-	TRACE	-	TRACE	-	-	·14	·17	TRACE	TRACE		12
13	-	TRACE	-	·03	·03	·02	·13	-	·05	·27	·01	TRACE		13
14	·58	TRACE	TRACE	·10	·02	·08	·38	-	·01	·07	·05	TRACE		14
15	·49	-	·04	TRACE	·11	·38	·08	-	-	·01	·22	·02		15
16	·10	·01	TRACE	·07	·10	TRACE	·10	-	-	TRACE	·31	-		16
17	·87	·03	-	-	·01	·04	·16	-	-	-	·08	TRACE		17
18	·06	·06	·06	-	-	·21	·53	-	-	-	·48	·02		18
19	·19	TRACE	-	-	-	·07	TRACE	-	-	-	TRACE	·01		19
20	·30	-	TRACE	-	TRACE	·42	·01	·81	-	-	-	TRACE		20
21	·03	·21	·07	·02	·04	·29	·08	·06	-	-	TRACE	-		21
22	·56	·24	·08	·02	·01	·39	·09	·04	-	-	·19	·01		22
23	TRACE	·01	·02	·22	-	·05	·33	-	-	·02	·67	-		23
24	·59	TRACE	·01	·02	-	·43	·23	-	-	·03	TRACE	·01		24
25	·61	·12	·02	-	-	-	·06	TRACE	-	·03	·15	-		25
26	·03	·01	-	·09	-	-	TRACE	-	-	·09	·57	-		26
27	-	·13	·14	TRACE	-	·05	·04	·25	-	TRACE	·17	·04		27
28	·02	·18	·09	·28	-	·06	TRACE	-	-	-	·40	·23		28
29	·03	✕	-	·05	-	·03	·09	TRACE	-	·10	·03	-		29
30	-	✕	·01	1·02	-	·06	TRACE	TRACE	-	·05	TRACE	·01		30
31	-	✕	-	✕	-	✕	·02	·03	✕	·27	✕	·01		31
TOTAL	5·65	1·26	1·41	3·06	1·07	2·61	3·19	2·19	·96	3·17	5·52	1·85	Year's Total 31·94	
* Days with .01 in. or more.	22	14	17	17	11	16	21	14	6	18	22	18	196	
* Days with .04 in. or more.	16	8	11	12	6	13	16	10	5	14	20	9	140	

† Spare column, no entries required.

(*Signed*) St. Audries

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No 2097

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1940.

Kept at Stogursey. Fairfield Hous

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 150 ft.

798172/37

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·01	—	·02	·05	—	—	—	—	—	·08	—	1
2	—	·04	—	·11	TRACE	—	·03	—	—	—	·93	—	2
3	TRACE	·29	—	·03	—	—	—	—	—	·14	·79	·09	3
4	·01	·19	—	·02	—	—	·08	—	—	·10	·04	·01	4
5	TRACE	·01	—	TRACE	—	—	TRACE	—	—	·06	·64	·20	5
6	·05	·29	—	—	—	—	·02	—	—	·20	·18	·29	6
7	·03	·07	—	·03	—	—	·08	—	·04	·02	—	·05	7
8	·01	TRACE	—	—	—	—	—	—	—	·20	·21	·29	8
9	—	—	—	—	—	—	·54	·02	—	·03	·78	·49	9
10	—	—	·02	—	—	—	·33	—	—	·14	·21	·23	10
11	—	—	·02	.03	—	—	·43	—	—	TRACE	·36	—	11
12	—	—	·12	—	—	·08	·51	—	·38	—	·08	—	12
13	—	·01	·65	—	—	—	·65	—	·03	·21	·60	·05	13
14	—	·01	·03	·02	·70	—	TRACE	—	·60	·62	·02	·20	14
15	·01	—	—	·28	·33	·05	·06	—	·17	·08	·31	—	15
16	·01	·39	·06	·01	TRACE	·01	·18	—	·06	1·87	·21	·03	16
17	—	·03	·75	—	—	—	·07	—	·04	TRACE	·04	·01	17
18	·13	·38	·26	·62	—	—	TRACE	·01	·06	·17	·03	·16	18
19	—	·05	·08	·12	—	—	·21	—	·29	TRACE	·10	—	19
20	—	·01	·02	·02	—	—	·04	·05	·10	·27	·02	—	20
21	—	—	—	—	·42	.31	·21	—	—	—	·56	—	21
22	—	—	·09	TRACE	·02	·27	TRACE	—	·04	—	—	—	22
23	—	·08	·11	·10	—	—	·01	—	·02	·11	—	—	23
24	—	—	—	TRACE	TRACE	TRACE	·35	—	—	—	—	—	24
25	·08	·01	—	·06	·02	—	—	—	—	—	·01	—	25
26	·79	·14	·04	·01	·18	·02	·18	—	—	—	·01	·01	26
27	·54	·02	—	TRACE	·11	—	·10	—	—	—	—	—	27
28	·73	·02	—	·01	·17	—	—	—	—	—	—	—	28
29	·05	·10	·12	·89	—	·08	—	—	—	·01	—	·27	29
30	·07	×	—	·16	·01	—	—	—	—	·21	—	·05	30
31	·02	×	·01	×	·01	×	—	—	×	·56	×	·10	31
TOTAL	2·53	2·15	2·38	2·54	2·02	·82	4·08	·08	1·83	5·00	6·21	2·69	YEAR'S TOTAL 32·33
*Days with ·01 in. or more.	14	20	15	18	11	7	19	3	12	18	22	17	176
*Days with .04 in. or more.	8	11	10	8	7	5	16	1	10	15	17	13	121

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) St Audries

[P.T.O.

Section **A** for the entry of
AIR MINISTRY

tation No. 2097/3
ORGANIZATION.

FORM 1090.

REGIS

5. ~~5~~

Kept at Bridgwater
in the County of Som

Diameter of Funnel of Gauge
Height of top of Gauge above Groun
,, Ground ,, Sea L

THE MORNING MEASURE

An observer who does not conform to
year in the space on the right of th

ollowing

Jan. 1, following

2097/3
BRIDGWATER
STOCKLAND MANOR
1935 — 40

71034

Date	**Jan.**	**Feb.**	**Mar.**									**Dec.**		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	—	·06	—	—	—	—	—	·19	·17	·72	1·57		1
2	—	·01	·38	—	—	·10	·17	—	·09	·51	·08	·44		2
3	—	—	—	—	—	·12	—	—	·08	·15	·04	·05		3
4	—	—	—	—	—	·20	—	—	·59	·17	·25	—		4
5	—	·16	—	·13	—	·10	—	—	·09	·04	·24	·37		5
6	—	·07	—	·08	—	·22	—	—	·19	·51	·19	·06		6
7	—	—	—	·29	—	·42	—	—	—	—	·04	·17		7
8	—	—	—	·48	—	·09	—	—	—	·25	—	—		8
9	—	—	—	·21	—	—	—	—	—	·29	·22	·11		9
10	—	—	—	·39	—	·28	—	—	·10	·76	·20	—		10
11	·35	—	·22	·19	—	—	—	—	—	·01	·02	—		11
12	·04	—	—	—	—	·10	·07	—	—	·23	·44	—		12
13	·08	—	—	—	—	·19	—	·02	—	—	·02	—		13
14	—	—	—	·17	—	·02	—	—	—	—	·36	—		14
15	—	—	—	·49	·10	—	—	—	—	—	·90	·12		15
16	—	—	—	·81	·06	·13	—	—	·34	·04	·02	·24		16
17	—	·17	·08	·13	—	—	—	·07	·29	—	1·29	—		17
18	—	—	—	·03	·47	·29	—	·43	·03	—	·03	—		18
19	—	—	—	·23	·05	·02	—	·06	·10	·12	—	—		19
20	—	—	—	·05	·17	·11	·13	—	·12	·04	·13	—		20
21	—	·19	—	·39	·42	—	·11	—	—	—	·31	—		21
22	—	·35	·03	·05	—	—	·03	—	·51	·14	—	—		22
23	—	—	·20	—	—	—	—	—	·11	·03	—	—		23
24	·17	·18	·09	·10	·12	—	—	·02	·19	·48	—	·06		24
25	—	·27	·05	·05	·10	—	—	·34	·12	·17	—	·41		25
26	—	·29	—	·15	—	—	—	—	—	—	—	—		26
27	—	·59	—	—	—	—	—	·13	·23	·01	·20	·63		27
28	—	·03	—	·06	—	—	—	·09	·14	·04	·05	·67		28
29	—	X	—	—	—	—	—	·23	·06	·02	—	—		29
30	—	X	—	—	—	—	—	—	·09	—	·08	·36		30
31	—	X	—	X	—	X	—	·44	X	·10	X	·24		31
TOTAL	·73	2·31	1·11	4·48	1·49	2·39	·51	1·83	3·66	4·28	5·83	5·50	Year's Total. 34·12	
* Days with .01 in. or more.	5	11	8	20	8	15	5	10	20	22	22	15	161	
* Days with .04 in. or more.	5	9	7	19	8	13	4	8	19	18	18	15	143	

Print.

40-9999 per mid weeks R Ase X

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Lt Col H T Daniel ~~Esq~~ [P.T.O.

Copied in M.O.

Section **A** **for the entry of** **tation No.** 2097/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

~~£~~

Kept at Bridgwater (Stockland Manor)

in the County of Somerset

5/Som/4

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	-	·06	-	-	-	-	-	·19	·17	·72	1·57		1
2	-	·01	·38	-	-	·10	·17	-	·09	·51	·08	·44		2
3	-	-	-	-	-	·12	-	-	·08	·15	·04	·05		3
4	-	-	-	-	-	·20	-	-	·59	·17	·25	-		4
5	-	·16	-	13	-	·10	-	-	·09	·04	·24	·37		5
6	-	·07	-	·08	-	·22	-	-	·19	·51	·19	·06		6
7	-	-	-	·29	-	·42	-	-	-	-	·04	·17		7
8	-	-	-	·48	-	·09	-	-	-	·25	-	-		8
9	-	-	-	·21	-	-	-	-	-	·29	·22	·11		9
10	-	-	-	·39	-	·28	-	-	·10	·76	·20	-		10
11	35	-	·22	·19	-	-	-	-	-	·01	·02	-		11
12	·04	-	-	-	-	·10	07	-	-	·23	·44	-		12
13	·08	-	-	-	-	·19	-	·02	-	-	·02	-		13
14	-	-	-	·17	-	·02	-	-	-	-	·36	-		14
15	-	-	-	·49	·10	-	-	-	-	-	·90	·12		15
16	-	-	-	·81	·06	13	-	-	·34	·04	·02	·24		16
17	-	·17	·08	·13	-	-	-	·07	·29	-	1·29	-		17
18	-	-	-	·03	·47	·29	-	·43	·03	-	·03	-		18
19	-	-	-	·23	·05	·02	-	·06	·10	·12	-	-		19
20	-	-	-	·05	·17	·11	·13	-	·12	·04	·13	-		20
21	-	·19	-	·39	·42	-	·11	-	-	-	·31	-		21
22	-	·35	·03	·05	-	-	·03	-	·51	·14	-	-		22
23	-	-	·20	-	-	-	-	-	·11	·03	-	-		23
24	·17	·18	·09	·10	·12	-	-	·02	·19	·48	-	·06		24
25	-	·27	·08	·05	·10	-	-	·34	·12	·17	-	·41		25
26	-	·29	-	·15	-	-	-	-	-	-	-	-		26
27	-	·59	-	-	-	-	-	·13	·23	·01	·20	·63		27
28	-	·03	-	·06	-	-	-	·09	·14	·04	·05	·67		28
29	-	X	-	-	-	-	-	·23	·06	·02	-	-		29
30	-	X	-	-	-	-	-	-	·09	-	·08	·36		30
31	-	X	-	X	-	X	-	·44	X	·10	X	·24		31
TOTAL	·73	2·31	1·11	4·48	1·49	2·39	·51	1·83	3·66	4·28	5·83	5·50	Year's Total. 3412	
* Days with .01 in. or more.	5	11	8	20	8	15	5	10	20	22	22	15	161	
* Days with .04 in. or more.	5	9	7	19	8	13	4	8	19	18	18	15	143	

Print.

40-9999 per mid weeks R Ase X

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Lt Col H T Daniel ~~Esq~~ [P.T.O.

Copied in M.O.

COPY FOR OFFICIAL USE

Copy by BRO.

Section A for the entry of Daily Observations — Station No. 2097/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Stockland Manor

in the County of Bridgwater - Somerset.

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	·10	·09	·23		·20	·51	·01			·05	·09		1
2	·34	·10		·05		·47	·08				·09			2
3				·10		·18	·03	·15	·63		·20	·03		3
4				·58		·02	·34	·03	1·18		·10	·49		4
5			·13				·08		·25		·02			5
6	·35		·12					·07			·06	·03		6
7	·03						·33		·05		·68	·02		7
8	·05		·05				·62		·06		·25			8
9	·22		·10				·20				·29			9
10	·27		·32				·04				·32			10
11						·26	·03	·06			·31			11
12	·17	·02				·08	·38	·01	·38		·08	·01		12
13				·15		·08	·14			·13	·01	·65		13
14	·09			·06			·64		·22		·12	·33		14
15		·04					·01		·05		·08	·17		15
16					·18		·06		·10		·12	·15		16
17		·08			·34		·13			·10	·02	·15		17
18	·21	·50			·59	1·19	·34	·02		·04		·09		18
19	·08	·16			·10	1·48								19
20	·40	·05		·19			·07	·02	·72					20
21	·05	·01	·11	·06										21
22	·04		·09	·80			·18			·11		·01		22
23	·09	·76	·53							·03				23
24	·05	·16	·36	·09	·14				·05	·18				24
25	·07				·27		·16		·58	·16	·04			25
26	·18		·33	·22			·07		·02	·08				26
27	·11	·13	·26				·27			·30				27
28	·04	·12			·02		·12					·13		28
29	·59		·44			21				·05	·09	·09		29
30	·01	✕	·02			·07				·51	·01			30
31	·03	✕	·07	✕		✕	·22		✕	·10	✕	·18		31
TOTAL	3·56	2·23	3·02	2·53	1·64	4·24	5·05	·37	4·29	1·79	2·94	2·62	Year's Total 34·28	
* Days with .01 in. or more.	23	13	15	11	7	11	24	8	13	12	20	16	173	
* Days with .04 in. or more.	20	11	14	11	6	10	21	4	12	11	16	11	147	

† Spare column, no entries required

(*Signed*) Lt Col H J Daniel * [P.T.O.

* See Instruction 3 (f) on other side.

* per Mid-Wessex Rainfall Ass.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2097/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Bridgwater (Stockland Manor)

in the County of Somerset

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	·01	–	·13	–	–		–	·09	–	·05	·36		1
2	·03	·18	–	·12	–	–		–	·05	–	–	·01		2
3	–	·14	·04	·18	·10	–		–	–	–	–	·01		3
4	·17	·28	–	·05	·07	–		·04	–	–	–	·38		4
5	·29	–	·11	–	–	–		–	–	–	–	–		5
6	·18	·35	·41	·28	–	–		–	–	·03	–	–		6
7	–	·49	·02	·16	–	–		–	–	–	–	·07		7
8	·02	·07	–	–	·19	–		–	–	–	·28	–		8
9	–	–	–	·03	·16	–		·07	·81	–	–	·04		9
10	·05	·03	·82	·30	–	·09		·08	–	–	–	·30		10
11	·01	–	·20	·06	·42	–		·02	–	–	–	·10		11
12	·36	·25	·05	·01	–	·30		·16	·68	–	–	·29		12
13	–	·09	·60	·47	–	–		·09	·25	–	–	·11		13
14	–	·01	·09	·08	–	–		·26	·08	–	–	·07		14
15	·38	·07	·02	·15	–	–		–	·60	–	–	·05		15
16	·08	·12	·44	·07	–	–		–	·42	–	·02	–		16
17	·68	·07	·34	–	–	–		–	–	–	·32	–		17
18	·28	·14	·16	–	–	·04		–	·94	–	·22	·11		18
19	·22	·09	·05	·08	·09	–		–	·04	–	–	–		19
20	·38	–	·04	·17	·04	–		–	–	–	–	·31		20
21	·10	·44	·29	·21	·16	–		–	–	–	·03	·05		21
22	·17	·01	·13	–	·09	–		–	–	·65	·67	·02		22
23	·17	·15	·04	–	·11	–		–	–	·35	·16	–		23
24	·42	·32	–	–	–	–		–	·09	·41	–	–		24
25	–	·52	·28	–	·08	–		–	–	·28	–	–		25
26	–	·34	·05	–	·29	–		–	–	–	–	–		26
27	–	·27	–	·03	–	–		–	–	·42	–	–		27
28	·19	·02	–	–	–	·01		–	–	·29	–	–		28
29	–	×	–	–	–	–		–	–	·66	·43	–		29
30	·66	×	–	–	–	·05		·05	·02	·02	·18	–		30
31	·13	×	–	×	–	×		–	×	·14	×	–		31
TOTAL	5·10	4·46	4·18	2·58	1·80	·49	58 ~~·83~~	·77	4·07	3·25	2·36	2·28	Year's Total 35·92	
* Days with .01 in. or more.	22	24	20	18	12	5	12	8	12	10	10	16	169	
* Days with .04 in. or more.	19	19	18	15	12	4	(7)	7	11	8	8	13	141	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2097/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Bridgwater (Stockland Manor)

in the County of Somersetshire

Diameter of Funnel of Gauge – in.

Height of top of Gauge above Ground – ft. in.

,, Ground ,, Sea Level – ft.

Copied by B.R.O.

May days estimated from nearby stations [illegible]

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·14	–	–		·54	·04	·54	–	·39	·02	·44		1
2	–	·03	–	·04		–	·01	–	–	·38	–	·10		2
3	–	–	–	–		·03	–	–	–	·24	–	–		3
4	–	–	–	–		–	·38	·84	–	·18	–	·05		4
5	–	–	–	–		–	·17	·02	–	·10	–	·12		5
6	·18	–	–	–		·10	·48	–	·04	·20	–	·02		6
7	·09	–	–	–		–	·27	–	·09	·19	–	·04		7
8	·59	–	–	–		–	·17	·26	–	·15	–	–		8
9	·23	·11	–	–		–	·03	·19	–	·01	–	·66		9
10	·14	·03	–	–		–	·02	·25	–	–	–	·38		10
11	·10	–	–	–		–	·04	·10	–	–	·17	·49		11
12	·20	–	–	–		–	–	–	–	·15	·11	·05		12
13	·01	–	–	–		–	–	·02	–	–	·18	·67		13
14	·35	–	–	–		–	·39	–	·04	–	–	–		14
15	·16	–	–	–		–	·04	–	–	·02	–	·25		15
16	·21	–	–	–		–	–	–	–	–	–	–		16
17	–	·12	–	–		–	–	–	·02	·16	·02	–		17
18	·14	–	–	–		·08	·04	·03	2·93	·04	·36	–		18
19	–	–	–	–		–	–	·07	·10	–	·34	–		19
20	–	–	–	–		–	–	–	–	–	·04	–		20
21	·03	–	–	–		–	–	·02	·10	–	·34	–		21
22	–	–	–	·08		·07	–	·34	·28	–	·25	·18		22
23	–	–	–	·03		–	–	·01	·03	–	·19	–		23
24	–	–	·14	–		–	–	·15	·05	·09	·13	–		24
25	–	·22	·02	–		–	·24	–	·03	·16	·42	·07		25
26	·27	·25	–	–		–	–	–	–	–	·21	·12 ✓		26
27	·06	·02	–	–		·12	·15	·29	·14	–	·21	–		27
28	–	·07	–	–		·18	·02	·75	·02	–	·05	·02		28
29	·20		–	–		–	–	–	·05	·23	·14	·03		29
30	–	✕	–	–		·45	–	–	·50	·07	·33	·07		30
31	·22	✕	–	✕		✕	–	–	✕	·17	✕	·18		31
TOTAL	3·18	·99	·16	·15	2·15	1·57	2·49	3·88	4·42	2·93	3·51	3·93	Year's Total 29·36	
* Days with .01 in. or more.	17	9	2	3	(16)	8	16	16	15	18	18	19	157	
* Days with .04 in. or more.	15	6	1	2	(14)	7	12	11	11	16	16	16	127	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

Lt. Col. H. T. Daniel

(Signed) Per Mid Wessex Rainfall

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2094/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Bridgwater (Stockland Manor)

in the County of Somerset

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

" Ground " Sea Level ....ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	-	·05	·04	·16	-	-	·09	·10	-	·06	·04		1
2	-	-	-	·08	-	-	-	·40	·40	-	·23	·16		2
3	·14	-	·04	·24	-	-	·03	·19	·02	-	·10	·38		3
4	-	-	·21	·34	·21	-	·23	·04	-	·42	·22	·30		4
5	-	-	·03	·36	·41	-	·62	·01		·18	·40	·02		5
6	·62	·02	-	-	-	-	·35	-	-	·08	·10	-		6
7	-	-	-	-	-	-	-	·02	-	-	·37	·28		7
8	-	·15	·03	-	·02	-	-	·09	-	·57	·50	·15		8
9	·05	·12	·04	-	-	-	-	-	-	·32	·06	-		9
10	·36	-	-	-	-	·03	-	·04	·08	-	-	·19		10
11	-	-	·11	-	-	-	-	-	-	·27	-	-		11
12	·05	·04	-	-	-	·02	-	-	·02	·16	-	-		12
13	-	-	-	·02	·02	-	·16	-	·15	·28	·02	-		13
14	·54	-	·03	·10	·01	·08	·47	-	-	·07	·04	-		14
15	·40	-	-	-	·07	·35	·07	-	-	-	·24	·03		15
16	·17	-	-	·06	·10	-	·35	-	·02	-	·26	-		16
17	·72	·04	-	-	-	·02	·15	-	-	-	·19	-		17
18	·17	·04	-	-	-	-	·65	-	-	-	·44	-		18
19	·24	-	-	-	-	·38	·02	-	-	-	-	·02		19
20	·25	-	-	-	-	·40	·02	·34	-	-	-	-		20
21	·10	·15	·13	·03	·03	·21	-	·09	-	-	-	-		21
22	·48	·19	·04	-	-	·35	·12	·12	-	-	·19	-		22
23	-	-	·03	·20	-	·03	·46	-	-	·02	·68	-		23
24	·33	-	·02	·02	-	·47	·25	-	-	-	-	-		24
25	·98	·08	-	-	-	-	·06	-	-	·06	·24	-		25
26	·04	-	-	·19	-	-	-	·35	-	·06	·50	-		26
27	-	·12	·13	-	-	·04	·05	·03	-	-	·20	·02		27
28	·03	·15	·09	·31	-	·02	-	-	-	-	·46	·27		28
29	·02	-	-	·05	-	-	·09	-	-	·08	·04	-		29
30	-	✕	-	·83	-	·08	-	-	-	·04	·01	-		30
31	-	✕	-	✕	-	✕	·05	·03	✕	·32	✕	-		31
TOTAL	5.71	1.10	·98	2.87	1.03	2.48	4·20	1·84	·79	2·93	5·55	1·86	Year's Total 31·34	
* Days with .01 in. or more.	20	11	14	15	9	14	19	14	7	15	23	12	173	
* Days with .04 in. or more.	17	10	9	12	5	9	16	10	4	14	21	8	135	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2097/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Bridgwater (Stockland Manor)

in the County of ....

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	·02	·07	-	-	-	-	-	·09	·01		1
2	-	-	-	·07	-	-	·03	-	-	-	·77	·12		2
3	-	·35	-	-	-	-	-	-	-	·13	·85	·02		3
4	-	·21	-	·05	-	-	·05	-	-	·14	·05	·31		4
5	-	·02	-	-	-	-	-	-	-	·05	·49	·27		5
6	·09	·03	-	-	-	-	·04	-	-	·33	·15	·02		6
7	·07	·35	-	-	-	-	·09	-	-	-	-	·29		7
8	-	-	-	-	-	-	-	-	·04	·15	·13	·39		8
9	-	-	-	-	-	-	·48	-	-	·03	·76	·27		9
10	-	-	-	-	-	-	·41	-	·01	·13	·30	·03		10
11	-	-	-	·07	-	·02	·71	-	-	-	·31	·02		11
12	-	·08	·12	-	-	·05	·43	-	·60	-	·12	-		12
13	-	-	·54	-	-	-	·96	-	-	·07	·65	·37		13
14	-	-	·10	·05	1·08	-	-	-	·32	·77	·02	·01		14
15	-	-	-	·41	·41	·02	·14	-	·16	·19	·37	-		15
16	-	-	·25	-	-	-	·18	-	-	1·48	·25	-		16
17	-	x	·45	-	-	-	-	-	·05	-	·05	·15		17
18	-	·95 x	·29	·60	-	-	-	-	-	·19	·02	-		18
19	-	·05	·10	·10	-	-	·21	-	·08	-	·08	-		19
20	-	-	-	·06	-	-	·13	·05	·24	·19	·02	-		20
21	-	-	-	-	·37	·29	·07	-	·19	-	·52	-		21
22	-	-	·02	·05	-	·31	-	-	·02	-	·01	-		22
23	-	·10	·08	·08	-	-	-	-	·06	·10	·01	-		23
24	-	-	·06	-	-	-	·47	-	-	-	-	-		24
25	·10	-	-	·12	-	-	-	-	-	-	-	-		25
26	·85	·12	-	-	·19	-	·17	-	-	-	·01	-		26
27	·55	·03	-	-	·09	-	·05	-	-	-	-	-		27
28	·61	·10	-	-	·24	-	-	-	-	-	-	-		28
29	-	-	·18	·64	-	·06	-	-	-	-	-	·28		29
30	·02		-	·18	-	-	-	-	-	·20	-	·08		30
31	·16		·01		-		-	-		·54		-		31
TOTAL	2·45	2·39	2·20	2·50	2·45	·75	4·62	·05	1·77	4·69	6·03	2·64	Year's Total 32·54	
* Days with .01 in. or more.	8	1~~8~~4	12	14	7	6	17	1	11	16	23	16	145	
* Days with .04 in. or more.	7	~~9~~10	10	13	7	4	16	1	9	15	17	10	119	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Lt. Col. Daniel per Mid Wessex Rainfall Association

P.T.O.

CARHAMPTON (THE CRO

2097/5

CARHAMPTON
THECROFT
1936 — 40

780314

Section A for the entry of I
AIR MINISTRY
ation No. 2097/5
ORGANIZATION

FORM 1090

REGIS

Kept at The Croft
al
in the County of Somer
Diameter of Funnel of Gauge 5
2112
Height of top of Gauge above Grou
634/28
,, Ground ,, Sea l

THE MORNING MEASURE
DAY

An observer who does not conform to
year in the space on the right of this
llowing
Plea

Jan. 1, following

Entry for Here in September

Date	Jan.	Feb.	Mar.	Ap								Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											.07	.04		1
2											.09			2
3											.10			3
4											.11	.48		4
5											.02	.09		5
6											.30	.02		6
7											1.07	.02		7
8											.58	.07		8
9											.32			9
10											.36			10
11											.45	.02		11
12										.12	.09			12
13										.22	.01	1.38		13
14										.09	.02	.85		14
15											.11	.35		15
16											.13	.19		16
17										.13	.08	.88		17
18										.17	.01	.11		18
19										.01		.01		19
20												..		20
21														21
22										.13		.01		22
23										.04				23
24										.30	.03			24
25										.24	.04			25
26										.14				26
27										.16				27
28										.05	.01	.16		28
29										.06	.05	.15		29
30		✕								.83				30
31		✕		✕		✕			✕	.10	✕	.38		31
TOTAL										2.69	4.05	5.19	Year's Total unp	
* Days with .01 in. or more.										16	22	18	..	
* Days with .04 in. or more.										14	16	13	..	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) E W Darby [P.T.O.

N

E.W. DARBY ESQ.

CARHAMPTON (THE CR

Section **A** for the entry of

AIR MINISTRY.—METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION

Station No. 2097/5

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at The Croft Carhampton Minehead

in the County of Somerset /4

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 150 ft.

Previously at 2112

820634/28

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Entry for Home in September

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											.07	.04		1
2											.09			2
3											.10			3
4											.11	.48		4
5											.02	.09		5
6											.30	.02		6
7											1.07	.02		7
8											.58	.07		8
9											.32			9
10											.36			10
11											.45	.02		11
12										.12	.09			12
13										.22	.01	1.38		13
14										.09	.02	.85		14
15											.11	.35		15
16											.13	.19		16
17										.13	.08	.88		17
18										.17	.01	.11		18
19										.01		.01		19
20														20
21														21
22										.13		.01		22
23										.04				23
24										.30	.03			24
25										.24	.04			25
26										.14				26
27										.16				27
28										.05	.01	.16		28
29										.06	.05	.15		29
30		✕								.83				30
31		✕		✕		✕			✕	.10	✕	.38		31
TOTAL										2.69	4.05	5.19	Year's Total mp	
* Days with .01 in. or more.										16	22	18	..	
* Days with .04 in. or more.										14	16	13	..	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) E W Darby [P.T.O.

N

E.W. DARBY ESQ.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2097/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at The Croft. Carhampton

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 100 ft.

820634/28

c imp 1936

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.20	.01	.02	.14					.07	.12	.09	.28		1
2	.07	.57		.06					.01			.02		2
3		.40	.04	.21	1.16			.04	.02			.03		3
4	.15	.26		.20	.09		.03				.02	.38		4
5	.40		.04	.04			.08					.40		5
6	.24	.39	.29	.23	.06		.20			.15		.02		6
7		.73	.08	.10		.06			.02	.11	.05	.08		7
8		.08			.12	.03	.03			.01	.12	.04		8
9		.03	.05	.05	.14			.03	1.04					9
10		.01	.70	.42		.06		.09				.65		10
11	.05		.22	.12	.47	.02	.68	.08				.10		11
12	.45	.16	.39	.01		.21	.04	.03	.70			.39		12
13	.06	.04	.48	.48		.04		.15	.09			.12		13
14			.09	.04			.03	.03	.08			.19		14
15	.45	.13	.09	.38			.59		.11			.21		15
16	.14	.14	.60	.07		.01	.02	.15	.21					16
17	1.12	.09	.73					.01	.19		.23			17
18	.20	.06	.48			.23		.03	1.36		.19	.36		18
19	.45	.04	.19	.03		.01		.02	.10		.60	.05		19
20	.66	.15	.06	.21	.05				.10			.18		20
21	.49	.31	.23	.08	.39		.03		.02	.08	.02	.03		21
22	.12	.01	.10		.21		.06			.41	.34			22
23	.30	.18			.06		.02			.18	.14	.04		23
24	.85	.15			.04				.11	.93	.02			24
25		.88	.38		.02					.18		.04		25
26	.04	.40	.03		.14							.04		26
27		.69								1.15				27
28	.75	.06								.16		.03		28
29	.05					.02				.75	.09			29
30	.28	✕				.01			.04	.05	.11			30
31	.46	✕		✕		✕			✕	.13	✕			31
TOTAL	7.98	5.97	5.29	2.84	2.92	.70	1.81	.66	4.27	4.41	2.02	3.62	Year's Total 42.[illegible]	
* Days with .01 in. or more.	23	25	21	18	13	11	12	11	17	14	13	22	200	
* Days with .04 in. or more.	23	21	19	16	11	5	6	5	13	13	11	17	160	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Mr E. W. Darby

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2097/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at The Croft Carhampton

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.16				1.00	.08	.95		.32	.02	.41		1
2		.05		.08	.08					.33	.03			2
3					.27	.12				.90	.02	.12		3
4	.04					.04	.28	1.22		.47		.18		4
5	.02			.03		.07	.13	.20		.35		.16		5
6	.21					.16	.82		.11	.21		.12		6
7	.11						.33	.04	.01	.15		.14		7
8	.68	.05					.25	.10		.49		.02		8
9	.42	.06	.01				.02	.19		.03		1.10		9
10	.03	.06					.02	.08				.59		10
11	.15	.02				.09	.06	.18			.27	.75		11
12	.62	.03			.16					.20	.79	.04		12
13	.04				.06			.03		.08	.13	.90		13
14	.48				.04		.36		.05			.02		14
15	.65				.06		.01			.02	.09	.38		15
16	.23				.04			.03			.09	.03		16
17		.11			.02				.05	.16	.02			17
18	.19				.09	.07		.08	.29	.05	.30			18
19	.07							.05	.06		.50			19
20	.02							.01			.24			20
21	.04							.06	.09		.22	.02		21
22				.10		.03		.33	.01	.01	.40	.02		22
23				.04				.01	.01		.20			23
24	.03				.03			.04	.04		.23			24
25	.09	.20	.01		.31		.07			.10	.87	.06		25
26	.30	.28	.02		.18	.03	.02			.14	.17	.04		26
27	.09	.02			.29	.15	.13	.80	.01	.02	.33			27
28	.09	.14			.09	.17		.68	.02		.16	.01		28
29	.10	X			.50	.04	.01		.10	.16	.34	.04		29
30	.03	✕			.15	.10	.01		.20	.01	.39	.05		30
31	.42	✕		✕	.15	✕			✕	.18	✕	.26		31
TOTAL	4.75	1.18	.04	.25	2.52	2.07	2.60	5.08	1.05	4.38	5.81	5.46	Year's Total 35.19	✓
* Days with .01 in. or more.	25	12	3	4	17	13	16	19	14	21	22	23	189	✓
* Days with .04 in. or more.	20	9	0	3	15	11	10	15	9	16	19	17	144	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) E. W. Darby

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2097/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at The Croft Carhampton.

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" Ground " Sea Level 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08		.12	.08	.16			.10	.		.12	.08		1
2	.04		.	.06				.17	.41		.14	.30		2
3	.20		.04	.33				.09	.02		.08	.59		3
4	.04		.40	.27			.29			.27	.46	.24		4
5			.01	.44	.22		.25	.07		.18	.62	.04		5
6	.41		.04	.04	.03		.76	.01			.15	.02		6
7	.05	.07				.04	.03	.01			.12	.43		7
8	.05	.30	.09		.05		.11	.07		.37	.57	.28		8
9	.01	.04					.01	.04		.25	.04	.08		9
10	.25	.01				.01		.04	.04	.07	.03	.26		10
11	.04		.19					.02		.14	.01			11
12	.10	.04		.01		.01			.14	.14				12
13	.04	.02		.17	.06	.05	.14		.19	.21	.01			13
14	.70			.03	.05	.08	.52			.05	.18			14
15	.81		.05	.02	.14	.36	.24			.03	.21			15
16	.10			.05	.03		.08				.29			16
17	.80	.01			.10	.08	.10				.11	.02		17
18	.09	.08	.04			.06	.61				.95	.01		18
19	.21						.02	.02			.03	.02		19
20	.28					.04	.04	.95						20
21	.04	.26	.11		.04	.33		.02						21
22	1.14	.43	.17	.06	.04	.40	.18	.01			.20			22
23	.04	.04	.07	.23		.04	.30			.04	.93			23
24	.26	.02	.14	.07		.50	.12			.11				24
25	.75	.11	.02	.07			.06	.33		.11	.43			25
26	.02	.03		.15						.14	.84			26
27		.24	.10	.03		.08	.06	.07		.01	.10	.03		27
28	.03	.19	.13	.42		.07	.14				.22	.15		28
29	.11			.05		.01	.06			.24	.07			29
30	.07		.02	1.10		.02	.02			.15	.02			30
31							.01	.07		.25		.03		31
TOTAL	6.76	1.89	1.74	3.63	.92	2.18	4.15	2.09	.80	2.76	6.93	2.58	Year's Total 36.43	
* Days with .01 in. or more.	28	16	17	20	11	17	23	17	5	18	26	16	214	
* Days with .04 in. or more.	26	12	14	15	9	13	18	11	4	16	22	10	170	

† Spare column, no entries required.

(*Signed*) Mr E. W. Darby

[P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2097/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at The Croft Carhampton

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" Ground " Sea Level 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.08		.08	.13						.09			1
2		.09		.05			.05				1.85	.01		2
3		.35								.20	.72	.09		3
4		.05		.13			.07			.11	.08	.05		4
5										.40	.70	.37		5
6	.05	.35					.13			.29	.32	.36		6
7	.01	.05		.03			.55		.10	.02		.14		7
8									.01	.30	.20	.29		8
9							.35	.10	.02	.11	.84	.34		9
10			.01				.65		.32	.25	.30	.35		10
11		.02	.01	.02		.06	.07			.01	1.16	.12		11
12			.13			.03	.38		.04		.18	.01		12
13		.01	.65				.32		.08	.06	.57	.03		13
14			.10	.07	.03		.07		.02	.52	.06	.30		14
15			.03	.12	.23	.04	.03		.13		.46			15
16		.60	.09	[illegible]	.01	.01	.25		.13	.63	.10	.03		16
17		.20	.35				.11		.03	.01	.08			17
18	.37	.31	.47	.88				.05	.08	.15	.11	.14		18
19		.05	.17	.13			.47		.21		.25			19
20			.01	.04			.40	.04	.15	.10	.09	.03		20
21		.01			.45	.28	.01	.07			.70			21
22			.10	.29	.04	.35			.07	.01				22
23		.08	.14	.05					.04	.08	.01			23
24	.05		.02			.01	.34							24
25	.09		.05	.04	.09	.05		.01						25
26	.94	.17	.14	.09	.17	.02	.07							26
27	.57	.12		.20	.07		.05							27
28	.72			.07	.33			.04						28
29	.14	.12		.78		.07				.01		.09		29
30	.09	×		.51	.03					.37	.01	.10		30
31		×	.06	×		×			×	.71	×	.20		31
TOTAL	3.03	2.66	2.53	3.62	1.58	.92	4.37	.27	1.43	5.34	8.88	3.05	Year's Total 37.68	
* Days with .01 in. or more.	10	17	17	19	11	10	19	6	15	20	22	19	185	
* Days with .04 in. or more.	9	14	13	17	8	6	17	5	11	15	22	14	151	

† Spare column, no entries required.

(*Signed*) E. W. Darby

[P.T.O.

* See Instruction 3 (f) on other side.

Section **A** for the entry
AIR MINIS

ALL ORGANIZATION.

Station No. 2097/7

FORM 1090.

REG

935. Somerset/4.

Kept at Wootton Cou

in the County of Some

Diameter of Funnel of Gauge

Height of top of Gauge above Gr

,, Ground ,, Se

THE MORNING MEAS

An observer who does not conform
year in the space on the right o

the following

Jan. 1, following

—

2097/7

WOOTON COURTENAY
GREENACRES
1935—40

780314

Date	Jan.	Feb.	Mar.								v.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1												0.17		1
2											0.11	0.09		2
3											0.11			3
4											0.10	0.71		4
5											0.10	0.02		5
6											0.07	0.16		6
7											0.01	0.04		7
8											0.33	0.17		8
9											0.28			9
10											0.03			10
11											0.34	0.02		11
12											0.06			12
13										[illegible]	0.21			13
14										trace	0.80	0.34		14
15											0.13	0.24		15
16											0.93	trace		16
17										0.07	trace			17
18										0.05				18
19										0.13	0.11	0.05		19
20											0.27			20
21										0.05				21
22										0.05				22
23										0.29		0.26		23
24										0.16		0.12		24
25												0.21		25
26										trace	0.02	0.38		26
27										0.04	0.02	0.33		27
28											0.02	0.02		28
29										0.66	0.27	0.38		29
30		×									0.86	0.43		30
31		×		×		×			×		×	0.15		31
TOTAL										[illegible]	5.18	4.29	Year's Total. 34.53	
* Days with .01 in. or more.										[illegible]	22	20	189	
* Days with .04 in. or more.										[illegible]	17	17	147	

40-9999

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(Signed) Anderson

[P.T.O.

Section **A** **for the entry** **Station No.** 2097/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Somerset/4.

Kept at Wootton Courtenay (Greenacres)

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1												0.17		1
2											0.11	0.09		2
3											0.11			3
4											0.10	0.71		4
5											0.10	0.02		5
6											0.07	0.16		6
7											0.01	0.04		7
8											0.33	0.17		8
9											0.28			9
10											0.03			10
11											0.34	0.02		11
12											0.06			12
13										[illegible]	0.21			13
14										trace	0.80	0.34		14
15											0.13	0.24		15
16											0.93	trace		16
17										0.07	trace			17
18										0.05				18
19										0.13	0.11	0.05		19
20											0.27			20
21										0.05				21
22										0.05				22
23										0.29		0.26		23
24										0.16		0.12		24
25												0.21		25
26										trace	0.02	0.38		26
27										0.04	0.02	0.33		27
28											0.02	0.02		28
29											0.27	0.38		29
30		×								0.66	0.86	0.43		30
31		×		×		×			×		×	0.15		31
TOTAL										[illegible]	5.18	4.29	Year's Total. ~~34.53~~	
* Days with .01 in. or more.										[illegible]	22	20	189	
* Days with .04 in. or more.										[illegible]	17	17	~~147~~	

40-9999

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) Dr. Anderson

[P.T.O.

COPY FOR OFFICIAL ~~USE~~.

Section A **for the entry of Daily Observations.** **Station No.** ....

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Wooton Courtenay, Greenacres.
in the County of Somerset.

Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
,, Ground ,, Sea Level .... ft.

moved from Banwell 12/10/35.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											-	·17		1
2											·11	·09		2
3											·11	-		3
4											·10	·71		4
5											·10	·02		5
6											·07	·16		6
7											·01	·04		7
8											·33	·17		8
9											·28	-		9
10											·03	-		10
11											·34	·02		11
12									#		·06	-		12
13										-	·21	-		13
14										-	·80	·34		14
15										-	·13	·24		15
16										-	·93	tr.		16
17										·07	tr.	-		17
18										·05	-	-		18
19										·13	·11	·05		19
20										-	·27	-		20
21										·05	-	-		21
22										·06	-	-		22
23										·29	-	·26		23
24										·16	-	·12		24
25										-	-	·21		25
26										tr.	·02	·38		26
27										·04	·02	·33		27
28										}	·02	·02		28
29										} ·66	·27	·38		29
30		X								}	·86	·43		30
31		X		X		X			X	}	X	·15		31
TOTAL										imp	5·18	4·29	Year's Total.	
* Days with .01 in. or more.											22	20		
* Days with .04 in. or more.											17	17		

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

N

(Signed) Copied from Mid Wessex Rainfall Returns

P.T.O.

Wootton Courtenay (Greenacres)

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2097/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Greenacres, Wootton Courtenay

in the County of Somerset | 4

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 400 ft.

Sept. Nov + Dec ?

see 2097/8

Days entd Sept. Nov & Dec & total apportioned > >

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.02	0.06	0.01	0.07		0.08	0.40	0.01			0.02			1
2	trace			0.03		0.21		0.01	0.23		0.13			2
3	0.03		0.07	0.64		0.30	0.06	0.11	0.36		0.08			3
4			0.04	0.01		0.18	trace				0.08			4
5	0.35	trace					0.39	0.02	x		0.02			5
6	0.19		0.01			0.04	0.21	0.02	✓		0.25			6
7	0.24						0.91		x		0.97			7
8	0.10						1.27		0.68		0.56			8
9	0.33		0.52			0.01	0.19		away from x					9
10	0.01						0.13		home					10
11	part snow 0.18	snow 0.02				0.17	0.01	0.02	x			0.02	0.02	11
12				0.09	0.01	0.05	0.30		0.23	trace				12
13	0.08	trace				0.01	0.07	0.02		0.13		1.04	1.04	13
14			0.01	0.02		0.01	0.55	0.03	0.09	0.03		0.86	0.86	14
15		0.02			0.08		0.01					0.21	0.21	15
16	snow 0.03				0.23	trace	0.02		0.03	trace		0.22	0.22	16
17	part snow 0.18	0.33			0.13	0.01	0.19	trace		0.10		0.98	0.98	17
18	part snow 0.03	0.12	trace		0.01	0.16	1.16	0.03		0.10		0.15	0.15	18
19	0.39	0.01	0.04	0.28		0.22	0.03	0.03	–			trace	trace	19
20	0.05	0.27	0.15	0.08		0.04	0.06	0.02	0.56 x	trace		0.02	0.02	20
21	0.03		0.10	0.36		0.02	0.07		x	0.02		trace	trace	21
22	0.14	0.82	0.43	trace			0.13		0.01	0.05		0.04	0.04	22
23	0.04		0.23	0.20	0.27		0.08			0.05		0.01	0.01	23
24	0.06	0.10	0.02	0.03	0.15		0.20		0.03	0.41				24
25	0.14		0.71	0.18			0.13		0.84	0.24				25
26	0.21	0.17	0.25				0.03		0.03	0.07				26
27	0.12	0.17	0.03				0.15		0.01	0.14				27
28	0.41	0.28	0.28	0.02			0.11			0.02		0.18	0.18	28
29	0.02	0.22	0.03			0.62	0.17			0.01		0.11	0.11	29
30	0.05	✕	0.04		0.06	0.54	0.04			0.84				30
31	0.19	✕	0.13	✕		✕	0.12		✕	0.01	✕	0.38	0.38	31
TOTAL	3.62	2.59	9.31 3.10	2.01	12.26 0.94	2.67	22.12 7.19	0.32	25.04 2.60	2.22	3.60 ~~6.7~~ (3.60)	9.48 (4.89)	Year's Total. 35.75	
* Days with .01 in. or more.	26	13	19 58	13	8 79	17	125 29	11	(17)	15	(20)	(18)	(206)	
* Days with .04 in. or more.	19	10	12	8	6	12	24	1	(11)	10	(15)	(14)	(142)	

Nov. 9 to Dec. 10 2.17

40-9999

Gauge moved May 1st X D

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Dr Kenneth Anderson

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations copy by BRO. **Station No.** 2097/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at Greenacres Wootton Courtenay.

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 400 ft.

Com. ing 1935

83424/3)

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	·06	·01	·07		·08	·40	·01				·04		1
2	tr			·03		·21		·01	·23			–		2
3	·03		·07	·64		·30	·06	·11	·36			(·47) ✗ ·06		3
4			·04	·01		·18	tr		✗			·35 ✗		4
5	·35	tr					·39	·02	✗			·06 ✗		5
6	·19		·01			·04	·21	·02	✗			·01 ✓		6
7	·24						·01		·68			·01 ✓		7
8	·10						1·27		–		4·27	·02 ✓		8
9	·33		·52			·01	·19		✗					9
10	·01						·13		✓					10
11	·18	·02				·17	·01	·02	✗		Nov 1st to December 8th	·02		11
12				·09	·01	·05	·30		·23	tr				12
13	·08	tr				·01	·97	·02		·13		1·04		13
14			·01	·02		·01	·55	·03	·09	·03		·86		14
15		·02			·08		·01					·21		15
16	·03				·23	tr	·02		·03	tr		·22		16
17	·18	·33			·13	·01	·19	tr		·10		·98		17
18	·03	·12	tr		·01	·16	1·16	·03		·10		·15		18
19	·39	·01	·04	·28		·22	·03	·03	–			tr		19
20	·05	·27	·15	·08		·04	·06	·02	·56 ✗	tr		·02		20
21	·03		·10	·36		·02	·07		✓	·02		tr		21
22	·14	·82	·43	tr			·13		·01	·05		·04		22
23	·04		·23	·20	·27		·08			·05		·01		23
24	·06	·10	·02	·03	·15		·20		·03	·41				24
25	·14		·71	·18			·13		·84	·24				25
26	·21	·17	·25				·03		·03	·07				26
27	·12	·17	·03				·15		·01	·14				27
28	·41	·28	·28	·02			·11			·02		·18		28
29	·02	·22	·03			·62	·17			·01		·11		29
30	·05	✕	·04		·06	·54	·04			·84				30
31	·19	✕	·13	✕		✕	·12		✕	·01	✕	·38	“d”	31
TOTAL	3·62	2·59	3·10	2·01	·94	2·67	7·19	·32	2·60	2·22	(3·80)	~~3·49~~ (4·69)	Year's Total 35·75	
* Days with ·01 in. or more.	20	13	19	13	8	17	29	11	(18)	15	(19)	(20)	(208)	
* Days with ·04 in. or more.	19	10	13	8	6	12	24	1	(11)	10	(15)	(13)	(142)	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Dr. ~~Kenneth~~ anderson * [P.T.O.

+ per Mid-Wessex Rainfall Ass.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2097/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Greenacres, Wootton Courtenay

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 400 ft.

afc

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.25	trace	0.02	0.07					0.08	0.24	0.06	0.27		1
2	0.07	0.57		0.09					0.01			0.05		2
3	trace	0.21	trace	0.16	0.18		trace		trace		0.01	0.02		3
4	0.13	0.22		0.15	0.10		0.03	0.05				0.39		4
5	0.37		0.02	0.02			trace					0.08		5
6	0.18	0.19	0.32	0.29	0.06		0.23			0.10				6
7		0.68	snow 0.09	0.09		0.10	0.01			0.22	0.02	0.03		7
8		0.06			0.12	0.08				0.05	0.07	0.04		8
9	0.03	0.04	snow 0.07	0.05	0.17		0.01	0.04						9
10	0.12	0.01	0.62	0.44		0.03	trace	0.02				0.47		10
11	0.04		0.35	0.07	0.61	0.02	0.38	0.03	1.55 – on 3 days			0.07		11
12	0.39	0.17	0.34			0.27	0.04	0.08				0.33		12
13		0.01	part snow 0.77	0.21		0.04		0.13				0.07		13
14		trace	0.09	0.03			0.06	0.04	0.07			0.11		14
15	0.36	0.18	0.07	0.50			0.60	0.01	0.16			0.07		15
16	0.04	0.11	0.52	0.05		0.03	0.02	0.15	0.18					16
17	0.80	0.09	0.45				0.01	0.02	0.11		0.15			17
18	0.20	0.06	0.33			0.24		trace	0.76		0.25	0.27		18
19	0.27	0.02	0.07	0.08	trace	0.02			0.11		0.48	0.06		19
20		0.09	0.07	0.25	0.09	trace			0.11			0.23		20
21	0.94	0.31	0.30	0.04	0.32		0.04		0.03	0.10	0.02	0.01		21
22		0.02	part snow 0.10		0.15		0.10			0.50	0.35	0.06		22
23	0.61	0.15	trace		0.08		0.02			0.14	0.15			23
24		0.19	trace						0.03	0.70	0.03			24
25		0.79	part snow 0.36							0.13				25
26		0.34	snow 0.01		0.13	trace								26
27		part snow 0.30		0.01								0.10 on 2 days		27
28	snow 0.37	snow 0.02				trace				2.24				28
29	snow 0.10					0.01					0.14			29
30	0.06					trace			0.04	0.02	0.23			30
31	0.66							trace		0.16				31
TOTAL	5.99	4.83	15.79 4.97	2.60	20.40 2.01	0.84	22.79 1.55	0.57	26.60 3.24	4.60	33.16 1.96	2.73	Year's Total 35.89	✓
* Days with .01 in. or more.	23	24	67 20	18	96 11	10	119 13	10	144 1~~5~~8	14	171 13	2~~2~~3	~~192~~ 197	✓
* Days with .04 in. or more.	22	19	58 17	15	11	5	96 7	6	114 12	13	136 9	1~~2~~5	1 15~~2~~	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) K. Anderson

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2091/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Greenacre, Wootton Courtenay

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 400 ft.

ayes

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		0.10				0.55	trace	1.07		0.30	0.05	0.42		1
2		0.06		0.06	0.15					0.35	0.02	0.16		2
3					0.37	0.07	0.02		trace	0.91	0.04	trace		3
4	0.02					0.03	0.37			0.27		0.15		4
5	0.02			trace		0.05	0.11		0.02	0.38		0.15		5
6	0.24					0.19	0.80		0.04	0.26		0.18		6
7	0.08						0.24	2.30	0.03	0.10	0.02	0.16		7
8	0.65	0.07				trace	0.19	on 6		0.54	trace	0.03		8
9	0.40	0.02				trace	trace	days		0.01		1.12		9
10	0.04	0.02					0.03			0.02		1.13		10
11	0.20	trace				0.05	0.05			trace	0.22			11
12	0.38	trace			0.20					0.30	0.77	trace		12
13	0.09				0.08			0.01		0.13	0.12	0.82		13
14	0.49				0.05		0.34		0.05			0.01		14
15	0.32				0.08			trace		0.06	0.05	0.31		15
16	0.31	0.04	0.03		0.09			0.01		trace	0.13	0.02		16
17		0.15			0.04				0.13	0.15				17
18	0.21				0.12	0.11		0.12	0.27	0.04	0.28			18
19	0.04							0.13	0.07	0.02	0.52			19
20	0.02							0.01	0.01		0.25	snow 0.01		20
21	0.03			trace				0.06	0.04		0.23	trace snow		21
22	trace			0.03		0.01		0.41	trace	0.06	0.41			22
23	trace			0.03				0.01	0.02		0.21	trace		23
24	0.07		0.01		0.03			0.03	0.04		0.21			24
25	0.08	0.22	0.01		0.27		0.03				0.81	0.02		25
26	0.27	0.21	0.01		0.36	trace	0.02			0.23	0.13	0.01		26
27	0.08	0.02			0.33	0.20	0.19	0.89	0.07	on 2 days	0.33			27
28	0.03	0.08			0.08	0.12		0.76	0.02		0.10	0.01		28
29	0.04				0.40	0.05	trace		0.08	0.12	0.35	0.02		29
30	0.02	✕			0.15	0.05	trace		0.11	trace	0.36	0.04		30
31	0.29	✕		✕	0.17	✕	trace		✕	0.22	✕	0.32		31
TOTAL	4.42	0.99	0.06	0.12	2.97	1.48	2.39	5.81	1.00	4.47	5.61	5.69	Year's Total 34.41	
* Days with .01 in. or more.	25	11	4	3	17	12	12	~~18~~ 20	15	2~~1~~2	22	21	18~~1~~4	
* Days with .04 in. or more.	19	8	-	1	16	10	8	1~~3~~4	10	18	20	13	13~~6~~7	

† Spare column, no entries required.

(*Signed*) Kenneth Anderson

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2097/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Greenacres, Wootton Courtenay

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.10		0.12	0.07	0.28			0.05			0.14	0.10		1
2	0.04			0.03				0.16	0.27		0.14	~~[illegible]~~	0.21	2
3	0.17		0.05	0.32			trace	0.07			0.02	0.54		3
4	0.04		0.39	0.32	0.22		0.37	trace		0.17	0.39	0.31		4
5		0.01	0.01	0.50	0.16		0.39			0.11	✗			5
6	0.40		trace	0.02		trace	0.84	trace			1.59 ✗			6
7	0.07	0.13				0.04	0.07	trace			✗	0.57		7
8	0.08	0.26	0.04		0.04		0.18	0.05		0.40	✗	0.34		8
9	0.02	0.06	0.03					0.13		0.19	0.02	0.14		9
10	0.35					trace		0.04	0.02	0.10	0.02	0.28		10
11	0.04		0.07			trace		trace		0.09	0.01			11
12	0.12			trace					0.22	0.12	0.01			12
13	0.03			0.16	0.02	0.04	0.14		0.05	0.25	0.03			13
14	0.62		trace	0.03	0.05	0.11	0.41			0.09	0.15			14
15	0.57		trace	trace	0.10	✗	0.86			0.02	0.25	trace		15
16	0.08	trace		0.04	0.21		0.03				0.20			16
17	0.58	0.02			0.01		0.05				0.09			17
18	0.06	0.04	0.07			1.16 ✗	0.84				0.60	0.04		18
19	0.22					on 5 days	0.04					0.03		19
20	0.32				0.01	✗		0.95						20
21	0.03	0.37	0.06		0.04	✗			trace					21
22	0.82	0.34	0.05	0.03		✗	0.22	0.01	0.01		0.33			22
23	trace	0.05	0.08	0.15		0.05	0.21			0.01	0.95			23
[illegible] snow 24	0.60	0.02	0.15	0.04		0.45	0.14			0.04				24
25	snow 0.28	0.13		trace			0.08			0.15	0.32			25
26		0.02		0.38		✗		0.49		0.09	0.62	0.01		26
27		0.22	0.11	trace		✗	0.04	0.57			0.09			27
28	0.04	0.09	0.08	0.77		0.47	0.28				0.27	0.11		28
29	0.10			0.07		on 3 days	0.07			0.37	0.08			29
30			0.01	1.19		✓	0.02			0.15	0.03			30
31							0.03	0.07		0.27				31
TOTAL	5.78	1.76	8.86 1.32	4.12	14.12 1.14	2.32	21.75 5.31	2.59	24.91 0.57	2.62	33.88 6.35	2.68	Year's Total 36,56	'd'
* Days with .01 in. or more.	25	14	15 54	16	81 11	13	115 21	11	131 5	17	26 174	12	186	
* Days with .04 in. or more.	22	10	12 44	12	64 8	12	18	10	3	15	19 ✓	10	~~139~~	151

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Kenneth Anderson

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2997/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at GREENACRES WOOTTON COURTENAY

in the County of Somerset 4

Diameter of Funnel of Gauge ~~5~~ 5" in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		0.08		0.09	0.22						0.07			1
2		trace		0.06			0.03				2.15	trace		2
3	trace	0.44								0.21	0.50	0.09		3
4	0.01	0.08		0.11			0.05			0.11	0.07	0.02		4
5	trace									0.64	0.55	0.20		5
6	0.08	0.29					0.02			0.18	0.06	0.10		6
7	0.01	0.06		0.01					0.15	0.01		0.04		7
8	0.01									0.27	0.13	0.15		8
9							0.23	0.08		0.29	0.61	0.13		9
10			trace				0.30		0.02	0.13	0.06	0.02		10
11		Snow 0.02	0.01			0.02	0.12				0.84	0.05		11
12			0.20			0.02	0.69		0.24		0.14			12
13		Snow 0.01	Part snow 0.54				0.06		trace	0.06	0.48	0.05		13
14		Snow trace	Snow 0.15	0.08	0.02		trace		0.20	0.33	0.01	0.07		14
15			0.02	part snow 0.08	0.15	0.02	trace		0.12		0.24	trace		15
16	snow 0.09	part snow 0.41	0.14	part snow 0.03		trace	0.15		0.13	1.95	0.04	trace		16
17		snow 0.09	0.46	0.06			0.11		0.03		0.05			17
18	snow 0.31	0.31	0.34	1.05				0.03	0.11	0.14		0.04		18
19			0.09	✗			0.40				0.23			19
20			trace	✓			0.21	0.01	0.04	0.08	0.11	trace		20
21			trace	–	0.44		trace	0.01			0.61			21
22		0.01	0.04	✗	trace	0.56	trace		0.02	0.01				22
23		0.16	0.15	✓	0.05				0.02	0.28	0.02			23
24	0.02		trace	1.72	0.01		0.08				trace			24
25	1.20		0.06	✗	0.14	0.07	0.09 ↓							25
26		0.21		✗	0.22						0.02			26
27	0.64	0.18	0.01	✗	0.11		0.03							27
28	0.95	0.01		✗	0.33			0.02				0.01		28
29	snow 0.07	0.18	0.18	✗		0.04				0.01		0.13		29
30		✕	trace	0.30	trace					0.23		0.05		30
31	0.06	✕	0.08	✕		✕			✕	0.47	✕	0.11		31
TOTAL	3.45	2.54	8.46 2.47	3.59	13.84 1.79	0.73	2.57	17.29 0.15	1.08	23.77 5.40	6.99	1.16	Year's Total 31.92	
* Days with .01 in. or more.	13	16	44 15	19	10	6	15	5	11	18	21	16	165	
* Days with .01 in. or more.	9	12	33 12	15	8	3	12	1	7	15	18	13	125	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Kenneth Anderson

[P.T.O.

No 2. Cir A.
WOOTTON COURTNE

Section **A** for the entry of

AIR MINISTRY

Station No. 2097/8.

ORGANIZATION.

FORM 1090.

REGIS

5.

Kept at Crossways

Som/4

in the County of Som

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea I

Ground level at [illegible] gauge ([illegible])

THE MORNING MEASUR

An observer who does not conform to

year in the space on the right of th

following

Jan. 1, following

2097/8

WOOTON COURTENAY
CROSSWAYS
1935

780314

Date	Jan.	Feb.	Mar.									Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Did not start taking Records till Jan 11	TR	·43	nil	Owing to absence from home – Daughter's accident – Readings not taken	·02	nil	nil	·18	·14	·01	·32		1
2		nil	·01	"		~~·011~~ ·01	"	"	·02	·09	·18	·14		2
3		"	·09	·02		~~·029~~ ·03	"	"	1 in·05 1·05	·25	·12	TR		3
4		·13	nil	·11		·05	"	"	·05	·03	~~TR~~	·45		4
5		·21	·04	·18		TR	"	"	·29	·22	+(50)	·08		5
6		nil	TR	·37		·74	"	"	TR	TR		·14		6
7	·25 ~~·30~~	"	nil	·46	N	·16	"	"	nil	·35		·06		7
8		"	"	·30		nil	"	"	"	·14	·31	·24		8
9		"	"	1 inch		"	"	"	TR	1 in·43 1·43	·TR	TR		9
10		TR	·14	·42		·04	·02	"	nil	·07	·47	TR		10
11	·32	·03	nil	nil		·10	·01	"	·12	·11	nil	·02		11
12	·14	·26	"	"		·41	nil	·05	·01	TR	·07	nil		12
13	·17	·02	"	·32	TR	nil	"	nil	·02	·02	·25	"		13
14	TR	·06	"	·23	nil	·08	"	"	·50	TR	·92	·41		14
15	nil	·08	"	·62	·11	·09	"	TR	·18	nil	1 in·03 1·03	·38		15
16	"	·14	·01	·34	nil	nil	TR	TR	·66	"	nil	TR		16
17	"	nil	nil	·02	·75	·28	nil	·31	·06	·13	TR	nil		17
18	"	TR	"	·38	Tr	nil	·04	·19	·75	·13	·12	·02		18
19	"	TR	"	·13	·23	·01	·12	nil	·16	·25	·34	·03		19
20	"	·54	TR	·20	·30	nil	nil	"	TR	nil	nil	nil		20
21	TR	·51	·TR	·17	nil	"	·09	"	·93	·08	"	·03		21
22	nil	·03	·11	·22	TR	"	nil	"	·26	·06	"	nil		22
23	"	·06	·25	nil	·05	"	"	·20	·30	·25	"	·25		23
24	"	·31	TR	·08	·12	"	"	·19	·10	·17	"	·14		24
25	·42	·51	nil	·11	·08	·28	"	TR	nil	TR	"	·23		25
26	TR	·58	TR	TR	nil	TR	"	·57	·14	TR	·01	·41		26
27	nil	·15	nil	nil	·02	nil	"	·35	·05	·11	·04	·35		27
28	·04	·01	"	Owing to illness [illegible] readings not taken	nil	"	"	·58	·15	·02	·03	·20		28
29	TR		"		"	"	"	·07	·32	·04	·28	·49		29
30	·04	×	"		"	·01	"	·82	·35	·24	1½ in 1·50	·63		30
31		×	"	×	·02	×	–	·01	×	·62	×	·17		31
TOTAL	1·38	3·57	1·08	5·68	1·58	2·31	·28	3·34	6·81	4·95	6·19	5·52	Year's Total. 42·69	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

Print ale

40-9999

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(Signed) Miss M. F. MATHIAS

[P.T.O.

Nt2. Cir A.
WOOTTON COURTNE

Section A for the entry of Station No. 2097/8)

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Som/4

Kept at [illegible] Wootton Courtenay
in the County of Somerset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level approx 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	[illegible] taking Recorded Jan 11	TR	·43	nil	[illegible] absence from home [illegible] not taken	·02	nil	nil	·18	·14	·01	·32		1
2		nil	·01	"		·01	"	"	·02	·09	·18	·14		2
3		"	·09	·02		·03	"	"	1·05 1 in·05	·25	·12	TR		3
4		·13	nil	·11		·05	"	"	·05	·03	~~TR~~	·75		4
5		·21	·04	·18		TR	"	"	·29	·22	+(50)	·08		5
6	2·50	nil	TR	·37		·74	"	"	TR	TR		·14		6
7		"	nil	·46	Nil	·16	"	"	nil	·35		·06		7
8		"	"	·30		nil	"	"	"	·14	·31	·24		8
9		"	"	1 inch		"	"	"	TR	1·43 1 in·43	·TR	TR		9
10		TR	·14	·42		·04	·02	"	nil	·07	·47	TR		10
11	·32	·03	nil	nil		·10	·01	"	·12	·11	nil	·02		11
12	·14	·26	"	"		·41	nil	·05	·01	TR	·07	nil		12
13	·17	·02	"	·32	TR	nil	"	nil	·02	·02	·25	"		13
14	TR	·06	"	·23	nil	·08	"	"	·50	TR	·92	·41		14
15	nil	·05	"	·62	·11	·09	"	TR	·18	nil	1·03 1 in·03	·38		15
16	"	·14	·01	·34	nil	nil	TR	TR	·66	"	nil	TR		16
17	"	nil	nil	·02	·75	·28	nil	·31	·06	·13	TR	nil		17
18	"	TR	"	·38	Tr	nil	·04	·19	·75	·13	·12	·02		18
19	"	TR	"	·13	·23	·01	12	nil	·16	·25	·34	·03		19
20	"	·54	TR	·20	·30	nil	nil	"	TR	nil	nil	nil		20
21	TR	·51	·TR	·14	nil	"	·09	"	·93	·08	"	·03		21
22	nil	·03	·11	·22	·TR	"	nil	"	·26	·06	"	nil		22
23	"	·06	·25	nil	·05	"	"	·20	·30	·35	"	·25		23
24	"	·31	TR	·08	·12	"	"	·19	·10	·14	"	·14		24
25	·42	·51	nil	·11	·08	·28	"	TR	nil	TR	"	·23		25
26	TR	·58	TR	TR	nil	TR	"	·57	·14	TR	·01	·41		26
27	nil	·15	nil	nil	·02	nil	"	·35	·05	·11	·04	·35		27
28	·04	·01	"	[illegible] not taken	nil	"	"	·58	·15	·02	·03	·20		28
29	TR		"		"	"	"	·07	·32	·04	·28	·49		29
30	·04	×	"		"	·01	"	·82	·35	·24	1·50 1½ in	·63		30
31		×	"	×	·02	×	-	·01	×	·62	×	·11		31
TOTAL	1·38	3·57	1·08	5·68	1·58	2·31	·28	3·34	6·81	4·95	6·19	5·52	Year's Total. 42·69	
* Days with .01 in. or more.													—	
* Days with .04 in. or more.													—	

Print [illegible]

40-9999

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) Miss M.F. MATHIAS

[P.T.O.

DUNSTER CASTLE GAR

Section **A** for the entry of D

AIR MINISTRY

Station No. 2097/9

ORGANIZATION

FORM 1090

REGIST

Kept at Dunster Castle

in the County of Somers

Diameter of Funnel of Gauge 8

Height of top of Gauge above Grou

,, Ground ,, Sea L

W.D. corrected for W.D.

/38

THE MORNING MEASUREM

DAY

An observer who does not conform to

year in the space on the right of this

lowing

Pleas

Jan. 1, following

·07

2097/9

DUNSTER CASTLE GARDENS

1938 – 40

780314

Date	Jan.	Feb.	Mar.	Apr								Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·40	·17	—	—	·16	—	—	—	·35	·31	·40		1
2	—	·17	—	—	—	1·06	·05	·90	—	·33	—	43		2
3	—	—	—	—	·02	—	—	—	—	·33	·06	·10		3
4	—	—	—	—	·25	·12	—	—	—	·79	—	·15		4
5	—	—	—	—	—	—	·50	1·54	—	·42	—	—		5
6	·35	—	—	—	—	·20	·25	·20	—	·38	—	13		6
7	—	—	—	—	—	—	·75	—	·21	·29	—	—		7
8	·72	—	—	—	—	—	·32	—	—	·17	—	·12		8
9	—	—	—	—	—	—	·39	·14	—	·48	—	·14		9
10	·40	—	—	—	—	—	—	·33	—	—	—	1·15		10
11	—	—	—	—	—	—	—	·08	—	—	—	·57		11
12	·17	—	—	—	—	·10	—	·17	—	—	·20	·68		12
13	·42	—	—	—	·16	—	—	—	—	·20	·73	·05		13
14	—	—	—	—	·06	—	—	—	—	·10	·10	—		14
15	·60	—	—	—	—	—	·65	—	—	—	—	1·05		15
16	·32	—	—	—	—	—	—	—	—	—	·08	·43		16
17	·33	—	—	—	·16	—	—	—	—	—	·10	—		17
18	—	—	—	—	—	—	—	·09	—	·15		—		18
19	·22	—	—	—	—	—	—	·07	·30	—	·35	—		19
20	·04	—	—	—	—	—	—	—	·06	—	·39	—		20
21	—	—	—	—	—	—	—	—		—	·27	—		21
22	—	—	—	—	—	—	—	—	·10	—	·25	—		22
23	—	—	—	—	—	—	—	·42	—	—	·35	—		23
24	—	—	—	—	—	—	—	—	—	—	·31	—		24
25	·10	—	—		—	—	—	—	·05	—	18	—		25
26	·36	·50	—	—	·32	—		—	—	—	·88	—		26
27	·08	·30	—	—	·21	—	·10	—	—	—	·21	—		27
28	x	—	—	—	·30	·04	·08	·86	—	·15	·32	—		28
29	x	—	—	—	·11	·17	—	·70	—	·15	·16	—		29
30	✓ —	✕	—	—	·44	—	—	—	·15	·15	·31	—		30
31	x ·15	✕	—	✕	·18	✕	—	~~0·38~~ 5·50	0·38 ✕	0·31 —	0·40 ✕	0·07 ·07	d"	31
TOTAL	4·26	1·54 ~~1·37~~	nil ~~·77~~	—	~~0·16~~ ~~2·21~~ 2·37	1·69 ~~1·85~~	3·09	~~5·50~~ 5·60	1·22 ~~·84~~	4·40 ~~4·44~~	~~5·56~~ ~~5·47~~ 5·65	~~5·47~~ ~~5·57~~ 5·64	~~34·79~~ ~~34·30~~	34·86
* Days with .01 in. or more.	~~14~~	~~4~~		0	10	7	9	12	6	15	19	14	~~109~~	
* Days with .04 in. or more.	14	4		0	10	7	9	12	6	15	19	14	~~110~~ 108.	

MRS. HARDWICK ~~E5a~~.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

Mr. (Signed) S. Hardwick [P.T.O.

DUNSTER CASTLE GAR

Section **A** for the entry of D … tion No. 2097/9

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Dunster Castle Gardens

in the County of Somerset

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level ~~15~~ 10 ft.

Refer to Dr Glasspoole if any query arises on this return.

Aug, Nov, Dec corr for with

~~87~~ 815807/38

W.D. amended for W.D.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ·07

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	·40	·17	—	—	·16	—	—	—	·35	·31	·40		1
2	—	·17	—	—	—	1·06	·05	·90	—	·33	—	·43		2
3	—	—	—	—	·02	—	—	—	—	·33	·06	·10		3
4	—	—	—	—	·25	·12	—	—	—	·79	—	·15		4
5	—	—	—	—	—	—	·50	1·54	—	·42	—	—		5
6	·35	—	—	—	—	·20	·25	·20	—	·38	—	·13		6
7	—	—	—	—	—	—	·75	—	·21	·29	—	—		7
8	·72	—	—	—	—	—	·32	—	—	·17	—	·12		8
9	—	—	—	—	—	—	·39	·14	—	·48	—	·14		9
10	·40	—	—	—	—	—	—	·33	—	—	—	1·15		10
11	—	—	—	—	—	—	—	·08	—	—	—	·57		11
12	·17	—	—	—	—	·10	—	·17	—	—	·20	·68		12
13	·42	—	—	—	·16	—	—	—	—	·20	·73	·05		13
14	—	—	—	—	·06	—	—	—	—	·10	·10	—		14
15	·60	—	—	—	—	—	·65	—	—	—	—	1·05		15
16	·32	—	—	—	—	—	—	—	—	—	·08	·43		16
17	·33	—	—	—	·16	—	—	—	—	—	·10	—		17
18	—	—	—	—	—	—	—	·09	—	·15		—		18
19	·22	—	—	—	—	—	—	·07	·30	—	·35	—		19
20	·04	—	—	—	—	—	—	—	·06	—	·39	—		20
21	—	—	—	—	—	—	—	—		—	·27	—		21
22	—	—	—	—	—	—	—	—	·10	—	·25	—		22
23	—	—	—	—	—	—	—	·42	—	—	·35	—		23
24	—	—	—	—	—	—	—	—	—	—	·31	—		24
25	·10	—	—	—	—	—	—	—	·05	—	·18	—		25
26	·36	·50	—	—	·32	—	—	—	—	—	·88	—		26
27	·08	·30	—	—	·21	—	·10	—	—	—	·21	—		27
28	x	—	—	—	·30	·04	·08	·86	—	·15	·32	—		28
29	x	—	—	—	·11	·17	—	·70	—	·15	·16	—		29
30	✓ —	17	—	—	·44	—	—	—	·15	·15	·31	—		30
31	x ·15		—		·18		—	~~D35~~ 5·50	~~0·35~~	0·31 —	0·40	0·07 ·07	"d"	31
TOTAL	4·26	1·54 ~~1·37~~	nil ~~·17~~	—	~~0·16~~ ~~2·21~~ 2·37	1·69 ~~1·85~~	3·09	~~5·50~~ 5·60	1·22 ~~·87~~	4·40 ~~4·44~~	~~5·56~~ ~~5·47~~ 5·65	~~5·47~~ ~~5·57~~ 5·64	~~34·79~~ ~~34·30~~	34·86
* Days with .01 in. or more.	~~14~~	~~4~~		0	16	7	9	12	6	15	19	14	~~109~~	
* Days with .04 in. or more.	14	4		0	10	7	9	12	6	15	19	14	~~110~~ 108	

Mrs. HARDWICK ~~E50~~.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

Mr (Signed) S. Hardwick

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 2097/9

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

Kept at DUNSTER CASTLE GARDENS
in the County of SOMERSET
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground ... ft. 6 in.
" Ground " Sea Level 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07				1·10		·11		·05		·29			1
2	·05		·30		·16			·22			·13	·08		2
3	·04		·11	·06				·16			·12	·25		3
4	·18			·03				·10	·33	·26	·07	·55		4
5			·04	·31	·20		·34				·46	·24		5
6			·45	·29	·17		·25			·17	·65			6
7	·45			·40			·65				·15			7
8	·05	·05			·04					·40	·12	·41		8
9	·05	·29	·08							·36	·40	·25		9
10	·05	·05								·08		·07		10
11	·25									·15	·23	·30		11
12			·20							·19				12
13	·09	·08							·20	·20				13
14				·15		·03	·20		·15		·19			14
15	·65				·08	·08	·46				·21			15
16	·71					·34	·25				·32			16
17	·07				·17		·08				·10			17
18	·68						·10				·99			18
19	·09	·10	·05				·63							19
20	·15													20
21	·21							1·24						21
22	·16	·31	·03	·10	·10	·20					·19			22
23	·97	·45	·25			·34	·20				·92			23
24	·39	·06	·08	·22		·03	·29							24
25	·55		·21	·06		·43	·15			·08	·38			25
26		·13					·10			·13	·80			26
27		·04		·18		·06		·43			·12			27
28		·18	·09				·05	·13			·24			28
29			·16	·40			·13							29
30	·11	✕		·03						·38	·07			30
31		✕		✕		✕			✕	·12	✕	·22		31
TOTAL	6·01	1·77	2·05	2·23	2·04	1·66	3·99	2·28	·75	2·51	7·15	2·07	Year's Total 34·51	✓
* Days with .01 in. or more.	22	11	13	12	8	8	16	6	4	12	22	9	142	✓ d
* Days with .04 in. or more.	22	11	12	10	8	6	16	6	4	12	22	9	128	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) S. Hardwick

[P.T.O.

COPY FOR OFFICIAL USE

Station No. 2097/9

Section A for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at DUNSTER CASTLE GARDENS
in the County of SOMERSET
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 100 ft.

Corr. for W.D
Circ. C. sent 16.4.41.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
1939 (·00)

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1					·40						·70			1
2		·18		·27	·13						·10			2
3		·08					·08				1·50			3
4		·07					~~[illegible]~~			·45	·71	·08		4
5		·29					·07			·10	·05			5
6		·08								·45	·75	·49		6
7	·04	·29					·21			·31	·30	·45		7
8							·41		·17	·24		·18		8
9										·13	·19	·27		9
10							·36	·18			·92	·34		10
11							·80				·32	·32		11
12							·08				1·07	·13		12
13							·53		·35		·18			13
14			·90				·18				·50			14
15									·17	·22	·04	·34		15
16			·17		·28				·15	·45	·47			16
17			·39			·10	·34		·11	1·55	·10			17
18	(·25)		·40				·18				·08			18
19		1·12	·12	1·38			·49		·07	·16	·12	·20		19
20				·22					·25	·12	·24			20
21					·45		·29				·11			21
22						·25					·75			22
23				·31		·38								23
24										·06				24
25	15			·12			·43							25
26	~~40~~		·20			·14								26
27	~~1·00~~ (2·50)	·24			·21						·05			27
28	~~60~~	·08			·33									28
29														29
30		✕		1·24						·34		·40		30
31		✕		✕ ·40+		✕			✕	(·70)+	✕	·05		31
TOTAL	~~2·04~~ 2·79	2·45	2·18	~~3·54~~ 3·94	1·80 1·40	·87	4·45	·18	1·27	~~3·58~~ 4·28	~~9·31~~ 8·61	2·95	Year's Total 34·62	35·37
* Days with .01 in. or more.	4	9	6	6	6	4	14	1	7	13	22	12	104	d
* Days with .04 in. or more.	4	9	6	6	6	4	14	1	7	13	22	12	104	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) J. Hardwick

P.T.O.

2098

Section **A** for the entry of Da
AIR MINISTRY.—

Y FOR OFFICIAL USE.
ORGANIZATION.

FORM 1090.

REGISTE

2098

DUNSTER COUNCIL SCHOOL

1931——40

>80314

Kept at Dunster Counc
in the County of Som
Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
,, Ground ,, Sea Level

THE MORNING MEASURE

An observer who does not conform to this ... *ving*
year in the space on the right of this p
Ple

Jan. 1, following

Date	Jan.	Feb.	March	Api							Nov.	Dec.	Date
	in.	in.	in.	in							in.	in.	
1	·01	·05	Tr	—	—	—	·05	—	·31	—	Tr	·01	1
2	·20	·02	·02	·28	·09	Tr	—	—	·24	—	·11	·37	2
3	·04	Tr	·79	·89		·15	·45	·02	·17	—	2·1	·12	3
4	Tr	Tr	·2	Tr	Tr	·89	·02	·72	·13	·01	·02	·03	4
5	Tr	·1	Tr	·22	·04			·24	·24	Tr	·02 Tr	·45 ·0	5
6	Tr	·07	—	·6	·03	·05	·20	·01	Tr	·5	·26	·62	6
7	Tr	·07	—	Tr	·05	·03	·09	·14	Tr	·15	·56	·03	7
8	·04		—	Tr	—	·13	—	·11	—	·01	·06	·28	8
9		·26	—	Tr	—	·34	·03	—	—	—	·59	·02	9
10	·23	·2	—	Tr	Tr	·03	·02	·24	Tr	—	·35	Tr	10
11		·52	—	Tr	·01	·1	·02	·05	·01	—	·39	Tr	11
12	Tr	·07	—	Tr	·01	—	·15	—	—	·24	Tr	Tr	12
13	·01	—	—	Tr	·04	Tr	·50	·05	·03	·01	Tr	·03	13
14	·04	·07	—	Tr	·09	·54		·02	·1	—	·49	Tr	14
15	Tr	·2	—	·05	—	·02	—	·42	Tr	—	Tr	·08	15
16	·02	·11	—	·13	·09	·52	—	Tr	·09	—		Tr	16
17	·03	·01	—				·01	·46	·08	·02	·02	—	17
18	·04	Tr	—	·07	—	·08		·47	Tr	Tr	·15	Tr	18
19	·05	·1	·03		—	·25	·2	·53	15	Tr	·30	·02	19
20	·01	·03	·07	Tr	—	—		·42	Tr	Tr	·48	Tr	20
21	·09	·11	—	Tr	·06	Tr	—	·01	—	Tr	·02	Tr	21
22	·56		·05	Tr	·02	—	—	Tr	—	Tr	·04	Tr	22
23	·16	Tr	—	·40	·11	·05	·02	·47	·03	—	·41	Tr	23
24	·21	·03	·01	·52	·18	·08	·42	Tr	—	—	·01	Tr	24
25	·14	·02	—	·51	Tr	Tr	·03	Tr	—	Tr	·03	Tr	25
26	·01	·09	Tr		Tr	Tr	·4	Tr	—	Tr	·57		26
27	·07	·09	Tr	Tr	2·29	Tr		Tr	—	·02	·14	(·02)	27
28	·21		·22	·04	·06	—	—	·02	—	·04	Tr		28
29	·18	X		Tr	·02	—	·02	·03	—	·25	·07	(·21)	29
30	·93	×	—	—		—	Tr	·09	—	Tr	Tr		30
31		×	—	×	·27	×	—	Tr	×	Tr	×	·10	31
TOTAL	3·28	2·22	1·39	3·71	3·46	3·26	2·63	4·59	1·28	1·25	7·10	2·39	YEAR'S TOTAL 36·49
*Days with ·01 in. or more.	22	20	8	11	17	15	17	20	11	10	23	15	178
*Days with ·04 in. or more.	16	15	5	11	12	12	9	14	6	5	17	8	130

40-9999

(Signed) ....

[P.T.O.

*See Instruction 2 (*f*) on other side.

2098

Section **A** for the entry of Da Y FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE. BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Dunster Council School.

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

„ Ground „ Sea Level 160 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in	in.	in.	
1	·01	·05	Tr	—	—	—	·05	—	·31	—	Tr	·01	1
2	·20	·02	·02	·28	}·09	Tr	—	—	·24	—	·11	·37	2
3	·04	Tr	·79	·89		·15	·45	·02	·17	—	2·1	·12	3
4	Tr	Tr	·2	Tr	Tr	}·89	}·02	·72	·13	·01	·02	·09	4
5	Tr	·1	Tr	·22	·04			·24	~~·24~~	Tr	~~Tr~~ ·02	·45 ·0	5
6	Tr	·07	—	·6	·03	·05	·20	·01	Tr	·5	·26	·62	6
7	Tr	}·07	—	Tr	·05	·03	·09	·14	Tr	·15	·56	·03	7
8	·04		—	Tr	—	·13	—	·11	—	·01	·06	·28	8
9		·26	—	Tr	—	·34	·03	—	—	—	·59	·02	9
10	}·23	·2	—	Tr	Tr	·03	·02	·24	Tr	—	·35	Tr	10
11		·52	—	Tr	·01	·1	·02	·05	·01	—	·39	Tr	11
12	Tr	·07	—	Tr	·01	—	·15	—	—	·24	Tr	Tr	12
13	·01	—	—	Tr	·04	Tr	}·50	·05	·03	·01	Tr	·03	13
14	·04	·07	—	Tr	·09	·54		·02	·1	—	·49	Tr	14
15	Tr	·2	—	·05	—	·02	—	·42	Tr	—	Tr	·08	15
16	·02	·11	—	·13	}·09	}·52	—	Tr	·09	—		Tr	16
17	·03	·01	—				·01	·46	·08	·02	·02}	—	17
18	·04	Tr	—	}·07	—	·08		·47	Tr	Tr	·15	Tr	18
19	·05	·1	·03		—	·25	}·2	·53	15	Tr	·30	·02	19
20	·01	·03	·07	Tr	—	—		·42	Tr	Tr	·48	Tr	20
21	·09	}·11	—	Tr	·06	Tr	—	·01	—	Tr	·02	Tr	21
22	·56		·05	Tr	·02	—	—	Tr	—	Tr	·04	Tr	22
23	·16	Tr	—	·40	·11	·05	·02	·47	·03	—	·41	Tr	23
24	·21	·03	·01	·52	·18	·08	·42	Tr	—	—	·01	Tr	24
25	·14	·02	—	}·51	Tr	Tr	·03	Tr	—	Tr	·03	Tr	25
26	·01	·09	Tr		Tr	Tr	}·4	Tr	—	Tr	·57		26
27	·07	}·09	Tr	Tr	2·29	Tr		Tr	—	·02	·14	(·02)	27
28	·21		}·22	·04	·06	—	—	·02	—	·04	Tr		28
29	·18	×		Tr	}·02	—	·02	·03	—	·25	·07	(·21)	29
30	}·93	×	—	—		—	Tr	·09	—	Tr	Tr		30
31		×	—	×	·27	×	—	Tr	×	Tr	×	·10	31
TOTAL	3·28	2·22	1·39	3·71	3·46	3·26	2·63	4·52	1·28	1·25	7·10	2·39	YEAR'S TOTAL 36·49
*Days with ·01 in. or more.	22	20	8	11	17	15	17	20	11	10	23	15	178
*Days with ·04 in. or more.	16	15	5	11	12	12	9	14	6	5	17	8	130

40-9999

(*Signed*)

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2098

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Dunster Council School.
in the County of Somerset.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 160 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12	—	—	·15	·40	Tr	}·15	·02	—	Tr	·02	Omitted until 3/12/32 ·92	1
2	—	—	—	—	·15	Tr		Tr	}·55	·01	Tr		2
3	·01	—	—	·26	·02	Tr	·06	Tr		·03	·03	·06	3
4	·03	—	—	·01	—	—	—	·02	Tr	—	·49	·02	4
5	·99	Tr	·06	—	—	—	Tr	Tr	·1	—	Tr	Tr	5
6	·43	—	·03	·33	—	—	·09	Tr	·09	—	Tr	—	6
7	·29	—	·01	·06	·03	—	—	—	·64	1·23	—	Tr	7
8	Tr	—	·41	}·15	·13	—	—	—	·22	·28	—	Tr	8
9	1·12	—	·01		Tr	—	Tr	—	}·12	·04	—	Tr	9
10	·44	·02	Tr	·28	Tr	Tr	—	—		·54	—	—	10
11	·06	—	Tr	·02	·36	—	—	—	Tr	·04	—	·04	11
12	·43	—	—	·01	—	—	—	·2	·14	·34	Tr	Tr	12
13	·14	—	—	·23	—	—	·44	—	Tr	·90	—	·15	13
14	·35	—	Tr	Tr	}·28	—	—	·10	Tr	}·11	·43	·03	14
15	·03	—	Tr	·08		—	—	—	Tr		·11	·03	15
16	·4	—	—	·14	—	—	·64	—	Tr	Tr	Tr	Tr	16
17	Tr	—	—	·01	Tr	—	·02	—	Tr	·04	Tr	Tr	17
18	Tr	—	—	—	·09	Tr	—	·02	·2	Tr	·44	Tr	18
19	·01	—	—	·08	·14	—	—	—	·07	·14	Tr	Tr	19
20	Tr	Tr	—	·10	·44	—	—	—	Tr	·62	·03	·04	20
21	Tr	—	·09	·14	—	—	—	·04	Tr	·62	·01	·20	21
22	Tr	—	·03	·06	Tr	—	·03	—	·48	·24	·18	—	22
23	—	—	Tr	—	·03	—	·24	—	·14	·39	·30	·22	23
24	—	·03	—	—	—	—	·14	—	·06	·15	Tr	Tr	24
25	·01	Tr	·11	Tr	·06	—	·24	—	·01	·35	·14	Tr	25
26	Tr	—	·25	·03	—	—	·11	—	·05	·16	·08	Tr	26
27	—	—	·20	·12	·14	—	·05	—	—	·64	Omitted in error until 9am. 3/12/32	Tr	27
28	—	—	·16	·14	·02	—	·02	—	—	·22		·03	28
29	—	—	·86	}·12	·12	·28	}·60	·29	·30	·08		·53	29
30	·01	×	}·38		·08	·58		—	·69	—		·53	30
31	—	×		×	·03	×	·36	—	×	·06	×	·37	31
TOTAL	5·44	·05	2·60	2·55	2·88	·86	3·22	·69	4·22	4·26	2·29	3·23	YEAR'S TOTAL 35·32
*Days with ·01 in. or more.	14	2	13	21	14	2	15	4	15	23	12	14	158
*Days with ·04 in. or more.	11	—	9	16	12	2	12	3	14	21	8	10	118

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Percy R Day.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2098

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Dunster Council School

in the County of Somerset

Diameter of Funnel of Gauge 5 ins

Height of top of Gauge above Ground 1 ft ... in.

,, Ground ,, Sea Level 160 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·30	·54	·07	—	·21	—	—	—	·02	Tr	·01	·70		1
2	—	Tr	·40	—	·68	·29	—	—	Tr	Tr	Tr			2
3	·07	·03	·12	—	·02	—	—	—	Tr	—	—	—		3
4	·20	·02	·05	—	·07	—	—	Tr	—	—	—	—		4
5	·2	Tr	·50	—	·09	—	Tr	—	—	Tr	Tr	—		5
6	—	·17	·02	—	·12	—	·78	—	—	·16	Tr	—		6
7	·05	·07	Tr	—	·01	—	·02	—	—	·01	—	·01		7
8		Tr	·06	—	·08	·02	·18	Tr	—	Tr	—	—		8
9	Tr	·12	Tr	—	·30	Tr	Tr	—	—	·66	·04	—		9
10	·06	·20	—	—	Tr	Tr	·27	·01	—	1·47	Tr	—		10
11	·08	Tr	—	—	—	·07	Tr	·41	—	·34	Tr	—		11
12	·01	Tr	—	·13	·02	·04	·17	—	·41	Tr	·01	Tr		12
13	·11	Tr	—	—	·10	·46	·21	·09	—	·10	·01	—		13
14		—	—	—	—	—	·25	·03	—		·28	—		14
15	·34	Tr	·19	—	—	—	·11	·01	—	·30	·01	Tr		15
16	Tr	·02	·67	—	—	—	—	·01	Tr	·02	—	Tr		16
17	·12	·05	·37	—	—	·29	—	Tr	·04	—	—	—		17
18	·07	—	·23	—	—	·18	Tr	—	·04	—	·04	—		18
19	·06	—	·35	—	—	Tr	·12	Tr	·08	—	·31	—		19
20	Tr	·04	Tr	Tr	Tr	·08	—	·15	·23	—	·02	Tr		20
21	Tr	·04	—	—	Tr	·03	—	·26	·06	·11	Tr	Tr		21
22	·03	—	—	·12	·04	—	—	·27	·13	·01	Tr	Tr		22
23	Tr	1·40	—	·13	—	·17	Tr	—	·14	·49	Tr	Tr		23
24	—	·13	—	·12	—	·01	Tr	·02	Tr	·09	Tr	—		24
25	—	1·40	—	·05	·10	·13	—	—	·26	—	Tr	·03		25
26	—		—	·05	·38	—	—	Tr	·10	·85	—	·01		26
27	—	Tr	Tr	—	·09	—	Tr	Tr	·23		—	·21		27
28	—	·23	—	·26	—	—	·04	—	Tr	·27	—	·07		28
29	·12		—	·05	—	—	Tr	—	Tr	Tr	—	·06		29
30	·03	×	·08	—	—	—	—	—	·05	·14	—	·12		30
31	·19	×	Tr	×	—	×	·05	—	×	·10	×	·02		31
TOTAL	2·04	4·46	3·11	·90	2·31	1·77	2·20	1·25	1·85	4·12	·73	1·23	Year's Total 25·97	
*Days with ·01 in. or more.	17	15	13	8	15	12	11	10	13	16	9	9	148	
*Days with ·04 in. or more.	14	12	12	8	12	9	10	5	12	13	4	5	116	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Percy R Day

[P. T. O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2098

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at DUNSTER COUNCIL SCHOOL

in the County of SOMERSET

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 160 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in	in.	in	in.	in.	in.	†	
1	·05	—	·03	—	—	TR	TR	·34	TR	·01	·41	·28		1
2	·06	—	—	TR	—	—	TR	TR	·21	TR	·10	·09		2
3	TR	TR	TR	TR	·02	—	TR	·22	·43	·14	TR	·29		3
4	·15	—	·03	·14	·27	—	TR	—	·15	·50	TR	·23		4
5	TR	TR	·05	·02	·21	·34	TR	·27	TR	–	·40	·64		5
6	·04	—	·21	·10	·59	—	TR	·29	TR	·39	·01	·25		6
7	·10	—	TR	—	—	—	TR	·09	TR	·30	·01	·49		7
8	·03	—	TR	TR	·14	TR	TR	TR	TR	·04	·23	·79		8
9	TR	—	·06	·07	—	—	TR	TR	TR	·12	TR	1·40		9
10	TR	TR	·26	·42	—	—	TR	·40	TR	TR	·52	TR		10
11	1·01	TR	·02	·41	TR	—	TR	·09	TR	TR	·04	·33		11
12	·09	TR	—	·01	—	—	TR	·29	TR	·01	TR	·03		12
13	·50	TR	·24	·31	—	—	TR	TR	TR	·02	TR	TR		13
14	·26	—	·51	—	TR	—	—	—	TR	·05	·01	·22		14
15	·17	TR	·12	—	·24	TR	TR	TR	TR	·10	·05	·29		15
16	·14	TR	·50	—	·26	—	—	—	·40	·01	TR	TR		16
17	·28	TR	·02	·14	·05	—	TR	—	·11	·08	TR	·20		17
18	·20	TR	·15	·43	TR	·01	—	TR	·02	·02	TR	·46		18
19	TR	TR	·21	—	TR	·01	TR	·03	·19	TR	TR	·19		19
20	—	—	·02	—	TR	TR	·33	TR	·05	TR	·02	TR		20
21	—	—	·10	·01	—	·09	TR	TR	TR	·12	TR	·01		21
22	·03	—	·06	—	TR	—	—	·06	·20	·07	TR	·06		22
23	TR	—	·07	·15	TR	·55	·06	·08	·05	TR	TR	TR		23
24	TR	·18	·01	·01	—	·25	TR	—	·07	TR	TR	·01		24
25	·19	·02	—	·22	TR	·35	·02	—	·02	—	TR	·18		25
26	·01	—	·07	·10	—	·15	—	TR	·05	✓	TR	·06		26
27	TR	—	TR	·19	—	TR	TR	—	TR	1·10 ✓	TR	·14		27
28	TR	—	—	TR	—	—	TR	TR	·25	✓	TR	·64		28
29	TR	×	—	—	TR	TR	TR	1·21	·05	✓	TR	·04		29
30	·09	×	—	TR	—	TR	TR	·47	·15	·42	TR	·16		30
31	·01	×	—	×	·01	×	TR	·42	×	TR	×	·14		31
TOTAL	3·41	·20	2·74	2·73	1·79	1·75	·41	4·26	2·40	3·50	1·80	7·62	Year's Total. 32·61	
* Days with .01 in. or more.	19	2	20	16	9	8	3	14	16	~~18~~ 21	11	26	165	
* Days with .04 in. or more.	15	~~None~~ 1	14	12	7	6	2	3	14	~~13~~ 16	7	23	120	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Percy R. Day

[P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 2098

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at DUNSTER COUNCIL SCHOOL

in the County of SOMERSET

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 160 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	·01	·60	—	—	·12	·02	TR	·15	TR	·01	·60		1
2	TR	·01	·20	—	—	·9	·04	TR	TR	TR	·08	·19		2
3	TR	·01	×	·01	·02	·27	TR	TR	1·2	·25	·21	TR		3
4	TR	·10	—	·16	—	·11	—	TR	·05	× ·36	×	·77		4
5	—	·17	·05	·02	TR	TR	—	TR	·29	×	× ·32	·09		5
6	·01	·09	TR	×	—	·61	—	TR	TR		✓	·20		6
7	TR	TR	TR	× ·41	—	·15	—	TR	TR	× ·42	TR	×		7
8	TR	TR	—	·30	—	—	—	TR	—	×	·31	× ·48		8
9	·01	TR	—	·80	—	·03	—	—	TR	1·15	·33	TR		9
10	·01	—	·09	·39	—	·04	·01	—	TR	·03	TR	TR		10
11	·32	·01	TR	·01	—	·03	·02	—	·10	·07	·43	·01		11
12	·13	·10	—	—	TR	·04	TR	—	TR	TR	·04	TR		12
13	·20	·02	—	·01	·01	·42	TR	—	·04	·05	·24	TR		13
14	TR	·10	—	·19	TR	·14	—	—	·58	TR	·65	·22		14
15	TR	·15	—	·62	× ·11	·09	—	·04	·07	—	·13	·37		15
16	TR	TR	TR	·18	(SNOW)		·6	·01	·58	TR	·97	·04		16
17	TR	TR		·19	·74	× ·21	·19	·35	·07	·12	·02	TR		17
18	—	TR		·32	TR	—	×	·05	·78	·10	·01	·01		18
19	—	TR		×	·08	TR	TR	—	·19	·10	·10	·03		19
20	—	·56		× ·54	·20	—	TR	—	1·28	TR	·30	TR		20
21	—	·46	✓		TR	—	TR	—	×	·06	TR	TR		21
22	—	TR	×	·18	TR	TR	·14	TR	TR	·06	TR	—		22
23	TR	·05	× ·25	TR	·04	TR	—	·20	·05	·16	TR	—		23
24	·04	·35	·04	·01	× ·79	—	TR	·19	·13	·15	TR	·17		24
25	·50	·40	TR	·15	×	—	TR	—	·20	TR	TR	×		25
26	—	·50	TR	TR	TR	·28	TR	× ·45	× ·25	TR	·03	× ·12		26
27	TR	·13	TR	TR	TR	TR	—	×	×	·15	·02	×		27
28	·02	·10	TR	TR	—	—	TR	·69	·69	·40	·04	— ·40		28
29	TR	×	TR	—	—	TR	TR	·02	·02	·10	·76	×		29
30	·03	×	TR	TR	—	TR	TR	·65	·65	·20	·84	·43		30
31	TR	×	—	×	TR	×	—	·02	×	·56	×	·43		31
TOTAL	1·32	3·41	1·23	4·48	1·40	2·63	1·02	2·67	6·73	4·49	84 5·59	6 5·59	Year's Total. 40·82	
* Days with ·01 in. or more.	~~11~~ ✓	~~20~~ 19	~~6~~ 8	~~18~~ 20	~~8~~ 9	~~14~~ 15	~~7~~ 7	~~10~~ 12	~~20~~ 21	~~19~~ 21	~~21~~ 23	~~13~~ 20	~~169~~	186
* Days with ·04 in. or more.	~~6~~ ✓	~~15~~ 14	~~6~~ 7	~~13~~ 15	~~6~~ 7	~~12~~ 13	~~4~~ 4	~~7~~ 9	~~20~~ ✓	~~18~~ 20	~~15~~ 17	~~2~~ 17	~~124~~	149

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) P.R. [illegible]

[P.T.O.

COPY FOR OFFICIAL USE. File No. 11826/30.

Section **A** for the entry of Daily Observations. Station No. 2098

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193~~7~~6

Kept at Dunster Council School

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 160 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	~~·41~~ ~~·23~~	~~·37~~	x ·05	TR	·04	·41	·02	–	–	·17	·03		1
2	·02	–	–	–	–	·12	TR	·01	·21	TR	x	–		2
3	TR	TR	·01	x ·47	TR	·15	x	·20	x	TR	·14	·02		3
4	TR	TR	·02	–	TR	·08	– ·37	TR	x ·46	TR	x	·64		4
5	·50	·02	·01	TR	TR	TR	x	·02	x	TR	·01	·01		5
6	·25	TR	TR	TR	TR	·04	·17	·01	·03	TR	·20	·01		6
7	·20	– ~~·21~~	–	–	TR	–	·29	·01	·01	TR	1·01	·01		7
8	·33	x	·21	–	TR	–	·85	TR	·01	TR	·59	·08		8
9	·33	·35	·35	–	TR	TR	·19	TR	x	TR	·44	TR		9
10	·08	TR	TR	–	–	–	·19	–	·24	TR	·53	TR		10
11	·19	TR	TR	TR	–	·18	·16	–	x	–	·39	–		11
12	TR	–	TR	(snow) ·08	TR	·09	x	·01	·20	·01	·01	TR		12
13	·10	TR	TR	–	TR	x	·03	–	TR	·25	·01	1·30		13
14	TR	·05		–	TR	TR	·66	–	·04	·06	·01	·80		14
15	TR	·55	TR	TR	·13	–	·01	–	·03	TR ~~·05~~	·11	·08		15
16	TR	·11	TR	TR	·25	–	·01	–	·05	TR	–	·02		16
17	·28	·01	–	–	·14	–	·09	–	TR	·12	·06	·08		17
18	·02	·23	–	–	·01	·34	·67	·02	TR	·24	TR	·11		18
19	·51	–	·02 ~~·28~~	·20	TR	·28	·03	–	TR	·01	TR	TR		19
20	·07	TR	·09	·06	·	·09	·01	·02	·54	TR	TR	·01		20
21	·04	– ·54	·68	x ·56	–	TR	–	TR	·01	·02	TR	–		21
22	·17	x	TR	–	– ·35	TR	·17	–	TR	·10	TR	·01		22
23	·02	·07	·22	·15	x	TR	*	TR	TR	TR	TR	TR		23
24	·09	·03	·06	TR	x	TR	·03	TR	0·10	·43	·01	TR		24
25	– ·13	TR	·14	·24x ~~·13~~	·01	TR	·10	–	x ·51	·35	·04	TR		25
26	·10	·15	TR ·39	–	TR	–	·22	–	–	·05	·03	TR		26
27		·13	TR	·02	TR	–	·10	TR	TR	·14	TR	TR		27
28	·56	x	·38 ·04	~~·38~~	TR	–	·10	–	–	·06	TR	·15		28
29	·02	x	·01	–	TR	·56	TR ·10	–	–	x ·81	·02	·16		29
30	·01	✕	·20	–	TR	·32	TR	–	–	x	TR	– ·36		30
31	(·14)	✕	x	✕	·01	✕	·03	–	✕	TR	✕	x		31
TOTAL	4·13 ~~3·99~~	2·03 ~~2·20~~	2·81 ~~5·00~~	1·83 ~~2·01~~	·90	2·29	4·99	·32	2·74	2·65	8 ~~3·74~~	3·88 ~~3·80~~	Year's Total 32·35 ~~3·72~~	32·35
* Days with .01 in. or more.	24	~~13~~ 12	~~15~~ 14	~~10~~ 9	7	12	~~21~~ 25	9	7 ~~14~~	~~14~~ 15	~~17~~ 20	18	~~17~~ 184	184
* Days with .04 in. or more.	~~15~~ 17	9	~~9~~ 11	~~10~~ 8	4	12	~~13~~ 18	1	12 9	~~10~~ 12	~~10~~ 11	10 9	~~17~~ 125	125

40-9999 24/7/36 Gauge moved 12ft. farther west † Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Percy R. Day [P.T.O.

File No. 11826/30.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2098.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193~~6~~7.

Kept at Dunster Council School.
in the County of Somerset.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 160 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·22	0·01	0·12	0·09	TR	–	–	–	0·04	TR	0·08	0·29		1
2	0·03	0·52	0·01	0·15	TR	–	–	–	TR	0·18	0·01	TR		2
3	TR	0·31	TR	0·18	0·73	–	TR	–	TR	TR	TR	+ 0·41		3
4	0·17	0·45	0·03	0·14	0·08	TR	0·06	0·05	TR	TR	TR	+		4
5	0·41	TR	0·01	0·04	TR	TR	0·19	–	TR	TR	TR	0·09		5
6	0·26	0·29	0·29	0·03	0·08	TR	0·04	–	0·02	0·13	TR	0·01		6
7	TR	0·60	TR	0·07	TR	0·05	TR	–	TR	+	0·02	0·03		7
8	–	0·70	TR	TR	0·15	TR	0·05	–	0·16	+ 0·16	0·15	TR		8
9	0·01	0·03	TR	0·04	0·13	TR	TR	0·04	0·96	–	–	0·02		9
10	0·07	0·01	0·77	0·45	TR	0·04	0·08	TR	TR	–	–	+ 0·74		10
11	0·04	–	0·22	0·12	0·44	✓ 0·26	0·$\overset{5}{0}$3	·64	TR	TR	–	+		11
12	0·41	0·19	0·30	TR	TR	+	0·02	0·10	0·64	TR	TR	0·40		12
13	0·03	0·03	0·49	0·46	TR	TR	0·06	0·10	0·10	TR	TR	0·13		13
14	TR	TR	0·07	0·04	TR	–	0·55	–	0·02	TR	TR	0·16		14
15	0·38	0·13	0·05	0·38	TR	–	0·01	0·01	0·17	–	TR	0·22		15
16	0·09	0·14	0·52	0·06	TR	TR	0·01	–	0·21	TR	–	0·01		16
17	0·90	0·01	0·74	–	TR	–	TR	–	0·14	TR	0·19	TR		17
18	0·18	0·07	0·46	–	TR	0·28	TR	–	Thunderstorm 0·99	TR	0·19	0·46		18
19	0·29	TR	0·11	TR	TR	TR	–	–	0·06	TR	0·64	0·03		19
20	0·54	0·20	0·03	0·23	TR	TR	0·02	–	0·14	TR	0·02	0·14		20
21	0·41	0·40	0·27	0·06	0·40	TR	0·07	–	0·01	0·09	0·37	TR		21
22	0·11	0·10	0·10	–	0·18	TR	–	–	TR	0·41	0·14	0·02		22
23	+ 0·94	0·16	TR	TR	0·02	–	TR	–	TR	0·18	0·03	TR		23
24	+	0·13	TR	TR	TR	–	–	–	0·10	0·72	0·02	0·03		24
25	TR	0·78	0·40	TR	TR	–	–	–	TR	0·20	TR	0·04		25
26	TR	0·30	0·01	TR	0·16	–	–	–	TR	–	TR	TR		26
27	0·02	0·51	TR	TR	TR	–	–	–	TR	1·57	TR	0·03		27
28	Snow 0·34	0·12	–	TR	TR	TR	–	–	–	0·17	TR	0·01		28
29	Snow 0·08	×	TR	TR	TR	0·02	–	–	–	0·78	0·08	TR		29
30	Thaw. + 0·79	×	–	TR	TR	–	TR	–	0·03	0·02	0·12	TR		30
31	+	×	TR	×	–	×	–	–	×	0·12	×	TR		31
TOTAL	6·72	6·19	5·10	2·54	2·37	0·65	1·69	0·34	3·79	4·73	2·06	3·24	Year's Total 39·42	✓
* Days with ·01 in. or more.	2~~8~~5	24	20	15	10	~~5~~6	13	17	16	1~~8~~4	14	2~~0~~2	18~~0~~6	✓
* Days with ·04 in. or more.	~~17~~ 21	19	15	14	9	4	8	4	12	1~~2~~3	9	1~~1~~3	1~~36~~41	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

File No. 118 26/30.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2098.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Ilminster Ct. School.

in the County of Somerset.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 160 ft.

✓ BA corr. Ent.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	TR	0·16	TR	TR	TR	1·10	0·22	0·81	TR	0·32	0·02	0·21		1
2	0·02	0·30	TR	0·09	0·08	TR	–	TR	TR	0·29	0·03	0·09		2
3	TR	TR	TR	TR	0·26	0·12	TR	0·01	TR	0·82	TR	TR		3
4	0·02	TR	TR	TR	TR	0·02	0·40	1·70	–	0·43	–	0·14		4
5	0·03	TR	TR	–	TR	0·02	0·07	TR	TR	0·33	–	0·12		5
6	0·21	TR	–	TR	–	0·16	0·77	–	0·~~06~~17	0·19	–	0·11		6
7	0·10	TR	TR	TR	–	–	0·09 ×	TR	TR	0·14	TR	0·12		7
8	0·62	0·07	–	TR	TR	–	0·40 ×	0·06	TR	0·48	TR	TR		8
9	0·32	0·06	–	TR	TR	0·01		0·41	TR	0·02	TR	0·75		9
10	0·02	0·05	–	–	TR	–	0·02	0·09	TR	TR	–	0·59		10
11	0·11	TR	TR	–	–	0·11	0·05	0·15	–	–	0·05	0·58		11
12	0·42	–	TR	TR	0·15	–	–	TR	–	0·02	0·79	TR		12
13	0·06	0·02	TR	TR	0·06	–	–	–	–	0·08	0·07	0·24		13
14	0·96 ×	TR	TR	TR	TR	–	0·43	–	0·05	TR	–	0·58		14
15	×	TR	TR	TR	0·02	–	TR	0·02	TR	0·01	0·06	0·06		15
16	·20	TR	TR	TR	0·02	–	–	0·08	TR	–	0·02	TR		16
17	TR	0·09	TR	TR	0·03	–	–	TR	TR	0·12	TR	–		17
18	0·20	0·08	TR	TR	0·04	0·06	–	–	0·02	0·04	0·33	–		18
19	0·04	TR	–	TR	TR	TR	TR	0·04	0·21	TR	0·40	TR		19
20	TR	TR	–	TR	TR	TR	TR	TR	0·05	–	0·29	–		20
21	0·03	TR	TR	TR	–	TR	–	0·09	TR	TR	0·24	TR		21
22	TR	TR	TR	0·05	–	0·03	TR	0·33	0·05	TR	0·40	0·01		22
23	TR	–	TR	0·01	–	–	–	0·01	0·01	0·01	0·28	–		23
24	0·03	–	0·02	TR	0·07	–	–	TR	0·03	TR	0·22	–		24
25	0·09	0·17	TR	TR	0·25	–	0·05	TR	–	0·09	0·21	0·07		25
26	0·30	0·27	0·01	TR	0·21	0·07	0·06	0·95	TR	0·15	0·17	TR		26
27	0·07	0·02	TR	–	0·29	0·11	0·09	–	–	TR	0·36	TR		27
28	0·06	0·16	TR	–	0·12	0·19	TR	0·70	TR	TR	0·17	0·01		28
29	0·08	×	TR	–	0·52	0·04	TR	TR	0·09	0·18	0·28	0·04		29
30	0·02		TR	–	0·09	0·03	–	TR	0·22	TR	0·28	TR		30
31	0·40		TR		0·16		TR	TR		0·41		0·01		31
TOTAL	4·41	1·45	0·03	0·15	2·37	2·07	2·65 ~~0·88~~	5·46 5	0·90	4·~~37~~ 13	4·87 7	3·73	Year's Total 32·11 ~~30·68~~	✓
* Days with .01 in. or more.	2~~4~~5	12	2	3	16	14	1~~2~~3	15	10	19	2~~3~~0	17	16~~7~~6	✓
* Days with .04 in. or more.	1~~7~~8	10	–	2	13	9	11	12	7	1~~6~~5	17	14	128 8	✓

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(Signed) Percy R Day

P.T.O.

COPY FOR OFFICIAL USE File No. 11826/30.

Station No. 2098

Section A for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Dunster Cl. School

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 160 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·24	—	0·10	0·08	0·50	—	0·01	0·16	—	Tr.	0·13	0·05		1
2	0·03	—	Tr.	0·02	Tr	—	—	0·22	0·33	Tr.	0·10	0·28		2
3	0·02	—	Tr.	0·28	—	—	—	0·06	Tr.	Tr.	0·05	0·59		3
4	0·03	—	0·48	0·26	0·44	—	0·55	—	Tr.	0·28	0·47	0·16		4
5	0·02	—	0·09	0·19	0·13	—	0·27	0·02	—	0·17	0·60	0·02		5
6	0·44	—	—	0·01	Tr	—	0·25	0·02	Tr.	Tr.	0·15	0·01		6
7	0·05	0·06	—	—	—	0·03	x 0·12	0·07	Tr.	Tr.	0·15	0·40		7
8	0·03	0·28	0·13	—	0·02	— ~~0·03~~	—	0·01	Tr.	0·42	0·38	0·24		8
9	0·03	0·02	Tr.	—	—	—	—	0·08	Tr.	0·14	0·03	0·07		9
10	0·24	Tr.	—	—	—	Tr	—	0·03	0·03	0·08	0·17	0·31		10
11	0·04	0·02	0·18	—	—	—	—	—	Tr	0·26	0·03	Tr.		11
12	0·07	0·02	—	Tr	—	Tr	—	—	0·29	0·03	Tr	Tr.		12
13	Tr	0·02	—	0·08	0·02	0·02	0·06	—	0·03	0·20	Tr	Tr.		13
14	0·69	—	—	0·03	0·04	0·09	0·24	—	—	0·02	0·16	Tr.		14
15	0·74	—	—	Tr	0·04	0·28	0·17	—	Tr.	0·01	0·22	Tr.		15
16	0·48	Tr	—	0·03	0·12	Tr	0·05	—	Tr.	0·01	0·42	—		16
17	0·70	—	—	—	Tr	Tr	0·15	—	—	Tr.	0·18	Tr.		17
18	0·36	0·07	0·05	—	—	0·06	0·45	—	—	Tr.	1·06	Tr.		18
19	0·18	—	Tr.	—	—	—	0·04	—	—	Tr.	0·02	0·02		19
20	0·20	—	—	—	Tr	0·05	Tr	1·15	—	Tr	Tr	Tr		20
21	Tr.	0·28	0·11	—	0·05	0·15	Tr	0·02	Tr.	Tr	Tr	Tr.		21
22	1·07	0·45	0·17	0·11	—	0·34	0·19	0·01	Tr.	Tr	0·19	0·01		22
23	0·03	0·06	0·06	0·19	—	x 0·51	0·33	0·01	—	0·03	0·99	Tr.		23
24	0·18	0·02	0·21	0·04	—	—	0·08	—	Tr.	0·03	Tr	0·01		24
25	0·16	0·11	—	0·03	—	Tr	0·08	0·02	Tr.	0·11	0·41	0·01		25
26	0·02	0·02	Tr.	0·22	—	—	—	0·45	Tr.	0·13	0·90	Tr		26
27	Tr.	0·18	0·09	Tr	—	0·06	0·03	0·14	Tr.	Tr.	0·12	0·02		27
28	0·01	0·22	0·25	0·48	—	0·08	0·14	—	Tr.	Tr.	0·24	0·20		28
29	0·14	✕	—	0·03	—	—	0·05	—	Tr.	0·23	0·07	Tr.		29
30	—	✕	Tr.	0·71	—	Tr	—	—	—	0·13	Tr	0·02		30
31	—	✕	—	✕	—	✕	0·02	0·05	✕	0·32	✕	0·01		31
TOTAL	7·25	1·83	1·92	2·79	1·36	1·67	3·28	2·52	0·68	2·60	6·24	2·43	Year's Total 34·57	
* Days with .01 in. or more.	26	15	12	17	9	11	20	17	4	18	24	18	191	
* Days with .04 in. or more.	16	10	12	11	7	9	17	9	2	12	21	9	135	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Leroy R. Day

P.T.O.

COPY FOR OFFICIAL USE. File No. 11826/300

Section **A** for the entry of Daily Observations. Station No. 2098 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 19~~2~~40

Kept at Dunster C. School

in the County of Somerset.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 160 ft.

~~Com for W.D.~~

~~[illegible]~~

Monthly + annual total corrected for B.A

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	Tr	0.03	—	0.08	0.13	Tr	Tr	Tr	Tr	—	0.09	Tr		1
2	Tr	0.06	Tr	0.04	0.02	Tr	0.04	Tr	Tr	—	1.82	0.01		2
3	Tr	0.28	Tr	0.11	Tr	—	Tr	Tr	Tr	0.23	1.23	0.05		3
4	Tr	0.07	Tr	—	Tr	Tr	0.06	Tr	Tr	0.08	0.05	0.05		4
5	Tr	Tr	Tr	—	Tr	Tr	Tr	Tr	Tr	0.52	1.25	0.41		5
6	0.05	0.28	Tr	Tr	Tr	—	0.34	Tr	Tr	0.34	0.28	0.33		6
7	0.01	0.06	Tr	0.02	Tr	—	0.41	Tr	0.09	0.02	Tr	0.14		7
8	Tr	Tr	Tr	—	Tr	—	Tr	Tr	Tr	0.23	0.33	0.47		8
9	Tr	Tr	—	—	Tr	Tr	0.41	0.07	0.02	0.16	0.72	0.31		9
10	Tr	—	0.01	Tr	Tr	Tr	0.82	Tr	0.09	0.15	0.31	0.27		10
11	Tr	Tr	0.01	0.02	Tr	0.03	0.09	Tr	Tr	Tr	1.18	0.11		11
12	Tr	Tr	0.05	Tr	Tr	0.03	0.58	Tr	0.31	Tr	0.91	Tr		12
13	Tr	0.02	0.86	—	Tr	Tr	0.12	Tr	0.43	0.11	0.14	Tr		13
14	Tr	Tr	0.13	0.07	0.04	Tr	0.09	0.01	0.13	0.47	0.03	0.33		14
15	0.03	Tr	Tr	0.16	0.23	Tr	0.02	Tr	0.13	Tr	0.46	Tr		15
16	Tr	0.43	0.13	0.01	0.01	0.01	0.29	Tr	0.11	1.69	0.10	0.03		16
17	0.03	0.49	0.41	0.02	Tr	Tr	0.16	Tr	0.02	Tr	0.06	0.01		17
18	0.20	0.29	0.24	0.90	Tr	Tr	Tr	0.04	0.07	0.15	0.06	0.13		18
19	Tr	0.03	0.23	0.19	Tr	Tr	0.23	Tr	0.35	Tr	0.24	Tr		19
20	Tr	Tr	Tr	0.02	Tr	Tr	0.53	0.02	0.05	0.11	0.11	0.03		20
21	Tr	Tr	Tr	Tr	0.45	0.41	Tr	0.01	Tr	Tr	0.62	Tr		21
22	Tr	Tr	0.04	0.29	Tr	0.19	Tr	Tr	0.08	Tr	Tr	—		22
23	Tr	0.06	Tr	0.03	Tr	0.02	Tr	Tr	Tr	0.03	Tr	Tr		23
24	Tr	Tr	—	Tr	Tr	0.01	0.41	Tr	0.07	Tr	0.01	Tr		24
25	0.10	Tr	0.16	0.15	0.09	0.10	Tr	Tr	Tr	—	Tr	Tr		25
26	1.10	0.18	—	0.11	0.19	Tr	0.10	Tr	Tr	—	0.01	Tr		26
27	0.51	0.09	Tr	0.23	0.06	Tr	0.03	Tr	—	Tr	—	Tr		27
28	0.74	Tr	—	0.05	0.22	Tr	Tr	0.05	—	Tr	—	—		28
29	0.19	0.09	0.14	0.90	0.02	0.03	Tr	Tr	—	Tr	Tr	0.10		29
30	Tr	✕	Tr	0.42	—	Tr	Tr	Tr	—	0.38	—	0.13		30
31	0.10	✕	0.05	✕	—	✕	Tr	Tr	✕	1.18	✕	0.12		31
TOTAL	3.06 ~~2.97~~	2.46	2.44	3.81	1.45 6	0.83	4.71 3	0.20 6	1.97 ~~1.83~~	5.85 ~~4.85~~	10.36	3.08	Year's Total ~~40.02~~	40.22 ~~40.02~~
* Days with .01 in. or more.	11	15	13	20	11	9	18	6	14	16	22	18	173	
* Days with .04 in. or more.	7	12	11	14	8	3	6	3	11	14	20	13	122	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Percy R Day

P.T.O.

Section **A** for the entry of

Station No. 2098/2

AIR MINISTRY

ORGANIZATION.

FORM 1090.

REGIS

5.

Som/4.

Kept at Dunster

in the County of Some

ford Rectory No. 1998.

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea L

THE MORNING MEASURE

An observer who does not conform to

following

year in the space on the right of thi

Jan. 1, following

2098/2

DUNSTER, THE PRIORY

1935–38

78 03/4

Date	Jan.	Feb.	Mar.	A								Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					-	·12	·06	-	·15	-	-	65		1
2					-	·11	-	-	·02	·13	·08	·20		2
3						·26	-	-	1·03	·26	·21	-		3
4						·12	-	-	·06	·07	·12	·71		4
5						tr	-	-	·32	·37	·12	·07		5
6						·56	-	-	·02	-	·05	·21		6
7						·15	-	-	-	·27	-	·10		7
8						-	-	-	-	·17	·31	·42		8
9						-	-	-	-	1·18	·33	tr		9
10						tr	-	-	-	·04	·02	-		10
11						·20	·04	-	·12	·07	·36	-		11
12						·35	-	·05	-	·02	·08	-		12
13					#	-	-	-	·05	-	·20	-		13
14					-	·15	-	-	·18	-	·65	·20		14
15					-	·09	-	-	·47	-	·15	·39		15
16					-	-	-	02	·37	-	·94	·05		16
17					·84	·21	-	·30	-	·12	·05	-		17
18					-	·02	·18	·05	·53	·07	-	-		18
19					·17	-	-	-	·18	·10	·05	-		19
20					·09	-	-	-	-	·07	·31	-		20
21					-	-	·22	-	1·20	-	-	-		21
22					-	-	-	-	·19	·05	-	-		22
23					·04	-	-	·17	·15	·15	-	-		23
24					·14	-	-	·20	·12	·16	-	·10		24
25					·06	·25	-	-	-	-	-	·25		25
26					-	-	-	·30	·05	·02	·04	·21		26
27					-	-	-	·26	·14	·03	·03	·46		27
28					-	-	-	·97	·17	·10	·04	·37		28
29					-	-	-	·02	14	·02	·15	·36		29
30		X			-	tr	-	·66	·38	·16	1·38	·43		30
31		X		X	-	X	-	·03	X	·53	X	·15		31
TOTAL						2·59	·60	3·03	6·04	4·16	5·67	5·33	Year's Total.	
* Days with .01 in. or more.						13	4	12	22	23	22	18		
* Days with .04 in. or more.						12	4	9	20	19	20	18		

40-9999 per Mid Wessex R. Ace

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) pp Rev. R. B. Burney ~~Esq.~~

Copied in M.O.

[P.T.O.

Section **A** **for the entry of** **tation No.** 2098/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Som/4.

Kept at Dunster The Priory

in the County of Somerset

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

Moved from Alford Rectory

Circt sent 23/7/36 CWR Somerset. No. 1998.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					-	.12	.06	-	.15	-	-	.65		1
2					-	.11	-	-	.02	.13	.08	.20		2
3					-	.26	-	-	1.03	.26	.21	-		3
4						.12	-	-	.06	.07	.12	.71		4
5						tr	-	-	.32	.37	.12	.07		5
6						.56	-	-	.02	-	.05	.21		6
7						.15	-	-	-	.27	-	.10		7
8						-	-	-	-	.17	.31	.42		8
9						-	-	-	-	1.18	.33	tr		9
10						tr	-	-	-	.04	.02	-		10
11						.20	.04	-	.12	.07	.36	-		11
12						.35	-	.05	-	.02	.08	-		12
13					#	.5	-	-	.05	-	.20	-		13
14					-	.15	-	-	.18	-	.65	.20		14
15					-	.09	-	-	.47	-	.15	.39		15
16					-	-	-	.02	.37	-	.94	.05		16
17					.84	.21	-	.30	-	.12	.05	-		17
18					-	.02	.18	.05	.53	.07	-	-		18
19					.17	-	-	-	.18	.10	.05	-		19
20					.09	-	-	-	-	.07	.31	-		20
21					-	-	.22	-	1.20	-	-	-		21
22					-	-	-	-	.19	.05	-	-		22
23					.04	-	-	.17	.15	.15	-	-		23
24					.14	-	-	.20	.12	.16	-	.10		24
25					.06	.25	-	-	-	-	-	.25		25
26					-	-	-	.30	.05	.02	.04	.21		26
27					-	-	-	.26	.14	.03	.03	.46		27
28					-	-	-	.97	.17	.10	.04	.37		28
29					-	-	-	.02	.14	.02	.15	.36		29
30		×			-	tr	-	.66	.38	.16	1.38	.43		30
31		×		×	-	×	-	.03	×	.53	×	.15		31
TOTAL						2.59	.60	3.03	6.04	4.16	5.67	5.33	Year's Total	
* Days with .01 in. or more.						13	4	12	22	23	22	18		
* Days with .04 in. or more.						12	4	9	20	19	20	18		

40-9999

* See Instruction 2 (f) on other side.

per Mid Wessex R. Asl

† Spare column, no figures required.

(Signed) pp. Rev A. B. Burney

Copied in M.O.

[P.T.O.]

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations /Copy by BRO. Station No. 2098/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1936

Kept at (The Priory) Dunster

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ....ft. 8½ in.

,, Ground ,, Sea Level 200 ft.

Som. 14

Com. up 35

see map for details

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·07		·07		~~·04½~~ ·05	·67	tr			·06			1
2		tr		tr		·05	·02				·13			2
3			·04	·37		·08	·12	·24	·70		·05			3
4			·04					·02	·25		·10	·50		4
5	·49						·31	tr	·23		tr			5
6	·15		tr				·24	·03	·03		·18			6
7	·14						·42		·02		·90	·07		7
8	·25		·22				·92		·02		·54	·06		8
9	·45		·37						·04		·27			9
10	tr					·05	·40				·42			10
11	·20						·02		·05		·36			11
12				·10		·19	·18		·36					12
13						·07	·05			·20	·04	1·05		13
14						·04	·65			·08	tr	·80		14
15		·07					·02				·09	·24		15
16					·16		tr		·05		·15	·18		16
17	·35	·50			·27		·10		·04			·60		17
18	·04	·12			·12		·84		·03	·31		·15		18
19	·45		·03	·15		·19	·04					tr		19
20	·07	·23	·05	·16		·40	·05		·50	·08				20
21	·02		·08	·66		·11			·04					21
22	·18	·50	·37				·15			·11				22
23	·03	·07	·32	·22	·20		·03			tr				23
24	·07		·02	tr	·16		·11		·03	·35				24
25	tr		·29	·18			·22		·55	·23	·10			25
26	·33	·15	·27				·10			tr				26
27	·13	·12	tr				·08			·25				27
28	·49	·25	·35				·08			·05		·15		28
29	tr	·12	·			·80	·01			·04	·03	·16		29
30	·04	✕				·44	tr			·70				30
31	·17	✕	·20	✕	·02	✕	·14		✕	·06	✕	·30	33·55	31 d
Total	4·05	2·20	2·65	1·91	·93	2·4~~6~~7	~~6·07~~ 5·97	·29	2·94	2·46	3·42	~~3~~4·26	Year's Total ~~32·65~~	
* Days with .01 in. or more.	19 ~~22~~	11 ~~12~~	14 ~~16~~	8 ~~10~~	6	12	~~28~~ 26	~~5~~ 3	16	~~14~~ 12	15 ~~17~~	~~13~~ 12	154 ~~165~~	
* Days with .04 in. or more.	17	11	12	8	5	12	21	3	11	12	14	12	138	

† Spare column, no entries required.

(Signed) A. B. Burney* [P.T.O.

* per Mid. Wessex Rainfall Ass.

* See Instruction 3 (f) on other side.

X A.B. Burney Esq X

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2098/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Dunster (The Priory)

in the County of Somerset

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

August value from observers card

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·21	—	—	·05	—	—	—		·06	·13	·07	·30		1
2	·02	·35	—	·19	—	—	—		·01	—	—	·04		2
3	—	·29	—	·17	—	—	—		—	—	—	—		3
4	·16	·18	—	·15	·90	—	·06	+	—	—	—	·38		4
5	·36	—	—	·03	·08	—			—	—	—	·10		5
6	·21	·18	·30	·25	·08	—	·23		—	·10	—	—		6
7	—	·75	·05	·09	—	·04	—		·01	·05	—	·04		7
8	—	·06	—	—	·13	—	—		—	—	·16	—		8
9	·02	—	—	·03	·15	—	—	+	1·08	—	—	·02		9
10	·06	—	·72	·45	—	·04		+	—	—	—	·48		10
11	—	—	·24	·11	·41	·015	·66		—	—	—	—		11
12	—	·20	·29	—	—	·23	·05	+	·66	—	—	·45		12
13	·34	·04	·41	·45	—	·03	—	+	·09	—	—	·13		13
14	·04	—	·10	·04	—	—	—	+	·06	—	—	·15		14
15	·38	·12	·03	·32	—	—	·65		·09	—	—	·25		15
16	·09	·13	·57	·09	—	—			·20	—	—	—		16
17	·64	·08	·70	—	—	—	—		·15	—	—	—		17
18	·42	·04	·42	—	—	·30	—		·95	—	·48	·35		18
19	·36	·05	·06	—		—	—		·07	—	·50	·10		19
20	·54	·17	·07	·24	·09	—	—		·16	—	·03	·03		20
21	·27	·39	·25	·06	·27	—	·045		·03	—		—		21
22	·21	·015	·11	—	·15	—	·05		—	·60	·46	·03		22
23	·23	·15	—	—	·06	—	—		—	·17	·04	—		23
24	·73	·13	—	—	—	—	—		·09	·70	—	·02		24
25	—	·71	·38	—	—	—	—		—	·27	·03	·03		25
26	—	·37	·02	—	—	—	—		—	—	—	—		26
27	·08	·40	—	—	—	—	—		—	1·40	—	·03		27
28	—	·09	—	—	·17	—	—		—	·08	—	·05		28
29	—	—	—	—	—	·02	—		—	·80	—	—		29
30	·94	✕	—	—	—		—	+	·04	·02	·15	—		30
31	·44	✕	—	✕	—	✕	—		✕	·12	✕	—		31
TOTAL	6·75	4·895	5·47	2·72	2·4~~8~~9	·675	1·745	·52	3·75	4·44	1·92	2·98	Year's Total 37·59	
* Days with .01 in. or more.	24	22	19	1~~7~~6	11	8	10	8	16	12	10	19	(173)	
* Days with .04 in. or more.	20	21	15	15	11	4	8	(7)	13	11	7	13	(145)	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2098/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Dunster (The Priory)
in the County of Somersetshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 0 ft. 9 in.
,, Ground ,, Sea Level 200 ft.

Feb total corrected for arithmetic
aug entries estimated from nearby stns. BBB

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	–	–	·95	·25	·84						1
2	–	·16	–	08	–	–	–	–						2
3	–	·03	–	–	·10	·12	–	–						3
4	04	–	–	–	·25	–	·23	1·47						4
5	·20	–	–	–	–	–	·25	·18						5
6	–	–	–	–	–	·16	·72	–						6
7	·12	–	–	–	–	–	·30	–						7
8	·60	–	–	–	–	–	·32	·13						8
9	·30	·11	–	–	–	·015	·02	·30						9
10	·04	–	–	–	–	–	–	·08						10
11	·12	–	–	–	·14	·09	·03	·15						11
12	·36	–	–	–	–	–	–	–						12
13	·04	–	–	–	·04	–	–	–						13
14	·48	–	–	–	·04	–	·42	–						14
15	·36	–	–	–	·02	–	–	–						15
16	·39	–	–	–	–	–	–	–						16
17	·02	·16	–	–	–	–	–	–						17
18	·18	–	–	–	·09	·06	–	–						18
19	·03	–	–	–	–	–	–	–						19
20	·035	–	–	–	–	–	–	–						20
21	–	–	–	–	–	–	–	–+						21
22	–	–	–	·05	–	·02	–	–+						22
23	–	–	–	–	–	–	–	–						23
24	·05	–	–	–	–	–	–	–						24
25	·08	·18	–	–	·34	–	–	–						25
26	·31	·26	–	–	·18	–	·11	+ (2·00)						26
27	·08	–	–	–	·29	·15	·13	–						27
28	·04	·16	–	–	·11	·12	–	+						28
29	·08		·02	–	·40	·04	–	–						29
30	·05	✕	–	–	·16	–	–	–						30
31	·35	✕	–	✕	·20	✕	–	–	✕		✕			31
TOTAL	4·35	1·0~~[illegible]~~6	·02	·13	2·36	1·72	2·78	(5·15)					Year's Total	
* Days with .01 in. or more.	24	7	1	2	14	10	11	11						
* Days with .04 in. or more.	22	6	0	2	13	8	9	11						

CP
4/4/39

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

R. B. Burney Esq.

(Signed) Per Mid Wessex Rainfall

[T.O.

Section **A** for the entry
AIR MINIS

Station No. 209875
ALL ORGANIZATION

FORM 1090

REG

1940

Kept at Porlock (H

in the County of Som

Diameter of Funnel of Gauge....

Height of top of Gauge above

" Ground "

200670/40

adjusted.

12 inch.

by stars.

THE MORNING MEASU … US DAY

An observer who does not confor … e following year in the space on the right of

Jan. 1, following

2098/5

PORLOCK
HACKETTY LODGE
1940

780314

Date	Jan.	Feb.	Mar.								ov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	~~in.~~	in.	in.	~~in.~~	in.	†	
1				·10	(~~·20~~)						·10			1
2				·10	·15		·05				2·20			2
3		(·50) ~~·60~~									1·05	·10		3
4		·20		·10						·25	·10	·05		4
5										·15	·70	·30		5
6	·10	·30								·60	·30	·20		6
7		·10					·35		·10	·55		·05		7
8										·10	·35	·30		8
9							·30	·10		·20	·80	·50		9
10							·70		·05	·20	·20	·20		10
11							·40			·30	1·30	T		11
12			·30			·05	1·00		·60		·25			12
13							·15				·45	·20		13
14				·10					·25	·25	·05	·35		14
15			·60	·20	·10				·10	·35	T	T		15
16		·60					·20		·20		T	·05		16
17		·20	(·20) ~~·70~~	·20			·20			1·40	·30			17
18			·60	1·25					·10		·05	·20		18
19	·60	·30	·10	·20			·50		·40	·10	·30			19
20							·20		·05	T	·20			20
21					·30	·30				·10	1·20			21
22			·10	·30	·30	·25			·10					22
23		·30	·30							T	T			23
24							·35			·10				24
25				·30	·20	·20								25
26	1·50	·40			·20		·20				·05			26
27	·60	·25		·30	·10		·10							27
28	·60				·20							T		28
29	·20		·30	·70								·10		29
30		✕		(·20)						T		·10		30
31	(·10)	✕		✕		✕			✕	1·45	✕	·30		31 Part
3·70 TOTAL	~~3·50~~ ~~3·40~~	3·15 ~~3·25~~	2·50 ~~3·00~~	4·05 ~~3·85~~	1·55 ~~1·75~~	·80	4·75 0	·10	1·95	6·10	9·95	3·00	Year's Total ~~44·85~~	c/f ~~41·35~~
* Days with .01 in. or more.	6	10	8	12	9	4	14	1	10	15	19	15	123	41·55
* Days with .04 in. or more.	6	10	8	12	9	4	14	1	10	15	19	15	123	"d"

3·70

* See Instruction 3 (f) on other side. MAJOR E·C· CLEGG † Spare column, no entries required. (Signed) Eric C. Clegg. P.T.O.

Section **A** for the entry of Daily Observations

Station No. 209875

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Porlock (Hacketty Lodge)

in the County of Som.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level 200 ft.

file A200670/40 200670/40

Totals for Jan Feb, April & May adjusted.

[illegible] standard [illegible] 12 inches.

March 17 corrd by nearby stns.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1				·10	(~~·20~~)						·10			1
2				·10	·15		·05				2·20			2
3		(·50) ~~·60~~									1·05	·10		3
4		·20		·10						·25	·10	·05		4
5										·15	·70	·30		5
6	·10	·30								·60	·30	·20		6
7		·10					·35		·10	·55		·05		7
8										·10	·35	·30		8
9							·30	·10		·20	·80	·50		9
10							·70		·05	·20	·20	·20		10
11							·40			·30	1·30	T		11
12			·30			·05	1·00		·60		·25			12
13							·15				·45	·20		13
14				·10					·25	·25	·05	·35		14
15			·60	·20	·10				·10	·35	T	T		15
16		·60					·20		·20		T	·05		16
17		·20	(·20) ~~·70~~	·20			·20			1·40	·30			17
18			·60	1·25					·10		·05	·20		18
19	·60	·30	·10	·20			·50		·40	·10	·30			19
20							·20		·05	T	·20			20
21					·30	·30				·10	1·20			21
22			·10	·30	·30	·25			·10					22
23		·30	·30							T	T			23
24							·35			·10				24
25				·30	·20	·20								25
26	1·50	·40			·20		·20				·05			26
27	·60	·25		·30	·10		·10							27
28	·60				·20							T		28
29	·20		·30	·70								·10		29
30		✕		(·20)						T		·10		30
31	(·10)	✕		✕		✕			✕	1·45	✕	·30		31
3·70 TOTAL	~~3·50~~ ~~3·40~~	3·15 ~~3·25~~	2·50 ~~3·00~~	4·05 ~~3·85~~	1·55 ~~1·75~~	·80	0 4·7~~5~~	·10	1·95	6·10	9·95	3·00	Year's Total ~~41·85~~	[illegible] ~~41·35~~ 41·55
* Days with .01 in. or more.	~~6~~	~~10~~	~~8~~	~~12~~	~~9~~	~~4~~	~~14~~	~~1~~	~~10~~	~~15~~	~~19~~	~~15~~	~~123~~	
* Days with .04 in. or more.	~~6~~	~~10~~	~~9~~	~~12~~	~~9~~	~~4~~	~~14~~	~~1~~	~~10~~	~~15~~	~~19~~	~~15~~	~~123~~	"d"

3·70

† Spare column, no entries required.

* See Instruction 3 (f) on other side. MAJOR E.C. CLEGG (Signed) Eric C. Clegg

P.T.O.

2099

Section **A** for the entry

AIR MINIST

FORM 1090. **REGI**

Kept at *WHITEWICK FARI*

in the County of SOMI

Diameter of Funnel of Gauge

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEA

An observer who does not conform
year in the space on the right of

—

2099

STOGURSEY/
WHITEWICK FARM
1931 — 40

780314

FOR OFFICIAL USE.

ALL ORGANIZATION.

31 .

AY.

e following

Jan. 1, following

Date	Jan.	Feb.	March							t.	Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	.25	.64	.03	—	—	.19	—		—	.12	—	—	1
2	—	.13	—	—	—	—	.01	—	.22	.08	—	—	2
3	.23	—	—	—	.10	—	—	.	.31	—	.04	.06	3
4	—		.60		—	—	—	—	.24	—	1.04	.07	4
5	—	—	.13	.95	—	.11	.33	.49	.13	.01	—	—	5
6	—	.09	—		—	.44	.15		—	—	.15	.16	6
7	—	.09	—	.10	.035	.15		.11	—	.19	.18	.35	7
8	—	—	—	—	.05	.15	.30	.08	—	.09	.31	.06	8
9	—	.11	—	.19	—	.21	—	.11	—		.04	.03	9
10	—	.25	—	—	—		.09	—	.	—	.35		10
11	—	.04	—	—	.12	.06	.02	—	—	—			11
12	.12	.30	—	—	—	.09		.05	.11	—	.28	—	12
13		.06		—			.29	—	.06	.08	—		13
14	.01	.01	—	—		—	.04		.02	—	—	.03	14
15	—	.04	—	—	.05	.46	.19	.14	.04	—	.30		15
16	.01	.04	—	.06	.18		—	.67	—	—	—	—	16
17	—		—	.05	.39	.38	—	.14	.11	—		—	17
18	—	.17		.04	.02	.04	.30	—		—	.01	—	18
19	.10	—		.02	—	.04	.19	.40	.14	—	.13	—	19
20	.16	.04	—	.09	—	.20			.01	—	.14		20
21	.01	.06		—	—	—	—	.28	—	—	.18	—	21
22	.02	—	—	—	—	—	—	—	—	—	.05	—	22
23	.22	.03	—	—	.16	—	—	—	—	—	.01	—	23
24	.14	—		.21	.29		—	.45	—	—	.15	—	24
25	.15	.06		.29	.07	—	.24	.	—	—	.04	—	25
26	.17	—	—	.23	—	—	.42		—	—	.06	.08	26
27	—	.06		.11	—	—	.23	—	—	—	.13	—	27
28	.08	.13		—	1.03	—	.36		—	—	.11	.02	28
29	.12	—	.155	.03	.33	—	.01	.02		—	—	—	29
30	.06	×	.125	—	.05	—	.08	.01	—	.07	.07	—	30
31	.03	×	—	×	—	×	—	.10	×	—	×	—	31 27.07
TOTAL	1.90	2.39	1.04	2.27	2.875	2.52	3.07	3.41	1.42	0.79	4.55	0.83	YEAR'S TOTAL 27.065
*Days with .01 in. or more.	17	19	5	15	14	14	18	16	12	8	22	9	169
*Days with .04 in. or more.	12	16	4	11	13	12	15	14	10	5	19	6	137

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

[P.T.O.

2099

Section **A** for the entry

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at WHITEWICK FARM STOGURSEY

in the County of SOMERSET

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 10 in.

,, Ground ,, Sea Level TEN ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·25	·64	·03	—	—	·19	—	—	—	·12	—	—	1
2	—	·13	—	—	—	—	·01	—	·22	·08	—	—	2
3	·23	—	—	—	·10	—	—	—	·31	—	·04	·06	3
4	—	—	·60		—	—	—	—	·27	—	1·04	·04	4
5	—	—	·13	·96	—	·11	·33	·49	·13	·01	—	—	5
6	—	·09	—		—	·24	·13		—	—	·15	·16	6
7	—	·03	—	·10	·035	·15		·11	—	·39	·18	·35	7
8	—	—	—	—	·05	·15	·30	·08	—	·09	·31	·06	8
9	—	·11	—	·19	—	·21	—	·11	—		·04	·03	9
10	—	·25	—	—	—		·09	—		—	·35		10
11	—	·04	—	—	·12	·06	·02	—	—	—			11
12	·12	·30	—	—	—	·09	—	·05	·11	—	·48	—	12
13	—	·06	—	—	—	—	·29		·06	·08	—		13
14	·01	·01	—			—	·04		·02	—	—	·03	14
15	—	·04	—	—	·05	·46	·24	·14	·04	—	·30		15
16	·01	·04	—	·06	·18	—	—	·67	—	—	—		16
17	—		—	·05	·39	·28	—	·14	·11	—	—	—	17
18	—	·14		·04	·02	·04	·30	—		—	·01		18
19	·10	—	—	·02	—	·04	·19	·40	·14	—	·13	—	19
20	·15	·02	—	·02	—	·20			·01		·14	—	20
21	·01	·06		—	—	—	—	·28	—	—	·18	—	21
22	·02	—	—	—		—	—	—	—		·05	—	22
23	·22	·02		—	·16	—	—		—	—	·01	—	23
24	·14	—	—	·21	·29	—	—	·48		—	·15	—	24
25	·15	·06	—	·28	·07	—	·27		—	—	·01	—	25
26	·14	—		·23	—	—	·22			—	·06	·05	26
27	—	·06	—	·11	—	—	·23	—	—	—	·68	—	27
28	·08	·13		—	1·03	—	·06			—	·11	·03	28
29	·15	—	·155	·03	·33	—	·01	·02		—	—	—	29
30	·06	×	·125	—	·05	—	·08	·01	—	·07	·04	—	30
31	·03	×	—	×	—	×	—	·10	×	—	×	—	31 27·07
TOTAL	1·90	2·39	1·04	2·27	2·875	2·52	3·07	3·41	1·42	0·79	4·55	0·83	YEAR'S TOTAL 27·065
*Days with ·01 in. or more.	17	19	5	15	14	14	18	16	12	8	22	9	169
*Days with ·04 in. or more.	12	16	4	11	13	12	15	14	10	5	19	6	137

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

[P.T.O.

2099

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at WHITEWICK FARM. STOGURSEY

in the County of SOMERSETSHIRE

Diameter of Funnel of Gauge FIVE in.

Height of top of Gauge above Ground — ft. NINE in.

" Ground " Sea Level TEN ft.

WD

June ·75 [illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·40

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·01	·01	·51	·68		·65		·60	1
2				·12	·80		·18	·44		·03	·05		2
3				·03	·41			·02	·65	·01		·20	3
4				·35			·08		·10				4
5						·04		·03		·03	·20		5
6			·04				·21		·34				6
7	·58			·20					·20				7
8					·01					·90			8
9	·55		·37		·15				·15	·20			9
10	·05			·10					·50				10
11	·29			·18		·06			·03	·34		·10	11
12				·03	·13					·08		·01	12
13	·58				·23				2·4	·45			13
14				·14			·20	·30		·98		·20	14
15	·06			·21						·04		·06	15
16	·19			·04	·03					·11			16
17	·16			·05	·17		·01						17
18					·02		·02						18
19					·34		·25		·08		·30		19
20	·01			·02	1·80								20
21	·02			·12						·60	·13	·09	21
22			·10	·28						·51	·02	·65	22
23				·06				·25	·85	·10	·25		23
24					·04		·07		·08	·40	·05	·08	24
25							·40		·07	·04	·06		25
26		·02	·10		·15		·20		·14	·40	·07		26
27				·20			·12			·23	·16		27
28			·30	·17	·20		·09			·43			28
29			·21				·08			·35		·02	29
30		×	·49	·25	·20	·10		·85	·50	·07	·04	·65	30
31		×	·10	·01 ×	·01	·51 ×	·10 ·68	·01	·65 ×		·60 ×	·05	31·23 31
TOTAL	2·51 ✓	·02 ✓	1·71 ✓	2·5~~3~~4	4·17 ✓	·71 ~~[illegible]~~	2·69 ~~[illegible]~~	1·93 ~~[illegible]~~	5·61 ~~[illegible]~~	6·38 ~~[illegible]~~	2·05 ~~[illegible]~~	·40 1·91 ~~[illegible]~~	YEAR'S TOTAL ~~30·83~~
*Days with ·01 in. or more.	12 ✓	1 ✓	8 ✓	~~18~~ 19	~~1~~6	4 ✓	15 ✓	9	~~14~~ 15	~~22~~ 21	~~11~~ 12	12	142
*Days with ·04 in. or more.	10 ✓	– ✓	8 ✓	15 ✓	12 ✓	~~3~~ 4	13 ✓	5	~~13~~ 14	~~18~~ 17	~~8~~ 9	10	115

40-9999

(Signed)

[P.T.O.

*See Instruction 2 (*f*) on other side.

2099

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~2099~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at WHITEWICK FARM . STOGURSEY

in the County of SOMERSET.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 9 in.

,, Ground ,, Sea Level TEN ft.

WD Rf

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following —

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·40	·08	·07							·10	·04			1
2	·62		·08		·47				·06			·65		2
3	·23		·35		·52	·06								3
4		·25												4
5	·10		·15		·08									5
6			·22		·15						·02			6
7		·22			·01		·25							7
8	·08				·15					·35				8
9	·02	·09	·08		·07									9
10		·12					·11			·15	·01			10
11										1·15				11
12	·16					·30		·13		·34				12
13				·02	·11	·03	·30		·58					13
14						·17	·15			·10	·04			14
15	·13									·05	·19			15
16	·24		·10				·20	·07		·07		·02		16
17			·50			·15	·05			·18				17
18		·20	·40						·01					18
19	·03		·20			·12					·04			19
20			·30					·04	·06		·29			20
21		·01			·13			·15	·09					21
22								·04		·22				22
23								·37	·05	·01				23
24		·63		·23		·24		·04	·47	·28				24
25		·87		·26				·01		·02				25
26		·75		·41	·55	·20			·43			·10		26
27		·83		·30					·21	·10				27
28				·03					·01	·81		·28		28
29										·05				29
30		×	·07									·01		30
31	·08 ·06	× ·07	·03	×		×			·10 ×	·04	×			31
TOTAL	1·75 ~~2·07~~	4·0~~5~~4	2·~~55~~48	1·25	2·24	1·27	1·06	·85	2·07 ~~1·92~~	3·9~~8~~2	·59 ~~·83~~	1·06	Year's Total 22·~~78~~58	
*Days with ·01 in. or more.	11 ✓	11 ✓	~~13~~ 12	6	10	8	6	8	11 ~~10~~	16 ✓	6 ~~7~~	5	110	
*Days with ·04 in. or more.	9 ✓	10 ✓	~~12~~ 11	4	9	7	6	7	9 ~~8~~	14 ✓	~~5~~ 4	3	9~~4~~3	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2099

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at WHITEWICK FARM STOGURSEY

in the County of SOMERSET

Diameter of Funnel of Gauge FIVE in.

Height of top of Gauge above Ground — ft NINE in.

,, Ground ,, Sea Level TEN ft.

To: WITH RECEIVED 23 JAN 1935

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following 12.4.35 ·08.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1														1
2	·12							·35	·09	·03	·23	·32		2
3	·18		·05						·40	·01	·27	·22		3
4								·05		·05		·17		4
5	·10		·05	·35	·28			·07	·25	·45		·23		5
6			·06	·04	·12			·76		·52	·15	·54		6
7	·12		·20	·13	·31			·05		·57		·32		7
8								·08	·02	·10	·02	·26		8
9					·20				·01		·07	·45		9
10			·12	·05						·05	·46	·17		10
11	·25		·10	·34				·10				·01		11
12	·56		·03	·23			·08	·35				·27		12
13	·03			·09				·16				·04		13
14	·33		·17	·25						·01		·19		14
15	·30		·31	·01							·06	·20		15
16	·16		·15		·12		·04		·03	·14	·04	·09		16
17	·02		·25	·01					·20			·04		17
18	·02		·01	·10	·03					·08		·27		18
19	·13		·10	·50						·07		·16		19
20			·25	·04		·03		·03	·10	·01		·17		20
21			·12	·06					·27					21
22			·04			·18		·01		·16		·14		22
23			·06				·05		·28			·63		23
24				·20		·43			·11	·01		·01		24
25		·11	·07			·16	·07		·13			·32		25
26	·19	·08		·27		·05				·15		·18		26
27	·02		·10	·01		·12			·08	·04		·07		27
28				·01		·04				·05		·17		28
29				·25			·13	·95	·23	·33		·61		29
30		×						·40	·05	·26	·01			30
31	·05	×		×		×		·09	×	·45	×	·28		31
TOTAL	2·58	·19	2·24	2·94	1·06	1·01	·37	3·45	2·25	3·54	1·3~~7~~ 1	6·~~45~~ 53	Year's Total 27·47	
*Days with ·01 in. or more.	16	2	19	19	6	7	5	14	15	21	~~10~~ 9	28	16~~2~~ 1	
*Days with ·04 in. or more.	12	2	17	15	5	6	5	12	12	16	7	~~29~~ 27	13~~5~~ 6	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) [illegible]

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2099

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at WHITEWICK FARM . STOGURSEY

in the County of SOMERSET

Diameter of Funnel of Gauge FIVE ins

Height of top of Gauge above Ground — ft NINE ins

,, Ground ,, Sea Level TEN ft.

2/WD.

20/3/3

25/3/3

To: MOT

WITH

RECEIVED 6 JAN 1936

21 TIME

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ·33

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08		·06		·01		·01		·17	·10	·72	1·71		1
2			·41			·03	·12		·04	·42	·07	·32		2
3						·05			·08	·15	·02	·01		3
4		·05	·12		·03	·10			·52	·15	·25			4
5		·12		·12	·05	·17			·05	·01	·23	·35		5
6		·08	·01	·03		·13			·25	·65	·21	·05		6
7				·33		·35					·02	·15		7
8				·45		·05					·01	·04		8
9				·20		·23					·23	·03		9
10				·40		·01			·11	1·10	·19			10
11			·04	·12		·06				·05	·02			11
12	·36						·45			·13	·52			12
13	·03	·05				·10		·02		·02	·07			13
14	·07	·15		·15		·02					·23			14
15		·03		·35					·07	·01	1·30	·17		15
16		·13		·75	·04	·11			·24		·01	·16		16
17		·03	·07	·20				·03	·34	·07	1·27	·01		17
18			·01	·12	·45	·28		·31	·03	·06	·12			18
19				·21	·01				·07	·02				19
20				·04	·26	·12	·10		·10		·09			20
21		·15		·38	·40		·05			·15	·36	FROST		21
22		·41	·03	·04		·01			·60	·03				22
23		·10	·10	·02					·17	·50				23
24		·01	·20	·03	·14			·10	·21			·27		24
25	·01	·20	·06	·04	·07	·02		·20	·10	·14		·24		25
26	·20	·18		·17	·07				·30			·06		26
27		·54						·10		·01	·13	·54		27
28		·06						·07	·04	·06	·04	·59		28
29								·18	·10		·01	·02		29
30		×							·03	·04	·17	·26		30
31	–	×		×		×	–	·57	×	·07	×	·20		31
TOTAL	·67 ~~·75~~	·06 2·35 ~~2·29~~	1·05 ~~1·11~~	·01 4·16 ~~4·15~~	1·52 ~~1·53~~	·01 1·85 ~~1·84~~	·22 ~~·73~~	1·75 ~~1·58~~	·10 3·57 ~~3·62~~	·22 4·56 ~~3·44~~	1·71 7·28 ~~6·29~~	·33 3·80 ~~5·18~~	Year's Total. ~~33·01~~	33·26
* Days with .01 in. or more.	5 ~~6~~	17 ~~16~~	10 ~~11~~	21 ~~20~~	10 ~~11~~	~~17~~ 18	~~5~~ 4	~~9~~ 10	21	22	24	19	181	✓
* Days with .04 in. or more.	3 ~~4~~	14 ~~13~~	7 8	17	8	12	3	7 8	19	16	18	15	140	✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2099

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

W D

Kept at WHITEWICK FARM STOGURSEY

in the County of SOMERSET

Diameter of Funnel of Gauge FIVE in.

Height of top of Gauge above Ground — ft TEN in.

,, Ground ,, Sea Level TEN ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·09

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·33	·11	·10	·24			·05	·20			·10			1
2	–	·14		·05		·05	·58	·01			·05	·07		2
3	–			·04		·18	·09	·01			·05			3
4	–			·64		·22	·05	·20	·64		·28			4
5	–		·11			·01	·02	·01	1·26		·06	·52		5
6	·35		·12			·02	·33	·03	·30			·02		6
7	·02					·03	·07	·04	·01		·04			7
8	·08		·04				·09		·03		·63	·04		8
9	·16		·11				·65				·23			9
10	·27		·36				·18		·09		·16			10
11	·01						·04				·55			11
12	·14					·18	·03	·07	·03		·22	·01		12
13	–			·14		·10	·40	·01	·67		·06	·03		13
14	·06	·02				·02	·08			·08		·70		14
15	–	–		·06			·53		·25		·05	·36		15
16	–	–			·25				·06		·06	·16		16
17	–	·08		·01	·36		·04		·14		·10	·20		17
18	·25	·51			·65					·07	·03	·04		18
19	·03	·14			·10	·25	·40			·10		·09		19
20	·37	·08	·01	·24		1·75								20
21	·05	·19	·10	·07		·09	·08		·50					21
22	·06		·05	·70					·01					22
23	·04	·85	·52		·01		·17			·11		·01		23
24	·01	·15	·26	·07	·10		·01			·04				24
25	·06	·04			·29				·06	·19				25
26			·33	·15			·42		·56	·11				26
27	·24	·09	·28				·13		·03	·09				27
28	·05	·10	·01				·17			·25				28
29	·58	·01	·45				·11			·05		·09		29
30		×	·01			·07					·09	·12		30
31	·04 ·11	× ·10	·06 ·24	×		× ·05	·20		×	·32 ·10	×	·09		31
TOTAL	2·98 3·20	2·50 ~~2·51~~	3·06 ~~2·92~~	2·17 ~~2·41~~	1·76	3·02 ~~2·97~~	4·87 ~~4·72~~	·38 ~~·58~~	4·64	1·51 ~~1·41~~	2·66 ~~2·76~~	2·55 ~~2·46~~	Year's Total. ~~32·34~~ 32·10	
* Days with .01 in. or more.	21	14	17	~~12~~ 11	7	~~13~~ 14	24	~~9~~ 8	16	~~11~~ 12	~~17~~ 16	~~15~~ 16	~~176~~	
* Days with .04 in. or more.	17	12	14	~~11~~ 10	6	~~9~~ 10	21	~~4~~ 3	11	~~11~~ 12	~~16~~ 15	~~11~~ 12	~~143~~	

40-9999

† Spare column, no entries

* See Instruction 2 (f) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 209.9

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at WHITEWICK STOGURSEY

in the County of SOMERSET

Diameter of Funnel of Gauge FIVE ins

Height of top of Gauge above Ground — ft. NINE in.

„ Ground „ Sea Level TEN ft.

adj for W.D 8

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following NONE ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·09	·17	·02				·01				·11	·18		1
2	·11	·01		·09					·02					2
3	·02	·14		·11					·08			·34		3
4	·01	·12	·02	·15	·15							·33		4
5	·17	·20		·07	·05		·06	·04				·57		5
6	·35	–	·09				·23							6
7	·18	·16	·30	·15			·30			·04				7
8		·51	·01	·20					·01			·03		8
9		·04		·01	·15		·12				·21			9
10		·02			·13		·03	·02	·85			·02		10
11	·03	–	·44	·42		·09	·02	·10				·23		11
12		–	·16	·05	·34	·07	·69					·32		12
13	·34	·22	·07	·02		·26	·04	·20	·24			·25		13
14		·08	·48	·46				·10	·09			·10		14
15		·03	·13	·07			·95		·06			·06		15
16	·34	·04	–	·16			1·36		·24			·04		16
17	·04	·10	·40	·06			·02	·16	·36		·01			17
18	·29	·07	·30				·01		·24		·30			18
19	·62	·21	·09			·02			1·15		·17	·08		19
20	·39	·05	·03	·10	·05	·01			·01		·26	·07		20
21	·40		·04	·17	·03							·18		21
22	·14	·47	·30	·26	·12		·23				·03	·02		22
23	·47	·04	·10		·08		·12			·61	·53			23
24	·74	·16	·01		·12					·17	·21			24
25	·39	·30							·08	·44				25
26		·44	·27		·22					·36		·01		26
27	SNOW	·35	·10	·02	·20									27
28	SNOW	·98								·35				28
29	SNOW & [illegible]	·02								·15				29
30	·81	✗				·02				·59	·59			30
31	–	✗		✗		·01 ✗			✗	·01	·18 ✗			31
TOTAL	8·85 ~~6·04~~	4·23 ~~4·21~~	3·75 ~~3·67~~	2·57 ✓	1·67 ✓	·48 ~~·47~~	4·22	·62 ✓	3·43	2·83 ~~2·72~~	2·49 ~~2·42~~	1·91 ~~2·09~~	Year's Total 34·13 4	
* Days with .01 in. or more.	21 ✓	25 ~~24~~	19 ~~20~~	18 ✓	12 ✓	7 ~~8~~	14 ~~15~~	6 ✓	13 ✓	10 ~~9~~	10 ✓	17	17 ~~1~~ 2	
* Days with .04 in. or more.	18 ~~17~~	21 ✓	15 ✓	15 ✓	11 ✓	3 ✓	10 ✓	5 ✓	10 ✓	9 ~~8~~	8 ✓	12	13 7	
40-9999.	6·04	10·25	13·92	16·49	18·16	18·63	22·85	23·47	26·90	29·62	32·04	34·13		

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2099.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

W.P.

✓ W.S.R.

[illegible]

Kept at WHITEWICK FARM. STOGURSEY

in the County of SOMERSET

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 9 in.

,, Ground ,, Sea Level 10 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·22.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·24	·08			·13	·09			·56	·18	·29		1
2		·19				·59	·27	1·93		·03	·05	·29		2
3		·02		·03	·03					·60		·27		3
4					·21	·01			TRACE	·19				4
5						·06	·16	·37		·30		·05		5
6						·05	·60	·18		·23		·15		6
7	·15					·02	·45		·05			·03		7
8	·08						·28		·05	·36				8
9	·55	·01					·16	·13		·12		·04		9
10	·23	·11				·05		·39		·01		·51		10
11	·20	·02					·03	·26				·38		11
12	·09							·11			·04	·45		12
13	·17				·14		·04			·25	·54	·14		13
14	·01				·03						·02	·59		14
15	·35				·05		·40		·04					15
16	·10				·06		·04			·05	·01	·25		16
17	·23										·03	·01		17
18		·11			·02				·03					18
19	·12				·01	·06	·04		1·32	·21	·36			19
20								·03	·10		·21			20
21										TRACE	·42			21
22	·01							·05	·08	TRACE	·16	SNOW		22
23				·05		·07		·42	·28		·20	·17		23
24				·02					·03		·21			24
25			·17					·15			·10			25
26	·09	·10	·01		·20		·26	·01		·07	·37			26
27	·13	·24	·01		·15					·14	·11	·17		27
28	·06	·02			·18	·10	·16	·26	·31	·06	·22			28
29	·12	·08			·26	·22	·03	·80	·01		·04	·03		29
30	·11	✕			·28					·27	·11	·06		30
31	·02	✕		✕	·26	·09 ✕	–	–	·56 ✕	·06	·29 ✕	·05		31
TOTAL	·24 3·66 ~~2·42~~	·90 ~~1·06~~	·19 ~~·27~~	·10	·73 ~~2·06~~ ~~1·88~~	1·32	2·92 ~~3·01~~	5·09	2·86 ~~2·30~~	~~·18~~ 3·13 ~~3·51~~	3·49 ~~3·38~~	·22 3·86 ~~3·93~~	Year's Total ~~28·81~~	29·03
* Days with .01 in. or more.	20 ~~19~~	10	~~4~~ 3	3	~~14~~ 15	11	14 ~~15~~	14	12	17	19	~~20~~ 19	157	
* Days with .04 in. or more.	17 ~~16~~	6 5	~~2~~ 1	1	~~10~~ 11	9	12 ~~13~~	12	9 8	15	16	16	125 ~~124~~	

*See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) C Mackenzie

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No 2099

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at WHITEWICK FARM STOGURSEY

in the County of SOMERSET

Diameter of Funnel of Gauge FIVE in.

Height of top of Gauge above Ground — ft. NINE in.

„ Ground „ Sea Level TEN ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·04		·04	·04	·24		·01	·37	·15		·03	·02		1
2				·08				·41	·49		·36	·22		2
3	·11			·20				·17	·02		·09	·43		3
4	·03		·29	·32	·18		·18	·05		·36	·23	·23		4
5		·01	·02	·42	·28		·65			·15	·40	·02		5
6	·59		TRACE				·28			·09	·10			6
7	·01	·02					·01				·27	·29		7
8	·01	·12	·05		·04		·01	·09		·56	·47	·16		8
9	·04	·16	TRACE					·01		·28	·06	·16		9
10	·34					·06		·06	·07	·03	·01	·11		10
11	·02		·16							·19				11
12	·02	·04								·15	TRACE			12
13				·03	·02	·03	·15			·29				13
14	·56			·16	·02	·06	·17		·15	·07	·02			14
15	·41	·02	·03		·07	·36	·23			·04	·14	·02		15
16	·07			·05	·08	·04	·19				·34			16
17	·60	·03			·01		·06				·23			17
18	·15		·03			·22	·66				·45			18
19	·15	·04					·10				·06	·01		19
20	·34					·44	·02	·61						20
21	·11	·15	·10	·01	·03	·07	·02	·07						21
22	·43	·19	·04			·39	·20	·02			·21			22
23	·01	·01		·20		·01	·27			·02	·60			23
24	SNOW ·25		·04	·03		·49	·24	·01		·02				24
25	·90	·14					·08			·01	·30			25
26	·05			·22				·25		·14	·41			26
27		·10	·09			·04	·06	·20			·36			27
28		·12	·08	·27		·02		·02			·48	·27		28
29	·04			·05			·03			·08	·03			29
30				·88		·36	·02			·03	·02			30
31							·02			·29				31
TOTAL	5·28	1·15	·97	2·96	·97	2·59	3·66	2·34	·88	2·80	5·67	1·94	Year's Total 31·21	~~31·11~~
* Days with .01 in. or more.	24	13	12	15	10	14	23	14	5	18	24	12	184	
* Days with .04 in. or more.	18	9	9	12	6	11	15	10	4	13	19	8	134	
		6·43 37	7·40 49	10·36 64	11·33 74	13·92 88	17·58 111	19·92 125	20·80 130	23·60 148	29·27 172	31·21 184		

* See Instruction 3 (f) on other side.

† Spare column, for use when required.

(Signed)

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2099

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at WHITEWICK FARM STOGURSEY

in the County of SOMERSET

Diameter of Funnel of Gauge FIVE in.

Height of top of Gauge above Ground – ft. 9 in.

,, Ground ,, Sea Level TEN ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following –

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				·01	·11						·10			1
2				·09			·04				·70	✓·02		2
3		·30									1·03	·14		3
4		·24		·05						·11	·03	·02		4
5		·01					·03			·12	·50	·43		5
6	·09	·21					·04			·06	·27	·21		6
7	·05	·11		·04			·08		·06	·56		·03		7
8	·01										·11	·27		8
9							·12			·15	·84	·42		9
10							·26	·01		·06	·30	·27		10
11			·01	·05		·03	·58			·17	·21	·02		11
12			·12			·15	·63		·19		·21			12
13		·03	·38				1·22		·35		·66			13
14		·01	·20		·67		·02		·37	·81		·38		14
15		·04		·32	·78		·11		·12	·13	·33	·01		15
16		·31✓	·23	·02		·02	·13		·17	1·60	·24			16
17		·17	·42				·08		·13		·05			17
18	·23	·53	·38	·49					·05	·15		·19		18
19		·04	·08	·12			·15	·04	·09		·06			19
20			·02				·06		·33	·21	·01			20
21					·39		·05				·49			21
22			·12	·10	·02	·56	·03		·07					22
23		·09	·06	·08		·01			·14	·08				23
24						·03	·52							24
25	·13		·02		·02	·02						·02		25
26	·69	·10		·12	·17		·14				·01			26
27	·70	·01			·08		·03					·01		27
28	·64				·10									28
29		·05	·04	·42		·03						·29		29
30		×	·05	·41						·10				30
31	·10	×		×		×			×	·59	×	·13		31
TOTAL	2·64	2·25	2·13	2·32	2·34	·85	4·32	·05	2·07	4·90	6·15	2·86	Year's Total 3288	
* Days with .01 in. or more.	9	16	14	14	9	8	20	2	12	15	19	17	155	
* Days with .04 in. or more.	8	12	11	12	7	2	16	1	12	15	16	10	122	

† Spare column, no entries required.

(*Signed*) Mackenzie

* See Instruction 3 (f) on other side.

[P.T.O.

2100 —
MINEHEAD,
BLENHEIM GDNS
1931 – 40
780314

2100

Section **A** for the entry of Daily

COPY FOR OFFICIAL USE.

AIR MINISTRY.—M … TISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTE … IN 1931.

Kept at Blenheim Gardens

in the County of Somerset

Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 37 ft.

780314

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following —

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·03	—	·30	—	—	·08	—	·25	·01	—	—	1
2	·15	—	·02	·78	·06	—	—	—	·09	—	·13	·39	2
3	·06	—	·79	—	—	—	—	·20	·08	—	2·10	·12	3
4	·01	—	·22	·05	—	·14	·27	·66	·13	—	—	—	4
5	—	·06	—	·22	·03	·89	·21	·15	—	—	—	·41	5
6	—	·06	—	·06	·02	·13	·35	·02	—	·46	·21	·65	6
7	—	—	—	—	·06	·06	·06	·18	—	·13	·45	·02	7
8	·02	·06	—	—	—	·11	—	·12	—	—	·03	·30	8
9	—	·26	—	—	—	·08	·03	·02	—	—	·65	—	9
10	—	·17	—	—	—	·01	·03	·17	—	—	·44	—	10
11	·28	·46	—	—	—	·08	—	·06	·13	—	·32	—	11
12	—	·05	—	—	·01	—	·20	—	·04	·30	—	—	12
13	—	—	—	—	·03	—	·10	·10	·02	—	—	·02	13
14	·03	·04	—	—	·02	·41	·35	·09	·06	—	·34	—	14
15	—	·18	—	·04	—	—	—	·37	—	—	—	·09	15
16	—	·14	—	·17	·12	·56	·01	·23	·10	—	—	—	16
17	—	—	—	·07	—	·02	·11	—	·09	—	·02	—	17
18	·06	—	—	—	—	·05	·15	·54	—	—	·12	—	18
19	·07	·10	·01	—	—	·22	—	·47	·07	—	·22	—	19
20	—	·02	·06	—	—	—	—	·64	—	—	·39	—	20
21	·09	·10	—	·01	·08	—	—	·01	—	—	—	—	21
22	·46	·09	—	—	—	—	—	—	—	—	·02	—	22
23	·22	—	—	·15	·17	·02	—	·23	·01	—	·37	—	23
24	·33	·02	—	·45	·04	·11	·33	—	—	—	—	—	24
25	·15	·01	—	·19	—	—	—	—	—	—	·01	—	25
26	—	·05	—	·25	—	—	·22	—	—	—	·51	·03	26
27	·07	·08	—	—	3·14	—	·06	—	—	·04	·07	—	27
28	·16	·03	·16	·02	·12	—	—	·01	—	·04	—	·09	28
29	·13	×	·12	—	—	—	·09	·03	—	·21	·06	·11	29
30	·05	×	—	—	—	—	—	·06	·05	—	—	—	30
31	·61	×	—	×	·25	×	—	—	×	—	×	·07	31
TOTAL	2·96	2·01	1·38	2·76	4·15	2·89	2·65	4·34	1·12	1·19	6·46	2·30	YEAR'S TOTAL 34·21
*Days with ·01 in. or more.	19	20	7	14	14	15	17	21	13	7	19	12	178
*Days with ·04 in. or more.	15	15	5	12	9	12	14	16	11	6	15	9	139

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) A Douglas Barrow.
Surveyor.

[P.T.O.

2100

Section A for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Blenheim Gardens Minehead

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 37 ft.

780314

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following —

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·03	—	·30	—	—	·08	—	·25	·01	—	—	1
2	·15	—	·02	·78	·06	—	—	—	·09	—	·13	·39	2
3	·06	—	·79	—	—	—	—	·20	·08	—	2·10	·12	3
4	·01	—	·22	·05	—	·14	·27	·66	·13	—	—	—	4
5	—	·06	—	·22	·03	·89	·21	·15	—	—	—	·41	5
6	—	·06	—	·06	·02	·13	·35	·02	—	·46	·21	·68	6
7	—	—	—	—	·06	·06	·06	·18	—	·13	·45	·02	7
8	·02	·06	—	—	—	·11	—	·12	—	—	·03	·30	8
9	—	·26	—	—	—	·08	·03	·02	—	—	·65	—	9
10	—	·17	—	—	—	·01	·03	·17	—	—	·44	—	10
11	·28	·46	—	—	—	·08	—	·06	·13	—	·32	—	11
12	—	·05	—	—	·01	—	·20	—	·04	·30	—	—	12
13	—	—	—	—	·08	—	·10	·10	·02	—	—	·02	13
14	·03	·04	—	—	·02	·41	·35	·09	·06	—	·34	—	14
15	—	·18	—	·04	—	—	—	·37	—	—	—	·09	15
16	—	·14	—	·17	·12	·56	·01	·23	·10	—	—	—	16
17	—	—	—	·07	—	·02	·11	—	·09	—	·02	—	17
18	·06	—	—	—	—	·05	·15	·54	—	—	·12	—	18
19	·07	·10	·01	—	—	·22	—	·47	·07	—	·22	—	19
20	—	·02	·06	—	—	—	—	·64	—	—	·39	—	20
21	·09	·10	—	·01	·08	—	—	·01	—	—	—	—	21
22	·46	·09	—	—	—	—	—	—	—	—	·02	—	22
23	·22	—	—	·15	·17	·02	—	·23	·01	—	·37	—	23
24	·33	·02	—	·45	·04	·11	·33	—	—	—	—	—	24
25	·15	·01	—	·19	—	—	—	—	—	—	·01	—	25
26	—	·05	—	·25	—	—	·22	—	—	—	·51	·03	26
27	·07	·08	—	—	3·14	—	·06	—	—	·04	·07	—	27
28	·16	·03	·16	·02	·12	—	—	·01	—	·04	—	·09	28
29	·13	×	·12	—	—	—	·09	·03	—	·21	·06	·11	29
30	·05	×	—	—	—	—	—	·06	·05	—	—	—	30
31	·61	×	—	×	·25	×	—	—	×	—	×	·07	31
TOTAL	2·96	2·01	1·38	2·76	4·15	2·89	2·65	4·34	1·12	1·19	6·46	2·30	YEAR'S TOTAL 34·21
*Days with ·01 in. or more.	19	20	7	14	14	15	17	21	13	7	19	12	178
*Days with ·04 in. or more.	15	15	5	12	9	12	14	16	11	6	15	9	139

40-9999

(Signed) A Douglas Barron
Surveyor.

P.T.O.

*See Instruction 2 (*f*) on other side.

2100

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No 2100.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Blenheim Gardens, Minehead,
in the County of Somerset.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 37 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	—	—	·08	·32	·02	·10	·08	—	·03	·04	·03	1
2	—	—	—	—	·27	—	—	—	·41	·02	—	·20	2
3	—	—	—	·39	—	—	·08	—	·10	·02	·03	·06	3
4	·02	—	—	—	—	—	—	·02	—	—	·50	·01	4
5	·67	—	·08	—	—	—	—	—	·14	—	—	—	5
6	·91	—	·03	·34	—	—	·38	—	·08	—	—	—	6
7	·34	—	—	·03	·12	—	—	—	·50	1·03	—	—	7
8	—	—	·48	·02	·16	—	—	—	·21	·30	—	—	8
9	·82	—	—	·08	·01	—	—	—	·02	·03	—	—	9
10	·35	—	—	·25	·01	·01	—	—	—	·50	—	—	10
11	·09	—	—	·03	·04	—	—	—	—	·07	—	—	11
12	·58	—	—	·02	·38	—	—	—	·12	·41	—	—	12
13	·13	—	—	·21	·01	—	·33	·25	—	·87	—	·14	13
14	·47	—	—	·02	·13	—	—	·03	—	·05	·10	·02	14
15	·02	—	—	·11	·15	—	—	—	—	·09	·09	·01	15
16	·33	—	—	·13	—	—	·56	—	—	—	—	—	16
17	—	—	—	—	—	—	·01	—	—	·02	·02	—	17
18	—	—	—	—	·07	—	—	—	·18	—	·41	—	18
19	·02	—	—	·06	·15	—	—	—	·06	·12	—	—	19
20	—	—	—	·09	·75	—	—	—	·02	·50	·03	·07	20
21	·02	—	·10	·18	—	—	—	·09	—	·63	—	·14	21
22	—	—	·04	·09	—	—	·03	—	·71	·13	·18	·08	22
23	—	—	—	—	·01	—	·29	—	·09	·45	·32	·06	23
24	—	—	—	—	·04	—	·10	—	·08	·17	·01	—	24
25	—	—	·10	·05	·02	—	·11	—	·12	·42	·14	·02	25
26	—	—	·04	·02	—	—	·03	—	·07	·19	·09	—	26
27	—	—	·39	·06	·12	—	·05	—	—	·54	—	·03	27
28	—	—	·15	·10	—	—	·03	—	—	—	—	·04	28
29	—	—	·64	·16	·12	·21	—	·35	·28	·31	·06	·48	29
30	—	×	·16	—	·04	·33	·62	—	·45	·05	·53	·02	30
31	—	×	·04	×	·03	×	·33	—	×	—	×	·36	31
													YEAR'S TOTAL
TOTAL	4·86	nil	2·25	2·52	2·95	·57	3·05	·82	3·64	6·95	2·55	1·77	31·93
*Days with ·01 in. or more.	~~4~~ 15	—0	12	22 ~~6~~	~~6~~ 21	~~2~~ 4	~~2~~ 15	~~2~~ 6	~~2~~ 18	~~5~~ 24	~~4~~ 15	17	~~42~~ 169
*Days with .04 in. or more.	11	—0	11	16	15	2	11	4	16	19	11	10	126.

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Walter Sage
Park Supervisor M.U.D.C.

~~P.~~T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2100

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Blenheim Gardens, Minehead

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 37 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·30	·23	·06	—	·13	—	—	—	·01	—	·04	·52		1
2	·34	—	·33	—	·74	·32	—	—	—	—	—	·04		2
3	·03	·05	·09	—	·04	—	—	—	—	—	—	—		3
4	·32	—	·07	—	·06	—	—	—	—	—	—	—		4
5	·07	·01	·35	—	·06	—	—	—	—	—	·01	—		5
6	—	·13	·01	—	·06	—	·60	—	—	·21	—	—		6
7	·04	·09	—	—	—	—	—	—	—	—	—	·01		7
8	·01	—	·06	—	·15	·05	·26	—	—	·02	—	—		8
9	—	·13	—	—	·20	—	·25	—	—	·57	·01	—		9
10	·05	·23	—	—	—	—	—	—	—	1·75	·01	—		10
11	·11	—	—	—	—	·08	·15	·34	—	·36	—	—		11
12	—	—	—	·09	—	·04	·28	—	·42	·04	—	—		12
13	—	—	—	—	·08	·35	·09	·08	—	·04	·02	—		13
14	·05	—	—	—	—	—	—	·05	—	·10	·25	—		14
15	·42	—	·13	—	—	—	—	—	—	·29	·01	·02		15
16	—	·02	·65	—	—	·03	·04	—	—	·10	—	—		16
17	·10	·07	·34	—	—	·25	—	·01	·01	—	—	—		17
18	·09	—	·28	—	—	·26	—	—	·04	—	·04	—		18
19	·05	—	·38	—	—	—	·06	·04	·07	—	·25	—		19
20	—	·03	—	—	—	·14	—	·19	·27	—	·02	—		20
21	—	·02	—	—	—	·03	—	·23	—	·12	—	—		21
22	—	—	—	·04	·03	—	—	·30	·08	·01	—	—		22
23	—	·77	—	·18	—	·17	—	·02	·17	·53	—	—		23
24	—	·53	—	·11	—	—	—	—	—	·10	—	—		24
25	—	·51	—	·04	·12	·08	—	—	·22	—	—	·02		25
26	—	·54	—	·05	·54	—	—	—	·05	·31	—	—		26
27	—	·01	—	—	·05	—	—	—	·14	·45	—	·19		27
28	—	·25	—	21	—	—	·02	—	—	·30	—	·04		28
29	·14	×	—	·04	—	—	—	—	—	—	—	·03		29
30	·01	×	12	·05	—	—	·04	—	·05	·10	—	·06		30
31	·44	×	—	×	—	×	—	—	×	·13	×	·03		31
TOTAL	2·57	3·62	2·87	0·81	2·26	1·80	1·79	1·26	1·53	5·53	0·66	0·96	Year's Total 25·66	
*Days with ·01 in. or more.	17	17	13	9	13	12	10	9	12	19	10	10	151	
*Days with ·04 in. or more.	14	12	12	9	12	10	9	7	10	17	4	5	121	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) Douglas Barron

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2100

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Blenheim Gardens Minehead

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 37 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	—	—	—	—	—	—	·22	·12	—	·30	·23		1
2	·10	—	·02	—	—	—	—	·02	·40	—	·21	·08		2
3	·01	—	—	—	—	—	—	·61	·02	·15	—	·21		3
4	·14	—	·02	·15	·21	—	—	—	·07	·54	—	·22		4
5	—	—	·06	·02	·08	·19	—	·50	—	·10	·29	·46		5
6	·03	—	·23	·11	·58	—	—	·10	—	·25	—	·23		6
7	·10	—	—	·01	—	—	—	·09	—	·19	·04	·46		7
8	·01	—	—	—	·18	—	—	—	—	·04	·20	·60		8
9	—		·07	·08	—	—	—	·02	—	·18	·49	·16		9
10	·26	—	·21	·30	—	—	—	·48	—	·01	·03	—		10
11	·94	—	·02	·33	—	—	—	·15	—	—	—	·17		11
12	·09	—	—	·02	—	—	—	·28	—	—	—	·02		12
13	·50	—	·24	·20	—	—	—	—	—	·03	—	·05		13
14	·24	—	·40	—	—	—	—	—	—	·05	·11	·26		14
15	·18	—	·14	—	·12	—	Trace	—	—	·09	·05	·25		15
16	·10	—	·43	—	·05	—	—	—	·25	·03	—	·04		16
17	·14	—	·03	·16	·07	—	—	—	·20	·06	—	·20		17
18	·20	—	·10	·40	—	—	—	—	·03	·02	—	·38		18
19	—	—	·17	—	—	—	—	—	·20	—	—	·15		19
20	—	—	·12	·01	—	—	·42	—	·11	—	—	·01		20
21	—	—	·11	—	—	·07	—	·04	—	·13	·02	·09		21
22	·04	—	·06	—	—	—	—	·05	·15	·05	—	·59		22
23	—	—	·03	·06	—	·62	·04	·04	·03	—	—	·01		23
24	—	·12	·05	—	—	·30	·05	—	·15	—	—	—		24
25	·20	·03	—	·43	—	·35	—	—	·02	·10	—	·40		25
26	·02	—	·09	·09	—	·15	—	—	·07	·03	—	·02		26
27	—	—	—	·07	—	—	—	—	·01	·10	·01	·18		27
28	—	·02	—	·04	—	—	—	1·09	·30	·35	—	·55		28
29	—		—	—	—	—	·03	·38	·11	·69	·01	·02		29
30	·07	×	—	—	—	—	·02	·23	·07	·48	—	·24		30
31	—	×	—	×	·03	×	·01	·02	×	·04	×	·18		31
TOTAL	3·41	·17	2·60	2·48	1·32	1·68	·57	4·32	2·31	3·71	1·76	6·46	Year's Total. 30·79	
* Days with .01 in. or more.	20	3	20	17	8	6	6	17	18	23	12	29	179	
* Days with .04 in. or more.	16	1	15	13	7	6	3	14	13	18	8	24	138	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) A Douglas Barron
Surveyor

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2100

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Blenheim Gardens Minehead

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 37 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·01	·45	—	—	·01	·02	—	·15	·24	·01	·64		1
2	—	—	—	—	—	·23	—	—	—	·03	·10	·18		2
3	—	·03	·15	·03	—	·16	—	—	·70	·14	·13	—		3
4	—	·12	—	·13	·02	·11	—	—	·05	·04	·12	·68		4
5	—	·15	·04	·13	—	—	—	—	·31	·30	·16	·10		5
6	—	—	—	·30	—	·60	—	—	—	—	·07	·27		6
7	—	—	—	·41	—	·15	—	—	—	·31	—	·13		7
8	—	—	—	·22	—	—	—	—	—	·16	·29	·43		8
9	·02	—	—	·85	—	—	—	—	—	1·23	·20	—		9
10	—	—	·07	·30	—	·03	—	—	—	·07	·02	—		10
11	·30	—	—	—	—	·04	·05	—	·15	·11	·47	·01		11
12	·09	·06	—	—	—	·30	—	—	—	—	·07	—		12
13	·19	·05	—	·24	—	—	—	—	·01	—	·37	—		13
14	—	·01	—	·17	—	·09	—	—	·17	—	·66	·19		14
15	—	·08	—	·57	·09	·15	—	·01	·55	—	·13	·35		15
16	—	·16	·06	·24	—	—	—	—	·56	—	·86	·03		16
17	—	—	—	·04	·71	·27	—	·25	·01	·17	·03	—		17
18	—	—	—	·18	—	·01	·02	·07	·41	·09	—	·03		18
19	—	—	—	·08	·11	—	·05	—	·15	·08	·11	·04		19
20	—	·48	—	·04	·27	—	·09	—	—	—	·27	—		20
21	—	·35	·01	·22	—	—	·15	—	1·52	·12	—	—		21
22	—	·05	·04	·15	—	—	—	—	·16	·06	—	—		22
23	—	·09	·21	—	·04	—	—	·15	·21	·23	—	·24		23
24	·05	·30	·02	·08	·08	—	—	·17	·08	·18	—	·16		24
25	·51	·32	—	·12	·07	·06	—	—	—	—	—	·21		25
26	—	·58	—	—	—	—	—	·33	·06	—	·10	·35		26
27	—	·12	—	—	—	—	—	·17	·15	·14	·03	·31		27
28	·03	·02	—	—	—	—	—	1·43	·10	·08	·07	·01		28
29	—	×	—	—	—	—	—	·03	·16	·07	·23	·44		29
30	·03	×	—	—	—	—	—	·70	·26	·13	1·47	·41		30
31	—	×	—	×	—	×	—	·03	×	·56	×	·12		31
TOTAL	1·23	2·98	1·05	4·50	1·39	2·21	·38	3·34	5·92	4·54	5·97	5·33	Year's Total 38·84	
* Days with .01 in. or more.	9	18	9	20	8	14	6	11	21	22	23	22	183	
* Days with .04 in. or more.	5	14	7	19	7	11	4	8	19	21	19	18	152	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A Douglas Barron

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2100

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Blenheim Gardens Minehead

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 37 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·07	·02	·05	—	·04	·71	—	—	—	·06	·03		1
2	—	—	—	·03	—	·22	—	—	—	—	·11	—		2
3	·01	—	·03	·45	—	·18	·08	·17	·45	—	·08	·03		3
4	—	—	·07	·01	—	·07	—	—	·57	—	·07	·49		4
5	·37	·03	·02	—	—	—	·28	·01	·16	—	·02	·07		5
6	·14	—	·01	—	—	Trace	·21	—	—	—	·18	—		6
7	·17	—	—	—	—	—	·94	—	—	—	·73	·03		7
8	·18	—	·16	—	—	—	·81	—	—	—	·70	·07		8
9	·40	—	·25	—	—	Trace	·24	—	·19	—	·60	—		9
10	·02	—	—	—	—	—	·21	—	—	—	·41	—		10
11	·16	·04	—	—	—	·17	—	·08	·03	—	·38	—		11
12	—	—	—	·09	—	·03	·17	—	·28	—	·02	—		12
13	·07	—	—	—	—	·09	·03	·01	—	·21	·01	1·24		13
14	—	·03	—	—	—	—	·66	·02	·06	·09	—	·90		14
15	—	—	—	·01	·19	—	·01	—	—	—	·10	·24		15
16	·02	·05	—	—	·24	—	—	—	·02	—	·09	·19		16
17	·28	·40	—	—	·14	—	—	—	—	·01	·06	·82		17
18	·01	·11	—	—	·02	·18	1·08	—	—	·40	—	·12		18
19	·45	·10	·03	·13	—	·50	·03	—	—	·01	—	—		19
20	·11	·25	·08	·06	—	·14	·15	·02	·56	—	—	·01		20
21	—	—	·04	·72	—	—	·02	—	·02	—	—	—		21
22	·19	·49	·49	—	—	—	·16	—	—	·04	—	·01		22
23	·03	·03	·23	·23	·18	—	·05	—	—	·03	—	·01		23
24	·07	·04	·04	—	·14	—	·04	—	·04	·34	—	—		24
25	·17	—	·29	·24	·01	—	·19	—	·61	·22	·04	—		25
26	·23	·15	·20	—	—	—	·04	—	·04	·09	—	—		26
27	·10	·13	—	—	—	—	·10	—	—	·20	—	—		27
28	·47	·27	·29	·02	—	—	·13	—	—	·04	—	·11		28
29	·03	·14	·02	—	—	·60	·06	—	—	·06	·03	·06		29
30	·01	✕	·05	—	—	·64	—	—	—	·68	—	—		30
31	·19	✕	·15	✕	—	✕	·17	—	✕	·08	✕	·29		31
TOTAL	3·88	2·33	2·47	2·04	0·92	2·86	6·57	0·31	3·03	2·50	3·69	4·72	Year's Total 35·32	
* Days with .01 in. or more.	24	16	19	12	7	12	25	6	13	15	18	18	185	
* Days with .04 in. or more.	17	13	13	8	5	11	20	2	10	12	14	12	137	

65

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) A Douglas Barron [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2100

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Blenheim Gardens Minehead
in the County of Somerset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 37 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·13	·02	–	·07	–	–	–	–	·07	·20	·06	·27		1
2	·02	·44	–	·09	–	–	–	–	–	–	–	·02		2
3	–	·19	·01	·38	·68	–	–	–	–	–	–	–		3
4	·18	·14	–	·14	·04	–	·05	·06	–	–	–	·42		4
5	·39	–	·03	·03	–	–	·06	–	–	–	–	·05		5
6	·29	·23	·23	·29	·09	–	·31	–	–	·06	–	–		6
7	–	·74	·05	·04	–	·12	–	–	·03	·03	·03	·01		7
8	–	·04	–	–	·10	·02	–	–	–	·02	·13	–		8
9	·01	·03	·03	·04	·17	–	–	·12	1·18	–	–	–		9
10	·05	–	·76	·47	–	·03	–	·07	–	–	–	·39		10
11	·03	–	·17	·11	·43	·02	·75	·37	–	–	–	·13		11
12	·32	·15	·24	–	–	·28	·04	·06	·67	–	–	·36		12
13	·01	·06	·46	·42	–	–	–	·12	·08	–	–	·13		13
14	–	·01	·08	·02	–	–	·03	–	·09	–	–	·23		14
15	·33	·12	·03	·36	–	–	·81	·04	·10	–	–	·18		15
16	·08	·14	·52	·08	–	–	·02	·20	·22	–	–	–		16
17	·77	·09	·39	–	–	–	–	–	·14	–	·12	–		17
18	·19	·08	·34	–	–	·25	–	–	1·28	–	·21	·40		18
19	·41	·03	·07	·01	–	·01	·02	–	·10	–	·53	·12		19
20	·49	·05	·05	·20	·14	–	–	–	·10	–	–	·13		20
21	·33	·41	·17	·05	·22	–	·07	–	·07	·10	–	·05		21
22	·08	–	·12	–	·12	–	·06	–	·01	·38	·42	·04		22
23	·18	·14	–	–	·02	–	–	–	–	·18	·13	–		23
24	·67	·12	–	–	–	–	–	–	·05	·64	–	–		24
25	·01	·72	·37	–	·02	–	–	–	–	·13	·01	·01		25
26	–	·28	·01	–	·14	–	–	–	–	–	–	–		26
27	·01	·47	–	–	–	–	–	–	–	1·46	–	–		27
28	–	·08	–	–	–	–	–	–	–	·13	–	·02		28
29	–	×	–	–	–	·01	–	–	–	·81	·08	–		29
30	·79	×	–	–	–	–	–	–	·03	·03	·09	–		30
31	·49	×	–	×	–	×	–	–	×	·13	×	–		31
TOTAL	6·26	4·78	4·13	2·80	2·17	·74	2·22	1·04	4·22	4·30	1·81	2·92	Year's Total 37·39	✓ ✓
* Days with .01 in. or more.	24	24	20	17	12	8	11	8	16	14	11	18	183	✓ ✓
* Days with .04 in. or more.	18	20	15	14	10	3	8	8	13	11	9	13	142	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. Douglas Barron

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2100

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Blenheim Gardens Minehead

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 37 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·16	—	—	—	·80	·06	·73	—	·26	·16	·57		1
2	·02	·04	—	·11	·08	—	—	—	—	·44	·06	·08		2
3	—	—	—	—	·23	·12	·03	—	—	·87	·01	—		3
4	—	—	—	—	·01	·01	·33	1·54	—	·24	—	·12		4
5	·04	—	—	tr.	—	—	·19	·16	·02	·23	—	·09		5
6	·16	—	—	—	—	·18	·87	—	·04	·21	—	·07		6
7	·15	—	—	—	—	—	·27	—	·02	·26	—	·16		7
8	·56	·05	—	—	—	—	·50	·10	—	·36	—	·03		8
9	·31	·09	—	—	—	·02	·04	·25	—	·03	—	1·29		9
10	·01	—	—	—	—	—	·05	·12	—	·02	—	·61		10
11	·12	·04	—	—	—	·11	·03	·32	—	—	·21	·66		11
12	·35	—	—	—	·13	—	—	—	—	·16	·62	·01		12
13	·04	—	—	—	·06	—	—	·02	—	·04	·13	·92		13
14	·46	—	—	—	—	—	·54	—	·11	—	—	—		14
15	·27	—	—	—	·05	—	·01	—	—	·02	·05	·33		15
16	·31	—	—	—	·08	—	—	—	—	—	·11	·02		16
17	—	·09	—	—	·03	—	—	—	—	·10	·03	—		17
18	·16	—	—	—	·17	·04	—	·05	·31	·04	·40	—		18
19	·04	—	—	—	—	—	—	·06	·08	·02	·24	—		19
20	—	—	—	—	—	—	—	—	—	—	·35	—		20
21	·04	—	—	—	—	—	—	·12	·03	—	·19	—		21
22	—	—	—	·08	—	·03	—	·50	—	·03	·35	—		22
23	—	—	—	—	—	—	—	·01	·02	—	·46	—		23
24	·03	—	·03	—	·02	—	—	·02	·03	—	·20	—		24
25	·09	·16	·02	—	·23	—	·04	—	—	·11	·87	—		25
26	·30	·21	·01	—	·21	—	·03	—	—	·16	·27	·05		26
27	·08	·01	—	—	·31	·13	·08	·62	·05	·01	·33	—		27
28	·05	·09	—	—	·06	·11	—	·83	—	—	·16	—		28
29	·09		—	—	·21	·08	—	—	·08	·24	·32	·04		29
30	·02		—	—	·18	—	—	—	·13	·02	·37	·06		30
31	·41		—		·14		—	—		·15		·24		31
													Year's Total	
TOTAL	4·11	·94	·06	·19	2·20	1·63	3·07	5·45	·92	4·02	5·89	5·35	33·83	✓
* Days with .01 in. or more.	24	10	3	2	17	11	15	16	12	23	22	18	173	✓
* Days with .04 in. or more.	20	9	0	2	14	8	11	13	7	16	20	15	135	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A Douglas Baron

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2100

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at BLENHEIM GARDENS, MINEHEAD,
in the County of SOMERSET.
Diameter of Funnel of Gauge – 5 – in.
Height of top of Gauge above Ground – 1 ft. 0 in.
,, Ground ,, Sea Level 37 ft.

~~STRICTLY~~ PRIVATE AND CONFIDENTIAL AND NOT FOR PUBLICATION

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·11	–	·09	·06	·21	–	–	·18	–	–	·16	·14		1
2	·03	–	·01	·03	–	–	–	·17	–	–	·11	·33		2
3	·12	–	·04	·24	–	–	–	·06	·29	–	·04	·56		3
4	·03	–	·29	·26	·19	–	·33	–	–	·25	·56	·22		4
5	–	–	·01	·39	·17	–	·29	–	–	·11	·64	·03		5
6	·36	–	·01	·01	–	–	·68	–	–	–	·11	–		6
7	·03	·07	–	–	–	·16	·01	–	–	–	·26	·39		7
8	·01	·26	·07	–	·05	–	·13	·04	–	·41	·54	·27		8
9	·01	·03	–	–	–	–	–	·05	–	·24	·03	·08		9
10	·26	–	–	–	–	–	–	·07	·08	·07	·03	·36		10
11	·06	–	·15	–	–	·01	–	–	–	·09	–	–		11
12	·09	·06	–	–	–	–	–	–	·23	·20	–	–		12
13	·03	·02	–	·10	–	·03	·07	–	·06	·18	–	–		13
14	·61	–	–	·02	·07	·08	·46	–	–	·04	·13	–		14
15	·70	·01	–	–	·06	·26	·31	–	–	·01	·17	–		15
16	·08	–	–	·09	·15	–	·04	–	–	–	·47	–		16
17	·47	–	–	–	–	–	·16	–	–	–	·12	–		17
18	·08	·08	·05	–	–	·06	·77	–	–	–	·78	–		18
19	·17	–	–	–	–	–	·03	·03	–	–	·02	·03		19
20	·18	–	–	–	–	·01	–	·67	–	–	–	–		20
21	·04	·32	·12	–	·11	·16	·03	–	–	–	–	–		21
22	·91	·36	·16	·05	–	·61	·14	–	–	–	·17	–		22
23	·01	·06	·17	·07	–	·01	·32	–	–	·05	·94	–		23
24	·60	·04	·21	·17	–	·36	·08	–	–	·01	–	–		24
25	·42	·05	·01	·09	–	–	·07	–	–	·08	✓ ·38	–		25
26	·01	·02	–	·03	–	–	–	·28	–	·15	·79	–		26
27	–	·14	·08	·18	–	·04	·02	·31	–	–	·09	·02		27
28	·01	·25	·12	·01	–	·04	·15	–	–	–	·31	·20		28
29	·08	X	–	·51	–	–	·04	–	–	·21	·11	–		29
30	–	X	–	1·04	–	·03	–	–	–	·12	–	–		30
31	–	X	–	X	–	X	–	·06	X	·26	X	·03		31
TOTAL	5·51	1·77	1·59	3·35	1·01	1·86	4·13	1·92	0·66	2·48	6·96	2·66	Year's Total 33·90	✓
* Days with .01 in. or more.	~~9~~ 27	~~4~~ 15	~~4~~ 16	~~5~~ 18	~~0~~ 8	14 5	~~4~~ 20	~~1~~ 11	~~0~~ 4	~~2~~ 17	~~3~~ 23	13 ~~4~~	186 ~~41~~	✓
* Days with .04 in. or more.	18	11	12	13	8	9	16	10	4	15	20	9	145	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) C. Douglas Barron.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2100

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

NOT FOR PUBLICATION

Days

Kept at Blenheim Gardens, Minehead.

in the County of Somerset.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 37 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	.09	-	.06	.11	-	-	-	-	-	.09	-		1
2	-	.06	-	.04	-	-	.11	-	-	-	1.59	-		2
3	-	.24	-	.02	-	-	-	-	-	.19	.83	.04		3
4	-	.09	-	.10	-	-	.08	-	-	.12	.04	.08		4
5	-	.01	-	-	-	-	.01	-	-	.32	.65	.34		5
6	.03	.17	-	-	-	-	.21	-	-	.35	.27	.48		6
7	-	.05	-	-	-	-	.12	-	.10	.01	-	.08		7
8	-	-	-	-	-	-	-	-	-	.27	.10	.18		8
9	-	-	-	-	-	-	.29	.04	.01	.12	.81	.34		9
10	-	-	-	-	-	-	.75	-	.01	.26	.41	.26		10
11	-	-	-	.02	-	-	.20	-	-	-	.94	.11		11
12	-	-	.08	-	-	-	.68	-	.61	-	.13	-		12
13	-	.02	.68	-	-	-	.34	-	.04	.08	.41	.05		13
14	-	-	.05	.04	.04	-	.04	-	-	.38	-	.29		14
15	.02	-	.02	.20	.21	-	.03	-	.12	-	.41	-		15
16	-	.43	.17	.02	-	.05	.24	-	.17	1.77	.08	-		16
17	-	-	.33	.04	-	-	.17	-	.10	-	.06	-		17
18	.33	.54	.31	.92	-	-	-	-	.02	.12	.07	.13		18
19	-	.04	.09	.15	-	-	.73	-	.09	-	.21	-		19
20	-	-	.02	.02	-	-	.13	-	.19	.11	.09	.01		20
21	-	-	-	-	.38	.24	.02	-	.10	-	.92	-		21
22	-	-	.04	.26	-	.32	-	-	.07	-	-	-		22
23	-	.23	.11	-	-	.01	-	-	.11	.02	-	-		23
24	-	-	-	-	-	.02	.37	-	-	-	-	-		24
25	.23	-	.04	.26	.01	.04	.01	-	-	-	-	-		25
26	1.26	.12	-	.06	.33	-	.15	-	-	-	-	-		26
27	.62	.08	-	.26	.09	-	.07	-	-	-	-	-		27
28	.84	-	-	.05	.10	-	-	.02	-	-	-	-		28
29	-	.09	.07	.77	-	-	-	-	-	-	-	.08		29
30	-	X	-	.43	-	-	-	-	-	.30	-	.12		30
31	.15	X	.04	X	-	X	-	-	X	.67	X	.14		31
TOTAL	3.48	2.26	2.05	3.72	1.27	0.68	4.75	0.06	1.74	5.09	8.11	2.73	Year's Total 35.94	Print
* Days with .01 in. or more.	8 ✓	15 ✓	14 ✓	19 ✓	8 ✓	6 ✓	21 ✓	2 ✓	14 ✓	16 ✓	19 ✓	16 ✓	~~24~~	158 days
* Days with .04 in. or more.	6	13	12	15	7	4	17	1	11	14	19	15	134	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) C. Douglas Barron

[P.T.O.

2100/5

MINEHEAD
WEIRFIELD
1937—40

7804-01

Section **A** for the entry o
AIR MINIST

Station No. 2100/5
LL ORGANIZATION

FORM 1090

REGIS

7

Kept at Weirfield, No

in the County of ...... So

Diameter of Funnel of Gauge......

Height of top of Gauge above G

,, Ground ,, Se

THE MORNING MEASU ... S DAY

An observer who does not conform ... *following*
year in the space on the right of t

PI

Jan. 1, following ✓

Date	Jan.	Feb.	Mar.	A							v.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.15	.02	-	.06	-	-	.01	-	.07	.20	.05	.25		1
2	.03	.37	-	.68	-	-	-	-	-	.01	-	.02		2
3	-	.16	.02	.26	.63	-	-	-	-	-	-	.01		3
4	.19	.14	-	.15	.04		.10	.06	-	-	-	.41		4
5	.35	-	.03	.03	.01		.01	-	-	-	-	.04		5
6	.31	.23	.26	.26	.10	-	.40	-	-	.06	-	-		6
7	-	.62	.05	.04	-	.10	-	-	.04	.02	.03	-		7
8	-	.06	-	-	.11	.02	.02	-	-	.01	.13	-		8
9	-	.03	.03	.04	.20		.02	.11	1.15	-	-	.01		9
10	.06	.02	.64	.48	-	.03	-	.05	-	-	-	.40		10
11	.04	-	.16	.09	.41	.03	.79	.20	-	-	-	.15		11
12	.30	.16	.21	.01	-	.28	.03	.04	.65	-	-	.35		12
13	.02	.08	.40	.38	-	.01	-	.10	.07	-	-	.11		13
14	-	.01	.04	.03	-	-	.03	.04	.09	-	-	.22		14
15	.31	.11	.03	.33	-	-	.87	.02	.11	-	-	.17		15
16	.09	.15	.43	-	-	-	.02	.20	.20	-	-	-		16
17	.61	.05	.34	-	-	-	.01	-	.13	-	.10	-		17
18	.22	.09	.33	-	-	.23	-	-	1.15	-	.22	.36		18
19	.42	.05	.06	.02	-	.02	.04	-	.10	-	.47	.11		19
20	.46	.04	.06	.21	.13	-	-	-	.10	-	-	.11		20
21	.34	.45	.16	.07	.23	-	.09	-	-	.09	.01	.01		21
22	.06	.01	.11	-	.14	-	.07	-	.01	.37	.40	.63		22
23	.14	.12	-	-	.03	-	.01	-	-	.15	.12	-		23
24	.62	.14	Tr.	-	-	-	-	-	.06	.51	.01	-		24
25	-	.76	.36	-	.02	-	-	-	-	.13	-	.03		25
26	-	.19	.01	-	.16	-	-	-	-	-	-	.02		26
27	.01	.43	-	.02	-	-	-	-	-	1.33	-	-		27
28	.44	.08	-	-	-	-	-	-	-	.12	-	.01		28
29	-	-	-	-	-	.01	-	-	-	.76	.09	.02		29
30	.31	×	-	-	-	.01	-	-	.03	.03	.09	-		30
31	.46	×	-	×	-	×	-	-	×	.12	×	-		31
TOTAL	5.94	4.57	3.73	2.56	2.21	.74	2.52	.82	3.96	3.91	1.72	2.94	Year's Total 35.52	✓
* Days with .01 in. or more.	23	26	20	18	13	10	16	9	15	15	12	21	198	✓
* Days with .04 in. or more.	20	21	15	13	10	3	7	8	13	11	9	12	142	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

N (Signed) .... a. Savage Robinson [P.T.O.
(Rev.)

Section **A** for the entry of Daily Observations
Station No. 2100/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Weirfield, North Hill, Minehead
in the County of Somerset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. 11 in.
,, Ground ,, Sea Level 110 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.15	.02	.	06	.	.	.01	-	.07	.20	.05	.25		1
2	.03	.37	.	68	.	.	-	.	-	.01	-	.02		2
3	.	.16	.02	.26	.63	.	-	-	.	-	-	.01		3
4	.19	.14	.	.15	.04		.10	.06	.	-	-	.41		4
5	.35	.	.03	.03	.01		.01	.	.	.	.	.04		5
6	.31	.23	.26	.26	.10	.	.40	.	-	.06	-	-		6
7	.	.62	.05	.04	.	.10	.	.	.04	.02	.03	.		7
8	.	.06	.	-	.11	.02	.02	-	.	.01	.13	-		8
9	.	.03	.03	.04	.20	.	.02	.11	1.15	.	-	.01		9
10	.06	.02	.64	.48	.	.03	-	.05	-	.	.	.40		10
11	.04	.	.16	.09	.41	03	.79	.20	-	.	.	.15		11
12	.30	.16	.21	.01	.	28	.03	.04	.65	-	-	.35		12
13	.02	.08	.40	.38	.	01	-	.10	.07	.	-	.11		13
14	.	.01	.04	.03	.	.	.03	.04	.09	.	.	.22		14
15	.31	.11	.03	.33	-	.	.87	02	.11	-	.	.17		15
16	.09	.15	.43	.	.	-	.02	.20	.20	-	-	.		16
17	.61	.05	.34	.	-	.	.01	-	.13	.	.10	.		17
18	.22	.09	.33	.	.	.23	.	-	1.15	.	.22	.36		18
19	.42	.05	.06	.02	.	02	.04	-	.10	.	.47	.11		19
20	.46	.04	.06	.21	.13	.	-	-	.10	.	.	.11		20
21	.34	.45	.16	.07	.23	-	.09	-	-	.09	.01	.01		21
22	.06	.01	.11	-	.14	.	.07	-	.01	.37	.40	.03		22
23	.14	.12	-	-	.03	.	.01	.	-	.15	.12	-		23
24	.62	.14	Tr.	-	-	.	-	.	.06	.51	.01	-		24
25	-	.76	.36	.	.02	.	-	.	-	.13	-	.03		25
26	.	.19	.01	.	.16	.	.	.	-	.	.	.02		26
27	.01	.43	-	.02	-	-	-	.	-	1.33	.	.		27
28	.44	.08	-	.	.	-	.	-	-	.12	.	.01		28
29	.	-	.	-	-	.01	-	-	-	.76	.09	.02		29
30	.31	✕	-	-	-	.01	.	-	.03	.03	.09	-		30
31	.46	✕	-	✕	-	✕	-	-	✕	.12	✕	-		31
TOTAL	5.94	4.57	3.73	2.56	2.21	.74	2.52	.82	3.96	3.91	1.72	2.84	Year's Total 35.52	
* Days with .01 in. or more.	23	26	20	18	13	10	16	9	15	15	12	21	198	
* Days with .04 in. or more.	20	21	15	13	10	3	7	8	13	11	9	12	142	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) a. Savage Robinson [P.T.O.

N (Rw.)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2100/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Heirfield, Minehead

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 11 in.

,, Ground ,, Sea Level 110 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.17	-	-	-	.70	.04	.76	-	.24	.07	.55		1
2	.04	.04	-	.13	.08	-	-	.	-	.36	.06	.08		2
3	-	-	.	-	.26	.11	.04	-	-	.75	.01	-		3
4	-	-	-	.03	.01	.02	.40	1.48	.01	.33	-	.10		4
5	.04	.	-	-		.02	.20	.15	.08	.24	-	.10		5
6	.17	.	-	-		.15	.84	-	.02	.18	-	.05		6
7	.15	-	-	-		-	.25	.02		.26	.01	.15		7
8	.61	.05	-	-		-	44	.10		.33	-	.03		8
9	.27	.10	-	-		.01	.06	.25		.03	-	1.02		9
10	.01	.03	-	-		-	.06	.13		.02	-	.53		10
11	.13	-	.	-		.12	.03	.27		.01	.19	.60		11
12	.36	.02	-	-	.12	.	.01	-		.13	.63	.01		12
13	.05	-	-	-	.06	-	-	.01		.04	.10	.81		13
14	.34	.	-	-	.03	.	.55	-	.14	.01		.03		14
15	.34	-	-	-	.05	-	.02	.		.03	.05	.28		15
16	.18	-	-	-	.06	-	-	.01	.	-	.11	.01		16
17	-	.10	-	-	,	-	.02	-	.03	.09	.03	-		17
18	-	-	-	-	.17	.05	-	.04	.28	.07	.32	-		18
19	.03	-	-	-	-	-	-	.05	.12	.03	.26	.01		19
20	.01	-	-	-	-	-	-	.04	.08	-	39	-		20
21	.06	-	-	-	-	-	-	.10	-	-	.17	-		21
22	.01	-	-	.07	-	.04	-	.57	.04	.02	.32	-		22
23	-	-	-	.02	.	-	-	-	.	-	.39	-		23
24	.02	.	-	.	03	-	-	.03	.03	-	.18	-		24
25	.10	.16	.04	.02	.26	-	.05	-	.03	.11	.77	.05		25
26	.29	.20	.03	-	.20	.	.03	-	.	.16	.18	01		26
27	.07	.02	-	-	.30	.12	.08	.74	-	.01	.33	-		27
28	.06	09	-	-	.05	.10	-	.75	.06	.01	16	.01		28
29	.10	X	-	-	.21	09	-	-	.04	.23	.26	03		29
30	.02		.02	-	.17	02	-	-	.12	.03	.34	05		30
31	.40		-		.13		-	-		.11		.20		31
TOTAL	3.86	.98	.09	.27	2.19	1.55	3.12	5.50	1.08	3.73	5.23	4.71	Year's Total 32.31	✓
* Days with .01 in. or more.	25	11	3	5	17	13	17	18	14	26	23	22	194	✓
* Days with .04 in. or more.	19	8	1	2	14	9	12	14	9	16	20	14	138	

† Spare column, no entries required.

(*Signed*) (Rev.) C. Gossage Robinson [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2100/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Weirfield, Minehead

in the County of Somerset

Diameter of Funnel of Gauge 5 inches

Height of top of Gauge above Ground ...... ft. 11 in.

,, Ground ,, Sea Level 110 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08	-	.08	.08	.20	-	-	.17	-	-	.14	.11		1
2	.02	-	.01	.01	.02	-	-	.19	.28	-	.11	.41		2
3	.11	-	.04	.24	-	-	-	.07	-	-	.04	.48		3
4	.03	-	.26	.23	.16	-	.31	-	-	.22	.54	.25		4
5	-	-	.02	.42	.14	-	.33	-	-	.10	.54	.03		5
6	.33	-	.02	.01	.02	-	.68	.01	-	-	.09	-		6
7	.01	.05	-	-	-	.25	.02	.01	-	-	.28	.36		7
8	.03	.24	-	-	.05	-	.13	.05	-	.37	.43	.29		8
9	.01	.03	-	-	-	-	-	.04	-	.25	.03	.09		9
10	.26	-	-	-	-	-	-	.07	.09	.05	.03	.33		10
11	.04	.01	.15	-	-	-	-	-	-	.11	-	.02		11
12	.09	.06	.01	-	-	-	-	-	.15	.20	-	-		12
13	.03	-	-	.10	.02	.05	.08	-	.15	.18	-	-		13
14	.56	-	-	.04	.05	.09	.42	-	-	.04	.12	-		14
15	.60	.01	-	.02	.06	.24	.40	-	.02	-	.17	-		15
16	.08	-	-	.08	.15	-	.03	-	-	-	.48	-		16
17	.44	-	-	-	-	.03	.08	-	-	-	.18	-		17
18	.10	.09	.06	-	-	.05	.66	-	-	-	.85	-		18
19	.16	-	-	-	-	-	.04	.06	-	-	.01	.04		19
20	.16	-	.01	-	.01	.02	.01	.66	-	-	-	-		20
21	.05	.28	.11	-	.09	.14	.01	.01	-	-	-	-		21
22	.83	.33	.12	.10	-	.43	.18	-	-	.01	.14	-		22
23	.02	.07	.16	.15	-	.02	.35	-	-	.06	.88	-		23
24	.65	.01	.20	.10	-	.33	.11	-	-	.03	.02	-		24
25	.24	.06	.02	.02	-	-	.09	-		.07	.40	.81		25
26	.03	.01	-	.19	-	-	.01	.29		.12	.82	-		26
27	-	.11	.08	.02	-	.04	.03	.30		.02	.14	.02		27
28	.02	.20	.12	.48	-	.03	.13	.02		-	.30	.21		28
29	.09	✕	.01	.05	-	-	.05	-		.20	.13	-		29
30	-	✕	-	1.00	-	.04	.01	-		.11	.02	.02		30
31	-	✕	-	✕	-	✕	.03	.05	✕	.23	✕	-		31
TOTAL	5.07	1.56	1.59	3.34	.97	1.76	4.19	2.00	.69	2.37	6.89	2.67	Year's Total 33.10	
* Days with .01 in. or more.	27	15	20	19	12	14	24	15	5	18	25	15	209	
* Days with .04 in. or more.	18	10	12	14	8	10	16	11	4	15	20	10	148	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) G. Savage Robinson [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2100/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~ 40

File No 747519/27

Kept at Weirfield, Minehead

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 11 in.

,, Ground ,, Sea Level 110 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.07	-	.07	.08	-	-	-	-	-	.08	-		1
2	-	.06	-	.03	-	-	.09	-	-	-	1.51	.02		2
3	-	.25	-	.09	-	-	-	-	-	.19	.71	.05		3
4	-	.08	-	.06	-	-	.10	-	-	.12	.05	.08		4
5	-	.02	-	-	-	-	.02	-	-	.29	.58	.35		5
6	.04	.16	-	-	-	-	.12	-	.10	.34	.23	.45		6
7	-	.06	-	.02	-	-	.12	-	-	.02	-	.10		7
8	-	-	-	-	-	-	-	-	-	.27	.16	.18		8
9	-	-	-	-	-	-	.30	.04	.02	.15	.83	.31		9
10	-	-	-	-	-	-	.63	04	.04	.22	.25	.23		10
11	-	.01	-	.02	-	T -	.22	-	-	-	.91	.11		11
12	-	-	.08	-	-	.05	.75	-	.59	-	.14	-		12
13	-	.02	.63	-	-	-	.33	-	.07	.15	.38	.08		13
14	-	-	.03	.05	.05	-	.04	-	.12	.28	.62	.25		14
15	-	-	.04	.19	.23	.04	03	-	.20	-	.37	-		15
16	-	.50	.17	.03	.02	.04	.23	-	.08	1.64	.08	.04		16
17	-	.05	.34	.06	-	-	.17	-	.63	-	.07	.01		17
18	.33	.35	.25	.84	-	-	-	-	.10	.10	.09	.14		18
19	-	.04	.10	.20	-	-	.76	-	.20	-	.20	-		19
20	-	-	05	.03	-	-	.16	.01	.08	.12	.08	.01		20
21	-	-	-	-	.37	.38	-	-	-	-	.95			21
22	-	-	.05	.25	.01	.15	-	-	.08	-	.02			22
23	-	.24	.11	.05	.02	-	-	-	.10	.01	-			23
24	.02	-	.02	-	.01	05	.42	-	-	-	-			24
25	.25	.02	.05	.35	.10	.03	-	-	-	-	-			25
26	1.10	.11	-	.04	.25	-	.23	.02	-	-	-			26
27	.68	.08	-	.23	.10	-	.02	-	-	-	-			27
28	.71	.01	-	.10	.10	-	-	.04	-	-	-			28
29	-	.07	.08	.76	.02	0[illegible]	-	-	-	-	-	.08		29
30	-	X	-	.29	.01		-	-	-	.28	-	.13		30
31	12	X	.05	X	-	X	-	-	X	.62	X	.12		31
													Year's Total	
TOTAL	3.25	2.20	2.05	3.76	1.37	.79	4.74	.15	1.81	4.80	7.70	2.74	35.36	
* Days with .01 in. or more.	8	19	15	21	14	8	19	5	14	16	21	19	179	
* Days with .04 in. or more.	7	14	13	16	8	7	16	3	12	14	19	16	145	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. George Robinson

[P.T.O.

2102

Section **A** for the entry

AIR MINIS

COPY FOR OFFICIAL USE.

ALL ORGANIZATION.

FORM 1090.

REGI 31.

2102

ALLERFORD

LYNCH MEAD

1931 — 40

780401

Kept at Lynch Mea

in the County of Som

see Sed B.

Diameter of Funnel of Gauge

Height of top of Gauge above Gr

,, Ground ,, Sea

THE MORNING MEA AY.

An observer who does not conform *e following*
year in the space on the right of

Jan. 1, following

Date	Jan.	Feb.	March							t.	Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	·02	·04	—	·25	—	—	·05	—	·21	·01	—	—	1
2	·24	·02	—	·91	·02	·01	—	—	·15	—	·12	24	2
3	·05	—	·64	·01	—	—	·01	·39	·06	—	1·96	·25	3
4	05	—	·17	·03	—	·39	·21	·56	·08	—	·03	·02	4
5	—	·10	·01	·24	·02	~~·84~~	~~·12~~	·20	·01	—	—	·68	5
6	·02	·13	—	·12	·02	·11	·50	·05	—	·39	·15	·52	6
7	—	·01	—	01	·06	·03	·03	·29	—	·15	·30	·05	7
8	·01	·03	—	01	·01	·10	·01	·13	—	·01	·04	·20	8
9	—	31	—	—	—	·10	·04	—	—	—	59	·03	9
10	—	15	—	—	—	·02	·03	·18	·13	—	·46	·01	10
11	31	·43	·04	—	—	·09	·02	·05	·20	—	·40	—	11
12	·02	·02	—	—	·02	—	·21	·01	·05	·18	07	—	12
13	—	·02	·02	—	·08	—	·10	·03	·04	·07	—	01	13
14	·02	·06	—	—	·02	·14	·39	·08	·02	—	·30	·02	14
15	·02	·16	—	03	·04	—	·01	·34	·02	—	—	03	15
16	02	·15	—	·14	·15	·52	·01	·19	·08	—	07	—	16
17	·03	—	—	·08	—	·05	·12	·01	·03	—	—	—	17
18	·03	—	—	—	—	·05	·20	·53	·01	·01	·15	—	18
19	·05	·08	·01	—	—	·35	·04	·34	09	—	12	—	19
20	·02	·06	·06	—	—	·01	·01	·60	—	—	45	01	20
21	·13	·05	·03	·04	·06	—	—	·06	—	—	02	—	21
22	44	07	·02	—	02	—	—	·03	—	—	02	—	22
23	22	—	—	·25	·19	·03	—	·08	·07	—	30	—	23
24	·36	·01	—	·46	·05	·18	·38	·02	—	—	·01	·01	24
25	·17	—	·02	·31	—	01	·04	—	—	—	·02	·01	25
26	—	·06	—	·24	—	—	17	—	—	—	40	03	26
27	06	·09	—	·15	2·25 ~~·03~~	·43	16		—	·02	·05	·01	27
28	·16	·11	·15	·03	43	—	01	·04	—	·03	·01	·04	28
29	·13	—	11	—	01	—	08	03	—	·08	·07	·15	29
30	·03	×	—	—	—	—	—	05	·04	·01	—	·01	30
31	·50	×		×	·10	×	01	—	×	·01	×	·05	31 ~~34·61~~
TOTAL	3·10	2·~~7~~16	1·28	3·18	3·55	3·03	2·9~~8~~6	4·29	1·14	·97	5·99	2·38	YEAR'S TOTAL 34·92 ~~34·67~~
*Days with ·01 in. or more.	26	22	12	18	18	18	26	24	17	12	24	21	248
*Days with ·04 in. or more.	14	13	5	11	~~9~~10	12	16	18	11	5	15	9	15~~8~~9

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) John Ashe Acland

P.T.O.

2102

Section **A** for the entry … COPY FOR OFFICIAL USE.
AIR MINIS… …ALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Lynch Mead Allerford
in the County of Somerset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 3 in.
,, Ground ,, Sea Level 113 ft.

May 27 amended see Sec B.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·04	—	·25	—	—	·05	—	·21	·01	—	—	1
2	·24	·02	—	·91	·02	·01	—	—	·15	—	·12	24	2
3	·05	—	·64	·01	—	—	·01	·39	·06	—	196	·25	3
4	05	—	·17	·03	—	·39	·21	·56	·08	—	·03	·02	4
5	—	·10	·01	·24	·02	·84	·12	·20	·01	—	—	·68	5
6	·02	13	—	·12	·02	·11	·50	·05	—	·39	·15	·52	6
7	—	·01	—	·01	·06	·03	·03	·29	—	·15	·30	·05	7
8	·01	·03	—	·01	·01	·10	·01	·13	—	·01	·04	·20	8
9	—	31	—	—	—	·10	·04	—	—	—	59	·03	9
10	—	15	—	—	—	·02	·03	·18	·13	—	·46	·01	10
11	31	·43	·04	—	—	·09	·02	·05	·20	—	·40	—	11
12	·02	·02	—	—	·02	—	·21	01	05	·18	07	—	12
13	—	·02	·02	—	·08	—	·10	·03	·04	·07	—	01	13
14	·02	·06	—	—	·02	·14	·39	·08	·02	—	·30	·02	14
15	·02	·16	—	03	·04	—	·01	·34	·02	—	—	03	15
16	02	·15	—	·14	·15	·52	·01	·19	·08	—	07	—	16
17	·03	—	—	·08	—	·05	·12	·01	·03	—	—	—	17
18	·03	—	—	—	—	·05	·20	·53	·01	·01	·15	—	18
19	·05	·08	·01	—	—	·35	·04	·34	09	—	12	—	19
20	·02	·06	·06	—	—	·01	·01	·60	—	—	45	01	20
21	·13	·05	·03	·04	·06	—	—	06	—	—	02	—	21
22	44	07	·02	—	02	—	—	·03	—	—	02	—	22
23	22	—	—	·25	·19	·03	—	·08	07	—	30	—	23
24	·35	·01	—	·46	·05	·18	·38	·02	—	—	·01	·01	24
25	·17	—	·02	·31	—	01	·04	—	—	—	02	·01	25
26	—	·06	—	·24	—	—	17	—	—	—	40	03	26
27	06	·09	—	·15	~~·03~~ 2·25	·43	·16		—	·02	·05	·01	27
28	·16	·11	·15	·03	43	—	01	·04	—	·03	·01	·04	28
29	·13	—	11	—	01	—	08	03	—	·08	·07	·15	29
30	·03	×	—	—	—	—	—	05	·04	·01	—	·01	30
31	·50	×		×	·10	×	01	—	×	·01	×	·05	31 ~~34·61~~
TOTAL	3·10	2·~~7~~15	1·28	3·18	3·55 153	3·03	2·96	4·29	1·14	·97	5·99	2·38	YEAR'S TOTAL 34·92 ~~34·07~~
*Days with ·01 in. or more.	26	22	12	18	18	18	26	24	17	12	24	21	248
*Days with ·04 in. or more.	14	13	5	11	~~9~~10	12	16	18	11	5	15	9	15~~8~~9

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) John [illegible] Acland

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2102

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Lynch Mead Allerford

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 113 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·72	–	–	·12	·13	·03	·20	·08	–	·05	·02	·02	1
2	·03	–	–	·01	·40	·01	·01	·02	·28	·01	–	·15	2
3	·01	–	–	·37	·02	·02	·06	–	·27	·04	–	·04	3
4	·03	–	–	·04	–	·01	·02	·01	–	·02	·52	·01	4
5	·56	–	·10	·01	–	–	·02	–	·09	·01	–	–	5
6	·63	–	·03	·40	–	–	·10	–	·08	–	·01	–	6
7	·36	–	·02	·05	·14	–	–	–	·24	·73	–	–	7
8	·02	–	·50	·01	·10	–	–	–	·45	·65	–	–	8
9	·34	·05	–	·11	·02	–	–	–	·02	·13	–	–	9
10	·20	·01	·01	·21	·01	·02	–	–	–	·48	–	–	10
11	·07	–		·06	·04	–	–	–	·02	·32	–	·07	11
12	·50	–		·03	·30	L	–	–	·10	·37	·02	·01	12
13	·14	–		·20	·04	L	·49	·17	·03	·86	·05	·25	13
14	·35	–		·02	·10	–	·01	·02	–	·14	·24	·02	14
15	·03	–		·09	·14	–	–	–	–	·03	·15	·02	15
16	·30	–		·10	·01	–	1·26	–	–	–	–	–	16
17	–	–		·01	·02	–	·05	–	–	·04	·01	·01	17
18	–	–		·06	·05	–	·01	–	·12	–	·34	–	18
19	–	–		–	·09	–	–	–	·11	·13	·01	–	19
20	–	–		·23	·44	–	–	–	·05	·50	·06	·06	20
21	–	–	·08	·15	·01	–	–	·20	–	·53	·01	·12	21
22	–	–	·06	·09	–	–	·13	·01	·65	·13	·17	·12	22
23	–	–	–	–	–	–	·13	–	19	·46	·37	·03	23
24	–	·01	–	–	·10	–	·12	–	10	·10	–	–	24
25	–	–	·08	·05	·12	–	·24	–	16	·44	·10	–	25
26	–	–	·06	·03	·01	–	·05	–	03	·17	·14	·02	26
27	–	–	·48	·07	·15	–	·03	–	–	·45	–	·02	27
28	–	–	·04	·08	·02	–	·02	–	–	01	·02	·03	28
29	–	–	·62	·12	·16	·16	–	·22	·31	31	·03	·30	29
30	–	✕	·16	·03	·05	·28	·36	·02	·32	06	·49	·04	30
31	–	✕	·17	✕	·03	✕	·31		✕	01	✕	·23	31
TOTAL	3·69	·07	2·41	2·75	2·90	·53	3·64	·75	3·62	7·18	2·76	1·77	YEAR'S TOTAL 32·07
*Days with ·01 in. or more.	16	3	19	27	26	7	20	9	20	28	19	20	214
*Days with .04 in. or more.	11	1	11	19	17	2	13	4	16	22	11	10	137

40-9999

*See Instruction 2 (*f*) on other side,

(Signed) John Dyke Acland

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2102

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at LYNCH MEAD ALLERFORD

in the County of SOMERSET

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 173 ft.

July TOT LOW?

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in	in.	in.	in.		
1	1·11	·34	·07	—	·23	—	—	—	·01	·02	·02	·57		1
2	·21	·01	·20	—	·63	·25	—	—	—	—	·02	·12		2
3	·05	·04	·10	—	·07	—	—	—	—	—	—	—		3
4	·33	·02	·03	—	·05	—	—	—	—	—	—	—		4
5	·12	·02	·41	—	·04	—	—	—	—	—	·01	—		5
6	·01	·12	·05	—	·13	—	·05	—	—	·12	·01	—		6
7	·08	·03	—	—	·03	—	·01	—	—	·02	—	·03		7
8	·02	·01	·03	—	·12	·13	·12	·02	—	·04	—	—		8
9	—	·09	—	—	·18	—	·13	—	—	·50	—	—		9
10	—	·30	—	—	—	—	·05	—	—	1·83	·08	—		10
11	—	·03	—	—	—	—	·13	31	—	·50	—	·01		11
12	—	—	—	·09	·01	·05	·21	—	·43	·08	—	—		12
13	04	—	—	—	·09	·28	·12	·05	—	·03	·02	—		13
14	·19	—	—	—	—	—	·02	·14	—	·13	·24	—		14
15	·33	—	·07	—	—	—	·04	·01	—	·32	·05	·08		15
16	—	·03	·67	—	—	·02	—	·01	—	·07	—	·01		16
17	·14	·05	·33	—	—	·10	—	·02	·03	·01	—	—		17
18	·11	·01	·36	—	—	·27	—	—	—	—	·03	·01		18
19	·10	—	·40	—	—	—	·06	·05	·20	—	·58	—		19
20	·01	·04	—	—	—	—		·15	·40	—	·02	·01		20
21	—	·01	—	—	—	·02		·39	—	·08	·01	—		21
22	—	—	—	·13	·04	—		·32	·04	·02	—	—		22
23	—	·66	—	·13	—	·15		·01	·12	·31	—	—		23
24	—	·26	—	·07	—	—		—	·03	·18	—	—		24
25	—	·38	—	·01	·05	·29		—	·19	·02	—	·03		25
26	—	·53	—	·02	·52	—		—	·04	·08	—	·02		26
27	—	·04	—	—	·13	—		—	·10	·42	—	·15		27
28	—	·23	—	·18	—	—	·08	—	01	·36		·04		28
29	·12	×	—	·03	—	—	01	—	—	·01	—	·01		29
30	·04	×	·12	·25	—	—	04	—	·04	·00	—	·07		30
31	·36	×	·02	×	—	×	—	—	×	·20	×	·01		31
TOTAL	2·39	3·25	2·86	·91	2·32	1·36	1·07	1·48	1·64	5·35	1·09	1·17	Year's Total 24·89	
*Days with ·01 in. or more.	19	22	14	9	15	10	14	12	13	23	12	15	178	
*Days with .04 in. or more.	15	13	11	6	13	8	10	7	8	16	4	6	117	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) John Ache Acland

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2102

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at LYNCH MEAD ALLERFORD

in the County of SOMERSET

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 113 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·05	–	–	–	–	–	–	·20	·10	·32	·17	·25		1
2	·17	·01	–	–	–	–	–	·02	·28	–	·24	·05		2
3	·02	–	–	–	·03	–	–	·11	·02	·07	·02	·12		3
4	·16	–	·03	·42	·26	–	–	·02	·04	·72	·02	·12		4
5	·01	–	·03	·10	·09	·20	–	·45	–	·17	·30	·39		5
6	·02	–	·26	·19	·57	–	–	·06	–	·26	·02	·25		6
7	·11	–	·01	·01	·01	–	–	·12	–	·17	·04	·49		7
8	·03	–	–	–	·10	–	–	·02	·08	·04	·24	·60		8
9	·01	–	·07	·04	–	–	–	·02	–	·13	·47	·14		9
10	·13	–	·23	·65	–	–	–	·10	–	·02	·09	·01		10
11	·70	–	·01	·49	–	–	–	·69	–	–	·02	·20		11
12	·09	–	·01	·02	–	–	–	23	–	·02	–	·02		12
13	·47		·40	18	–	–	–	–	–	·02	–	·03		13
14	·24	–	·25	–	–	–	–	–	–	·10	·11	·27		14
15	·15	–	·25	·02	·14	–	–	–	·01	·05	05	·29		15
16	·06	–	·63	–	·04	–	–	–	–	–	·02	·04		16
17	·15	–	·02	·02	·02	–	–	–	·35	·05	–	·18		17
18	·14	·01	·08	·31	·01	–	–	·01	·25	·02	–	·35		18
19	–	–	·15	–	–	·01	–	–	09	–	–	·18		19
20	–	–	·17	·05	–	–	·29	·04	·10	·13	·01	·02		20
21	–	–	·07	–	–	06	·03	·07	·01	·12	·03	·05		21
22	–	–	·11	–	–	–	–	·04	·10	·04	–	36		22
23	·03	–	·02	·13	–	·62	–	–	02	–	–	01		23
24	–	·14	·06	·01	–	·23	·08	–	·13	·02	–	–		24
25	·20	·05	·01	15	–	10	–	–	01	·13	–	·38		25
26	·02	–	·06	·03	–	05	–	–	07	·34	–	·09		26
27	–	–	–	·02	–	·02	–	–	01	·06	–	19		27
28	–	–	–	·03	–	–	·05	·52	·28	·27	–	·60		28
29	–	–	–	–	–	–	02	·40	·09	·31	–	·02		29
30	·09	×	–	–	–	–	–	·23	10	·62	–	·22		30
31	–	×	–	×	–	×	–	·04	×	·02	×	·11		31
TOTAL	3·07	·21	2·42	2·97	1·27	1·32	·49	3·39	2·12	3·52	1·85	6·08	Year's Total. 29·01	
* Days with .01 in. or more.	22	4	22	10	10	8	5	20	20	·26	16	30	193	
* Days with .04 in. or more.	15	2	14	6	6	6	3	15	14	·19	9	24	134	133

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed) John Dyke Acland

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2102

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Lynch Mead Allerford

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 113 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	–	·50	–	–	·02	·02	–	·17	·24	·01	·45		1
2	·01	·01	·02	–	–	·08	–	–	·02	·05	·02	·16		2
3	·01	·01	·14	·01	·01	·18	–	–	·56	·09	·09	·01		3
4	·02	·15	–	·14	·03	·06	–	–	·15	·02	·13	·43		4
5	–	·19	–	·08	–	·01	–	–	·39	·12	·10	·11		5
6	–	·01	–	·25	–	·46	–	–	–	–	·08	·15		6
7	–	–	–	·38	–	·16	–	–	–	·23	·01	·19		7
8	–	–	–	·15	–	·01	–	–	–	·24	·12	·45		8
9	·01	–	–	·76	–	–	–	–	–	·15	·30	–		9
10	–	–	·10	·36	–	·02	·03	–	–	·09	·01	–		10
11	·41	–	·01	·02	–	·04	·01	–	–	·15	·26	·02		11
12	·15	·08	–	–	–	·30	–	·03	·15	·07	·21	–		12
13	·15	·09	–	·33	–	–	–	–	·01	·01	·38	–		13
14	·02	·05	–	·23	–	·12	–	–	·20	–	·95	·17		14
15	–	·09	–	·93	·07	·47	–	–	·41	–	·16	·38		15
16	–	·15	·07	·25	–	·20	–	–	·55	·02	·62	·02		16
17	–	–	·01	·03	·85	·04	–	·25	·04	·10	·02	–		17
18	–	·02	–	·30	·01	·01	–	·08	·41	·09	–	·03		18
19	–	·01	–	·03	·18	–	·03	·	·15	·15	·19	·06		19
20	·	·51	·01	·14	·64	–	·07	·	·01	·01	·33	–		20
21	·01	·25	02	·14	–	–	·04	–	1·85	·10	·01	–		21
22	–	·08	04	·12	–	–	–	–	·20	·06	–	–		22
23	–	·08	·26	–	·05	–	–	·12	·18	·17	–	·14		23
24	·14	·53	·03	·10	·05	–	–	·15	·12	·16	–	·23		24
25	·38	·36	–	·14	·11	·22	–	–	·01	–	–	·16		25
26	–	·44	·01	·01	–	–	–	·33	·06	·01	06	·42		26
27	–	·11	–	–	·01	–	–	·29	·15	·02	04	·24		27
28	·04	·04	–	–	–	–	–	·52	·14	·15	04	·62		28
29	·02	–	–	–	–	–	–	·09	·16	·05	30	·47		29
30	·05	×	–	–	–	·01	–	·71	·25	·14	1·09	·41		30
31	–	×	–	×	·04	×	–	·02	×	·42	×	·12		31
TOTAL	132	326	1·24	4·70	2·05	2·41	·20	2·57	6·30	4·05	5·53	4·83	Year's Total. 38·46	
* Days with .01 in. or more.	15	21	14	22	12	18	6	11	24	27	23	23	218	218
* Days with .04 in. or more.	6	16	6	17	6	12	2	9	20	20	·19	18	151	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) John Dyke Acland

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2102

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Lynch Mead Allerford
in the County of Somerset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
,, Ground ,, Sea Level 113 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·05	·01	07	—	·05	·60	·02	—	—	·03	~~03~~		1
2	—	·21	—	01	—	·41	·02	—	—	—	·13	03		2
3	—	—	·06	·70	—	·50	·07	·11	·57	—	·11	~~52~~		3
4	—	—	·04	·03	—	·11	—	—	·47	—	·09	·52		4
5	·45	·04	—	—	—	—	·16	·02	22	—	·02	54		5
6	·18	—	·02	—	—	·03	·37	·04	·02	—	·24	~~01~~		6
7	·14	—	—	—	—	—	·78	—	·06	—	·62	·01		7
8	·18	—	·08	—	—	—	·78	—	—	—	·91	10		8
9	·47	·03	·20	—	—	·01	·37	—	·25	—	·25	~~02~~		9
10	·02	—	·01	—	—	—	·06	—	·01	—	·53	·02		10
11	·16	—	—	—	—	·12	01	04	·05	—	·36	—		11
12	·02	·02	—	·26	·01	·02	·16	·04	·31	—	·04	—		12
13	·06	·01	—	·01	—	·05	·01	—	—	·13	·01	1·05		13
14	~~00~~	·01	02	·02	—	·01	·63	·10	·10	·07	·04	·90		14
15	·04	—	—	~~03~~	02	—	·01	—	·02	—	·07	·18		15
16	·24	·04	—	—	·25	—	·02	—	·03	—	·13	·16		16
17	24	·36	—	03	·12	—	·12	—	—	·14	·10	·87		17
18	·04	·06	—	—	—	·02	·82	—	—	·23	·02	·24		18
19	·56	·08	·03	·14	—	·38	02	—	—	·04	—	·02		19
20	03	·25	·13	·10	—	·03	·03	·02	·40	—	—			20
21	·01	·01	·03	·52	—	·02	·13		·15	—	—	—		21
22	·11	·75	·33	—	—	—	·13		·01	·04	—	·02		22
23	—	·03	·26	·25	·25	—	·03		—	·04	—			23
24	·08	·04	·05	02	·17	—	05		03	·29	—			24
25	·13	—	35	·32	—	—	·15		·90	·15	·06			25
26	·31	·17	·23	04	—	—	·11		13	08	·02			26
27	·16	·11	·13	—	—	—	·06		·02	25	—			27
28	·43	·17	·28	01	—	—	10		—	02	—	12		28
29	·03	·10	·02	—	—	·20	·05		—	02	01	06		29
30	·04	✕	—	—	05	·25	—		—	66	—	—		30
31	·13	✕	18	✕	—	✕	19		✕	08	✕	·35		31
TOTAL	4·13	2·09	246	253	·87	2·21	6·03	·39	3·75	2·34	3·59	4·69	Year's Total 35·08	35·08
* Days with .01 in. or more.	26	21	20	16	7	16	29	8	19	15	21	17	215	
* Days with .04 in. or more.	19	15	13	9	5	9	21	5	12	13	15	12	148	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) John Lyle Acland [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2102

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Lynchmead Allerford

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

,, Ground ,, Sea Level 113 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.			
1	·19	-	·03	·05	-	-	-	-	·07	·22	·04	·30			1
2	·04	·26	-	·11	-	-	-	-	·01	-	-	·10			2
3	02	·25	·01	·16	·13	-	-	-	-	-	-	-			3
4	·18	·13	-	·25	·06	-	·12	·06	-	-	-	·46			4
5	·40	-	·02	·08	-	-	·01	-	-	-	01	·04			5
6	·30	·10	36	·24	·05	-	·23	-	-	·01	-	02			6
7	-	·70	·14	·15	-	·15	-	-	·03	·10	·03	-			7
8	-	·03	·01	·01	·08	·06	-	-	-	·01	·10	-			8
9	·01	·02	-	·05	·14	·03	-	01	1·04	-	-	·02			9
10	·07	-	·73	·48	·01	·02	-	·12	·02	-	-	·51			10
11	·03	-	·24	·17	·62	-	·50	·01	-	-	-	·13			11
12	·34	·21	22	·02	·01	·26	·06	·03	·30	-	-	·41			12
13	·03	·04	38	·27	-	·02	·01	·11	·12	-	-	·10			13
14	-	-	·10	·02	-	-	·02	·06	·06	-	-	·18			14
15	·18	·12	·02	38	-	-	·52	·02	·12	-	-	·14			15
16	·08	·13	46	·13	-	·02	-	·13	·15	-	-	-			16
17	·52	·09	49	-	-	-	04	-	·03	-	·11	-			17
18	39	04	·43	-	-	·16	-	-	·62	-	·20	·22			18
19	33	·06	·03	·03	-	·02	-	-	·18	-	·58	·18			19
20	36	·16	·08	20	·17	·01	·10	-	·02	-	-	·15			20
21	·06	·45	·18	·03	·24	-	·13	-	·05	·02	-	02			21
22	·13	-	·06	-	·18	-	·06	-	-	47	·26	·02			22
23	·16	·13	·01	-	·09	-	·02	-	-	·15	14	·01			23
24	·25	·15	-	-	·01	-	-	-	·03	35	·02	-			24
25	-	·51	39	-	-	-	-	-	-	·12	-	·03			25
26	-	·48	·03	-	·11	-	-	-	-	-	·01	·01			26
27	·10	·35	-	·03		-	-	-	-	1·68	~~5~~	-			27
28	·65	05	-			-	-	-	-	·03	-	·02			28
29	·13	-	-		~~0~~	·02	-	-	-	·87	·07	-			29
30	23	✕	-		·	·01	-	-	·04	·07	·14	-			30
31	·83	✕	-	✕		✕	-	-	✕	·15	✕	-			31
TOTAL	6·21	446	442	2·86	1·88	·77	1·81	55	2·91	4·35	1·71	3·07	Year's Total 35·00	✓ ✓	
* Days with .01 in. or more.	26	22	22	20	14	11	13	9	17	16	13	21	224	✓ ✓	
* Days with .04 in. or more.	20	20	14	14	10	4	9	5	12	9	9	13	139	✓ ✓	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Wm Dyke Acland [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2102

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at LYNCH MEAD ALLERFORD

in the County of SOMERSET

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 113 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	.05	–	-	.20	.65	.16	.95	–	.25	02	.46		1
2	–	.12	.	.09	.26	–	–	.01	–	.57	.05	.16		2
3	05	–	.	.	.01	.04	–	–	–	.73	–	.01		3
4	–	–	.	.	.	.03	.31	1.25	–	.37	–	.11		4
5	–	.	.	.	.	.02	.26	.16	–	.35	.01	.09		5
6	.16	–	.	.	.	.11	.74	–	.05	.12	.	.06		6
7	.12	–	.	.	.	.01	.18	.01	.05	.30	.	.03		7
8	.44	.	–	.	.	–	.41	.06	.30	34	.	.12		8
9	.22	05	–	.	.	.01	.02	39	34	.03	.	.82		9
10	.13	02	.	.	.	–	.05	.59	.03	.03	.	.36		10
11	.09	.	.	.	.	.09	–	.39		–	16	.49		11
12	.33	.	.	.	.18	–	03	–		.07	.53	.02		12
13	.10	.	.	.	.05	–	–	.03		05	.24	.55		13
14	.42	.	.	.	.03	–	40	.	.14	~~10~~	01	–		14
15	.19	.	.	.	.05	–	.	.	–	.02	06	.13		15
16	33	.	.	.	.02	.	.	.		~~.04~~	.16	.02		16
17	.01	.14	.	.	.05	.	.	.	.04	.10	.01			17
18	.16	.	.	.	.12	.05	.	.	.14	.09	.37			18
19	.03	.	.	.	.	–	.	.14	.09	.01	.26			19
20	–	.	.	.	.	–	.	.03	.01	–	.38			20
21	.07	–	.	.	.	–	.	.04	.06	–	.34			21
22	–	.	.	02	.	.02	.	.41	.01	–	.25			22
23	–	.	.	.05	.	.	.	.01	.31	.03	.34			23
24	–	.	.02	.	.02	.	.	18	.03	–	.24			24
25	.14	.17	.05	.	.25	.	03	–	–	16	.81	02		25
26	33	22	.02	.	.16	.	–	–	–	11	.14	01		26
27	.10	02	.	.	.37	.15	14	66	.10	–	.24	–		27
28	.05	10	–	.	.06	.10	.	80	–	02	.19	02		28
29	.10	–	.01	.	.14	06	.	.	–	10	.35	.04		29
30	–	✕			.21	–	.	.	.15	02	.40	.04		30
31	.43	✕		✕	.15	✕	.		✕	18	✕	.20		31
TOTAL	400	.96	.10	.16	2.43	1.32	2.73	5.80	.86	4.09	5.47	3.76	Year's Total 31.68	✓
* Days with .01 in. or more.	22	9	4	3	18	13	12	18	13	23	23	21	179	✓
* Days with .04 in. or more.	20	7	1	2	15	8	9	13	9	17	20	13	136	✓

† Spare column, no entries required.

See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2102

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at LYNCH MEAD ALLERFORD

in the County of SOMERSET

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 114 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12	—	·06	·05	29	.	19	·13	·02	.	·14	·06		1
2	·05	—	—	·03	·01	.	—	·21	·17	.	·11	·27		2
3	·13	—	·55	·20	—	.	—	·06	·04	.	·04	·58		3
4	·03	—	·30	·17	·21	.	·32	·01	.	·21	·54	·30		4
5	—	—	—	·61	·15	.	·18	—	.	·14	·52	—		5
6	·28	—	·02	·05	—	.	·56	·01	.	—	·09	—		6
7	·02	04	[illegible]	—	—	·04	·02	—	.	—	·16	·35		7
8	·02	·25	·08	.	·05	.	·09	·02	.	·40	·35	·25		8
9	02	·03	03	.	·01	.	—	·04	—	·22	·03	·05		9
10	·29	—	·06	.	—	.	—	·08	·08	·08	·01	·32		10
11	·05	—	06	.	—	.	.	·02	—	·06	—			11
12	·13	·04	—	.	—	.	.	.	02	·11	—			12
13	·02	—	—	·07	·02	·04	·08	.	·03	·19	—			13
14	·51	.	·03	·02	·04	·06	·40	.	.	·04	·12			14
15	·72	.	—	—	·06	·19	·38	.	.	·02	·16			15
16	·09	.	—	·07	·11	—	—	.	.	.	·42			16
17	·59	.	—	.	·03	03	·03	.	.	.	·18	02		17
18	·08	·07	08	+	.	·13	·65	.	.	.	·75	.		18
19	·17	—	—	I	.	.	·10	·24	.	.	·01	·03		19
20	·23	—	—	.	.	.	·02	·98	.	.	—	.		20
21	·03	·35	·18	.	·04	·26	—	—	.	.	—	.		21
22	·87	·43	·14	02	.	·35	·16	.	.	.	·23	—		22
23	·02	·06	·05	·18	.	·04	·22	.	.	·04	·65	.		23
24	·87	—	·12	04	.	·44	·22	.	.	04	—	.		24
25	·27	·13	—	—	.	—	·06	.	.	06	·40	02		25
26	·01	·02	—	26	.	—	—	·33	.	·11	·80	—		26
27	—	23	·09	·03	.	·03	·01	·10	.	—	—	·01		27
28	·03	19	·10	·68	.	05	·20	.	.	—	·35	·13		28
29	·08	—	—	·04	.	—	·07	.	.	·22	·13	—		29
30	—	✕	—	·85	.	02	·01	.	.	·14	—	03		30
31	—	✕	02	✕		✕	·02	·02	✕	·25	✕	.		31
TOTAL	5·73	1·63	1·40	3·35	1·02	1·68	3·95	2·23	·55	2·35	6·20	2·42	Year's Total 32·51	✓
* Days with .01 in. or more.	·27	·12	17	16	13	13	22	12	6	17	23	14	193	✓
* Days with .04 in. or more.	·18	·10	9	12	8	10	·15	9	3	16	19	9	138	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) John Dyke Acland

[P.T.O.

COPY FOR OFFICIAL USE

Station No. 2102

Section A for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at LYNCH MEAD ALLERFORD

in the County of SOMERSET

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 113 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	~~in.~~	in.	in.	†	
1	–	·05	–	·04	·26	–	–	–	–		·07	–		1
2	–	·06	–	·06		–	·04	–	–	–	1·40	–		2
3	–	·21	–	·02	–	–	–	–	–	·18	·84	·08		3
4	·02	·10	–	·05	–	–	·10	–	–	09	·12	·10		4
5	–	·02	–	–	–	–	·05	·02	–	·24	·50	·26		5
6	~~0·6~~ ·06	·17	–	–	–	–	–	–	–	38	·15	·23		6
7	–	·05	–	·02	–	–	·23	–	·14	·01	01	·06		7
8	~~0·2~~ ·02	–	–	–	–	–		–	·03	·16	·10	·18		8
9	–	–	–	–	–	–	·28	·04	·02	·14	·80	·40		9
10	–	–	–	–	–	–	·87	–	·04	·14	·28	·18		10
11	–	–	–	·02	–	·03	·37	–	–	–	·90	·07		11
12	–	–	·10	·02	–	·05	·64	–	·50	–	·24	–		12
13	–	·03	·45	–	–	–	·11	–	·02	–	·38	·08		13
14	–	–	·10	·04	–	–	·02	03	·16	·48	·03	·22		14
15	–	–	–	·09	·12	·04	–		·08	·02	·21	–		15
16	04	·46	·12	·12	·01	–	·16	–	08	1·50	·06	–		16
17	–	·06	·20	·15	–	–	·20	–	·01	01	·04	–		17
18	·38	·33	·38	·79	–	–	·03	–	·03	·09	·04	·14		18
19	–	03	·16	·12	–	–	·46	–	·19	·01	·10	–		19
20	–	–	·04	·04	–	–	·11	–	·09	·11	·05	·02		20
21	–	–	·01	–	·41	–	·05	–	·01	–	1·01			21
22	–	–	·08	·38	·26	·42	–	–	·64	–	–			22
23	–	·24	·16	·03	·01	·01	–	–	·09	·03	·01			23
24	–	–	·01	–	–	–	33	–	–	–	–			24
25	·07	–	·07	·15	·16	·10	–	–	–	–	–			25
26	1·04	·12	~~·07~~	·13	·16	–	·22	·03	–	–	–			26
27	·70	·07	–	·24	·07	–	·21	–	–	–	–			27
28	·51	–	·02	–	·14	–	–	·02	–	–	–	·02		28
29	–	11	·08	·52	01	–	–	–	–	–	–	·04		29
30	·25	×	–	·39	02	–	–	–	–	·35	·03	·07		30
31		×	·04	×	–	×	–	–	×	·61	×	·31		31
TOTAL	3·09	2·11	1·88	3·45	1·63	·65	4·48	·14	1·53	4·31	7·38	2·46	Year's Total 33·11	
* Days with .01 in. or more.	10	·16	16	21	12	6	19	5	16	18	·23	17	199	
* Days with .04 in. or more.	8	·12	13	16	8	4	17	1	10	13	·20	15	134	

† Spare column, no entries required.

(*Signed*) John Acland

[P.T.O.

* See Instruction 3 (f) on other side.

2103

Section **A** for the entry of
AIR MINISTRY

OPY FOR OFFICIAL USE.
ORGANIZATION.

FORM 1090.

REGIST

2103
PORLOCK
BUSH STEEP
1931 — 40

780401

Kept at Bush Steep,

in the County of Some

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea L

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of thi

llowing

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	NIL	·01	Trace	·25	NIL	Trace	·03	NIL	·36	Trace	NIL	Trace	1
2	·08	NIL	·01	·90	·01	NIL	NIL	NIL	·15	NIL	·17	·56	2
3	·21	NIL	·68	Trace	NIL	NIL	Trace	·35	·10	NIL	2·70	·15	3
4	·02	NIL	·15	·06	NIL	·41	·22	·52	·08	NIL	·03	·04	4
5	NIL	·12	·01	·29	·01	·90	·15	·23	Trace	NIL	Trace	·88	5
6	NIL	·12	NIL	·09	·02	·10	·21	·05	NIL	·45	·16	·73	6
7	NIL	Trace	NIL	NIL	·06	·03	·04	·28	NIL	·19	·31	·04	7
8	Trace	·02	NIL	·01	NIL	·14	Trace	·12	NIL	·01	·06	·21	8
9	NIL	·42	NIL	NIL	NIL	·13	·05	Trace	NIL	Trace	·52	·02	9
10	Trace	·19	NIL	NIL	Trace	·03	·01	·13	·16	NIL	·57	NIL	10
11	·35	·65	·05	NIL	Trace	·07	·02	·06	·18	NIL	·50	NIL	11
12	NIL	·02	NIL	NIL	·02	Trace	·18	·01	·02	·22	Trace	NIL	12
13	NIL	·01	Trace	NIL	·11	Trace	·05	·06	·01	·01	NIL	·01	13
14	·02	·04	NIL	NIL	·04	·15	·43	·04	·02	NIL	·40	NIL	14
15	NIL	·14	NIL	·02	·01	·02	·01	·40	Trace	NIL	·02	·02	15
16	·03	·10	NIL	·18	·16	·60	·02	·05	·07	Trace	NIL	NIL	16
17	·02	Trace	NIL	·09	Trace	·05	·14	Trace	·01	Trace	·01	NIL	17
18	·04	NIL	NIL	Trace	Trace	·11	·15	·55	NIL	NIL	·14	NIL	18
19	·03	·06	Trace	NIL	NIL	·33	Trace	·69	·08	NIL	·16	NIL	19
20	·05	·02	·04	NIL	NIL	·01	NIL	·59	Trace	NIL	·43	NIL	20
21	·16	·05	NIL	·03	·05	·01	NIL	·08	NIL	NIL	·02	NIL	21
22	·65	·11	·02	NIL	·02	NIL	NIL	NIL	NIL	NIL	·03	NIL	22
23	·21	Trace	NIL	·40	·24	·02	NIL	·08	NIL	NIL	·46	NIL	23
24	·28	Trace	NIL	·72	·05	·14	·46	·01	NIL	NIL	·02	NIL	24
25	·13	·04	·01	·16	Trace	Trace	·10	Trace	NIL	NIL	·04	NIL	25
26	Trace	·04	Trace	·31	NIL	NIL	·21	NIL	NIL	NIL	·56	·03	26
27	Trace	·09	NIL	·02	2·73	NIL	·19	NIL	NIL	·01	·10	NIL	27
28	·20	·07	·15	NIL	·09	NIL	·06	·03	NIL	·03	NIL	·05	28
29	·14	×	·09	NIL	·01	NIL	·03	·02	NIL	·12	·05	·16	29
30	·15	×	Trace	NIL	Trace	NIL	Trace	·05	·04	·01	Trace	NIL	30
31	·49	×	NIL	×	·17	×	Trace	·01	×	NIL	×	·12	31
TOTAL	3·26	2·32	1·21	3·53	3·80	3·25	2·76	4·61	1·28	1·05	7·46	3·02	YEAR'S TOTAL 37·55
*Days with ·01 in. or more.	20	20	10	15	16	18	21	23	13	9	23	14	202
*Days with ·04 in. or more.	14	15	6	11	10	12	15	18	9	4	17	10	141

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Ethel M. Holmes

P.T.O.

2103

Section **A** for the entry of [redacted] OPY FOR OFFICIAL USE.
AIR MINISTR [redacted] ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Bush Steep, Porlock.
in the County of Somerset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground .... ft .... in.
,, Ground ,, Sea Level 130 ft.

wait for receipt of [illegible] from [illegible] [illegible]. [illegible] says gauge is not leaking [illegible] 699888/2h.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following [illegible]

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	NIL	·01	Trace	·25	NIL	Trace	·03	NIL	·36	Trace	NIL	Trace	1
2	·08	NIL	·01	·90	·01	NIL	NIL	NIL	·15	NIL	·17	·56	2
3	·21	NIL	·68	Trace	NIL	NIL	Trace	·35	·10	NIL	2·70	·15	3
4	·02	NIL	·15	·06	NIL	·41	·22	·52	·08	NIL	·03	·04	4
5	NIL	·12	·01	·29	·01	·90	·15	·23	Trace	NIL	Trace	·88	5
6	NIL	·12	NIL	·09	·02	·10	·21	·05	NIL	·45	·16	·73	6
7	NIL	Trace	NIL	NIL	·06	·03	·04	·28	NIL	·19	·31	·04	7
8	Trace	·02	NIL	·01	NIL	·14	Trace	·12	NIL	·01	·06	·21	8
9	NIL	·42	NIL	NIL	NIL	·13	·05	Trace	NIL	Trace	·52	·02	9
10	Trace	·19	NIL	NIL	Trace	·03	·01	·13	·16	NIL	·57	NIL	10
11	·35	·65	·05	NIL	Trace	·07	·02	·06	·18	NIL	·50	NIL	11
12	NIL	·02	NIL	NIL	·02	Trace	·18	·01	·02	·22	Trace	NIL	12
13	NIL	·01	Trace	NIL	·11	Trace	·05	·06	·01	·01	NIL	·01	13
14	·02	·04	NIL	NIL	·04	·15	·43	·04	·02	NIL	·40	NIL	14
15	NIL	·14	NIL	·02	·01	·02	·01	·40	Trace	NIL	·02	·02	15
16	·03	·10	NIL	·18	·16	·60	·02	·05	·07	Trace	NIL	NIL	16
17	·02	Trace	NIL	·09	Trace	·05	·14	Trace	·01	Trace	·01	NIL	17
18	·04	NIL	NIL	Trace	Trace	·11	·15	·55	NIL	NIL	·14	NIL	18
19	·03	·06	Trace	NIL	NIL	·33	Trace	·69	·08	NIL	·16	NIL	19
20	·05	·02	·04	NIL	NIL	·01	NIL	·59	Trace	NIL	·43	NIL	20
21	·16	·05	NIL	·03	·05	·01	NIL	·08	NIL	NIL	·02	NIL	21
22	·65	·11	·02	NIL	·02	NIL	NIL	NIL	NIL	NIL	·03	NIL	22
23	·21	Trace	NIL	·40	·24	·02	NIL	·08	NIL	NIL	·46	NIL	23
24	·28	Trace	NIL	·72	·05	·14	·46	·01	NIL	NIL	·02	NIL	24
25	·13	·04	·01	·16	Trace	Trace	·10	Trace	NIL	NIL	·04	NIL	25
26	Trace	·04	Trace	·31	NIL	NIL	·21	NIL	NIL	NIL	·56	·03	26
27	Trace	·09	NIL	·02	2·73	NIL	·19	NIL	NIL	·01	·10	NIL	27
28	·20	·07	·15	NIL	·09	NIL	·06	·03	NIL	·03	NIL	·05	28
29	·14	×	·09	NIL	·01	NIL	·03	·02	NIL	·12	·05	·16	29
30	·15	×	Trace	NIL	Trace	NIL	Trace	·05	·04	·01	Trace	NIL	30
31	·49	×	NIL	×	·17	×	Trace	·01	×	NIL	×	·12	31
TOTAL	3·26	2·32	1·21	3·53	3·80	3·25	2·76	4.61	1·28	1·05	7·46	3·02	YEAR'S TOTAL 37·55
*Days with ·01 in. or more.	20	20	10	15	16	18	21	23	13	9	23	14	202
*Days with ·04 in. or more.	14	15	6	11	10	12	15	18	9	4	17	10	141

40-9999

(Signed) Ethel M. Holmes

P.T.O.

*See Instruction 2 (*f*) on other side.

~~[illegible] gauge being [illegible]~~

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2103

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Bush Steep, Porlock.

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ...... ft ...... in.

,, Ground ,, Sea Level 130 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·18	NIL	-	·17	·34	TRACE	·15	·08	TRACE	·04	·01	·07	1
2	·03	NIL	-	TRACE	·26	-	·01	·03	·67	TRACE	TRACE	·30	2
3	·01	NIL	-	·34	·01	-	·07	TRACE	·06	·05	·04	·05	3
4	·05	NIL	-	TRACE	-	-	·03	TRACE	TRACE	·01	·48	TRACE	4
5	1·17	NIL	·12	-	-	-	·01	TRACE	·10	-	-	-	5
6	·73	NIL	·05	·52	-	-	·10	-	·12	TRACE	-	-	6
7	·47	NIL	·05	·09	·16	-	·01	-	·90	1·12	-	-	7
8	NIL	NIL	·48	·02	·13	-	-	-	·13	·58	-	-	8
9	·88	(SNOW) ·01	TRACE	·21	·01	-	-	-	·02	·12	-	-	9
10	·40	·01	-	·30	·01	·01	-	-	·07	·74	-	-	10
11	·08	-	-	·05	TRACE	-	-	-	·02	·09	-	·05	11
12	·73	-	-	·02	·38	-	-	-	·11	·45	·01	·03	12
13	·24	TRACE	-	·24	·02	-	·67	·15	-	·86	TRACE	·22	13
14	·47	-	-	·03	·12	-	TRACE	TRACE	-	·12	·26	·02	14
15	·03	-	-	·05	·13	-	1·39	-	-	·04	·14	·02	15
16	·39	-	-	·21	TRACE	-	-	-	-	-	TRACE	-	16
17	TRACE	-	-	·02	TRACE	-	-	-	-	·06	TRACE	-	17
18	NIL	-	-	TRACE	·09	-	-	-	·18	-	·32	-	18
19	NIL	-	-	·16	·18	-	TRACE	-	·09	·16	TRACE	-	19
20	NIL	-	-	·24	·82	-	-	TRACE	TRACE	·62	·05	·10	20
21	NIL	-	·08	·16	TRACE	-	-	·27	-	·68	·01	·15	21
22	NIL	-	·06	·12	-	-	·10	TRACE	·79	·26	·30	·17	22
23	NIL	TRACE	-	TRACE	·02	-	·16	-	·40	·44	·36	·08	23
24	NIL	-	-	-	·10	-	·13	-	·12	·12	·01	-	24
25	NIL	-	·11	·05	·12	-	·19	-	·22	·53	·18	-	25
26	NIL	-	·07	·04	-	-	·06	TRACE	·06	·38	·11	-	26
27	NIL	-	·69	·11	·16	-	·06	-	-	·43	·02	TRACE	27
28	NIL	-	·05	·07	·02	-	·04	-	-	·01	TRACE	·01	28
29	NIL	-	·85	·16	·16	·18	·01	·25	·31	·37	·17	·57	29
30	NIL	X	·21	·02	·08	·49	·55	·02	·65	·05	·44	·01	30
31	NIL	X	·28	X	·02	X	·28	—	X	·01	X	·36	31
TOTAL	5·86	0·02	3·10	3·40	3·34	0·68	4·02	0·80	4·72	8·34	2·91	2·21	YEAR'S TOTAL 39·40
*Days with ·01 in. or more.	15	2	13	24	22	3	19	6	19	26	17	16	182
*Days with .04 in. or more.	12	-	13	19	15	2	14	4	17	23	12	11	142

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Ethel M. Holmes

P.T.O.

2103

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 2103

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

2102

Kept at Bush Steep, Porlock.

in the County of Somerset.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ...... ft ...... in.

,, Ground ,, Sea Level 130 ft.

February ½" – Low

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·24	·41	·08	–	·16	TRACE	–	TRACE	·01	·01	·01	·58		1
2	·47	–	·39	–	·57	·26	–	–	–	–	·02	·05		2
3	·05	·07	·12	–	·07	–	–	–	–	–	TRACE	–		3
4	·36	·05	·03	–	·09	–	–	–	–	–	–	–		4
5	·14	·01	·52	–	·05	–	–	–	–	–	–	–		5
6	·01	·19	·03	–	·14	–	·02	–	–	·12	TRACE	–		6
7	·11	·02	TRACE	–	·01	–	·02	TRACE	–	·01	–	·02		7
8	·01	TRACE	·03	–	·13	·09	·10	·01	–	·01	–	–		8
9	–	·06	–	–	·21	–	·25	TRACE	–	1·01	–	–		9
10	·08	·31	–	–	TRACE	–	·08	TRACE	–	2·14	·04	–		10
11	·06	–	–	–	–	–	·12	·32	–	·41	–	–		11
12	·02	–	–	·06	·02	·05	·27	–	·39	·06	–	TRACE		12
13	–	–	–	–	·07	·27	·17	·07	–	·05	·02	–		13
14	·12	–	–	–	–	–	·01	·09	–	·02	·30	–		14
15	·33	–	·22	–	–	–	·09	TRACE	–	·28	TRACE	·08		15
16	–	·02	·82	TRACE	–	·03	–	·02	–	·07	–	–		16
17	·16	·03	·25	–	–	·10	–	·01	·05	TRACE	–	TRACE		17
18	·13	–	·48	–	–	·30	–	–	–	–	·03	–		18
19	·06	–	·61	–	–	TRACE	–	·07	·22	–	·59	TRACE		19
20	–	·04	TRACE	–	–	·02	–	·19	·46	–	·01	–		20
21	–	TRACE	–	–	TRACE	·01	–	·29	TRACE	·07	–	–		21
22	–	–	–	·16	·03	–	–	·38	·06	·01	–	–		22
23	–	SNOW ·52	–	·15	–	·11	–	TRACE	·16	·36	–	–		23
24	–	·13	–	·11	–	·03	–	–	·02	·09	–	–		24
25	–	SNOW ·40	–	·02	·03	·25	–	–	·20	·01	–	·03		25
26	–	·44	–	·03	·59	–	–	–	·03	·26	–	TRACE		26
27	–	·02	–	–	·02	–	–	–	·11	·25	–	·15		27
28	–	·17	–	·19	–	–	·08	–	–	·30	–	·07		28
29	·12	X	–	·02	–	–	·02	–	–	TRACE	–	–		29
30	·02	X	·12	·27	–	–	·07	–	·02	·19	–	·09		30
31	·61	X	·01	X	–	X	–	–	X	·09	X	–		31
TOTAL	3·10	2·89	3·71	1·01	2·19	1·52	1·30	1·45	1·73	5·82	1·02	1·07	Year's Total 26·81	
*Days with ·01 in. or more.	19	17	14	9	15	12	13	10	12	22	8	8	159	
*Days with .04 in. or more.	15	12	10	6	10	8	9	7	8	16	3	6	110	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Ethel M. Holmes

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2103.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at BUSH STEEP, PORLOCK.

in the County of SOMERSET.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ...... ft ...... in.

,, Ground ,, Sea Level 130 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15	—	TRACE	—	—	—	—	·32	·13	·01	·23	·26		1
2	·07	TRACE	—	—	—	—	—	·04	·40	TRACE	·21	·09		2
3	·21	TRACE	TRACE	—	·01	—	—	·13	·01	·12	TRACE	·24		3
4	·01	—	·03	·48	·30	—	—	·01	·03	1·02	TRACE	·36		4
5	—	—	·06	·06	·06	·16	—	·52	TRACE	·08	·47	·57		5
6	·07	—	·19	·15	·71	—	—	·05	—	·31	TRACE	·28		6
7	·13	—	—	—	·07	—	—	·11	TRACE	·19	·07	·49		7
8	TRACE	—	—	—	—	—	—	·01	·09	·04	·33	·46		8
9	—	—	·07	·02	—	—	—	·01	TRACE	·18	·52	·12		9
10	·26	—	·25	·67	—	—	—	·61	—	·01	·07	·01		10
11	1·26	—	·01	·55	—	—	—	·18	—	—	·01	·22		11
12	·12	—	TRACE	TRACE	—	—	—	·30	—	·01	—	·02		12
13	·64	—	·42	·17	—	—	—	TRACE	TRACE	TRACE	—	·04		13
14	·41	—	·47	TRACE	—	—	—	—	—	·04	·13	·35		14
15	·16	—	·20	·01	·15	—	—	—	TRACE	·10	·07	·36		15
16	·12	—	·64	—	·05	—	—	—	·31	·03	·01	·04		16
17	·21	—	·02	·15	·01	—	—	—	·09	·01	—	·25		17
18	·15	—	·09	·37	—	·01	—	—	·18	·01	TRACE	·52		18
19	TRACE	—	·18	TRACE	—	TRACE	—	·01	·11	TRACE	—	·15		19
20	—	—	·12	·07	TRACE	—	·29	—	·10	·01	—	·01		20
21	—	—	·11	—	—	·09	TRACE	·05	TRACE	·12	·01	·02		21
22	·02	—	·08	—	—	—	TRACE	·11	·19	·07	TRACE	·36		22
23	·01	—	·05	·18	—	·67	·03	·03	·04	TRACE	—	—		23
24	—	·20	·01	TRACE	—	·26	·05	—	·14	·01	—	—		24
25	·20	·02	—	·20	—	·10	—	—	·01	·12	—	·37		25
26	·01	—	·05	·03	—	·11	—	—	·16	·07	TRACE	·51		26
27	—	—	—	—	—	—	—	—	·01	·13	—	·19		27
28	—	—	—	TRACE	—	TRACE	·05	·55	·29	·30	—	·15		28
29	—	—	—	—	—	—	—	·38	·08	·47	—	·64		29
30	·09	×	—	—	—	—	·02	·19	·11	·47	—	·01		30
31	—	×	—	×	—	×	·04	·07	×	TRACE	×	·29		31
													Year's Total	
TOTAL	4·30	·22	3·05	3·11	1·36	1·30	·48	3·68	2·48	3·93	2·13	7·38	33·42	
*Days with ·01 in. or more.	20	2	19	14	8	7	6	20	19	25	12	29	181	
*Days with ·04 in. or more.	16	1	15	11	6	6	4	15	14	17	9	24	138	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Ethel M. Holmes (Mrs)

P.T.O.

COPY FOR OFFICIAL USE.

Station No. 2103

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at BUSH STEEP PORLOCK

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft in.

,, Ground ,, Sea Level 130 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·10	TRACE	·45	–	–	·04	·02	–	·17	·20	·01	·22		1
2	–	TRACE	TRACE	–	–	·10	–	–	·05	·11	·01	·16		2
3	–	TRACE	·15	–	TRACE	·19	–	–	·52	·16	·08	TRACE		3
4	–	·14	·01	·14	–	·04	TRACE	–	·08	·04	·12	·54		4
5	·02	·24	·01	·11	–	}	–	–	·40	·12	·10	·09		5
6	–	TRACE	TRACE	·35	–	·61	–	–	TRACE	TRACE	·10	·18		6
7	–	–	–	·49	TRACE	·20	–	–	–	·34	TRACE	·17		7
8	–	–	–	·25	–	TRACE	–	–	–	·25	·16	·41		8
9	–	–	–	·96	–	TRACE	–	–	TRACE	1·55	·36	TRACE		9
10	TRACE	–	–	·46	–	·02	·02	–	TRACE	·10	TRACE	·01		10
11	·57	·02	·11	TRACE	–	·06	–	–	·15	·17	·44	TRACE		11
12	·15	·30	–	–	–	·38	–	–	TRACE	·01	·18	–		12
13	·13	·02	–	·42	–	TRACE	–	–	TRACE	TRACE	·45	–		13
14	·01	·05	–	·30	–	·16	–	–	·40	–	1·03	·27		14
15	–	·09	–	·53	·05	·44	–	–	·39	TRACE	·19	·30		15
16	–	·29	·05	·51	TRACE	TRACE	–	–	·80	·01	·80	TRACE		16
snow× 17	–	TRACE	TRACE	·03	·99+	·31	–	·25	·03	·16	TRACE	–		17
18	–	·03	–	·36	·01	TRACE	–	·08	·58	·14	–	·01		18
19	–	·09	–	·05	·25	TRACE	·04	–	·16	·13	·21	·02		19
20	TRACE	·64	–	·18	·42	TRACE	·04	–	TRACE	TRACE	·31	–		20
21	–	·43	·02	·13	TRACE	–	·04	–	1·96	·12	TRACE	TRACE		21
22	–	·10	·14	·12	–	–	TRACE	–	·21	·07	–	–		22
23	–	·04	·34	TRACE	·05	–	–	·13	·23	·22	–	–		23
24	·15	·65	–	·10	·05	–	–	·14	·12	·13	–	·03		24
25	·20	·44	·02	·14	·06	·25	–	–	–	·01	TRACE	·10		25
26	–	·28	TRACE	TRACE	TRACE	TRACE	–	·50	·06	–	·03	·31		26
27	–	·18	–	–	–	–	–	·21	·15	·07	·05	·24		27
28	·03	·06	–	–	–	–	–	·53	·20	·12	·08	·01		28
29	TRACE		–	–	–	–	–	·08	·23	·04	·44	·56		29
30	–	×	–	–	–	·01	–	·87	·34	·24	1·41	·56		30
31	·02	×	–	×	–	×	–	·01	×	·49	×	·16		31
													Year's Total.	
TOTAL	1·38	4·09	1·30	5·63	1·88	2·81	0·16	2·80	7·23	5·00	6·56	4·35	43·19	
* Days with .01 in. or more.	10	19	10	19	8	14	5	10	21	25	21	20	182	
* Days with .04 in. or more.	6	16	6	18	7	12	3	9	20	22	18	16	153	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Ethel M. Holmes (Mrs)

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2103.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at BUSH STEEP, PORLOCK

in the County of Somerset.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ......ft......in.

,, Ground ,, Sea Level 130 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	·07	·18	·07	–	·07	·56	Trace	–	–	·01	·02		1
2	Trace	Trace	·05	·01	–	·37	·01	–	·07	–	·10	–		2
3	–	–	·01	·85	–	·39	·07	·06	·50	–	·13	·01		3
4	–	–	–	·01	–	·10	Trace	Trace	·40	–	·09	·62		4
5	·49	·04	·05	–	–	Trace	·36	–	·19	–	·02	·02		5
6	·29	Trace	·07	–	–	·02	·25	·03	·01	–	·38	–		6
7	·30	–	·01	–	–	–	·77	Trace	·07	–	·92	–		7
8	·16	–	Trace	–	–	–	·74	–	Trace	–	·95	·09		8
9	·60	–	Trace	–	–	·01	·29	–	·19	–	·26	–		9
10	·09	·01	·11	–	–	–	·02	–	Trace	–	·47	–		10
11	·11	Trace	·17	Trace	–	·09	·20	·04	·05	–	·64	–		11
12	–	–	Trace	·82	Trace	·01		–	·31	–	·02	Trace		12
13	·08	Trace	–	Trace	–	·02	·02	–	·02	·12	·01	1·80		13
14	Trace	Trace	·01	·01	–	·01	·64	·10	·07	·06	·03	1·15		14
15	–	–	–	–	·03	–	Trace	Trace	·01	–	·09	·37		15
16	·02	·05	–	·01	·27	–	·01	–	·01	–	·18	·30		16
17	·31	·36	–	·01	·10	–	·16	–	–	·18	·08	1·48		17
18	·01	·09	Trace	Trace	Trace	·16	·97	–	–	·11	Trace	·20		18
19	·49	·09	·02	·30	–	·24	Trace	Trace	–	Trace	–	Trace		19
20	·10	·23	·15	·04	–	·03	·09	·01	·40	–	–	Trace		20
21	·01	·01	·05	·57	–	·01	·02	–	·09	Trace	–	–		21
22	·14	·40	·61	Trace	–	–	·15	–	Trace	·04	–	·02		22
23	·01	·04	·14	·31	·22	–	·05	–	Trace	·02	–	–		23
24	·07	·03	·04	·02	·16	–	·05	–	·03	·34	Trace	Trace		24
25	·17	–	·52	·39	·01	–	·18	–	·92	·20	·07	–		25
26	·38	·19	·24	·01	–	–	·11	–	·06	·18	·01	–		26
27	·18	·11	·49	–	–	–	·08	–	Trace	·22	–	–		27
28	·44	·19		–	–	–	·11	–	–	·01	–	·17		28
29	·02	·11	·02	–	–	·20	·04	–	–	·01	Trace	·08		29
30	·03	✕	Trace	–	·01	·24	·01	–	–	·78	–	–		30
31	·19	✕	·17	✕	–	✕	·18	–	✕	·02	✕	·51		31
TOTAL	4·72	2·02	3·10	2·83	0·80	1·97	6·14	·24	3·40	2·24	4·46	6·84	Year's Total 38·76	
* Days with .01 in. or more.	25	16	21	15	7	16	28	5	18	14	19	15	199	
* Days with .04 in. or more.	18	13	16	8	4	9	22	3	13	10	13	11	140	

† Spare column, no entries required.

(*Signed*) Ethel M. Holmes (Mrs.) [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — **Station No.** 2103

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at BUSH STEEP PorLock

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ......ft. ......in.

,, Ground ,, Sea Level 130 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·21	TRACE	·01	·06	TRACE	—	TRACE	—	·08	·24	·04	·38		1
2	·07	·73	—	·10	—	—	TRACE	—	TRACE	—	—	·04		2
3	—	·30	—	·21	·11	—	TRACE	—	·02	TRACE	—	TRACE		3
4	·22	·17	—	·24	·05	—	·03	·04	—	—	—	·53		4
5	·62	—	·01	·08	TRACE	—	·01	—	—	—	—	·06		5
6	·35	·30	·36	·37	·03	—	·19	—	—	·04	—	—		6
7	TRACE	·59	TRACE	·13	TRACE	·15	·01	—	·03	·07	·03	·01		7
8	—	·06	—	·02	·09	·11	—	—	TRACE	·01	·10	—		8
9	TRACE	·01	·05	·06	·15	TRACE	—	·09	1·10	—	TRACE	TRACE		9
10	·11	TRACE	·75	·43	TRACE	·03	TRACE	·02	TRACE	—	TRACE	·66		10
11	·06	—	·21	·19	·69	·03	·47	TRACE	—	—	—	·13		11
12	·44	·24	·30	·01	TRACE	·28	·05	·02	37	—	—	·55		12
13	·02	·02	·69	·28	—	·04	TRACE	·13	·02	—	—	·13		13
14	—	·01	·09	·04	—	—	·12	·07	·18	—	—	·15		14
15	·39	·23	·05	·51	—	—	·36	—	·03	—	—	·11		15
16	·14	·15	·50	·10	—	TRACE	·02	·16	·17	—	—	—		16
17	·93	·10	·56	TRACE	—	—	·04	TRACE	·06	—	·11	—		17
18	·15	·09	·48	—	—	·21	·06	—	1·40	—	·24			18
19	·44	·05	·01	·04	—	·01	TRACE	—	·19	—	·69	37		19
20	·67	·11	·07	·23	·21	—	·04	—	·02	—	—	·19		20
21	·47	·52	·17	·04	·35	TRACE	·06	—	·06	·09	—	·01		21
22	·09	TRACE	·05	TRACE	·19	—	·08	—	·01	·47	·28	·04		22
23	·16	·13	—	—	·05	—	·01	—	—	·13	·17	TRACE		23
24	·48	·19	·01	—	TRACE	—	TRACE	—	TRACE	·47	TRACE	—		24
25	TRACE	·93	·40	TRACE	—	—	—	—	—	·08	—	—		25
26	—	·39	·02	—	·10	—	—	—	—	TRACE	—	—		26
27	·07	·50	·01	·01	TRACE	—	—	—	—	1·75	—	—		27
28	·87	·01	—	—	—	—	—	—	—	·11	—	—		28
29	·10		—	—	—	·01	—	—	—	·77	·06	—		29
30	·26	✕	—	·01	—	·01	—	—	·02	·06	·17	·05		30
31	·94	✕	—	✕	—	✕	—	—	✕	·16	✕	—		31
TOTAL	8·26	5·83	4·80	3·16	2·02	·86	1·49	·53	3·76	3·45	1·89	3·38	Year's Total 39·45	✓
* Days with .01 in. or more.	24	23	21	21	11	10	15	7	16	14	10	16	188	✓
* Days with .04 in. or more.	23	19	15	17	10	5	10	5	9	13	9	14	149	✓

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) Ethel M. Holmes [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2103

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Bush Steep Porlock

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ....ft.........in.

,, Ground ,, Sea Level 130 ft.

Snow?

w/f.

W.E.S.R.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	TRACE	·15	TRACE	—	—	·63	·16	·85	TRACE	·39	·04	·66		1
2	·06	·10	—	·09	·21	—	·01	TRACE	—	·43	·02	·13		2
3	·01	·01	—	—	·40	6	TRACE	·01	TRACE	·96	·01	TRACE		3
4	—	—	—	—	TRACE	—	·45	1·74	~~·01~~	·57	—	·18		4
5	·01	—	—	—	—	·04	·16	TRACE	·03	·29	TRACE	·10		5
6	·26	—	—	—	—	·14	·64	—	·03	·40	—	·08		6
7	·06	—	—	—	—	—	·17	TRACE	0·4	·16	—	·15		7
8	·56	—	—	—	—	—	·61	·07	—	·45	—	·05		8
9	·47	·08	—	—	—	—	·01	·58	—	·04	TRACE	·99		9
10	·04	·03	—	—	—	—	·05	·54	—	·04	—	·44		10
11	·16	—	—	—	—	·08	·03	·45	—	TRACE	—	·57		11
12	·47	—	—	—	·20	TRACE	TRACE	TRACE	—	·25	·25	·03		12
13	·12	·01	—	—	·06	—	—	·02	—	·10	·94	·81		13
14	·64	—	—	—	·04	—	·39	TRACE	·15	TRACE	·12	TRACE		14
15	·43	—	—	—	·05	—	·01	TRACE	—	·01	·01	·22		15
16	·34	—	—	—	·04	—	—	—	—	—	·15	TRACE		16
17	—	·15	—	—	·05	—	—	—	·05	·13	·01	·01		17
18	·24	TRACE	—	—	·12	—	—	·10	·13	·06	·42	—		18 severe
19	·04	—	—	—	TRACE	·06	—	·13	·09	TRACE	·50	—		19 frost
20	·04	—	—	—	—	—	—	TRACE	·12	—	·34	—		20
21	·04	—	—	—	—	—	—	·20	·06	—	·30	—		21
22	—	—	—	—	—	·01	—	·34	TRACE	·03	·39	—		22
23	—	—	—	·03	—	—	—	TRACE	·01	—	·54	—		23
24	·11	—	—	TRACE	—	—	—	·19	·03	TRACE	·28	—		24
25		·11	·05	—	·26	—	·03	TRACE	·02	·15	1·08	TRACE		25
26	·53	·30	TRACE	—	·20	·04	—	—	—	·10	·20	—		26
27	·14	·03	—	—	·41	·15	·17	·97	·06	·02	·37	·01		27
28	·06	·15	—	—	·06	·16	·01	·49	TRACE	TRACE	·26	·02		28
29	·10		—	—	·08	·12	—	TRACE	TRACE	·13	·42	—		29
30	—	✕	—	—	·22	·02	—	—	·19	TRACE	·60	·08		30
31	·67	✕	—	✕	—	✕	—	—	✕	·22	✕	·29		31
													Year's Total	
TOTAL	5·60	1·12	·05	·12	2·40	1·51	2·90	6·68	1·03	4·93	7·25	4·82	38·41	
* Days with .01 in. or more.	~~24~~ 25	11	1	2	10	12	15	15	14	21	22	18	~~165~~ 166	
* Days with .04 in. or more.	~~22~~ 23	7	1	1	9	10	9	13	9	18	18	14	~~131~~ 132	

† Spare column, no entries required.

(*Signed*) Ethel M. Holmes (Mrs.)

P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2103

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at BUSH STEEP, PORLOCK
in the County of Somerset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ....ft....in.
,, Ground ,, Sea Level 130 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		–	·14	·06	·68	–	TRACE	·01	TRACE	–	·20	·10		1
2	·25	–	TRACE	·02	·01	–	–	·26	19	–	·09	·27		2
3	·18	–	·06	·27	TRACE	–	–	·04	TRACE	–	·04	·78		3
4	·01	–	·44	·22	·25	–	·36	–	–	·25	·52	·32		4
5	–	–	·02	·63	·16	–	·19	TRACE	–	·19	·72	·01		5
6	·38	–	TRACE	·02	–	–	·90	·01	–	TRACE	·08	–		6
7	·03	·08	–	TRACE	–	·02	·04	·02	–	–	·20	·55		7
8	·05	·34	·06	–	·03	–	·12	–	–	·14	·54	·29		8
9	·01	·03	·03	–	·01	–	–	·15	–	·59	·05	·09		9
10	·35	·	–	–	TRACE	–	–	·03	·08	·09	·01	·38		10
11	–	TRACE	·07	–	–	–	–	–	TRACE	·19	–	TRACE		11
12	23	·01	–	TRACE	–	–	–	TRACE	·19	·01	–	TRACE		12
13	·03	–	–	·14	·02	·03	·11	–	·03	·17	·18	–		13
14	·81	–	·02	·02	·02	·08	·50	–	TRACE	·05	·30	–		14
15	1·02	–	TRACE	·04	·05	·24	·47	–	–	·02	·20	TRACE		15
16	·12	–	TRACE	·07	·15	TRACE	·01	–	–	TRACE	·91	–		16
17	·72	–	–	·01	·01	·65	·18	–	–	–	·01	TRACE		17
18	·07	·07	·07	–	–	·12	·67	–	–	–	·97	·02		18
19	·27	TRACE	TRACE	–	–	TRACE	·04	·32	–	–	TRACE	·02		19
20	·35	–	–	–	TRACE	–	TRACE	1·20	–	–	–	–		20
21	·14	·20	·20	TRACE	·03	·20	·02	TRACE	–	–	–	–		21
22	1·18	·66	·13	·11	–	·39	·14	–	–	–	·30	TRACE		22
23	·01	·05	·06	·15	TRACE	·05	·35	–	–	·03	·88	–		23
24	·49	TRACE	·15	·03	–	·36	·05	–	–	·03	TRACE	–		24
25	·62	·19	TRACE	·13	–	·01	·11	·07	–	·17	1·78	TRACE		25
26	·01	·02	–	·10	–	–	·01	·26	–	·09	1·21	TRACE		26
27	–	·37	·09	·01	–	·06	·24	·08	–	TRACE	·10	TRACE		27
28	·04	·17	·09	·68	–	·04	–	TRACE	–	–	·31	·16		28
29	·10	·	TRACE	·06	–	TRACE	·07	–	–	·29	·26	TRACE		29
30	–	✕	·01	1·29	–	·21	·03	–	–	·21	·01	·01		30
31	–	✕	TRACE	✕	–	✕	·13	·02	✕	·17	✕	–		31
TOTAL	7·49	2·39	1·65	4·06	1·42	1·86	4·74	2·46	·49	2·69	8·67	3·00	Year's Total 40·92	
* Days with .01 in. or more.	25	12	17	20	12	14	12	13	4	17	25	13	184	
* Days with .04 in. or more.	19	9	12	14	5	11	18	9	3	13	21	9	143	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Ethel M. Holmes (Mrs)

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2103

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1060

REGISTER OF RAINFALL IN 19~~2~~40

Kept at BUSH STEEP PORLOCK

in the County of SOMERSET

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ...ft. ...in.

" Ground " Sea Level 130 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·05	TRACE	·06	·19	—	—	—	—	—	·08	·08		1
2	—	·05	—	·05	—	—	·03	—	—	—	2·47	·01		2
3	TRACE	·34	—	·10	—	—	TRACE	—	—	·29	·86	·09		3
4	—	·12	—	·33	—	—	·13	—	—	·12	·07	—		4
5	TRACE	TRACE	—	TRACE	—	—	TRACE	—	—	·53	1·11	·40		5
6	·07	·23	—	—	—	—	TRACE	—	—	·45	·19	·24		6
7	·09	·06	—	—	—	—	·24	—	·16	·04	TRACE	·09		7
8	·01	—	—	—	—	—	TRACE	—	TRACE	·16	·24	·22		8
9	—	—	—	—	—	—	·29	·06	·02	·20	·90	·50		9
10	—	—	—	—	—	—	·96	—	TRACE	·24	·13	—		10
11	—	·02	TRACE	·02	—	·03	·53	TRACE	·03	—	1·33	·25		11
12	—	—	·13	TRACE	—	·04	·83	—	·66	—	·23	—		12
13	—	·02	·65	—	—	—	·12	—	·02	·18	·42	·20		13
14	—	TRACE	TRACE	·07	TRACE	TRACE	·01	TRACE	·25	·36	·03	·25		14
15	·02	—	·02	·20	·11	·04	—	—	·11	TRACE	·33	·02		15
SNOW 16	—	·49	·19	·03	TRACE	—	·19	—	·13	1·59	·05	·05		16
17	—	·10	·33	—	—	—	·21	—	·01	—	·04	TRACE		17
18	·47	·41	·44	1·29	—	—	TRACE	TRACE	·03	·09	TRACE	·14		18
19	—	·02	·05	·13	—	—	·57	—	·39	TRACE	·20	—		19
20	—	—	·04	·02	—	—	·19	—	·01	·10	·14	·01		20
21	—	—	·02	—	·37	·30	TRACE	—	TRACE	—	1·18	·02		21
22	—	—	·05	·33	·24	·14	TRACE	—	·07	·02	TRACE	—		22
23	·01	·29	·25	·02	TRACE	TRACE	TRACE	—	·08	·06	·01	·01		23
24	TRACE	TRACE	—	—	·01	—	·36	—	TRACE	TRACE	TRACE	TRACE		24
25	·09	—	·06	·16	·15	·11	TRACE	—	—	—	—	—		25
26	1·53	·23	TRACE	·11	·18	TRACE	·25	·02	—	—	·01	—		26
27	·48	·16	TRACE	·27	·04	TRACE	·13	—	—	—	=	—		27
snow 28	·[illegible]	·03	—	—	·13	—	·01	·03	—	—	—	—		28
29	·83	·13	·14	·62	·01	—	—	—	—	—	—	·09		29
30	·02	X	·01	·21	—	—	—	—	—	·51	·01	·08		30
31	·08	X	·05	X	—	X	—	—	X	·53	X	·37		31
TOTAL	8·62	2·75	2·43	3·72	1·48	·66	5·05	0·11	1·97	5·45	10·15	3·07	Year's Total 40·4[illegible]	
* Days with .01 in. or more.	12	13	14	18	10	4	17	3	14	17	21	19	162	
* Days with .04 in. or more.	7	17	12	12	7	6	14	1	8	16	19	15	144	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Ethel Margaret Holmes (Mrs) [P.T.O.

FORM 1090. **B** M
S

*** The following register of mont
&c., is NOT required if daily
values are given on the other

RAINFALL IN 193

At WEST PORLOCK H
In the County of SOMERS

Rain Gauge
- Diameter of Funnel
- *Height of Top above Ground* 1 *ft*
- *Height of Ground above Sea Level*

Month.	Total Depth.	Greatest Fall in 24 hours.		N D or or	
	Inches	Inches	Date		
JAN.	7·33				
FEB.	·02				
MAR.	3·23				
APRIL	3·64				
MAY	3·29				
JUNE	(·75) ~~·30~~				
JULY	(3·38) ~~3·23~~				
AUG.	(·41) ~~1·01~~				
SEPT.	(5·61) ~~4·91~~				
OCT.	(9·83) ~~10·50~~				
NOV.	(3·37) ~~2·67~~				
DEC.	(2·32) ~~2·02~~				
Total	43·18				

Signature G. W. W. BLATHWAYT.

*See Instruction 2 (*f*) below.

2103/5

WEST PORLOCK HOUSE
1932 — 40

780401

2103/5

Somerset 14.

n and also the space for

register should be sent:—

in Summer

Direction from gauge

Direction from gauge

Directions from gauge ..

If gauge has been moved during the year state—

Date of move........ Distance........ Direction........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Circ H sent. 28/3/33.

Record obviously w.D. monthly totals allocated in Red accordingly. of 2104.

letter sent on above points & asking for back years.

OK print

D INSTRUCTIONS

WEST PORLOCK HOUSE

Nearest Railway Stn. Minehead GWR Distance 7 miles Direction from Gauge ~~N~~ E

,, Parish Church Porlock ,, ... ,, ...

Diameter of Funnel of Gauge 5" Height of top of Gauge above ground 13"

Height of ground above Sea Level 150 ft Pattern of Gauge........

Nature of Objects nearest to Gauge Fruit Trees

Height of Objects 10 ft

Distance from Gauge 9 ft

Direction ,, ,, ...

(*2507) Wt. 27196—7732 125 3/31 T.S. 118

observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

trace, ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

N

FORM 1090. **B** M S

2103/5

Somerset 14.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At WEST PORLOCK HOUSE

In the County of SOMERSET

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 1 *in.*
Height of Ground above Sea Level 150 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	7·33				
FEB.	·02				
MAR.	3·23				
APRIL	3·64				
MAY	3·29				
JUNE	(·75) ~~30~~				
JULY	(3.38) ~~3·23~~				
AUG.	(·41) ~~1·01~~				
SEPT.	(5·61) ~~4·91~~				
OCT.	(9.83) ~~[illegible]~~				
NOV.	(3·37) ~~2·67~~				
DEC.	(2.32) ~~2·02~~				
Total	43·18				

Signature G. W. W. BLATHWAYT.

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Circ H sent. 28/3/33.

Record obviously W.D. monthly totals allocated in Red accordingly. cf 2104.

letter sent on above points & asking for back figures.

O.K. print

WEST PORLOCK HOUSE

D INSTRUCTIONS

Nearest Railway Stn Minehead GWR Distance 7 miles Direction from Gauge ~~N~~ E

,, Parish Church Porlock ,, ... ,, ...

Diameter of Funnel of Gauge 5" Height of top of Gauge above ground 13"

Height of ground above Sea Level 150 ft Pattern of Gauge ....

Nature of Objects nearest to Gauge Fruit Trees

Height of Objects 10 ft

Distance from Gauge 9 ft

Direction ,, ,, ...

(*2507) Wt. 27196—7732 125 3/31 T.S. 118

observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

trace, ·01, ·02 or ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110

N

FORM 1090.

2103/5

B Monthly Summary.

**** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933.

At West Porlock House Porlock

In the County of Somerset

Rain Gauge

Diameter of Funnel 5 in.

Height of Top above Ground 1 *ft.* 1 *in.*

Height of Ground above Sea Level 150 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	3·63				
FEB.	3·75				
MAR.	3·78				
APRIL	·93				
MAY	2·14				
JUNE	1·02				
JULY	1·80				
AUG.	1·37				
SEPT.	1·83				
OCT.	4·84				
NOV.	1·26				
DEC.	1·06				
Total	27·41 ✓	[illegible]			

Signature

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
J. W. W. Blathwayt Esq. West Porlock House
Porlock, Somerset

Hour of observation by the clock—in Winter in Summer

Nearest Railway Station Distance Direction from gauge

Nearest Parish Church at Distance Direction from gauge

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copied from figures received on 2nd application form 22/2/34 J.W.W.

Letter sent re low [illegible]
1/3/34

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

M.O. 7
22 FEB 1934

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as* 0·1 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

D

S 24617/33

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations.

Station No. 2103/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934

V/Somer 14

1933 Low wp.

Kept at West Porlock Gardens House Days
in the County of Somerset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	10	—	—	—	—	—	—	50	30	05	40	50		1
2	14	—	—	—	—	—	—	—	—	—	28	15		2
3	—	—	—	—	31	—	—	53	06	—	—	40		3
4	30	—	08	38	34	—	—	—	—	1·10	—	33		4
5	—	—	04		15	18	—	60	—	43	45	86		5
6	10	—	30	15	80	—	—	—	—	45	—			6
7	—	—	—	—	—	—	—	10	—	26	—	65		7
8	—	—	—	—	—	—	—	—	08	10	58	80		8
9	—	—	10	—	—	—	—	—	—	20	50	11		9
10	38	—	30	55	—	—	—	20	—	05	08	33		10
11	1·35	—	—	45	—	—	—	60	—	—	—			11
12	·15	—	—	—	—	—	—	—	—	—	—	11		12
13	83	—	28	25	—	—	—	—	—	—	—			13
14	45	—	53	—	—	—	—	—	—	—	13	35		14
15	—	—	34	—	25	—	—	—	—	13	—	45		15
16	25	—	72	—	—	—	—	—	—	—	11	05		16
17	35	—	—	15	—	—	—	—	—	06	—	25		17
18	23	—	15	50	—	—	—	—	—	—	—	60		18
19	—	—	22	—	—	—	—	—	—	—	—	25		19
20	—	—	22	08	—	—	20	—	—	27	—	02		20
21		—	10	—	—	—	—	30	50	—	—			21
22	—	—	12	—	—	—	—	—	—	—	—	35		22
23	—	—	—	20	—	64	—	—	25	—	—			23
24	—	·25	05	—	—	25	—	—	26	34	—			24
25	30		0	30	—	—			—	—	—	55		25
26	—	—	08	08	—	—	—	—	30	12	—	14		26
27	—	—	—	—	—	23	—	—	—	18	—	27		27
28	—	—	—	—	—	—	28	45	30	40	—	95		28
29	—	—	—	—	—	—	—	50	—	45	—	08		29
30	14	×	—	—	—	—	—	30	31	65	—	40		30
31	—	×	—	×	—	×	—	—	×	05	×	11		31
TOTAL	5·07	·25	3·63	3·09	1·85	1·30	·48	4·38	2·36	5·32	2·53	9·06	Year's Total 39·32	
*Days with ·01 in. or more.	~~14~~	~~1~~	~~16~~	~~11~~	~~5~~	~~4~~	~~2~~	~~10~~	~~9~~	~~18~~	~~8~~	~~25~~	~~123~~	
*Days with .04 in. or more.	~~14~~	~~1~~	~~16~~	~~11~~	~~5~~	~~1~~	~~2~~	~~10~~	~~9~~	~~18~~	~~8~~	~~25~~	~~123~~	

40-9999
*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) ~~Edward Percival~~
MRS. G. BLATHWAYT

[P.T.O.

X WEST PORLOCK HOUSE X

COPY FOR OFFICIAL USE.

Station No. 2103/5

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at West Porlock

in the County of Somerset

Diameter of Funnel of Gauge 5/8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 100 ft.

1934 no card — return n.p. request.

X Probable cont of 2103/5

check up r.d.

(S 2446/17/35)

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	03	06	65			01			10	30	03	30		1
2		02	02			12			03	15	12	12		2
3		03	15			24			61	20	12			3
4		16		14		08			09		15	90		4
5		28	05	22		18			40	07	14	16		5
6				42		61					17			6
7				59		21					20			7
8				28						64	14	60		8
9				1·22						1·83	43			9
10			12	48		04				12				10
11	53	05				11			12	29	52			11
12	05					50		03			48			12
13	16	30		65						02	48			13
14				40		27			47		1·25	35		14
15				92		12			45		25	43		15
16		35		42	11				85		70			16
17				05	1·11	31		25	02	08				17
18		06		47		06			76	15				18
19				08	33		10			25	12			19
20		95		28	20		·05				45			20
21		47	02				·04		1·72	05				21
22		13							18					22
23		11	60					20	32					23
24	07	67		25		03		15	20					24
25	34	48		12	18	44				30		86		25
26		55						66	08	20		54		26
27		26						29	19		13	18		27
28		15						60	21	19		02		28
29								07	28	10	53	61		29
30		×						90	39	32	1·70	65		30
31		×		×	07	×		15	×	50	×			31 "d"
TOTAL	1·18	5·08	1·61	6·97	2·10	3·43	·19	3·30	7·47	5·76	8·11	5·90	Year's Total 57·10	
* Days with .01 in. or more.	6	18	7	17	6	16	3	10	20	19	20	13	155	
* Days with .04 in. or more.	5	16	5	17	6	14	3	9	18	18	19	12	142	✓

40-9999. X Mrs G. Blathwayt

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Edward Percival [P.T.O.

is observer

COPY FOR OFFICIAL USE

Station No. 2103/5

Section **A** for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Dup.

Kept at West Porlock House

in the County of Somerset

Diameter of Funnel of Gauge 5 7/8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 40 ft.

100 ft

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	15		08		10	55	02				05		1
2			11					63			13			2
3	·04			1·17		42	13	05	88		23			3
4			08	02					73			65		4
5	·58	08	08									11		5
6	28		02				39				55			6
7	30		03				82		33		98			7
8	29		11				45				1·04			8
9	59	01	04				40				28			9
10	21										53			10
11	08					14		05	05		68			11
12							33		33		05			12
13									03	23	03	1·84		13
14							55	09	14			1·30		14
15					03						25	43		15
16		04			21						30	29		16
17	38	48			13		15			15		1·70		17
18	51	18				03	1·08			30		33		18
19	16	12	05	35		34								19
20		28	17	15					30					20
21	05		05	63			10							21
22	32	72	33				15					06		22
23		05	28	38	28		15							23
24	14	05		03	18		10			53				24
25	24		43	46			16		90	18				25
26	35	25	40				06		07	30				26
27	21	13	10				09			25				27
28	50	06	40				13					20		28
29	06		08			17					18			29
30	03	✕	52			·33				82				30
31	24	✕	18	✕		✕	37		✕	10	✕	75		31 Small "d"
TOTAL	5·60	2·63	3·46	3·27	·83	1·53	6·16	·24	3·76	2·86	5·23	7·71	Year's Total 43·28	
* Days with .01 in. or more.	22	14	19	9	5	7	19	5	10	9	13	12	~~144~~	
* Days with .04 in. or more.	21	13	17	7	4	6	19	3	9	9	12	12	132	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Edward Percival [P.T.O.

X Mrs. G. Blathwayt X

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2103/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at West Porlock House

in the County of Somerset

Diameter of Funnel of Gauge 5·18 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 40 ft ft.

Corrd. by nr. stns.
Circ. D. sent 13/4/38
KJ

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·28		·02	·02						·23	08	25		1
2	·16	82		16					09			15		2
3		38		17	11				02			01		3
4		20		14	06			06	03			62		4
5	98			03								10		5
6	50	31	32	29	03		14							6
7		68	12	27		21	03		09	11	03			7
8		13				11				01	12			8
9	02	05		05	31	02		01	1·00					9
10	10		63	51		01		06				68		10
11	05		24	14	42	02	46					15		11
12	54	31	44	01		26	05	03	31			52		12
13		02	53	14				·05 ~~03~~	09			20		13
14			06	01			10	12	12			34		14
15	35	30	01	60			39	08	14			12		15
16	12	18	56	16			03	18	18		11			16
17	65	08	64				05		09		28			17
18	36	10	42			19			81			34		18
19	55	15	03	06			03		20		90	05		19
20	61	15	09	25	12				01			·27 ~~27~~		20
21	31	64	10	06	66		05		09	02				21
22	19	01	04		24		08			65	26	01		22
23	18	18			04		04			14	33			23
24	46	27					04			46	02			24
25		75	38		10					18				25
26		64	04											26
27	03	41								1·52				27
28	50	02								02		16		28
29	13									90	08			29
30		✕				05			02	12	29			30
31	90	✕		✕		✕			✕	21	✕			31 d
TOTAL	7·96 ~~8·29~~	4·11	4·70 ~~4·42~~	3·10	2·45	·84	1·52	·59 ~~·54~~	3·32	4·54	2·50	3·97 3·84	Year's Total 66 42·~~89~~	
* Days with .01 in. or more.	22	23	18	18	10	8	13	8 ✓	16	13	11	16	~~176~~	
* Days with .04 in. or more.	20	20	15	14	9	5	10	~~5~~ 6	12	10	9	14	144 ~~143~~	

† Spare column, no entries required.

(Signed) Edward Percival [P.T.O.

X Mrs G. Blathwayt X

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Station No. 2103/5

Section A for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at West Porlock

in the County of Somerset

Diameter of Funnel of Gauge 5/8 in.

Height of top of Gauge above Ground 2 ft – in.

,, Ground ,, Sea Level 46 ft.

Totals

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		16				89	35	1·04		44	05	49		1
2		15		21	14					45	04	28		2
3	06				47	04	02			1·14	06			3
4		01				02	44	1·01		47		23		4
5							20	21	01	46		20		5
6	23					19	80		10	24		11		6
7	16						31	02	03	38		03		7
8	66	06					75	06		64		19		8
9	60	10						62		05		99		9
10	15	04					08	34		06		44		10
11	28					04	03	40		01	30	58		11
12	61	02			33					36	1·34	04		12
13	14				07					19	10	62		13
14	67				05		41		19					14
15	54				04					03	09	26		15
16	48				10						12			16
17		13	02		04				14	15				17
18	30				09	12		10	19	08	53			18
19	05							25	09	02	63			19
20	01							09			38			20
21	11							05	10		33			21
22	01					01		41		10	46			22
23				05					52		50			23
24	02	01	03		03			19	03		36			24
25	21	24	11		29						1·14			25
26	54	35	04		14					14	08			26
27	14	04			44	28	35	1·06	19	11	54			27
28	12	21			05	31		66	03	02	32			28
29	13				44	16	01		02	20	55	11		29
30	03	✕			30	02			26	02	54	07		30
31	47	✕		✕	34	✕			✕	30	✕	41		31
TOTAL	7·0^{2}3	1·55	·20	·26	3·45	2·11	3·75	6·81	1·40	6·15	8·46	5·35	Year's Total 46·51	
* Days with .01 in. or more.	25	13	4	2	17	11	12	16	14	24	21	16	175	
* Days with .04 in. or more.	21	10	2	2	16	8	9	15	8	19	21	15	146	

† Spare column, no entries required.

(Signed) Edward Percival

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2103/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at The GARDENS. WEST. PORLOCK. SOM.

in the County of SOMERSET.

Diameter of Funnel of Gauge 5 1/8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" Ground " Sea Level 40 ft.

Days Ed.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·22		14	06	32			15			18	20		1
2	·10		08	04				34	20		14	38		2
3	·25		55	26				10			08	71		3
4	·05		03	30	24		54			30	68	46		4
5				48	15		18	02		22	66			5
6	45			02			1·20				12			6
7	10	10				05	05			47	17	61		7
8	05	47	11		01		·28	15		10		37		8
9		05	02							12	48	16		9
10	32							04	16		01	56		10
11	10	05	11							07				11
12	23	02		01						18	01			12
13	05			16	01	02	14		18	18	02			13
14	88		06	05	03	14	36				28			14
15	83			08	02	41	34			11	20			15
16	17	02		08	15						88			16
17	76	02				10	02				10			17
18	13	10	01			20	75				1·14			18
19	32						04	41				03		19
20	38						01	1·13						20
21	06	38	20	01	02	23								21
22	1·46	69	15	06		38	15				35			22
23	48	10	05	30		02	33			04	1·05			23
24	70		16	03		35	29			02				24
25		28		01			12	01			84			25
26		04		26				48		31	1·33			26
27		31	08	01		06	02	09			15			27
28		31	10	41		11	25				41	20		28
29	09			07			10			32	38			29
30		✕		1·25		11	06			13	10			30
31		✕		✕		✕	04	05.	✕	27	✕			31
TOTAL	8·18	2·94	1·88	3·95	98	2·18	5·36	2·97	54	2·84	9·85	3·68	Year's Total 45·35.	
* Days with .01 in. or more.	23	15	15	21	9	13	21	12	3	15	24	10	181	
* Days with .04 in. or more.	23	12	12	15	4	11	18	10	3	14	21	9	152	

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2103/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at West Porlock House

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 40 ft.

File number
244617/33

Days ✓

Jan & Feb. apportioned.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1				08	(·20) ~~46~~						20			1
2				10							2·55			2
3		(·35) ~~55~~		05						12	90	11		3
4	02	15		11			22			18	10	10		4
5										59	80	46		5
6		24								42	28	30		6
7	03						45		11			12		7
8	03										18	30		8
9							28	13		25	89	53		9
10							60				30	22		10
11							48				1·45	04		11
12			20			05	94		80		45			12
13			45								35			13
14				04			04		31	18	07	07		14
15			05	25	11				14		33	43		15
16		63	20				35		19	1·80	03			16
17	25	05	25	30			23							17
18	10	63	47	1·27						27		37		18
19			17				61		43					19
20				04			18		10		47			20
21					40						1·77			21
22				31	16	47			08					22
23		32	36						05					23
24						06	33				04			24
25				23	16									25
26	1·06	35		04	17		18				03			26
27	65	32		45										27
28	53				12	02								28
29	15	15	28	52										29
30	(·20)	✕	05	(·26)						62		11		30
31	4	✕	09	✕		✕			✕	86	✕	22		31
TOTAL	3·02 ~~2·82~~	1 3·39	2·57	4·05 3·79	1·32 ~~1·58~~	60	4·92	13.	2·21	5·59	10·59	3·38	Year's Total ~~41·[illegible]~~	41·57
* Days with .01 in. or more.	9	10	11	14	7	4	13	1	9	10	19	14	121	
* Days with .04 in. or more.	6	10	11	14	7	3	13	1	9	10	17	14	115	"d"

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Edward Percival

[P.T.O.

2104

Section A for the entry of Dai

AIR MINISTRY.—

Y FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

REGISTE

2104

WEST PORLOCK
UNDERWAY
1931—40

780401

Kept at Underway, West P

in the County of Somerset

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

„ Ground „ Sea Level

THE MORNING MEASURE

An observer who does not conform to this
year in the space on the right of this pa

Ple

ning

Jan. 1, following

Date	Jan.	Feb.	March	Apr							Nov.	Dec.	*Date*
	in.	in.	in.	in							in.	in.	
1	·02			·32					·42				1
2	·2	·03		·92			·06	~~·3~~	·26			·6	2
3	·02		·74					·3	·12		3·09	·27	3
4			·23			·44	·25	·46	·06		·02		4
5		·18		·52		·76	·11	·17				1·21	5
6		·15		·14		·14	·07	·08		·5		·63	6
7						·09	·16	·38		·24	·42	·07	7
8	·08	·09			·1			·13			·21	·19	8
9		·49		·04	·09	·4		·01			·61		9
10		·91			·02		·08		·04		·7		10
11						·13	·05		·2		·49		11
12		·01					·17	·08	·08	·28			12
13		·02	·04		·18								13
14		·07			·03	·19	·4				·61		14
15		·23			·05			·55				·05	15
16	·09	·12		·24	·14	·78		·32	·11				16
17	·01			·05			·21						17
18						·22	·16	·58			·19		18
19						·73		·57	·2		·24		19
20	·2	·23	·05					·82			·28		20
21	·23			·04	·04						·04		21
22	·65							·12					22
23	·28			·46	·3			·08			·55		23
24	·27	·19		·69	·08	·21	·53	·02					24
25				·3									25
26		·15		·31			·35				·76		26
27		·15			2·		·15			·04	·11		27
28	·41	·07			·34						·09	·1	28
29			·35							·13		·26	29
30	·48	×						·1	·05				30
31	·72	×		×	·12	×	·13		×		×		31
TOTAL	4·09	3·09	1·41	4·03	3·49	3·89	2·88	4·77	1·58	1·19	8·31	3·38	YEAR'S TOTAL 42·13
*Days with ·01 in. or more.	14	16	5	12	13	14	18	19	10	5	16	10	152
*Days with ·04 in. or more.	11	13	5	12	13	14	18	17	10	5	16	10	144

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Norman G. Hadden

P.T.O.

2104

Section **A** for the entry of Da … Y FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

Kept at Underway, West Porlock

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level about 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02			·32					·42				1
2	·2	·03		·92			·06	~~·3~~	·26			·6	2
3	·02		·74					·3	·12		3·09	·27	3
4			·23			·44	·25	·46	·06		·02		4
5		·18		·52		·76	·11	·17				1·21	5
6		·15		·14		·14	·07	·08		·5		·63	6
7						·09	·16	·38		·24	·42	·07	7
8	·08	·09			·1			·13			·21	·19	8
9		·49		·04	·09	·4		·01			·61		9
10		·91			·02		·08		·04		·7		10
11						·13	·05		·2		·49		11
12		·01					·17	·08	·08	·28			12
13		·02	·04		·18								13
14		·07			·03	·19	·4				·51		14
15		·23			·05			·55				·05	15
16	·09	·12		·24	·14	·78		·32	·11				16
17	·01			·05			·21						17
18						·22	·16	·58			·19		18
19						·73		·57	·2		·24		19
20	·2	·23	·05					·82			·28		20
21	·23			·04	·04						·04		21
22	·65							·12					22
23	·28			·46	·3			·08			·55		23
24	·27	·19		·69	·08	·21	·53	·02					24
25				·3									25
26		·15		·31			·35				·76		26
27		·15			2·		·15			·04	·11		27
28	·41	·07			·34						·09	·1	28
29			·35							·13		·26	29
30	·48	×						·1	·05				30
31	·72	×		×	·12	×	·13		×		×		31
TOTAL	4·09	3·09	1·41	4·03	3·49	3·89	2·88	4·77	1·58	1·19	8·31	3·38	YEAR'S TOTAL 42·13
*Days with ·01 in. or more.	14	16	5	12	13	14	18	19	10	5	16	10	152
*Days with ·04 in. or more.	11	13	5	12	13	14	18	17	10	5	16	10	144

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Norman G Hadden

[P.T.O.

2104

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2104

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Underway, West Porlock
in the County of Somerset

days

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level about 80 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·5			·23	·2		·19						1
2	·05				·43			·01	·85			·09	2
3	·04								·12	·1	·09	·37	3
4				·35							·55		4
5	1·4		·18				·13						5
6	1·04			·65			·09		·36				6
7	·53		·7	·07	·19				1·				7
8				·05	·16				·31	1·29			8
9	1·			·28						·65			9
10	·56	Trace (snow)		·32						·9			10
11					·05				·09	·1		·1	11
12	1·02				·46			·01					12
13	·24			·33			·7	·15	·16			·27	13
14	·46				·18					1·57	·29	·05	14
15	·04			·15						·09	·1		15
16	·48			·27			1·34						16
17							·01			·1			17
18				·15	·26				·21		·41		18
19									·11	·22	·01		19
20				·31	·96						·1	·16	20
21			·09	·21				·15		1·53		·13	21
22							·07		·89	·35	·38	·21	22
23									·09	·45	·36	·09	23
24							·26			·15			24
25			·17		·1		·26		·5	·67	·25		25
26			·1		·15		·14		·03	·36	·12		26
27			·83	·38	·19		·08			·67			27
28			·07				·11					·04	28
29			·88	·2	·15	·25	·03	·2	·39	·6		·57	29
30		×	·24	·04	·07	·63			·68	·03	·71	·02	30
31		×	·25	×		×	·9		×		×	·45	31 d
TOTAL	7·38	0	3·51	3·99	3·56	·88	4·31	·52	5·79	9·83	3·37	2·55	YEAR'S TOTAL 45·69
*Days with ·01 in. or more.	~~14~~	~~0~~	~~12~~	~~19~~	~~14~~	~~2~~	~~15~~	~~5~~	~~16~~	~~20~~	~~12~~	~~13~~	~~142~~
*Days with ·04 in. or more.	14	0	12	19	14	2	13	3	15	19	11	12	134

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section A **for the entry of Daily Observations.**

Station No. 2104

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Underway, West Porlock

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ..... in.

,, Ground ,, Sea Level about 80 ft.

Days ✓

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·2	·58	·1									·62		1
2	·68		·44		·65	·28					·09			2
3	·03		·25		·08									3
4	·37	·24	·03		x }									4
5	·2	·01	·61		x ·15 }									5
6		·23	·05		·22					·14				6
7		·11												7
8	·21				·15		·18			✓ }				8
9							·31			x 1·39 }				9
10						·03	·13			2·5	·08			10
11	·2						·22	·31		·4				11
12				·06	x }	·06	·4		·27					12
13	·04				x 36 }	·27	·22	·08		·11				13
14	·21						·03	·05			·39			14
15	·45							·03		·34				15
16			1·05			·07				·08				16
17	·18	·05	·49			·14		·06	·08					17
18	·21		·58			·42			·01					18
19	·08		·72					·06	·2		·86			19
20		·05						·18	·85					20
21								·21		·12				21
22		Snow, 1·05		·23	·04			·54	·07	·03				22
23		·13		·17		·11			·19	·39				23
24				·14		·04			✓ }	·02				24
25		Snow ·5		·03		·35			x ·24 }			·22		25
26		·33		·03	·59				·09					26
27		·02			·02					·8		22		27
28		·22		·22			·21			·56		·07		28
29							·02							29
30	x }	✕	·17	·30			·11		·05	·25				30
31	x ·88 }	✕		✕		✕			✕		✕			31
TOTAL	3·94	3·82	4·49	1·18	2·26	1·77	1·83	1·52	2·05	7·13	1·42	1·13	Year's Total 32·54	
*Days with ·01 in. or more.	~~15~~ ✓	~~13~~	~~11~~	~~8~~	~~11~~	~~10~~	~~10~~	~~9~~	~~11~~	~~15~~	~~4~~	~~4~~	~~121~~	
*Days with .04 in. or more.	14 ✓	11	11	6	10 ✓	9	8	8	9	~~13~~ 12	4	4	106	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Norman G. Hadden

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2104

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at 'Underway', West Porlock

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ....ft ....in.

,, Ground ,, Sea Level about 100 ft.

Days ✓ alf

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08							·48	·2	·04	·38	T		1
2	·1		·01					·07	·52		·25	T ·66		2
3	·01	·01			·24			·62		·1		·33		3
4	·31		·07	·38	·37				·08	1·2		·33		4
5					·13	·16		·6		·3	·46	·86		5
6	·11		·36	·11	·76			·03		·38		·34		6
7	·19			·01				·1	·01	·26		·58		7
8	·01				·08					·1	·57	·65		8
9			·1						·07	·18	·58	·15		9
10	·25		·27	·54				·2			·07	Trace		10
11	1·4		·01	·4				·6				·29		11
12	·18			·05				·35		·01		·02		12
13	·79		·26	·22						·05	·13	·04		13
14	·49		·55							·07	·11	·35		14
15	·21		·31	·02	·2				·02	·06		·45		15
16	·27		·75		·04							·05		16
17	·37		·03	·15					·45			·25		17
18	·25		·16	·48					·02	·07		·56		18
19			·19		·07	·07		·03	·18			·23		19
20			·19	·09			·24		·13	·03		·02		20
21			·12			·13		·07		·18		·02		21
22	·1		·09					·16	·36	·08		·36		22
23			·02	·24		·65		·07		·03				23
24		·25	·05			·27	·12		·14					24
25	·22	·01		·29		·07				·25		·51		25
26	·03		·08	·08		x			·29	·12	·03	·17		26
27				·01		·16				·14		·23		27
28				·04			·13	·62	·29	·42		·95		28
29							·02	·46	·09	·45		·05		29
30	·12	×					·02	·28	·22	·59		·4		30
31		×		×		×	·04	·11	×	·07	×	·11		31
TOTAL	5·49	·27	3·64	3·11	1·89	1·51	·57	4·85	3·07	5·17	2·58	8·96	Year's Total 41·11	
*Days with ·01 in. or more.	20	3	19	16	8	~~7~~ 8	6	17	16	24	9	28	174	
*Days with ·04 in. or more.	17	1	15	12	8	7	4	15	13	21	8	25	146	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) N. G. Hadden

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations.

Station No. 2104

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at West Porlock

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01		·65			×	·03			·28		·29		1
2		✓				× ·21			·03	·19	·13	·14		2
3		✓	·19			·27			·64	·22	×			3
4		×		·14	·04	×			×	·02	× ·17	·86		4
5		× ·48		·2		× ·23			× ·48	·06	·14	·15		5
6				·41		·58					·16	·29		6
7				·60		·23				·32		·15		7
8				×						·33	·19	·19		8
9				× 1·48						1·88	·43			9
10	·01		·07	·51		·03				·14				10
11	·55	·06				·13			·06	·28	·46			11
12	·06	·2		·59		·49		·07		·02	·33			12
13	·17	·09		·42		·01					×			13
14		·02				·26			·29		× 1·65	·33		14
15		·22		·9	·09	·14			×		·23	·39		15
16		·33	·06	·41					× 1·61	·02	·7			16
17				·05	1·18	×		·25	·04	·11	·02			17
18		·05		·46				·07	·8	·22		·05		18
19				·08	·5		·1		·2	·19	·14			19
20		·95		·28	·09	·35			1·90		·4			20
21		·5		·12			·09		×	·05				21
22		·05	·1	·11					·29	×				22
23		·1	·52					·18	·22	× ·39		·45		23
24	·14	·61	·02	·15	·05	·01		·15	·21	·21		·17		24
25	·34	·47		·14		·49			·08		·05	·19		25
26		·47			·15			·76	·16			·53		26
27		·25						·23	·22	·04	·08	·17		27
28	·03	·16						·55	·28	·15	·5	·02		28
29								·08		·08		·56		29
30		×						·8	·43	·33	1·67	·58		30
31		×		×		×		·24	×	·48	×	·19		31
TOTAL	1·31	4·91	1·61	7·05	2·06	3·43	·19	3·38	7·96	5·92	7·45	5·7	Year's Total. 50·97	
* Days with .01 in. or more.	8	~~18~~ 20	7	~~17~~ 19	7	~~17~~ 16	3	11	~~17~~ 20	24	20 ✓	18	173	✓
* Days with .04 in. or more.	5	~~17~~ 17	6	~~17~~ 19	7	~~14~~ 13	3	11	19 ~~18~~	21	19 ✓	17	157	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Norman G. Hadden

[P.T.O.

COPY FOR OFFICIAL USE

2104

Section A for the entry of Daily Observations

Station No. 2104

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Total

Kept at 'Underway', West Porlock
in the County of Somerset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level about 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	·13	·02	·08		·1	·59				·04	·05		1
2		·02		·01		·12		·01			·12			2
3			·1	1·1		·3	·14	·09	·89		·17			3
4			·09	·01		·14			·74		·09	·72		4
5	·53	·07					·34		·24		·04	·1		5
6	·28		·08			·03	·4	·08	}		·4			6
7	·3						·43		·1 } 4		·8			7
8	·25		·13				·5				·9			8
9	·68		·06				·4		·24		·23			9
10	·03						·02				·59			10
11	·18								·06		·7	·1		11
12	·07			·17		·05	·32	·06	·33		·05	1·8		12
13						·01	·05		·03	·22	·03	1·23		13
14			·03			·01	·66	·11	·17	·08	·05	·39		14
15						·03					·16	·29		15
16	·03	·1			·05		·03		·01		·3	1·69		16
17	·37	·45			·2		·11			·23	·11	·33		17
18		·16	·01		·12		1·19			·14				18
19	·49		·02	·34		·41	·01							19
20	·15	·39	·19			·01	·1	·06	·32			·01		20
21	·04		·05	·75			·02							21
22	·29	·82	·38				·16			·07		·04		22
23	·03	·06	·24	·37	·28		·14			·09				23
24	·11	·04	·05	·04	·19		·11		}	1·24				24
25	·24		·45	·42	·02		·2		·89 } 4	·51	·07			25
26	·35	·25	·32				·08		·08	·35				26
27	·24	·12	·09				·11		·01	·48				27
28	·48	·06	·39				}					·21		28
29		·09	·07			·23	·2 } 4			·04	·03	·2		29
30	·08	✕	·02			·33				·81				30
31	·23	✕	·17	✕		✕	·37		✕	·06	✕	·58		31
TOTAL	5·48	2·76	2·96	3·29	·86	1·77	6·68	·41	4·01	4·32	4·68	7·54	Year's Total 44·76	
* Days with .01 in. or more.	23	14	21	10	6	13	26	6	16	13	19	15	182	
* Days with .04 in. or more.	19	13	16	8	5	8	22	5	~~13~~ 11	13	17	14	157	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) N. G. Hadden [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 2104

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Days
H.B.

Kept at "Underway", West Porlock,
in the County of Somerset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" Ground " Sea Level 80 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·28		·02						·10	·26	·09	·28		1
2	·15	·81		·19								·11		2
3	·28	·36		·20	·15		·06		·04			·01		3
4		·18			·08		·04	·06				·66		4
5	·73			·17								·10		5
6	·46	·21		·34			·16			·04				6
7		·81	·35	·23		·18			·08	·09	·03			7
8		·13	·11		·18						·14			8
9		·06		·06	·24		·04		1·12					9
10	·09	·02	·68	·52		·16		·08				·75		10
11	·05		·22	·15	·72	·03	·50		·39			·15		11
12	·51	·30	·45			·28	·06	·03				·57		12
13		·03	·54	·20				·15	·13			·17		13
14			·08				·10	·08				·31		14
15	·35	·29	·03	·63			·40		·18			·15		15
16	·12	·19	·56	·15				·23	·20					16
17	·65	·11	·68				·09		·13		·13	·32		17
18	·36	·10	·45	·08		·23			·83		·33	·08		18
19	·55	·13	·03	·26			·05		·22		·97			19
20	·59	·16	·10		·12							·25		20
21	·24	·69	·11	·07	·60		·08		·10	·07				21
22	·17	·02	·05		·23					·65	·28	·10		22
23	·20	·18			·13		·05			·15	·31			23
24	·42	·27							·01	·56				24
25		·88	·40				·08			·19		·04		25
26		·50	·05		·10							·03		26
27		·75					·14			1·58				27
28	·57	·04					·04			·06				28
29						·03				·90	·09	·02		29
30	·56	☒								·12	·29			30
31	·71	☒		☒		☒			☒	·22	☒			31
													Year's Total	
TOTAL	8·09	7·22	4·96	3·26	2·55	1·01	1·80	·63	3·53	3·84	2·66	4·10	43·65	
* Days with .01 in. or more.	~~21~~	~~24~~	~~18~~	~~14~~	~~10~~	~~5~~	~~15~~	~~6~~	~~13~~	~~13~~	~~10~~	~~18~~	~~168~~	
* Days with .04 in. or more.	21	21 ~~24~~	15	14	10	4	15	5	12	13	9	15	154	

d'

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) N. G. Hadden [P.T.O.

2104

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938

At West Porlock (Underway)

In the County of Somerset

Rain Gauge
- Diameter of Funnel..............in.
- *Height of Top above Ground.......ft..........in.*
- *Height of Ground above Sea Level..............ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	7·08				
FEB.	1·50				
MAR.	·16				
APRIL	·25				
MAY	3·47				
JUNE	2·11				
JULY	4·03				
AUG.	7·27				
SEPT.	1·40				
OCT.	6·26				
NOV.	8·30				
DEC.	5·10				
TOTAL	46·93				

[illegible] late wk

Signature ....

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter..................in Summer..................

Nearest Railway Station.......................... Distance.............. Direction from gauge............

Nearest Parish Church at.......................... Distance.............. Direction from gauge............

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.......................... Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
  (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
  (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91
S.O. Code No. 40-9999

2704

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1939.

At Underway (West Porlock)

In the County of Somerset

Rain Gauge
- Diameter of Funnel........................in.
- *Height of Top above Ground.........ft...........in.*
- *Height of Ground above Sea Level..................ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	8.04				
FEB.	2.89				
MAR.	2.04				
APRIL	3.96				
MAY	1.06				
JUNE	2.22				
JULY	5.64				
AUG.	3.73				
SEPT.	·63				
OCT.	3.21				
NOV.	9.62				
DEC.	3.84				
TOTAL	46.88				

[illegible]

Signature N. G. Hadden

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter........................in Summer.....................

Nearest Railway Station................................ Distance................. Direction from gauge.............

Nearest Parish Church at................................ Distance................. Direction from gauge.............

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

1938 [illegible]

copy by B.R.O
from S.L. Rogers Press cutting

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 663/91
S.O. Code No. 40-9999

FORM 1090.

2104

B Monthly Summary.

. The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1939.

At West Porlock (Underway.)

In the County of Somerset

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* – *in.*
Height of Ground above Sea Level 80 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with 01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·73				
FEB.	3·19				
MAR.	2·84				
APRIL	4·26				
MAY	1·61				
JUNE	0·86				
JULY	5·62				
AUG.	·08				
SEPT.	2·37				
OCT.	5·46				
NOV.	10·25				
DEC.	3·59				
TOTAL	44·1~~7~~6				

Signature N. G. Hadden
per F. S. Haynes Esq.

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter..................in Summer..................

Nearest Railway Station.................... Distance.............. Direction from gauge..............

Nearest Parish Church at.................... Distance.............. Direction from gauge..............

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.................... Distance.............. Direction..............

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B.**)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copy by B.R.O.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this* ·005 *mark or between this* ·005 *and the* ·01 *mark are to be entered as* ·01 *even though they may be nearer to the* ·005 *mark than the* ·01 *mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\begin{matrix}17\\18\end{matrix}\left.\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 2778/2036 21,000 10/38 W. H. & S. 668/91 S.O. Code No. 40-9999

2105

Section **A** for the entry of D
AIR MINISTRY.

COPY FOR OFFICIAL USE.
ALL ORGANIZATION.

2105.

CULBONE, LILLYCOMBE.

1931– 1940

FORM 1090.

REGIST 31.

Kept at Lillycombe,
in the County of Somer

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
,, Ground ,, Sea Lev

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in. s	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	·03	—	·28	—	—	·06	—	·56	·05	—	—	1
2	·26	—	·01	1·01	·02	—	—	—	·25	·07	·30	·55	2
3	—	—	·60	—	—	—	·07	·31 T	·12	—	2·35	·48	3
4	·07	—	·17	·18	·04	·17	·40	·54	·10	·07	·01	·15	4
5	—	·25	—	·71	·02	·54	—	·15	—	—	·01	1·00	5
6	—	·18	—	·20	·04	·20	·14	·11	—	·62	·19	·55	6
7	—	·02	—	—	·10	·05	·07	·47	—	·18	·39	·09	7
8	—	·16	—	·07	—	·19	·03	·29	—	—	·21	·15	8
9	—	·82	—	—	—	·36	·10	—	—	—	·41	·10	9
10	—	·14	—	—	·07	·08	·08	·08	·12	—	·71	·03	10
11	·55	·89	·01	—	·02	·10	·03	·32	·28	—	·39	—	11
12	·02	·02	—	·03	—	—	·18	·02	·14	·29	—	—	12
13	—	·05	·03	—	·13	·01	·14	·04	·01	·05	—	·02	13
14	—	·10	—	—	·04	·28	·47	·08	·07	—	·56	—	14
15	·10	·18	—	·05	·06	·07	—	·48	·01	—	·03	—	15
16	·32	·09	—	·30	·22	·91	·07	·37	·10	—	—	·02	16
17	·03	—	—	·11	—	·05	·28	·01	·10	—	—	·01	17
18	·25	—	—	—	—	·27	·18	·48	·02	—	·23	—	18
19	·39	·15	·01	·01	—	·54	—	·91	·14	—	·24	—	19
20	·03	·08	·06	—	—	—	—	·88	—	—	·29	—	20
21	·34	·02	·03	·02	·05	—	—	·10	—	—	·06	—	21
22	·64	·10	·04	—	·04	—	—	—	—	—	·04	—	22
23	·17	·01	—	·52	·25	·02	·02	·13	—	—	·63	—	23
24	·11	·15	·03	·74	·07	·01	·60	·03	—	—	·07	·04	24
25	·13	·12	—	·25	—	—	·08	—	—	—	·04	·20	25
26	—	·21	—	·45	—	—	·22	—	—	—	·93	·13	26
27	·22	·30	—	·01	1·22 T	·02	·08	—	—	·07	·12	·02	27
28	·15	·08 s	·15	·05	·17	—	·02	·04	—	·07	—	·12	28
29	·21	×	·08	—	·05	—	·18	·01	—	·20	·07	·20 S	29
30	·19 s	×	—	—	·03	—	·01	·02	·03	·01	—	—	30
31	·96	×	·01	×	·17	×	·04	—	×	—	×	·23 R	31
TOTAL	5·20	4·15	1·23	4·99	2·81	3·87	3·55	5·87	2·05	1·68	8·28	4·09	YEAR'S TOTAL 47·77
*Days with ·01 in. or more.	21	23	13	18	20	18	24	23	15	11	23	19	228
*Days with ·04 in. or more.	18	18	6	14	17	14	19	18	11	10	20	14	179

40-9999

S = Snow, s part snow.
T = thunderstorm.

*See Instruction 2 (*f*) on other side.

(Signed) E. T. MacDermot

P.T.O.

2105

Section **A** for the entry of

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at Lillycombe, Culbone
in the County of Somerset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 1,210 ft.

may 1" for singer

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in. s	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	·03	—	·28	—	—	·06	—	·56	·05	—	—	1
2	·26	—	·01	1·01	·02	—	—	—	·25	·07	·30	·55	2
3	—	—	·60	—	—	—	·07	·31 T	·12	—	2·35	·48	3
4	·07	—	·17	·18	·04	·17	·40	·54	·10	·07	·01	·15	4
5	—	·25	—	·71	·02	·54	—	·15	—	—	·01	1·00	5
6	—	·18	—	·20	·04	·20	·14	·11	—	·62	·19	·55	6
7	—	·02	—	—	·10	·05	·07	·47	—	·18	·39	·09	7
8	—	·16	—	·07	—	·19	·03	·29	—	—	·21	·15	8
9	—	·82	—	—	—	·36	·10	—	—	—	·41	·10	9
10	—	·14	—	—	·07	·08	·08	·08	·12	—	·71	·03	10
11	·55	·89	·01	—	·02	·10	·03	·32	·28	—	·39	—	11
12	·02	·02	—	·03	—	—	·18	·02	·14	·29	—	—	12
13	—	·05	·03	—	·13	·01	·14	·04	·01	·05	—	·02	13
14	—	·10	—	—	·04	·28	·47	·08	·07	—	·56	—	14
15	·10	·18	—	·05	·06	·07	—	·48	·01	—	·03	—	15
16	·32	·09	—	·30	·22	·91	·07	·37	·10	—	—	·02	16
17	·03	—	—	·11	—	·05	·28	·01	·10	—	—	·01	17
18	·25	—	—	—	—	·27	·18	·48	·02	—	·23	—	18
19	·39	·15	·01	·01	—	·54	—	·91	·14	—	·24	—	19
20	·03	·08	·06	—	—	—	—	·88	—	—	·29	—	20
21	·34	·02	·03	·02	·05	—	—	·10	—	—	·06	—	21
22	·64	·10	·04	—	·04	—	—	—	—	—	·04	—	22
23	·17	·01	—	·52	·25	·02	·02	·13	—	—	·63	—	23
24	·11	·15	·03	·74	·07	·01	·60	·03	—	—	·07	·04	24
25	·13	·12	—	·25	—	—	·08	—	—	—	·04	·20	25
26	—	·21	—	·45	—	—	·22	—	—	—	·93	·13	26
27	·22	·30	—	·01	1·22 T	·02	·08	—	—	·07	·12	·02	27
28	·15	·08 s	·15	·05	·17	—	·02	·04	—	·07	—	·12	28
29	·21	×	·08	—	·05	—	·18	·01	—	·20	·07	·20 s	29
30	·19	×	—	—	·03	—	·01	·02	·03	·01	—	—	30
31	·96 s	×	·01	×	·17	×	·04	—	×	—	×	·23 R	31
TOTAL	5·20	4·15	1·23	4·99	2·81	3·87	3·55	5·87	2·05	1·68	8·28	4·09	YEAR'S TOTAL 47·77
*Days with ·01 in. or more.	21	23	13	18	20	18	24	23	15	11	23	19	228
*Days with ·04 in. or more.	18	18	6	14	17	14	19	18	11	10	20	14	179

40-9999

S = snow, s part snow.

*See Instruction 2 (*f*) on other side. T = thunderstorm.

(Signed) E. T. MacDermot

P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 2105

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Lillycombe, Culbone,

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 1,210 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·65	—	—	·20	·44	·01	·33	·01	·77	·14	·05	·71	1
2	·36	—	—	·01	·48	—	·01	·02	1·51	·01	·74	·55	2
3	·20	—	—	·30^{S}	·01	—	·09	—	·06	·08	·07	·04	3
4	·13	—	—	·01	—	—	·03	·03	·16	·02	—	·03	4
5	1·75	—	·16^{H}	—	—	—	·01	—	—	—	·01	—	5
6	1·27	—	·05	·51	—	—	·06	·03	·21	—	—	—	6
7	·39	—	·04	·05	·14^{H}	—	—	—	·76	1·35	—	—	7
8	·01	—	·70	·11	·11	—	—	—	·21	·67	—	—	8
9	1·08	·05^{S}	—	·45	·02	—	·01	—	·11	·08	—	—	9
10	·61	—	—	·35^{S}	·06	·03	—	—	·25	·67	—	—	10
11	·07	—	—	·08^{S}	·03	—	—	—	·02	·43	—	·06^{S}	11
12	1·03	·01^{S}	—	·03^{H}	·58	—	—	—	·31	·65	—	—	12
13	·16	·02^{S}	—	·29	·06	—	·69	·15	·06	·89	·09	·18	13
14	·54	—	—	·02	·16	—	—	—	·01	·03	·61	·11	14
15	·06	—	—	·09	·09	—	—	—	—	·29	·07	·09	15
16	·61	—	—	·19	—	—	1·20	—	—	—	—	—	16
17	·01	—	—	·02	—	—	—	—	·01	·15	·01	—	17
18	·02	—	—	—	·15	—	—	—	·26	—	·29	·02	18
19	·04	—	—	·21	·34	—	—	—	·11	·35	·02	—	19
20	—	—	—	·27	·71	—	·02	—	·03	·97	·17	·15	20
21	·01	—	·12	·10	—	—	—	·25	—	1·10	·04	·15	21
22	·02	—	·18	·20	·08	—	·04	—	·71	·35	·57	·25	22
23	—	—	—	—	·05	—	·27	—	·13	·63	·38	·12	23
24	—	—	—	—	·08	—	·22	—	·30	·19	·03	·01	24
25	·03	—	·09	·05	·08	—	·28	—	·21	·78	·54	—	25
26	—	—	·90	·09	—	—	·13	—	·20	·27	·11	—	26
27	—	—	·59	·19	·31	·03	·07	—	—	·48	—	·05	27
28	—	—	·03	·11	·05	·01	·43	—	—	—	—	·05	28
29	—	—	·91	·19	·16	·25	·12	·22	·47	·83	·24	·75	29
30	—	×	·13	·03	·04	·77	·40	·10	·61	·08	·62	·04	30
31	—	×	·14	×	—	×	·37	—	×	·05	×	·57	31
TOTAL	9·05	·08	4·04	4·15	4·23	1·10	4·78	·81	6·88	11·54	4·66	3·33	YEAR'S TOTAL 54·65
*Days with ·01 in. or more.	22	3	13	26	23	6	20	8	24	26	19	19	209
*Days with .04 in. or more.	16	1	12	20	20	2	15	4	20	23	15	16	164

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) E. T. MacDermot

P.T.O.

2105

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2105

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Lillycombe, Culbone.
in the County of Somerset.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 1,210 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in. S		
1	·22	·93 ?	·12	—	·15	—	—	—	·11	·05	·05	·69		1
2	·68	—	·57	—	·72	·26	—	—	—	·01	·03	s ·08		2
3	·02	·28	·48	—	·05	—	—	—	—	—	—	—		3
4	·37	·36	·04	—	·09	—	—	—	—	—	—	—		4
5	·18	·10	·90	—	·22	—	—	—	—	—	·04	—		5
6	—	·36	·05	—	·14	—	·05	—	—	·10	·02	—		6
7	·36	·18	—	—	·01	—	·04	·07	—	·05	—	—		7
8	·21	·15	—	—	·14	—	·27	·04	—	·02	—	—		8
9	—	·15	—	—	·35	—	·37	·01	—	1·38	·05	—		9
10	·16	·33	—	—	—	—	·21	·01	—	2·37	·04	—		10
11	·07	—	—	—	—	·01	·36	·17	—	·36	—	s ·05		11
12	·05	—	—	—	·03	·10	·35	—	·42	·04	—	—		12
13	—	—	·01	—	·13	·30	·38	·04	—	·15	·08	—		13
14	·23	—	—	—	—	—	·04	·09	—	·01	·35	—		14
15	·49	—	·30	—	—	—	·12	·08	—	·43	·01	R ·09		15
16	—	·04	·79	—	—	·16	—	·02	—	·08	—	—		16
17	s ·16	s ·06	·28	—	—	·20	—	·16	·19	—	—	—		17
18	s ·15	—	·42	—	—	·69	—	—	—	—	·03	—		18
19	s ·06	—	·70	s ·02	—	·02	—	·05	·10	—	·61	·02		19
20	—	—	—	—	—	·01	—	·38	·46	—	01	—		20
21	—	·10	—	—	—	·02	—	·17	—	·10	—	—		21
22	—	·06	—	·23	·04	—	—	·65	·07	·02	·01	—		22
23	—	HS —?	—	·17	—	·17	—	·01	·09	·56	—	—		23
24	—	s	—	·17	·02	·05	—	·01	·01	·07	—	—		24
25	—	s	—	·11	·01	·21	—	—	·26	·02	—	·10		25
26	—	s	—	·07	·56	—	—	—	·02	·52	—	—		26
27	—	1·08	—	—	—	—	—	—	·08	s ·33	—	·19		27
28	—	·12	—	·26	—	—	·09	—	·01	·30	—	·15		28
29	—	×	—	—	—	—	·03	—	—	—	—	·02		29
30	·11	×	·19	·21	·02	—	·18	—	·06	·32	—	·06		30
31	·92	×	·03	×	—	×	·01	—	×	·03	×	—		31
TOTAL	4·44	4·30	4·88	1·24	2·68	2·20	2·50	1·96	1·88	7·32	1·33	1·45	Year's Total 36·18	
*Days with ·01 in. or more.	17	18	14	8	16	13	14	16	13	23	13	10	175	
*Days with .04 in. or more.	16	18	12	7	11	9	12	11	10	17	7	8	138	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) E. T. MacDermot

[P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 2105

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at LILLYCOMBE, CULBONE,

in the County of SOMERSET.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 1,210 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	—	·03	—	—	—	—	·66	·25	·05	·34	·78		1
2	·12	—	·07	—	—	—	—	·09	·59	·02	·26	·40		2
3	·57	·03	·01	·04	·03	—	—	·15	·04	·17	—	·57		3
4		—	·13	·27	·33	—	—	—	·18	1·12	·04 s	·45		4
5	·02	—	·06	·05 s	·19	·28	—	·58	—	·44	·58	1·16		5
6	·34	—	·24	·16	·73	—	—	·22	—	·63	·01	·37		6
7	·35	—	—	—	—	—	—	·10	·03	·39	·16	·83		7
8	—	—	—	—	·09	—	—	·04	·10	·20	·43	·83		8
9	·02	—	·12	·02	—	—	—	·06	·01	·02	·91	·20		9
10	·36	·01	·30	·62	—	—	—	·73	—	·04	·11	·03		10
11	1·30	—	·01	·45	—	—	—	·17	—	—	—	·39		11
12	·17	—	—	—	—	—	—	·36	—	·04	—	·09		12
13	·93	—	·13	·33	—	—	—	—	—	·16	—	·08		13
14	·50	—	·54	·02	·01	—	—	—	—	·10	·21	·45		14
15	·16	—	·24	·03	·35 s	—	·02	·01	—	·08	·12	·43		15
16	·63	—	·68	—	·03	—	—	·01	·35	·02	·05	·10		16
17	·61	—	·03	·15	·01	—	·02	—	·04	·17	—	·41		17
18	·30	—	—	·46	—	·10	·01	·03	·03	·06	—	·75		18
19	—	—	·15	—	·03	·06	·01 T	T ·36	·40	·05	—	·33		19
20	—	—	·18	·16	·05	·01	·36	—	·06	·06	·02	·02		20
21	—	—	·25	—	·03	·24	—	·14	·05	·22	·04	·06		21
22	·12	—	·21	—	—	—	—	·29	·29	·08	·01	·43		22
23	·03	—	·02	·21	—	·69	·12	·02	·15	·01	—	·02		23
24	—	·39	·05	—	—	·29	·05	—	·30	·06	—	·03		24
25	·25	·08	—	·35	—	·01	·03	—	·04	·29	—	·53		25
26	·02	—	·17	·04	—	·32	·01	—	·42	·21	·09	·21		26
27	—	—	—	·01	—	·03	·04	·01	·03	·27	—	·21		27
28	—	—	—	·02	—	·02	·36	·84	·38	·34	·02	·83		28
29	—	×	—	—	—	—	·02	·53	·04	·47	·02	·10		29
30	·22	×	—	—	—	—	·04	·14	·31	·42 s	—	·71		30
31	—	×	—	×	—	×	·05	·14	×	·05	×	·14		31
TOTAL	7·15	·51	3·62	3·39	1·88	2·05	1·14	5·38	4·09	6·24	3·42	11·94	Year's Total 50·81 ✓	
*Days with ·01 in. or more.	22	4	21	18	12	11	14	23	22	30	18	31	226	
*Days with .04 in. or more.	18	2	16	13	6	7	7	18	18	26	13	27	171	

40-9999 S = Snow. T = Thunder.

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) E. T. MacDermot

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 2105

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Lillycombe, Culbone

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 1,210 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·17	·08	·58 S R	—	—	·01	—	—	·27	·37	—	·40		1
2	—	·05	·03	—	—	·18	·02	—	·03	·32	·08	·13		2
3	·04	·10	·11	·03	·05	·39	·05	—	·39	·21	·13	—		3
4	·02	·25	—	·14	—	·04	—	—	·11	·12	·19	·47 S R		4
5	—	·26	·12	·24	—	·45	—	—	·48	·09	·20	·12		5
6	—	—	—	·48	—	·62	—	—	—	—	·10	·22		6
7	—	—	—	·61	—	·07	—	—	—	·47	—	—		7
8	—	—	—	·44	—	—	—	—	—	·31	·20	·18		8
9	·02	—	—	1·10	—	·03	—	—	—	2·05	·29	—		9
10	—	—	·23 S	·57	—	·06	·03	—	—	·15	·01	—		10
11	·47	·13	—	—	—	·23	—	—	·11	·18	·51 S	·04		11
12	·08	·42	—	—	—	·50	—	·17	·05	·01	·23 S R	—		12
13	·28	·10	—	·45	·01	·01	—	—	·04	·10	·54	—		13
14	·03	·19	—	·34	—	·43	—	—	·47	·04	1·10	·22		14
15	—	·52	—	·80	·12	·06	—	—	·43	·02	·16	·46		15
16	—	·59	·02	·38	—	—	·04	—	1·00	·11	·64	·01		16
17	—	—	—	·05	·95 S	·43	·03	·25	·04	·22	—	—		17
18	—	·15	—	·55	·05 R	·01	·02	·01	·92	·35	—	·02 S		18
19	—	·08	—	·22	·32	·08	·22	—	·21	·13	·22	·06 S		19
20	—	·96	—	·26	·25	·02	·02	—	·06	—	·46	—		20
21	—	·56 S	·02	·10	—	—	·12	—	1·31 T	·02	·02	—		21
22	—	·04 S	·22	·20	—	—	·01	—	·54	·05	—	—		22
23	—	·14	·54	—	·04	—	—	·21	·44	·23	—	·33		23
24	·36	·36	·07	·09	·08	·02	—	·13	·13	·14	—	·15		24
25	·21 S	·57 S R	·01	·15	·12	·23 T	—	—	—	—	—	·11		25
26	—	·40	·01	—	—	·02	·01	1·03	·17	·02	·08	·57		26
27	—	·23	—	—	—	—	·10	·31	·27	·20	·25	—		27
28	·03	·09	—	—	—	—	·07	·53 T	·33	·25	·25	—		28
29	·01	×	—	—	—	—	—	·08	·38	·17	·52	·76		29
30	·09	×	—	—	·02	·02	—	·96	·56	·56	1·58	·86		30
31	—	×	—	×	·05	×	—	·01	×	·52	×	·20		31
TOTAL	1·81	6·27	1·96	7·15	2·06	3·91	·74	3·69	8·74	7·41	7·76	5·31	Year's Total. 56·81	
* Days with .01 in. or more.	13	22	12	20	12	22	13	11	24	28	22	19	218	
* Days with .04 in. or more.	8	22	7	19	10	14	6	9	23	24	20	17	179	

40-9999 S=Snow. S=Snow+Rain. T=Thunder.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) E. T. MacDermot

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2105

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Lillycombe Culbone

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 1,210 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·04	·31	·04 S	·14	—	·15	·67	·03	—	—	·15	·15		1
2	·01	—	—	·05	—	·15	·03	·02	·29	—	·24	·05		2
3	—	—	·12 S	·63 S	—	·21	·07	·10	·68	—	·13	·20		3
4	—	—	·08 R	—	—	·16	·01	—	·63	—	·14	·65		4
5	·45	·06	·09	—	—	—	·37	·16	·20	—	·04	·14		5
6	·21	—	·04	—	—	·05	·43	·05	·17	—	·53	·01		6
7	·38	—	·03	—	—	—	·30	—	·08	—	1·13	·04		7
8	·29	—	·16	—	—	—	·64	—	—	—	1·09	·20		8
9	·60	·02 S	·03	—	—	·03	·18	—	·26	—	·27	·01		9
10	·03	·01 S	·01	—	—	—	·03	—	·01	—	·34	—		10
11	·21 S	—	—	—	—	·11	·03	·10	—	—	·94	·03		11
12	—	—	—	·13	·06	·03	·52	·01	·23	—	·05	—		12
13	·15	·01	·02	·02	—	—	·09	·01	·10	·30	·07	1·84		13
14	·01	—	—	—	—	·10	·71	·17	·20	·26	·07	1·04		14
15	—	—	—	—	·07	—	·01	·01	·02	—	·34	·54		15
16	·06 S	·06	—	—	·20	·01	·03	—	·02	—	·73	·29		16
17	·33 S	·53	—	—	·11	·01	·41	·02	—	·46	·27	2·50		17
18	—	·27	·02	—	—	·13	1·04	·01	—	·22	—	·35		18
19	·68	·07	·02	·32	—	·25 T	·06	·19	—	—	—	·01		19
20	·11	·23	·28	—	—	—	·13	·03	·58	·04	—	·04		20
21	·05 S	—	·04	·69	—	·01	·02	—	·09	·03	—	·02		21
22	·27 S R	·78 S R	·30	} ·37 {	·03	—	·32	—	—	·10	·01	·07		22
23	·04	·08	·11		·29	—	·13	—	—	·09	—	·04		23
24	·16	·03	—	·09	·17	—	·13	—	·05	·62	·01	·01		24
25	·23	—	·68	·59	—	—	·15	—	1·12	·46	·07	—		25
26	·39	·27 S S	·31	—	—	—	·04	—	·08	·23	·01	—		26
27	·17	·11	·14	—	—	—	·14	—	·02	·17	—	—		27
28	·54	·07 S S	·50	—	—	—	·21	—	—	·04	—	·38		28
29	·05	·10	·15	—	—	·38	·01	—	—	·11	·15	·23		29
30	·31	✕	·04	—	—	·23	·14	—	—	1·26	·02	·03		30
31	·29	✕	·22	✕	·04	✕	·58	—	✕	—	✕	·70		31
TOTAL	6·06	3·01	3·43	3·03	·97	2·01	7·63	·91	4·83	4·39	6·80	9·57	Year's Total 52·64	
* Days with .01 in. or more.	26	17	23	10	8	16	31	14	19	15	23	26	228	
* Days with .04 in. or more.	23	13	17	9	7	11	23	6	15	14	19	20	177	

† Spare column, no entries required.

(*Signed*) E. T. MacDermot [P.T.O.

* See Instruction 3 (f) on other side.

S = snow. T = thunder

COPY FOR OFFICIAL USE

Station No. 2105

Section **A** for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at LILLYCOMBE, CULBONE,
in the County of SOMERSET
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" Ground " Sea Level 1,270 ft.

Ack.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·26	·06	—	·10	—	—	·03	—	·15	·26	·06	·31		1
2	·31	1·34	·02	·10	—	—	—	—	—	—	—	·05		2
3	·05	·38	—	·20	·05	—	·12	—	·06	—	·01	·01		3
4	·32	·28	·01	·10	·06	·01	·11	·07	—	—	—	·66		4
5	·98	—	·03	·03	·01	—	·12	—	—	—	—	·23		5
6	·74	·26	·73 S	·42	·14	·01	·09	—	·05	·05	·01	—		6
7	·02	·53	—	·20	·01	·17	—	—	·17	·10	·07	·06 S		7
8	—	·06	—	—	·13	·08	·04	—	·05	·03	·04	—		8
9	·03	·05	—	·11	·14	—	·05	·14	·96	—	—	·03 S		9
10	·18	·01	·78 S	·59	—	·02	·03	·03	—	—	—	·49 R		10
11	·17	—	·18 R	·22	·74	·02	·88	—	—	—	—	·16 R		11
12	·76	·34	·28	·02	—	·34	·09	·03	·40	—	·01	·60 R		12
13	·03	·15	·35 S	·13	—	—	—	·22	·02	—	—	·17 S		13
14	—	·03	·24 S	·01	—	·01	·21 T	·06	·24	—	—	·26 S		14
15	·40	·48	·05 R	·66	—	—	·13 T	·05	·25	—	—	·16 S		15
16	·14	·19 S	·67	·19	—	·04	·06	·26	·22	—	—	—		16
17	·88	·11	·66	—	—	—	·07	·01	·17	—	·05	—		17
18	·22	·34	·24	—	—	·15	·04	·02	1·02 T	—	·29	·37 R		18
19	·52	·33	·03	·19	·03	—	—	—	·27	—	·96	·05		19
20	·63	·11	·07	·33 }	·50 +	·02	—	—	—	—	—	·27		20
21	·52	·97	—	·14 }	+	—	·08	—	·15	·09	·01	·04		21
22	·16	·01	·14 S	—	·31	—	·23	—	·01	·65	·44	·21		22
23	·20	·18	—	—	·08	—	·02	—	—	·17	·32	·04		23
24	·38	·40	—	—	—	—	·03	—	·03	·50	·04	·10		24
25	·01	·82	·44 S	—	·05	—	·01	—	—	·13	—	·03		25
26	—	·51	·06 S	—	—	—	—	—	—	—	—	·04		26
27	·06	+ } 1·20 S	—	·01	—	—	—	—	—	1·31	—	—		27
28	+ } 1·03 S	+	—	—	—	·04	—	—	—	·11	—	·04		28
29	+	✕	—	—	—	·03	—	—	—	·92	·21	·01		29
30	·20 R	✕	—	—	·01	·12	—	—	·07	·15	·59	—		30
31	·72 R	✕	—	✕	—	✕	—	—	✕	·21	✕	—		31
TOTAL	9·92	9·14	4·98	3·75	2·26	1·06	2·44	·89	4·29	4·68	3·11	4·39	Year's Total 50·91	✓
* Days with .01 in. or more.	28	26	18	19	~~14~~ 15	14	20	10	18	14	15	24	22~~0~~1	✓
* Days with .04 in. or more.	24	23	14	15	~~10~~ 11	7	15	6	16	13	11	20	17~~4~~5	✓

S = Snow. T = Thunderstorm.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) E. T. MacDermot

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2105

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Lillycombe, CULBONE,

in the County of SOMERSET.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 1,210 ft.

error in wet-day [illegible] after [illegible] noted 7/39

Circ D sent 24/3/39

[illegible] 29.3.39

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·17	–	–	·02	1·03	·13	·78 T	–	·38	·10	·86		1
2	·02	·21	–	·27	·20	–	·01	–	–	·63	·04	·20		2
3	·01	·02	–	–	·31	·05	·05	·11 T	·03	1·21	·19	·01		3
4	–	·02	–	–	·01	–	·56	·89 T	–	·57	·06	·56		4
5	·02	–	–	·08	–	–	·19	·01	·12	·57	·02	·12		5
6	·28	–	–	–	–	·35	·91	·04	·06	·53	·03	·19		6
7	·18	–	–	–	–	–	·35	·03	·02	·31	·03	·18		7
8	·65	·08	·01	–	–	–	1·07	·05	–	·99	–	·05		8
9	·63	·21	·05	–	–	·05	·03	·97	–	·06	·02	·98		9
10	·07	·03	·01	–	–	–	·32	·15	–	·09	–	·41		10
11	·59	·01	–	–	–	·06	·06	·10	–	·04	·57	·59		11
12	·82	·03	–	–	·28	–	–	–	–	·68	1·68	·06		12
13	·14	–	–	–	·13	–	–	–	–	·37	·14	·47		13
14	·78	–	–	–	·07	–	·32	–	·22	·01	–	·01		14
15	·55	–	–	–	·14	–	–	·09	–	·03	·10	·31		15
16	·86	·01 s	·18	–	·12	–	–	·02	–	·01	·08	·01		16
17	·01	·14 s	–	–	·02	–	·04	–	·25	·25	·02	·01		17
18	·42	–	–	–	·03	·09	·01	·41	·26	·13	·72	–		18
19	·07	–	–	–	–	–	·02	·25	·12	·01	·48	–		19
20	·10	–	–	–	–	–	–	·06	·02	–	·55	–		20
21	·15	–	–	–	–	–	–	·34	·34	–	·38	–		21
22	·04	–	–	–	–	·07	–	·56	–	·05	·58	–		22
23	·02	–	–	·05	–	–	–	·01	·02	–	·49	·02 s		23
24	·14	·02	·21	–	·14	·01	·02	·07	·02	·01	·38	–		24
25	·21	·36	·15	–	·24	–	·13	–	–	·30	1·42	–		25
26	·40	·46	·07	–	·21	·35	·02	–	–	·15	·11	·12 R		26
27	·27	·32	·01	–	·55	·08	·30	1·33	·08	·01	·74	–		27
28	·21	·34	–	–	·10	·46	·03	·87	·12	·03	·22	·07		28
29	·19	✕	·05	–	·79	·26	·02	–	·13	·33	·61	·17		29
30	·09	✕	·09	–	·05	·07	02	–	·27	·04	·57	·04		30
31	·89	✕	·05	✕	·61	✕	–	–	✕	·41	✕	·62		31
TOTAL	8·81	2·43	·88	·40	4·02	2·93	4·61	7·14	2·08	8·20	10·33	6·06	Year's Total ~~55·03~~ ✓	57·89
* Days with .01 in. or more.	29	16	11	3	19	13	22	21	16	28	27	23	228 ✓	
* Days with .04 in. or more.	24	9	8	3	15	12	13	17	11	21	22	18	17~~2~~3 ✓	

S = Snow. T = Thunder.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) E. T. MacDermot

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2105

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Lillycombe, Culbone

in the County of SOMERSET.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1,210 ft.

B~~LA~~ E.R.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·39	–	·21	·05	·38	–	–	–	·03	·01	·16	·32		1
2	·22 s	–	·01	·07	–	–	·01	·49	·17	–	·09	·29		2
3	·33 R	–	·11	·09	–	–	–	·06	·04	–	·04	·60		3
4	·05	–	·49	·36	·30	–	·36	·01	–	·20	·91	·55		4
5	·01	–	·04	·91	·13	–	·33	·03	–	·18	·80	·02		5
6	·58	–	·02	·03	–	–	1·35	·03	–	–	·09	–		6
7	·24	·30	·04	–	·01	–	·19	·05	–	–	·29	·90		7
8	·24	·72	·11	–	·02	–	·44	·03	–	·55	·46	·36		8
9	·09	·16	·06	–	–	–	–	·39	–	·14	·04	·25		9
10	·43	·03	·02	–	–	–	–	·07	·31	·15	·01	·72		10
11	·13	·07	·12	–	–	–	–	–	–	·22	–	·02		11
12	·18	·04	–	·07	–	·02	–	–	·15	·05	·02	–		12
13	·13	·01	–	·22	·04	·05	·31	–	·03	·20	·08	–		13
14	·86	·02	·04	·05	·05	·17	·23	–	–	·18	·43	·01		14
15	·72	·07	·01	·25	·05	·66	·14	–	–	·06	·47	·01 s		15
16	·25	·02	·01	·09	·20	–	–	–	–	–	1·41	–		16
17	·72	·08	–	–	·04	·15	·17	–	–	–	·11	–		17
18	·21	·28	·09	–	–	·03	·71	–	–	–	1·20	·06 s		18
19	·39	·01	·01	–	–	–	·07	·46 T	–	–	–	·04 R		19
20	·38	–	·02	–	·01	–	·03	1·27 T	–	–	–	·01		20
21	·10	·30	·29	·04	·06	·37	·06	–	·07	–	–	–		21
22	1·77	·79	·18	·20	–	·37	·12	–	·01	–	·63	–		22
23	·01	·15	·11	·39	–	·09	·44	–	–	·09	1·19	–		23
24	·57 s	·07	·19	·13	–	·71	·36	–	–	·05	·01	–		24
25		·29	·01	·35	–	–	·18	·01	–	·08	1·36	–		25
26	–	·02	–	·21	–	–	·01	·53	–	·12	1·75	–		26
27	–	·24	·08 s	·01	–	·08	·15	·29	–	–	·18	–		27
28	·07 R	·26	·09 R	·47 s	–	·25	·40	–	–	–	·63	·16		28
29	·09 s	×	–	·05 R	–	–	·26	–	–	·25	·80	–		29
30	–	×	·02	1·11	–	32	·18	–	–	·18	·28	–		30
31	–	×	–	×	–	×	·03	·09	×	·36	×	–		31
TOTAL	9·16	3·93	2·38	5·15	1·09	3·27	6·53	3·81	·81	3·07	13·44	4·32	Year's Total ~~56·96~~	56·86
* Days with .01 in. or more.	26 ~~27~~	21	25	21	12	13	24	15	8	18	26	16	~~226~~	255
* Days with .04 in. or more.	24 ~~25~~	15	16	19	9	11	20	10	5	17	23	11	~~181~~	180

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) E. T. MacDermott

P.T.O.

COPY FOR ~~OFFICIAL USE~~

Section **A** for the entry of Daily Observations

Station No. 2105

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at Lillycombe, Culbone

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 1,210 ft.

BA

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY ✓

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in. T	in.	in.	in.	in.	in.	in.	in.		
1	—	—	—	·15	·34	—	—	—	—	—	·46	—		1
2	—	·03 S	—	·17	—	—	·14	—	—	—	3·21	—		2
3	—	·57 R	—	·10	—	—	—	—	—	·30	1·25	✓·13		3
4	—	·18	—	·05	—	—	·17	—	—	·20	·11	·24		4
5	—	·01	—	—	—	—	·04	—	—	1·05	·82	·55		5
6	·22	·32	—	—	—	—	·06	—	—	·94	·27	·26 H		6
7	·05	·17	—	·04	·02	—	·23	—	·19	·06	—	·05		7
8	—	·01	—	—	—	—	·02	—	—	·17	·30	·44		8
9	—	—	—	—	—	—	·28	·23	·09	·27	1·07	·60		9
10	—	—	—	—	—	—	·39	·01	·18	·24	·21	·17		10
11	—	·05 S	·02	·09	—	·02	·70	—	—	—	1·68 ✓	—		11
12	—	—	·31	—	—	·12	1·48	—	·84	—	·44	—		12
13	—	·03 S	·74	—	—	—	·06	·01	·07	·17	·29	·16		13
14	—	·02 S	·02	·08	·01	—	·05	·05	·37	·40	·03	·43		14
15	—	—	·04	·19 S	·08	—	·02	—	·24	—	·28	·02		15
16	·07 S	*·99 S	·29	·06 S	—	—	·35	—	·35	1·08	·03	—		16
17	—	·13 S	·42	·18 S	—	—	·35	—	·03	·01	—	·14		17
18	·90 S	·86 R	·54	1·05 R	—	—	—	·11	·21	·14	·03	·48		18
19	—	·10	·14	·20	—	—	·63	—	·64	·01	·41	—		19
20	—	·02	·09	·09	—	—	·21	·06	·04	·13	—	·03		20
21	—	·01	·04	·01	·41	·46	—	·01	—	—	1·60	—		21
22	—	·05	·13	·21	·12	·11	—	—	·18	·01	—	—		22
23	—	·36	·22	·03	·03	·02	—	—	·03	·25	·15	—		23
24	·02 R	—	·03	—	·01	·02	·54	—	—	·01	·01	—		24
25	·17	—	·05	·24	·17	·10	—	—	—	—	—	—		25
26	1·75	·49	—	·02	·24	—	·45	·05	—	—	·11	·02		26
27	·66	·57	·03	·16	·23	—	·04	—	—	—	—	·01		27
28	·13	·03 S	·03	·02	·28	—	—	·05	—	—	—	·02		28
29	28 S	19 S	·35	·64	·01	·03	—	—	—	·04	—	·25		29
30	—	×	·04	·03	—	—	—	—	—	·59	—	·12		30
31	·14 R	×	·24	×	—	×	—	—	×	·84	×	·16		31
TOTAL	4·39	5·19	3·77	3·81	1·95	·88	6·21	·58	3·46	6·91	12·46	4·28	Year's Total 53·89 ✓	
* Days with .01 in. or more.	11	22	20	22	13	8	20	9	14	21	21	20	201 ✓	
* Days with .04 in. or more.	11	14	15	17	8	4	18	6	12	17	17	15	154 ✓	

S = Snow. T = Thunder. H = Hail

* See Instruction 3 (f) on other side.

*See back.

† Spare column, no entries required

(Signed) E. T. MacDermot

P.T.O.

2108

Section **A** for the entry of

COPY FOR OFFICIAL USE.

AIR MINISTR

L ORGANIZATION.

FORM 1090.

REGIS

.

2108

DULVERTON

EXE VALLEY FISHERY

1931 — 40

780401

Kept at Exe Valley Fish

in the County of Some

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea l

THE MORNING MEASU

Y.

An observer who does not conform to

year in the space on the right of th

following

Jan. 1, following ·79

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	·02	·13					·03		·90	·04			1
2	·17	·04		·75		TR	TR		·65	·04	·12	·33	2
3	·04		·72				·03	·01	·63		1·80	·31	3
4	·03		·09	·11	·04	·23	·50	·59	·35	·06		·02	4
5		·26		·15	TR	·54	·02	·09			·14	·33	5
6		·06		·01	·05	·32	·33	·01		·37	·16	·52	6
7		TR			·18	·06	·03	·21		·11	·63	·10	7
8		·19		·13		·27	·01	·21		TR	·07	·10	8
9		·33			TR	·02	·05	TR			·75	·02	9
10		·04			·07	·04	·08	·01	·11		·37		10
11	·30	·74	TR			·15	·03	·01	·08		·30	·01	11
12	·05	·07		TR			·54		·10	·16	·05		12
13		·04	·01		·09		·29	·13		·01	·01		13
14	·05	·09			·20	·30	·46	·34	·02		·72		14
15	TR	·18		TR	·03	TR		·64	·03			·01	15
16	·12	·25		·27	·24	·79	·01	·72	·08		TR		16
17	·008	·04		·23		·20	·50				·01		17
18	·08			·03		·22	{·22	·75	·01		·26		18
19	·12	·07	·05	·15		·06		·16	TR		·23	TR	19
20		·15	·17					·90			·40		20
21	·17		·05		·13						·09		21
22	·50	·19			·05						·01		22
23	·32	·04		·43	·48	TR					·34	TR	23
24		·04		·59	·11	TR	·01	·13				TR	24
25	·55	·20		·50	·01		·29				·08	·03	25
26		·25		·38			·27				·90	TR	26
27	·15	·29			2·20		·05			·02	·17	·03	27
28	·34	·20	·10	·08	·17		·15	·03		·13		·19	28
29	·18		·08		·03		·09	{·12		·11	·08	·19	29
30	·11	X			·02		·04		·01	TR			30
31	1·45	X		X	·24	X			X		X	·35	31 44·84
TOTAL	4·7~~58~~6	3·99	1·27	3·78	4·34	3·20	4·63	5·06	2·47	1·05	7·75	2·54	YEAR'S TOTAL ~~43·73~~
*Days with ·01 in. or more.	19	23	8	14	18	13	23	18	12	10	23	15	196
*Days with ·04 in. or more.	17	23	7	13	16	12	16	13	9	8	21	9	164

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) G. C. Hartley

EXE VALLEY FISHERY CO.

P.T.O.

2108

Section **A** for the entry o [redacted] COPY FOR OFFICIAL USE.

AIR MINISTRY—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Exe Valley Fishery, Dulverton

in the County of Somerset.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 3 ft. - in.

,, Ground ,, Sea Level 420 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ·79

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·13					·03		·90	·04			1
2	·17	·04		·75		TR	TR		·65	·04	·12	·33	2
3	·04		·72				·03	·01	·63		1·80	·31	3
4	·03		·09	·11	·04	·23	·50	·59	·35	·06	[illegible]	·02	4
5		·26		·15	TR	·54	·02	·09			·14	·33	5
6		·06		·01	·05	·32	·33	·01		·37	·16	·52	6
7		TR			·18	·06	·03	·21		·11	·63	·10	7
8		·19		·13		·27	·01	·21		TR [illegible]	·07	·10	8
9		·33			TR	·02	·05	TR			·75	·02	9
10		·04			·07	·04	·08	·01	·11		·37		10
11	·30	·74	TR			·15	·03	·01	·08		·30	·01	11
12	·05	·07		TR			·54		·10	·16	·05		12
13		·04	·01		·09		·29	·13		·01	·01		13
14	·05	·09			·20	·30	·46	·34	·02		·72		14
15	TR	·18		TR	·03	TR		·64	·03			·01	15
16	·12	·25		·27	·24	·79	·01	·72	·08		TR		16
17	·008	·04		·23		·20	·50				·01		17
18	·08			·03		·22	{·22	·75	·01		·26		18
19	·12	·07	·05	·15		·06		·16	TR		·23	TR	19
20		·15	·17					·90			·40		20
21	·17	[illegible]	·05		·13						·09		21
22	·50	·19			·05					[illegible]	·01		22
23	·32	·04		·43	·48	TR				[illegible]	·34	TR	23
24		·04		·59	·11	TR	·01	·13				TR	24
25	·55	·20		·50	·01		·29				·08	·03	25
26		·25		·38			·27				·90	TR	26
27	·15	·29			2·20		·05			·02	·17	·03	27
28	·34	·20	·10	·05	·17		·15	·03		·13		·19	28
29	·18		·08		·03		·09	{·12		·11	·08	·19	29
30	·11	✕			·02		·04		·01	TR			30
31	1·45	✕		✕	·24	✕			✕		✕	·35	31
TOTAL	4·7~~5~~6	3·99	1·27	3·78	4·34	3·20	4·63	5·06	2·47	1·05	7·75	2·54	YEAR'S TOTAL ~~[illegible]~~ ~~43·738~~ 44·84
*Days with ·01 in. or more.	19	23	8	14	18	13	23	18	12	10	23	15	196
*Days with ·04 in. or more.	17	23	7	13	16	12	16	13	9	8	21	9	164

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) ~~G. C. Hartley~~

X EXE VALLEY FISHERY Co. X

P.T.O.

2108

Section **A** for the entry of Daily Observations.   Station No. 2108.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Exe Valley Fisheries Ltd.
in the County of Somerset.
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 3 ft. – in.
" Ground " Sea Level 420 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following. ·48.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·79			·36	·05		·32	·38	·42	·05	·05	·02	1
2	·17			·04	·24		TR	·03	1·06	·01	·01	·41	2
3	·01			·03	TR		·01		·28	·08	·02	·04	3
4	·02					TR	·01	·10			·23		4
5	·91		·06		·01		·01		·38				5
6	·99		·07	·62			·45	TR	·42	TR			6
7	·28		·09	·08			TR		·82	1·23			7
8		TR	·80	·03	·19				·61	·22			8
9	·84	TR		·31	TR					·07			9
10	·84			·26	·01				·17	·25			10
11	·04			·12	·06			·01	·08	·17		·03	11
12	·88			TR	·51				·14	·52	TR	TR	12
13	·12			·15	·01		·27	·24	·01	·75	·02	·31	13
14	·36			·04	·13					·05	·25		14
15	TR			·03	·10		TR				·02	·14	15
16	·17			·19	TR		·42			·08			16
17	TR			TR	·02		TR		·04	·09	TR		17
18					·14				·36	TR	·32		18
19	·01			·13	·14	TR			·07	·59			19
20				·15	·88		·01	·10	·01	·66	·20	·13	20
21			·11	·21			·05	1·48	·01	·64	·07		21
22				·11	·04		·02		·59	·19	·44	·09	22
23							·32		·01	·57	·12	·28	23
24					·03		·17			·11	·07	TR	24
25	TR	TR	·24				·58		·16	·83	·18		25
26		TR	·09	·14		TR	·14		·07	·38	·21	TR	26
27			·60	·30	·10		·16			·54	·01	TR	27
28			·25	·19	·05	TR	·34		TR	TR	·01	·10	28
29			·87	·11	·16	·48	·07	·49	·62	·77		·46	29
30		X	·38	·02	TR	·89	·61	·07	·77	·08	·83	·04	30
31		X	·04	X	·02	X	·15		X	·02	X	·57	31
TOTAL	6·43		3·60	3·62	2·89	1·37	4·11	2·90	7·10	8·95	3·06	2·62	YEAR'S TOTAL 46·65
Days with ·01 in. or more.	15		12	22	20	2	19	9	22	25	18	13	177
Days with ·04 in. or more.	12		12	18	14	2	14	7	18	23	12	11	143

40-12-1-27
144w)

(Signed)..

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A.** for the entry of Daily Observations.

Station No. 2108

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1933.

Oct. corrd. for arithmetic
Obs. notified 9/6/34.

Kept at Exbridge Dulverton

in the County of Somerset

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 3 ft. – in.

,, Ground ,, Sea Level 420 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·48	·38	·15		·06	·01			TR	TR	·06	·61		1
2	·24		·59		·55	·40					·02	·08		2
3	·01	·25	·10		·02									3
4	·23	·08	·05		·08									4
5	·17	·02	·48		·21					TR		TR		5
6	TR	·42	·04		{·13		·07			·11	TR			6
7		·23	·01				·04	TR		·05		TR		7
8	·31	·10	·01		·12		·21	TR		·14				8
9		·04			·74		·28			·51	·03			9
10	·07	·16			·01		·02	·01		1·80	·06			10
11	·02					TR	·10	·20		·21				11
12				·07	·01	·09	·29		·60	·03		TR		12
13			TR		·11	·04	·29	·10		·12	·09	TR		13
14	·11						·04	·05		·01	·23			14
15	·43		·20				·07	·04		·09	TR	TR		15
16	TR	·01	·65			·05		·02		·05				16
17	·08	·07	·32			·15	TR		·05					17
18	·08		·36			·23			TR		·02			18
19	·06	·04	·33			·02	·01	·07	·07	TR	·42			19
20		·04			TR	·07		·07	·14		TR			20
21		·02				·12		·21		·07				21
22				{·47	·09	·18		·48	·17	TR				22
23		·90				·18			·15	·21				23
24		·31		·11	TR			·03	·08	TR				24
25		·53		·10		·25			·10	·01		·09		25
26		·46		·10	·44					·20				26
27		TR			·04				·02	·66		·34		27
28		·30		·41	·02		·12			·37		·02		28
29	·05		TR	·09			·02			TR				29
30	·02	✕	·16	·01			·07		·03	·06		·05		30
31	·29	✕	TR	✕	TR	✕	TR		✕	·15	✕			31
TOTAL	2·65	4·36	3·45	1·36	2·63	1·79	1·63	1·28	1·41	4·85 ~~3·85~~	·93	1·19	Year's Total 27·53 ~~26·53~~	
*Days with ·01 in. or more.	16	19	14	8	15	13	14	11	10	19	8	6	153	
*Days with ·04 in. or more.	13	16	12	7	11	11	11	8	8	16	5	5	123	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

P.T.O.

10090

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2108

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Exbridge. Dulverton.
in the County of Somerset.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 3 ft. - in.
,, Ground ,, Sea Level 420 ft.

Totals

Gauge leaking, repaired — April 1935. — Encl 26A f 7100 90/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05					.02		.37	.03	.02	.19	.20		1
2	.10		.07					.20	.48	.02	.10	.24		2
3	.01	.01			.06			.03	.01	.17	TR.	.26		3
4	.23		.07	.12	.37			.12	.04	.40		.40		4
5			.10	.02	.14	.07		.82		.09	.37	.57		5
6	TR		.39	.11	.49			TR.	.01	.26	.05	.28		6
7	.08				TR.			.07		.19	.08	.28		7
8	TR.				.11				.03	.05	.19	.36		8
9			.08	.08				TR.		.01	.21	.15		9
10	.23		.38	.19				.12		.02	.06	.05		10
11	.74			.28			TR	.19				.28		11
12	.24	TR		.13				.29				.04		12
13	.46			.21						.11		.21		13
14	.79		.56	TR						.09	.04	.09		14
15	.19		.23	TR.	.08		.02	.02	TR.	.33	.08	.25		15
16	.19		.27		TR.	TR		TR.	.25	.01		.17		16
17	.52		.05	.14	TR.		TR		.27	.03		.14		17
18	.21		.20	.55		.01			.05	.01		.34		18
19	.01		.24		TR.	.06	TR.	.03	.10	.01		.29		19
20			.05	.09	TR	TR.	.20					.01		20
21			.08	TR.	.03	.17		.02	TR.	.17	.01	.12		21
22	.02		.06		TR			.08	.23	.01		.58		22
23	.01		.02	.15		.25	TR	.04	.10	.02		.12		23
24		.24	.05			.12	.18		.03	.05		.02		24
25	.24	.13	T.R.	.38		.63	TR.		TR	.12		.20		25
26	.05			.07		.32	.01		.17	.03	.03	.13		26
27		TR.		.02		.09		TR.		.07		.15		27
28		TR.		.06			.11	.29	.27	.07	TR.	.63		28
29							.06	.22	.09	.14	.01	.04		29
30	.02	×					.02	.04	.05	.22		.15		30
31		×		×	.08	×	.03	.01	×	.07	×	.08		31
TOTAL	4.39	.38	2.90	2.60	1.36	1.74	.63	2.96	2.21	2.79	1.42	6.83	Year's Total. 30.21	
* Days with .01 in. or more.	20	3	17	16	8	10	8	18	17	28	13	31	189	
* Days with .04 in. or more.	15	1	16	14	7	8	4	13	14	17	10	29	148	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2108

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Exbridge Dulverton

in the County of Somerset.

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

Total rainfall for Jan Feb Mar. computed using average of [illegible] & this station. Rain gauge leaking first 3 mos. Observer notified

25.3.36

Ave. 44·1

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ·02

daily values not adjusted

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	·07	·20			·05	·03		·24	·26	·02	·43		1
2		·11				·15	·01		·26	·24	·09	·15		2
3	TR	·10	·10	·02	·05	·09	·02		·61	·25	·19			3
4	·02	·20		·18	·05	·09	TR		·03	·14	·24	·42		4
5	TR	·42	·05	·09		·16			·18	·51	·16	·06		5
6				·51		·70					·06	·20		6
7				·69		·08				·42		·13		7
8				·28				·02		·42	·22	·07		8
9	·01			·58		·03			·01	·85	·49			9
10			·12	·24		·11	·02			·06	TR	TR		10
11	·27	·01				·25			·18	·08	·47	TR		11
12	·04	·17				·21		TR	·01	·03	·06			12
13	·03	·13		·22		·01			TR	·03	·30			13
14		·12		·31		·04			·07	·02	1·10	·21		14
15		·20		·69	·14	·09		TR	·36	TR	·15	·22		15
16		·04	·07	·28		·04	·01	·01	·69	·06	·81	·05		16
17	TR			·08	1·27	·36	TR	·23	·29	·14	·06			17
18		·04		·49	·05	·03	·05	·17	·58	·12	·01	·05		18
19				·11	·29	·05	·18		·26	·31	·18			19
20		·11		·33	·08	·01	·09				·25			20
21	TR	·14		·20			·07		·05	·09	TR			21
22		·05	·12	·42					·06	·02				22
23		·01	·39	·01	·01			·42	·19	·32		·26		23
24	·04	·14	·01	·03	·15	·02		·26	·30	·07		·24		24
25	·25	·82		·01	·01	·03						·44		25
26		·17				TR		·32	·12	·06	·14	·68		26
27		·11				TR	·06	·15	·09	·23	·17	·47		27
28	·02	·14			TR		·01	·34	·08	·17	·11	·02		28
29								·08	·21	·09	·22	·39		29
30	·04	×				·07		·62	·18	·04	1·73	·75		30
31		×		×	·04	×		·08	×	·70	×	·18	d	31
TOTAL	(1·27) ·74	(5·26) 5·30	(1·80) 1·06	5·77	2·14	2·66	·55	2·70	5·05	5·92	7·23	5·47	Year's Total. ~~42·59~~	(45·82)
* Days with .01 in. or more.	10	21	8	21	11	22	11	12	23	27	23	20	(209)	
* Days with .04 in. or more.	5	19	7	17	9	16	5	10	20	23	21	19	(171)	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side

(Signed) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** ....

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Exebridge. Dulverton.

in the County of Somerset.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 3 ft .... in.

,, Ground ,, Sea Level 450 ft.

[illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ·02

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·07	·20			·05	·03		·24	·46	·02	·43		1
2		·11				·05	·01		·26	·24	·09	·15		2
3	TR.	·10	·10	·02	·05	·09	·02		·61	·25	·19			3
4	·02	·20		·18	·05	·08	TR.		·03	·14	·24	·47		4
5	TR	·42	·05	·09		·16			·18	·51	·16	·06		5
6				·51		·72					·06	·20		6
7				·69		·08				·42		·13		7
8				·28				·02		·42	·22	·07		8
9	·01			·58		·03			·01	·85	·49			9
10			·12	·24		·11	·02			·06	TR.	TR.		10
11	·27	·11				·25			·18	·08	·47	TR.		11
12	·04	·17				·21		TR.	·01	·03	·06			12
13	·03	·13		·22		·01			TR.	·03	·30			13
14		·12		·31		·04			·07	·02	1·18	·21		14
15		·20		·69	·14	·09		TR.	·36	TR.	·15	·22		15
16		·04	·07	·28		·04	·01	·01	·69	·06	·81	·05		16
17	TR			·08	1·27	·36	TR.	·23	·29	·14	·06			17
18		·04		·49	·05	·03	·05	·17	·58	·12	·01	·05		18
19				·11	·29	·05	·18		·26	·31	·18			19
20		·11		·33	·08	·01	·09				·25			20
21	TR.	·14		·20			·07		·05	·08	TR.			21
22		·05	·12	·42					·06	·02				22
23		·01	·39	·01	·01			·42	·19	·32		·26		23
24	·04	·14	·01	·03	·15	·02		·26	·30	·07		·24		24
25	·25	·82		·01	·01	·03						·44		25
26		·17				TR.		·32	·12	·06	·14	·68		26
27		·11				TR.	·06	·15	·09	·23	·17	·47		27
28	·02	·14			TR.		·01	·34	·08	·17	·11	·02		28
29	[illegible]							·08	·21	·09	·22	·39		29
30	·04	×				·07		·62	·18	·04	1·73	·75		30
31		×		×	·04	×		·08	×	·70	×	·18		31
TOTAL	·74	3·30	1·06	5·77	2·14	2·66	·55	2·70	5·05	5·92	7·23	5·47	Year's Total. 42·59	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

40-9999

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) G. C. Hartley

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2108

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Exbridge, Dulverton.

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 3 ft. — in.

,, Ground ,, Sea Level 450 ft.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	.19	.04	.16		.09	1.02	.05			.09	.18		1
2				.03		.19	.67	.10	.02		.10	.01		2
3	.11	.01	.11	.41		.17	.15	.17	.86		.08	.05		3
4			.19			.09	.04		1.13		.11	.48		4
5	.43	.01	.05				.42	.05	.15		TR.	.07		5
6	.07		.03			.02	.31	.16	.10		.19	TR.		6
7	.39		.11				.42		.08		2.17	.06		7
8	.25		.50				.98		.02		~~2.17~~	.03		8
9	.44	.02	.18			.01	.12		.05		.25			9
10	.04	.03					TR.				.29			10
11	.25				.07	.14	.07	.05	.11		.77	.04		11
12				.08	TR.		.75	TR.	.31	.06	.36			12
13	.08		TR.	.01			.14	.01	.02	.17	.13	.79		13
14		.01	TR.	TR.		.09	.64		.09	.07	.04	.46		14
15					.08		.07		.27		.29	.17		15
16	.01	.10		.09	.24		.08		.01		.28	.15		16
17	.36	.70			.12		.14	TR.			.08	.62		17
18	.05	.20	.01		.02	.08	.80	.01		.38		.17		18
19	.50	.02	.03	.37		.57	.08	.17						19
20	.11	.41	.15	.01		TR.	T.R.	.01	.22			.01		20
21	.06		.08	.69		.04	.01		TR.					21
22	.28	.37	.39				.16					.02		22
23	.03	.10	.12	.19	.06		.05			.05				23
24	.11	.02	.01	.04	.13		.03		~~.04~~	.36				24
25	.37		.26	.17	.01		.26		.27	.53	.03			25
26	.20	.21	.25	.03			.05			.30				26
27	.17	.02	.06			.01	.16		.04	.23				27
28	.61	.01	.49			.26	.23			.01		.21		28
29	.09	.20	.03			.49				.11	.06	.17		29
30	.15	✕	.08			.17	.03			.29				30
31	.30	✕	.34	✕	.03	✕	.10		✕	.17	✕	.45		31
TOTAL	5.48	2.63	3.57	2.28	.76	2.52	7.38	.78	3.79	2.73	5.32	4.14	Year's Total 41.32	
* Days with .01 in. or more.	26	18	22	13	9	15	28	10	17	13	17	19	207	
* Days with .04 in. or more.	23	9	17	9	6	12	25	7	13	12	16	15	164	

† Spare column, no entries required.

(Signed) G. C. Hartley

[P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 2108

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Exe Valley Fishery
in the County of Somerset
Diameter of Funnel of Gauge..................in.
Height of top of Gauge above Ground.........ft.........in.
,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		·09		·05	·14						·14			1
2				·10			·04				1·69	·03		2
3		·46		·02						·16	1·67	·11		3
4		·20		·27			·27			·33	·03	·09		4
5				TRC			·09			·38	·74	·43		5
6		·40		·01			·08			·42	·18	·24		6
7	·06	·05					·38	TR	TR	·01		·8		7
8								TR		·42	·18	·47		8
9							·46	·05	·06	·25	1·04	·47		9
10			·02				·17	·06	·07	·25	·24	·37		10
11		·10				TR	·78			TRC	1·25	·01		11
12			·36			·07	·82		·50		·14			12
13		·01	·50				·50		·07	·36	·59	·05		13
14			·07	·11	·04		TR	·04	·14	·49	·08	·65		14
15		·05	·01	·11	·12		·01		·23	·01	·42	TR		15
16	·07	·73	·40	·06		TR	·05		·15	·53	·08	·04		16
17		·11	·53				·09		·06	·01	·01			17
18	·22	·81	·36	·61			·01		·10	·03	·03	·28		18
19		·05	·19	·14			·59		·29		·23			19
20			·05	·02			·25	·11	·31	·10	·10			20
21			·01		·21	·16	·02	TR.	·006		·38			21
22			·13	·24	·20	·38			·13	·01				22
23		·15	·17	·03	·11	TR			·03	·37				23
24			Tr	·01	·03	·09	·34							24
25	·12		·01	·01	·12	·09					TR			25
26	1·20	·22			·33		·18				·02			26
27	·52	·10	·02		·10	·01	·07							27
28	·65			·37	·17					·01	~~·05~~	·04		28
29	·14	·12	·29	·58	[illegible]	·09						·43		29
30	·01	✕	·01	·15	·01					·37		·25		30
31	·07	✕	·03	✕		✕			✕	·68	✕	·30		31
TOTAL	3·08	3·63	3·16	3·09	1·58	·89	5·20	·26	2·14	5·19	9·34	4·17	Year's Total 41·73	
* Days with .01 in. or more.	10	16	18	18	12	7	20	4	13~~4~~	17	21	18	174	
* Days with .04 in. or more.	9	15	11	12	10	6	17	4	12	11	17	16	140	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) S. A. Young

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2108

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Eskbridge

in the County of

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 420 ft.

Days ✓ H

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·29		·01	·16			·01		·16	·12	·07	·39	1
2	·42	·64		·17					·06			·10	2
3	TR	·27	·03	·22	·18	TR	·03		·02	—		·08	3
4	·17	·37		·06	·14	TR		·02				·54	4
5	·97	TR		TR	TR		·22					·15	5
6	·37	·34	·31	·34	·06	TR	·14			·01			6
7		·68	·62	·33		·09			·06	·01		·14	7
8		·08			·36	·04	·05				·07		8
9	TR	·04	·11	·05			·02	·06	·87			·09	9
10	·09	·02	·71	·38		·05	·01	·03				·34	10
11	·01		·22	·17	·59	·02	·45	·04				·05	11
12	·31	·38	·15			·29	·07	·09	·34			·18	12
13		·11	·86	·20		·05		·32	·01			·07	13
14		·01	·26	·01			·14	TR	·09			·19	14
15	·58	·21	·09	·50			·08		·11			·22	15
16	·21	·17	·63	·03			·02	·52	·46	—			16
17	1·15	·10	·60					·02	·14		·09		17
18	·17	·28	·34			·18			·10		·18	·32	18
19	·02	·14	·04	·28	·05	·01			·35		·41	·02	19
20	·72	·06	·05	·32	·04			—	·05			·28	20
21	·47	·91	·16	·16	·23		TR		·10	·12	·09	·02	21
22	·12	·01	·11		·30		·13		·01	·66	·47	·03	22
23	·25	·23	·01		·03		·24			·19	·70	·02	23
24	·77	·59	·05				·03		·02	·90		·04	24
25	·02	·99	·34						TR	·19		·02	25
26		·34	·62		·14								26
27		·44								·34			27
28	·27	·36				·01				·09		TR	28
29	·62					TR				·54	·21	·01	29
30	·40	✕				·25			·06	·21	·42		30
31	·40	✕		✕		✕			✕	·28	✕		31
TOTAL	8·20	7·76	5·12	3·38	2·12	·99	1·64	1·10	3·01	3·66	2·71	3·27	YEAR'S TOTAL 42·95 ✓ 6
*Days with ·01 in. or more.	23	25	22	16	11	10	15	8	18	13	10	22	193 ✓
*Days with ·04 in. or more.	19	22	17	14	10	7	9	5	14	11	10	16	154 ✓

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2108

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Exbridge, Dulverton

in the County of Somerset

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 3 ft. – in.

,, Ground ,, Sea Level 420 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·76			TR	·93	·04	·35		·46	·10	·72		1
2		·01		·18	·08					·62	·11	·32		2
3					·17	·03	·06	·01		·73	·04	TR		3
4	·01					·04	·52	1·47	·02	·84	·05	·13		4
5	·03					·02	·09	·05	·02	·68	TR	·16		5
6	·20					·11	·93		·06	·23		·12		6
7	·18						·37	·08	·06	·26	TR	·15		7
8	·74	·07					·17	·03		·69		·03		8
9	·59	·19				·11		·04		·03		·83		9
10	·15	·02					·19	·11		·06		·85		10
11	·24						·04	·86			·30	·70		11
12	·52	·01			·26		·01			·40	1·08			12
13	·08				·08			TR		·09	·11	1·21		13
14	·43				·18		·36		·02					14
15	·26						TR	·05		·06	·18	·48		15
16	·50		·02		·02			·16			·25	·01		16
17		·16			TR		·01		·12	·33	·04			17
18	·35				·07	·08	TR	·12	·36	·06	·42			18
19	·02						TR	·07	·09	·01	·68	TR		19
20											·26	TR		20
21	·11					·01		·06	·11		·21	·16		21
22	·04			·15		·09		·46		·04	·43			22
23				·01		·01		·01			·21	·09		23
24	·07		·21		·10	TR		·03	·05		1·17			24
25	·30	·14	·04		·28		·10			·07		·06		25
26	·38	·58	·10		·30		·02			·20	·17	·10		26
27	·38	·32			·41	·30	·25	·44	·01	·07	·34			27
28	·33	·23	·01		·16	·24	·02	·47			·02	TR		28
29	·37		·02		·40	TR			·12	·21	·42	·07		29
30	·14	✕	TR		·10	·01			·38	·01	·42	·10		30
31	·48	✕		✕	·31	✕			✕	·32	✕	·37		31
TOTAL	6·81	2·05	·40	·34	2·87	1·98	3·18	4·87	1·42	6·47	7·01	6·66	Year's Total 44·06	✓
* Days with .01 in. or more.	25	11	6	3	15	13	16	19	13	23	22	20	186	✓
* Days with .04 in. or more.	21	8	3	2	14	8	12	15	9	20	21	18	151	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) S. A. Young

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2108

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Exbridge

in the County of Somerset

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 3 ft. – in.

,, Ground ,, Sea Level 420 ft.

Total

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·22		·05	·05	TR		·23	·01			·19	·05		1
2	·18			·18				·41	·23		·44	·21		2
3	·25		·05	·68			TR	·11	·37		·08	·61		3
4	·01		·47	·72	·43		·43	·01		·34	·73	·44		4
5			·03	·27	·01		·73			·22	·60	·06		5
6	·77		·09				·56	·03		·05	·23		·15	6
7	·11	·14	·01				·11	·01			·14	·53	·07	7
8	·07	·30	·02		·05		·72	·06		·55	·73	·25		8
9	·14	·08	·03					·07		·25	·23	·07		9
10	·29		TR			·04		·14	·13	·17		·27		10
11	·05		·10					TR		·28	TR			11
12	·14	·11		TR					·02	·13	·01			12
13				·19	·01	·11	·17		·10	·29	·01			13
14	·69			·06	·08	·14	·49		·02	TR	·12	·04		14
15	·50	·02		·14	·14	·61	1·08			·05	·44			15
16	·11			·11	·11		1·31				·82			16
17	1·02	·02			·02	·12	·41				·21			17
18	·12	·14	·05			·06	1·07			·02	·79			18
19	·24						32					TR		19
20	·45				·01	·32	·02	1·27						20
21	·11	·17	·32		·05	·14	·03	·23						21
22	1·37	·33	·32	·02	·02	·40	·16			·02	·56			22
23	·02	·05	·06	·42			·13			·13	·81			23
24	·42		·16	·07		·30	·29	·01		·30				24
25	1·60	·39					·16	·01		·20	1·03			25
26	·08	·18		·07			·01	·41		·22	·98			26
27		·14	·04			·04	·02	·36		·02	·28			27
28		·14	·03	·36		·10	·05	TR			·77	·06		28
29	·04			·10		·03		TR		·29	·28			29
30		✕		·39		·12	·13	TR		·18	·09			30
31		✕		✕		✕	·12	·18	✕	·52	✕			31
TOTAL	9·03	2·21	1·83	3·83	·93	2·53	8·15	3·32	·87	4·23	10·67	2·79	Year's Total 50·39 ✓	
* Days with .01 in. or more.	24	14	16	16	11	14	24	16	6	20	24	11	196 ✓	
* Days with .04 in. or more.	23	12	11	15	6	13	20	10	4	17	22	11	164 ✓	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) S. A. Young [P.T.O.

2109

Section **A** for the entry of

AIR MINISTRY

OPY FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

REGIS

2109

BRUSHFORD RECTORY

1931 —— 40

780401

Kept at Brushford Re

in the County of Somers

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea L

THE MORNING MEASU

An observer who does not conform to … *llowing*

year in the space on the right of thi

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1		·14		·21			·05		·54	·07			1
2	·23	·03		·76					·75	·05	·15	·16	2
3	·04		·65				·05	·03	·65	·03	1·70	·36	3
4	·04		·12	·12	·05	·18	·66	·60	·30	·11		·02	4
5		·32		·20		·52	·02	·08			·10	·36	5
6		·06		·04	·05	·30	·35	·02		·45	·20	·50	6
7		·04			·21	·10	·02	·27		·12	·50	·08	7
8		·25		·19		·30		·21			·18	·09	8
9		·31				·07	·01	·02			·71	·03	9
10		·05			·11	·05	·10	·03	·05		·50		10
11	·30	·64				·20	·04	·04	·13		·34		11
12	·06	·09			·01		·30		·12	·15	·05		12
13		·08			·07		·28	·12			·02		13
14	·06	·11			·20	·30	·40	·20	·04		·61		14
15		·20		·03	·07	·01		·65	·09			·03	15
16	·12	·19		·17	·09	·85	·04	·91	·10				16
17	·04	·05		·25		·13	51		·01				17
18	·12			·03		·23	15	·80			·12		18
19	·19	·08	·08	·15		·15	·08	·25			·32		19
20		·12	·14					·82			·44		20
21	·18	·10	·05		·20						·08		21
22	·53	·06			·07						·09		22
23	·31	·05		·45	·54						·35	·02	23
24	·35	·07		·74	·10		1·10	·14				·03	24
25	·14	·35		·30			·17				·08	·06	25
26		·21		·40			·28				·80	·02	26
27	·15	·30			2·50		·04				·14	·04	27
28	·35	·21	·10	·04			·12	·05		·17		·24	28
29	·21		·12		·12		·14	·11		·12	·08	·14	29
30	·05	×			·02			·05	·03				30
31	1·40	×		×	·30	×	·02		×		×	·39	31
TOTAL	4·87	4·11	1·26	4·08	4·71	3.39	4·93	5·40	2·81	1·27	7·56	2·57	YEAR'S TOTAL 46·96
*Days with ·01 in. or more.	20	25	7	16	17	14	23	20	12	9	22	17	202
*Days with ·04 in. or more.	20	24	7	14	15	13	19	16	10	8	21	11	178

2 JAN 1932

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Boyd ... Boe

[P.T.O.

2109

Section **A** for the entry of OPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Brushford Rectory
in the County of Somerset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft – in.
,, Ground ,, Sea Level 400 cir ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·14		·21			·05		·54	·07			1
2	·23	·03		·76					·75	·05	·15	·16	2
3	·04		·65				·05	·03	·65	·03	1·70	·36	3
4	·04		·12	·12	·05	·18	·66	·60	·30	·11		·02	4
5		·32		·20		·52	·02	·08			·10	·36	5
6		·06		·04	·05	·30	·35	·02		·45	·20	·50	6
7		·04			·21	·10	·02	·27		·12	·50	·08	7
8		·25		·19		·30		·21			·18	·09	8
9		·31				·07	·01	·02			·71	·03	9
10		·05			·11	·05	·10	·03	·05		·50		10
11	·30	·64				·20	·04	·04	·13		·34		11
12	·06	·09			·01		·30		·12	·15	·05		12
13		·08			·07		·28	·12			·02		13
14	·06	·11			·20	·30	·40	·20	·04		·61		14
15		·20		·03	·07	·01		·65	·09			·03	15
16	·12	·19		·17	·09	·85	·04	·91	·10				16
17	·04	·05		·25		·13	51		·01				17
18	·12			·03		·23	15	·80			·12		18
19	·19	·08	·08	·15		·15	·08	·25			·32		19
20		·12	·14					·82			·44		20
21	·18	·10	·05		·20						·08		21
22	·53	·06			·07						·09		22
23	·31	·05		·45	·54						·35	·02	23
24	·35	·07		·74	·10		1·10	·14				·03	24
25	·14	·35		·30			·17				·08	·06	25
26		·21		·40			·28				·80	·02	26
27	·15	·30			2·50		·04				·14	·04	27
28	·35	·21	·10	·04			·12	·05		·17		·24	28
29	·21		·12		·12		·14	·11		·12	·08	·14	29
30	·05	×			·02			·05	·03				30
31	1·40	×		×	·30	×	·02		×		×	·39	31
TOTAL	4·87	4·11	1·26	4·08	4·71	3·39	4·93	5·40	2·81	1·27	7·56	2·57	YEAR'S TOTAL 46·96
*Days with ·01 in. or more.	20	25	7	16	17	14	23	20	12	9	22	17	202
*Days with ·04 in. or more.	20	24	7	14	15	13	19	16	10	8	21	11	178

M.O. 7
1932

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2109

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Brushford Rectory

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft in.

,, Ground ,, Sea Level 450 ca ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·81			·37	·12		·25	·48	·58	·04	·04	·06	1
2	·25			·05	·13			·05	1·10	·03	04	·36	2
3	·04			·03			03		·27	·10	·02	·03	3
4	·02					·01	·02	·12			·22		4
5	·81		·07						·42				5
6	·83		·07	·50			50		·43				6
7	·28		·06	·10					·75	1·22			7
8			·80	·04	·19				·40	·17			8
9	·87	·03		·34	·01					·08			9
10	·70			·29	·03	·01			·14	·30			10
11	·03			·13	·08			·01	·16	·18		·04	11
12	·87			·01	·53				·19	·70		·02	12
13	·09			·20	·01		·28	·21	·03	·75		·29	13
14	·33			·05	·13			·02		·06	·31	·10	14
15				·15	·10					·10	·03	·03	15
16	·16			·26			·39			·02			16
17					·04		·01			·11			17
18					·17				·38		·32		18
19	·02			·20	·22				·08	66			19
20				·11	·80			·04		·72	·22	·13	20
21			·09	16			·04	·95	·03	·70	·09	·15	21
22				·12	·11		·01		·56	·19	·46	·12	22
23							·35		·02	·57	·20	·24	23
24					·09		·23		·11	·08	·09		24
25			·27				·65		·10	·90	·20	·01	25
26			·07	·16			·17		·02	·38	·25		26
27			·58	·36	·14	·01	·16			·52	·02	·03	27
28			·34	·18	·06		·48					·07	28
29			·65	·16	·16	·45	·07	·55	65	·75	·12	·50	29
30		X	·45	·03		90	·56	·06	·70	·09	·70	·02	30
31		X	·03	X	·04	X	·23		X	·03	X	·54	31
													YEAR'S TOTAL
TOTAL	6·11	·03	3·48	4·00	3·16	1·38	4·43	2·49	7·12	9·45	3·33	2·74	47·72
*Days with ·01 in. or more.	15	1	12	23	20	5	18	10	21	26	17	18	186
*Days with .04 in. or more.	12	0	11	20	17	2	14	8	17	23	14	12	150

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2109.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Brushford Rectory

in the County of Somerset

Diameter of Funnel of Gauge 5 in. Cu

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 450 ft.

400

Daily figures copied 21.12.34

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·45	·39	·18		·07	·03					·07	·63		1
2	·38		·67		·53	40					·03	·01		2
3		29	13											3
4	36	·12	·03		09									4
5	·15	05	·46		·32									5
6		·41	·04		13		·04			·10				6
7	35	·25	·02		03		·06	·01		·06				7
8	·13	·14	·02		·14		·13			10				8
9		10			·76		·26			·66	·05			9
10	·08	·20					·05	02		1·82	·03			10
11	·02						·22	·19		·22				11
12				07	·04	08	·28		53			·03		12
13					·18	·02	·33	·13		·13	·11			13
14	·17						·04	·04			·28			14
15	·46		·26				·06	·02		·09	·01			15
16		·02	·76			·06		·02		·04				16
17	09	·08	·24			·15			06					17
18	·08		·32			·27			·03		·04			18
19	·07	·02	·38			·02	08	·07	·08		·45			19
20		·08				·03		·12	·18					20
21		·04				·15		·18		07				21
22				·20	·10	·05		·52	·19					22
23		1·20		·25		·15		·01	·13	·24				23
24		·17		·13				·03	·09					24
25		·50		·10		27			·10			·13		25
26		·54		·13	49				·03	·41				26
27		·01								·47		·37		27
28		·26		·34	·03		·14			·38		·03		28
29	·09			·13			·01							29
30		×	·12	·04			·09		·04	·20		·06		30
31	·27	×	·02	×	·02	×			×	·05	×			31
TOTAL	3·15	4·87	3·65	1·39	2·93	1·68	1·79	1·36	1·46	4·98	1·07	1·26	Year's Total 29·59	
*Days with ·01 in. or more.	15	20	15	9	14	13	14	13	11	16	9	7	156	
*Days with .04 in. or more.	14	17	11	9	11	9	13	7	9	16	6	4	126	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P. T. O.

COPY FOR OFFICIAL USE. W J J B. J.Ck.

Section **A** for the entry of Daily Observations. **Station No.** 2109

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Brushford Rectory

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 450 ft.

400

M

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06							·72	·05		·21	·69		1
2	·10		·09					·21	·65	·02	·12	·50		2
3	·03	·02			·05			·02	·02	·19		·41		3
4	·23		·13	·12	·37			·03	·16	·53		·59		4
5	–		·14	·02	·18	·08		1·35		·2~~7~~1	·47	·76		5
6	–		·34	·11	·80				·01	·68	·05	·37		6
7	·12							·09		·24	·12	·64		7
8	–				·13				·02	·06	·36	·76		8
9	–		·12	·12				·10	·01	·01	·29	·20		9
10	·23		·30	·29				·15		·03	·14	·08		10
11	·67			·62				·25				·58		11
12	·26			·22				·36				·07		12
13	·40			·40						·13		·29		13
14	·84		·54							·10	·06	·26		14
15	·13		·20		·16		·01	·03		·44	·09	·35		15
16	·19		·50						·57	·03		·18		16
17	·42		·04	·17	·05				·02	·05		·22		17
18	·20		·28	·56					·07	·02		·49		18
19	·01		·24		·03	·10		·06	·15	·01		·31		19
20	–		·03	·18	·04		·27		·11			·02		20
21	–		·09		·06	·26		·05		·21	·01	·18		21
22	·05		·08					·04	·43	·01		·91		22
23	·06		·04	·28		·45			·14	·005		·14		23
24	–	·27	·04			·22	·23		·08	·07		·02		24
25	·28	·17		·30		1·50			·01	·17		·77		25
26	·04		·02	·08		·30			·21	·06	·05	·23		26
27	–			·05		·13			·02	·12		·18		27
28	–			·06			·24	·50	·32	·09		·82		28
29	–						·13	·17	·10	·13	·02	·05		29
30	·03	×					·02	·02	·15	·33		·26		30
31	–	×		×	·08	×	·07	·03	×	·07	×	·13		31
TOTAL	4·35	·46	3·2~~4~~2	3·58	1·95	3·04	1·00	4·18	3·30	4·01	1·99	11·46	Year's Total. 42·5~~[illegible]~~4	
* Days with .01 in. or more.	20	3	18	16	11	8	7	18	21	26	13	31	192	
* Days with .04 in. or more.	17	2	16	15	10	8	5	13	14	19	11	29	159	

40-9999

* See Instruction 2 (f) on other side.

M

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2109

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Brushford Rectory

in the County of Somerset

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	·10	59			·03	·04		·25	37	·02	46		1
2		·13	·02			·18	·02		28	·24	·08	·19		2
3	·02	·13	·11	·03	·09	·06	·03		63	·26	·17			3
4	·02	·22		17	02	·08			·04	14	·25	49		4
5		·44	10	06		·34			·18	·50	·17	·09		5
6				·46		67					·07	·22		6
7				·62		·08				44		·13		7
8	·02			·32				02		37	·23	·10		8
9				57		·08			·02	·83	·54			9
10			17	·20		07	·04			11	·06			10
11	·33	·02				20			·16	·04	·42			11
12	·06	·38				·24			·01	·01	·07			12
13	·10	·11		·20	·01	·01				05	·36			13
14		·22		·33		·05			·13	·03	1·08	·23		14
15		·30		·72	·13	·09			·44	·02	·20	·32		15
16		·07	·13	·31		·05	·02	·01	·76	·08	·84	·03		16
17				·08	1·15	·41		17	·23	·14	·09			17
18		·11		·47	·01		·06	·18	·51	·12		·05		18
19				·13	·39	·08	·19		·26	·25	·22			19
20		·33		·32	·13	·02	·05		·01		·23			20
21		·48		·11			·08		·06	·09		·01		21
22		·02	·22	·38					·09	·03				22
23		·01	·45		·01			37	·37	·33		·26		23
24	·18	·38	·02	·03	·13	·18		·24	·18	·07		·27		24
25	·39	·97		·02	·02	·02						·48		25
26		·59						·36	17	·08	·14	·60		26
27		·07					09	·18	·08	·23	·21	·44		27
28	·03	·20			·01			·33	·07	·29	11	·02		28
29								·03	·24	·12	·27	·39		29
30	·07	×				07		·59	·28	·07	1·45	·76		30
31		×		×	04	×		·03	×	66	×	·21		31
TOTAL	1·28	5·28	1·81	5·53	2·14	3·01	·62	2·51	5·45	5·97	7·28	5·75	Year's Total 4663	
*Days with ·01 in. or more.	11	21	9	20	13	21	10	12	24	28	23	21	213	
*Days with .04 in. or more.	7	18	7	17	7	17	7	8	21	24	22	18	173	

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*) Rev. B. J. du Boe

[P.T.O.

2109

4-00

FORM 1090.

B Monthly Summary.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At Brushford Rectory

In the County of Somerset

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* – *in.*
- *Height of Ground above Sea Level* 450 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	1·28	·39	25	11	7
FEB.	5·28	·97	25	21	18
MAR.	1·81	·59	1	9	7
APRIL	5·53	·72	15	20	17
MAY	2·14	1·15	17	13	7
JUNE	3·01	·67	6	21	17
JULY	·62	·19	19	10	7
AUG.	2·51	·59	30	12	8
SEPT.	5·45	·76	16	24	21
OCT.	5·97	·83	9	28	24
NOV.	7·28	1·45	30	23	22
DEC.	5·75	·76	30	21	18
TOTAL	46·63 ✓			213	173

Signature B. J. du Boe.

*See Instruction 2 (*f*) below.

C Particulars of Station,

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
B. J. du Boe.
Brushford Rectory. Dulverton. Somerset

Hour of observation by the clock—in Winter 9am in Summer 9am

Nearest Railway Station Dulverton G.W.Ry. Distance ¼ m Direction from gauge S.E.

Nearest Parish Church at Brushford Distance 100 yds Direction from gauge S.E.

Nature of objects nearest to gauge	House			
Height of objects	15 ft			
Distances ...	50 yds			
Directions from gauge ...	South			

If gauge has been moved during the year state –

Date of move – Distance – Direction –

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—
- (a) It is known that the gauge was empty at the beginning of the measured rainfall?
- (b) What note was made of the times of beginning and end of this fall?
- (c) When was the measurement made?

8 JAN 19

D INSTRUCTIONS.

1. Rules for measuring the rainfull and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, ~~or from~~ The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.
Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

M

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 2109

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Brushford Rectory

in the County of Somerset

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·19	·04	·18		·10	·99	·01	–	–	·10	·20		1
2				·03		·23	·07	·13	·24	–	·10	·02		2
3	·11		·12	·43		·27	·13	·14	·66	–	·09	·07		3
4			·22			·10	·05		1·10	–	·12	·46		4
5	·53	·02	·05				·49	·10	·14	–	·02	·09		5
6	·09		·04			·05	·35	·18	·11	–	·21	·01		6
7	·46		·10				·55		·11	–	1·27	·06		7
8	·24		·52				·90		–	–	·75	·06		8
9	·32	·03	·14				·07		·12	–	·28	–		9
10	·03	·07							–	–	·33	–		10
11	·23				·26	·15	·03	·06	·11	–	·78	·06		11
12				·08			·69		·41	·05	·29	–		12
13	·11			·02			·18	·03	·01	·23	·10	·78		13
14		·01				·08	·67		·11	·08	·04	·41		14
15					·08		·13		·36	–	·32	·17		15
16	·03	·09		·12	·20		·09		·01	–	·35	·15		16
17	·38	·68			·12		·17	·02	–	·18	·08	·67		17
18	·06	·23	·02		·02	·12	·81	·01	–	·19	–	·14		18
19	·56	·02	·06	·32		·50	·12	·21	–	–	–	–		19
20	·14	·45	·20	·03				·01	·28	–	–	·01		20
21	·07	·04	·07	·69		·06			·01	–	–	–		21
22	·25	·32	·38		·08		·15		–	–	–	·02		22
23	·04	·12	·06	·19	·14		·14		–	·05	–	–		23
24	·27	·02	·02	·08					·04	·45	–	–		24
25	·30		·29	·20			·25		·34	·64	·03	–		25
26	·22	·27	·19	·03			·06		–	·22	–	–		26
27	·18	·03	·04			·07	·17		·04	·21	–	–		27
28	·64		·40			·42	·14		–	·03	–	·23		28
29	·08	·23	·06			·24			–	·13	·10	·20		29
30	·27	X	·06		·03	·17	·05		–	·41	–	–		30
31	·24	X	·36	X	·02	X	·13		X	·12	X	·41		31
TOTAL	5·86	2·82	3·44	2·40	·95	2·56	7·58	·90	4·20	2·99	5·36	4·22	Year's Total. 43·28	
* Days with .01 in. or more.	26	17	22	13	9	14	26	11	18	14	19	20	209	
* Days with .04 in. or more.	23	11	20	9	6	14	25	6	15	13	17	16	175	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Rev. B. J. de Boe

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2109

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Brushford Rectory

in the County of Somerset

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

July 14 + 15 correct
see Rhyll 1836

Copy by B.R.O.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·34	·02		·18	–	–	·03	–	·13	·23	·08	·36		1
2	·46	·65		·20	–	–	–	–	·05	–	–	·12		2
3	·01	·32	·02	·23	·09	·01	·04	–	·11	–	–	·07		3
4	·18	·36		·10	·08	–	–	·03	–	–	–	·51		4
5	·99	·02			–	–	·30	–	–	–	–	·15		5
6	·34	·31	·28	·36	·08	–	·10	–	–	·01	–	–		6
7	–	·81	·03	·20	–	·11	–		·09	·02	·03	·14		7
8	–	·12			·31	·08	·09	–	–	–	·03	–		8
9	·01	·05	·13	·06	·28	–	·03	·08	·86	–	–	–		9
10	·15	·02	·80	·35	–	·06	–	·02	–	–	–	·46		10
11	·02	–	·20	·21	·37	·02	·57	·03	–	–	–	·05		11
12	·33	·36	·19		–	·38	·10	·08	·33	–	–	·23		12
13	–	·13	·80	·20	–	·02	·01	·29	·01	–	–	·07		13
14	–	·04	·29	·02	–	–	·07	·02	·10	–	–	·22		14
15	·53	·22	·14	·57	–	–	·08	–	·12	–	–	·23		15
16	·19	·16	·49	·04	–	–	·06	·56	·44	–	–	–		16
17	1·15	·10	·69		–	–	·02	·03	·13	–	·08	–		17
18	·12	·30	·28		·09	·16	–	·01	·07	–	·20	·35		18
19	·19	·12	·08	·34	·02	·01	–	–	·32	–	·41	·02		19
20	·60	·06	·03	·33	·27	–	–	–	·04	–	·01	·41		20
21	·48	·90	·09	·18	·25	–	·16	–	·09	·20	·08	·04		21
22	·08	·02	·17		·07	–	·25	–	·03	·71	·45	·06		22
23	·25	·22			–	–	·02	–	–	·21	·65	·02		23
24	·72	·60	·04		·05	–	·07	–	·02	·94	–	–		24
25	·01	·95	·35		·07	–	–	–	·01	·15	–	·08		25
26	–	·24	·03		–	–	–	–	–	–	–	–		26
27	–	·74			–	–	–	–	–	·40	–	–		27
28	·49	·06			–	·03	–	–	–	·12	–	·01		28
29	·04	–			–	–	–	–	–	·50	·27	·03		29
30	·27	✗			–	·30	–	–	·05	·18	·49	–		30
31	·55	✗		✗	–	✗	–	–	✗	·28	✗	–		31
													Year's Total	
TOTAL	8·50	7·90	5·13	3·57	2·03	1·18	2·00	1·15	3·00	3·95	2·78	3·63	4482	
* Days with .01 in. or more.	25	27	20	16	13	11	17	10	19	13	12	21	204	
* Days with .04 in. or more.	21	23	16	15	12	6	12	4	15	11	9	17	161	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2109

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Brushford Rectory

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 450 ft.

Copy by B.R.O.

400

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·27				87	·24	·31	–	·43	·13	·56		1
2		·13		·19	09		–	–	–	·62	·41	·31		2
3					18	·03	·04	·02	·01	·75	·06	–		3
4	·02					·04	·13	1·42	·02	·78	·09	·18		4
5	·03					·06	·07	·04	·06	·61	·02	·16		5
6	·25					·15	·96	–	·06	·65	–	·13		6
7	·23						·42	·25	–	·34	·02	·20		7
8	·63	·07					·28	·05	–	·67	–	·03		8
9	·65	·25				·13	·02	·04	–	·02	–	·84		9
10	·17	·01					·31	·10	–	·05	–	·70		10
11	·25					·02	·06	·95	–	·01	·30	·75		11
12	·49	·01			31		·02	–	–	·45	·97	–		12
13	·11				·11		–	–	–	·15	·10	1·45		13
14	·45				·10		·37	–	·05	–	–	·01		14
15	·21				·16		–	·07	–	·07	·20	·47		15
16	·54	·02	·03		·02		–	·20	–	–	·27	·01		16
17		·16			·01		·03	–	·13	·47	·06	–		17
18	·36				·10	·08	·02	·10	·33	·12	·45	–		18
19	·02						–	·05	·11	–	·70	–		19
20	·08						–	·01	–	–	·24	–		20
21	·10					·02	–	·10	·13	–	·23	·29		21
22	·04			·11		·11	–	·56	–	·03	·43	·06		22
23				·02		·02	–	·03	–	–	·27	·03		23
24	·05		·25		·10		–	·07	·05	–	·41	–		24
25	·25	·17	·06		23		·12	–	–	·07	·75	·12		25
26	·36	·50	·13		44	·03	·04	–	–	·20	·18	·04		26
27	·48	·39			43	·29	·28	·39	–	·03	·38	–		27
28	·33	25	·02		20	·22	–	·52	·04	–	·03	·01		28
29	·42		·03		46		·02	–	·12	·23	·46	·07		29
30	·15	✕	·02		·08	·04	–	–	·36	·01	·45	·09		30
31	·48	✕		✕	·37	✕	–	–	✕	·35	✕	·41		31
TOTAL	7·15	2·23	·54	·32	3·39	2·11	3·73	5·28	1·47	7·11	7·31	6·92	Year's Total 47·56	✓
* Days with .01 in. or more.	26	12	7	3	17	15	18	20	13	23	25	23	202	✓
* Days with .04 in. or more.	23	9	3	2	15	10	13	17	11	18	22	18	161	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

3·09

(*Signed*) B. J. du Boe

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2109

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Copy by B.R.O.

400

Kept at Brushford Rectory

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 450 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·23	–	·07	·04	–	–	·05	·04	·24	–	·15	·08		1
2	·20	–	–	·20	–	–	·02	·37	·14	–	·35	·28		2
3	·30	–	·05	·61	–	–	–	·11	–	–	·08	·64		3
4	–	–	·42	·57	·40	–	·47	·03	–	·34	·54	·65		4
5	–	–	·05	·23	–	–	·67	–	–	·24	·64	·07		5
6	·81	–	·09	–	–	–	·60	·03	–	·02	·23	–		6
7	·17	·17	–	–	–	–	·10	·02	–	–	·13	·55		7
8	·11	·34	·02	–	·06	–	·11	·11	–	·54	·63	·27		8
9	·10	·09	·04	–	–	–	–	·13	–	·25	·07	·11		9
10	·30	·03	–	–	–	·05	–	·18	·15	·24	·01	·34		10
11	·06	–	·10	–	–	–	–	·01	–	·22	·01	–		11
12	·15	·08	–	–	–	–	–	–	·02	·10	–	–		12
13	–	–	–	·22	–	·10	·21	–	·10	·28	·02	–		13
14	·76	–	–	·06	·08	·16	·57	–	·02	·01	·17	·03		14
15	·42	–	–	·12	·15	·63	1·34	–	–	·02	·40	·01		15
16	·07	·04	–	·15	·15	–	2·60	–	–	–	·70	–		16
17	·96	·02	–	–	·02	·27	·30	–	–	–	·18	–		17
18	·13	·14	·05	–	–	·10	1·03	–	–	–	·82	–		18
19	·25	–	–	–	–	–	·12	–	–	–	–	·03		19
20	·56	–	–	–	–	·32	·01	1·33	–	–	–	–		20
21	·05	·18	·29	–	·13	·20	·03	·54	–	–	–	–		21
22	1·24	·39	·29	·04	·02	·32	·16	–	–	–	·58	–		22
23	·02	·07	·06	·35	–	–	·17	–	–	·18	·80	–		23
24	·83	·02	·20	·08	–	·28	·29	–	–	·33	–	–		24
25	1·26	·36	–	–	–	–	·15	·01	–	·17	1·05	–		25
26	·05	·15	–	·09	–	–	–	·43	–	·25	·98	–		26
27	–	·23	·06	–	–	·08	·07	·53	–	–	·25	–		27
28	·01	·12	·05	·41	–	·23	·10	–	–	–	·92	–		28
29	·03		–	·12	–	·03	·09	–	–	·34	·40	–		29
30	–	✕	·01	·38	–	·30	·09	–	–	·16	·16	–		30
31	–	✕	–	✕	–	✕	·16	·19	✕	·49	✕			31
TOTAL	9·07	2·43	1·85	3·67	1·01	3·07	9·51	4·06	·67	4·18	10·07	3·06	Year's Total 52.65	✓
* Days with .01 in. or more.	25	16	16	16	8	14	25	16	6	18	25	12	197	✓
* Days with .04 in. or more.	22	13	14	16	6	13	22	11	4	15	22	9	167	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) ....

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 2109 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Jan adj for snow

4080

Kept at Brushford Rectory
in the County of Somerset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 450 ft.

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·10	-	·08	·15	-	-	-	-	-	·14	-		1
2	-	·03	-	·11	-	-	·05	-	-	-	1·45	-		2
3	-	·48	-	·03	-	-	-	-	-	·16	1·74	·15		3
4	-	·34	-	·23	-	-	·25	-	-	·32	·04	·09		4
5	·08	·01	-	-	-	-	·08	-	-	·47	·80	·30		5
6	·18	·41	-	-	-	-	·10	-	·03	·43	·20	·30		6
7	·10	·07	-	·04	-	-	·49	-	-	·01	-	·08		7
8	-	-	-	-	-	-	-	-	-	·46	·18	·50		8
9	-	-	-	-	-	-	·38	·12	·08	22	·91	·46		9
10	-	-	·01	-	-	-	·24	·04	·03	·24	·32	·37		10
11	-	·11	- ✓	-	-	-	·58	-	-	-	1·17	·01		11
12	-	-	·35	-	-	·09	·82	-	·57	·34	·15	-		12
13	-	·02	·45	-	-	-	·48	-	·08	·23	·85	·08		13
14	-	·02	·13	08	·04	-	-	·04	·14	·54	·07	·47		14
15	-	·07	·02	·13	·13	-	-	-	·20	-	·40	-		15
16	·10 sn	·70	·40	·06	-	-	·05	-	·20	·52	·07	·04		16
17	(·35)	·06	·55	-	-	-	·13	-	·10	-	-	-		17
18	~~55~~ sn.	·86	·34	·67	-	-	-	·02	·09	·04	·03	·03		18
19	-	-	·27	·15	-	-	·46	-	·36	-	·17	-		19
20	-	·07	·05	·04	-	-	·13	·11	35	·09	·11	·01		20
21	-	-	·02	-	·23	·09	·03	-	-	-	·40	-		21
22	-	-	·14	·21	·27	·40	-	-	·14	·01	-	-		22
23	- (Cass ·50)	·16	13	·04	·11	-	-	-	-	-	·03	-		23
24	-	-	-	-	·02	·08	·35	-	-	-	-	-		24
25	·13	-	-	·02	·15	·15	-	-	·05	-	-	-		25
2. 81 26	1·26	·22	-	-	·36	-	·14	-	-	-	·02	-		26
27	·55	·10	·04	·27	·14	·01	·11	-	-	-	-	-		27
28	·63	-	-	·48	·28	-	-	-	-	-	-	·04		28
29	·24	·13	·30	·55	-	-	-	-	-	·03	-	·49		29
30	·01	✕	·02	·16	-	·08	-	-	-	·40	-	·25		30
31	·09	✕	·02	✕	-	✕	-	-	✕	·67	✕	·34		31
TOTAL	3·22 3·92	3·96	3·24	3·35	1·88	·90	4·87	·33	2·42	5·18	9·25	4·01	Year's Total 42·61	✓
* Days with .01 in. or more.	12	19	17	18	11	7	18	5	14	18	21	18	178	✓
* Days with .04 in. or more.	11 ✓	15 ✓	12 ✓	16 ✓	10 ✓	6 ✓	17 ✓	4 ✓	12 ✓	15 ✓	18 ✓	15	151	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Rev. B. J. de Boe

[P.T.O.

2110

Section **A** for the entry

AIR MINISTI

COPY FOR OFFICIAL USE.

LL ORGANIZATION.

FORM 1090.

REGIS

1.

—

2110

BRUSHFORD NURSERIES

1931 ——— 40

780401

Kept at Brushford

in the County of

Diameter of Funnel of Gauge

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEAS Y.

An observer who does not conform *following*

year in the space on the right of

Jan. 1, following

Date	Jan.	Feb.	March							.	Nov.	Dec.	*Date*
	in.	in.	in.								in.	in.	
1	·01	·11	—	·21	—	—	·04	—	·47	·06	—	—	1
2	·23	·04	—	·71	—	·01	—	—	·65	·05	·17	·28	2
3	·03	—	·66	—	—	—	·03	·02	·64	·01	1·78	·24	3
4	·04	—	·10	·11	·04	·17	·62	·57	·33	·11	·01	·01	4
5	—	·30	—	·18	—	·52	·03	·08	·01	·01	·09	·35	5
6	—	·06	—	·03	·05	·27	·30	·02	—	·41	·20	·53	6
7	—	·03	—	—	·20	·14	·03	·26	—	·17	·57	·08	7
8	—	·25	—	·17	—	·28	·01	·25	—	—	·10	·09	8
9	—	·31	—	—	—	·02	·01	·01	—	·01	·80	·02	9
10	·01	·05	—	—	·10	·05	·11	·02	·03	—	·45	—	10
11	·30	·68	—	—	—	·20	·03	·01	·11	—	·37	·01	11
12	·05	·07	—	—	—	—	·32	—	·13	·16	·05	—	12
13	·01	·04	·01	—	·08	—	·32	·12	—	—	·01	—	13
14	·05	·10	—	—	·18	·29	·38	·20	·03	—	·66	—	14
15	—	·19	—	·04	·06	—	—	·67	·11	—	—	·02	15
16	·08	·13	—	·23	·11	·78	·03	·87	·08	—	—	—	16
17	—	·02	—	·19	—	·77	·50	—	·02	—	·01	—	17
18	·08	—	—	·02	—	·23	·15	·76	—	—	·27	—	18
19	·15	·08	·05	·16	—	·11	·07	·27	·02	—	·27	—	19
20	·01	·14	·16	—	—	—	—	·71	—	—	·46	—	20
21	·17	·04	·02	—	·16	—	—	—	—	—	·07	—	21
22	·52	·12	—	—	·05	—	—	—	—	—	·10	—	22
23	·35	·04	—	·41	·48	·01	—	—	—	—	·37	·01	23
24	·36	·05	—	·62	·10	—	·67	·13	—	—	—	·01	24
25	·20	·25	—	·45	—	—	·32	—	—	—	·05	·03	25
26	—	·26	—	·40	—	—	·28	—	—	—	·80	·01	26
27	·15	·30	—	—	2·22	—	·04	—	—	·01	·14	·02	27
28	·35	·20	·09	·04	·18	—	·09	·03	—	—	—	·22	28
29	·21	×	·09	—	·03	—	·12	·09	—	·20	·07	·14	29
30	·11	×	—	—	·03	—	·03	·05	·01	—	—	—	30
31	1·15	×	—	×	·27	×	⇐	—	×	·01	×	·45	31
TOTAL	4·64	3·86	1·18	3·97	4·34	3·25	4·33	5·14	2·64	1·21	7·87	2·52	YEAR'S TOTAL 44·95
*Days with ·01 in. or more.	23	25	8	16	17	15	24	20	14	12	24	18	216
*Days with ·04 in. or more.	18	23	6	14	15	12	16	14	8	7	21	9	163

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) George Ruff

P.T.O.

2110

Section **A** for the entry COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Brushford Nurseries

in the County of Dulverton, Somersetshire

Diameter of Funnel of Gauge in 5

Height of top of Gauge above Ground 1 ft 5 in.

,, Ground ,, Sea Level 430 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·11	—	·21	—	—	·04	—	·47	·06	—	—	1
2	·23	·04	—	·71	—	·01	—	—	·65	·05	·17	·28	2
3	·03	—	·66	—	—	—	·03	·02	·64	·01	1·78	·24	3
4	·04	—	·10	·11	·04	·17	·62	·57	·33	·11	·01	·01	4
5	—	·30	—	·18	—	·52	·03	·08	·01	·01	·09	·35	5
6	—	·06	—	·03	·05	·27	·30	·02	—	·41	·20	·53	6
7	—	·03	—	—	·20	·14	·03	·26	—	·17	·57	·08	7
8	—	·25	—	·17	—	·28	·01	·25	—	—	·10	·09	8
9	—	·31	—	—	—	·02	·01	·01	—	·01	·80	·02	9
10	·01	·05	—	—	·10	·05	·11	·02	·03	—	·45	—	10
11	·30	·68	—	—	—	·20	·03	·01	·11	—	·37	·01	11
12	·05	·07	—	—	—	—	·32	—	·13	·16	·05	—	12
13	·01	·04	·01	—	·08	—	·32	·12	—	—	·01	—	13
14	·05	·10	—	—	·18	·29	·38	·20	·03	—	·66	—	14
15	—	·19	—	·04	·06	—	—	·67	·11	—	—	·02	15
16	·08	·13	—	·23	·11	·78	·03	·87	·08	—	—	—	16
17	—	·02	—	·19	—	·77	·50	—	·02	—	·01	—	17
18	·08	—	—	·02	—	·23	·15	·76	—	—	·27	—	18
19	·15	·08	·05	·16	—	·11	·07	·27	·82	—	·27	—	19
20	·01	·14	·16	—	—	—	—	·71	—	—	·46	—	20
21	·17	·04	·02	—	·16	—	—	—	—	—	·07	—	21
22	·52	·12	—	—	·05	—	—	—	—	—	·10	—	22
23	·35	·04	—	·41	·48	·01	—	—	—	—	·37	·01	23
24	·36	·05	—	·62	·10	—	·67	·13	—	—	—	·01	24
25	·20	·25	—	·45	—	—	·32	—	—	—	·05	·03	25
26	—	·26	—	·40	—	—	·28	—	—	—	·80	·01	26
27	·15	·30	—	—	2·22	—	·04	—	—	·01	·14	·02	27
28	·35	·20	·09	·04	·18	—	·09	·03	—	—	—	·22	28
29	·21	×	·09	—	·03	—	·12	·09	—	·20	·07	·14	29
30	·11	×	—	—	·03	—	·03	·05	·01	—	—	—	30
31	1·15	×	—	×	·27	×	⇐	—	×	·01	×	·45	31
TOTAL	4·64	3·86	1·18	3·97	4·34	3·25	4·33	5·14	2·64	1·21	7·87	2·52	YEAR'S TOTAL 44·95
*Days with ·01 in. or more.	23	25	8	16	17	15	24	20	14	12	24	18	216
*Days with ·04 in. or more.	18	23	6	14	15	12	16	14	8	7	21	9	163

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) George Ruff

[P.T.O.

2110

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2110

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Brushford Nurseries

in the County of Dulverton, Somerset.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 430 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·72	—	—	·37	·04	—	·24	·53	·47	·04	·06	·02	1
2	·26	—	—	·04	·22	—	—	·05	1·13	·02	·03	·41	2
3	·02	—	—	·03	—	—	·03	—	·29	·07	·02	·04	3
4	·02	—	—	—	·01	—	·03	·13	—	—	·25	—	4
5	·75	—	·06	—	—	—	—	—	·41	—	—	—	5
6	·95	—	·07	·47	—	—	·52	·01	·44	—	—	—	6
7	·28	—	·06	·08	—	—	—	—	·73	1·21	—	—	7
8	—	—	·75	·03	·18	—	—	—	·49	·20	—	—	8
9	·84	—	—	·43	—	—	—	—	—	·07	—	—	9
10	·73	—	—	·47	·02	—	—	—	·22	·29	—	—	10
11	·03	—	—	·21	·08	—	—	·01	·08	·19	—	·05	11
12	·84	—	—	·01	·50	—	—	—	·17	·67	—	·01	12
13	·10	—	—	·19	·02	—	·29	·23	·01	·63	—	·32	13
14	·33	—	—	·05	·13	—	—	·01	—	·10	·30	·03	14
15	—	—	—	·18	·10	—	·02	—	—	·08	·02	·09	15
16	·18	—	—	·26	—	—	·45	—	—	·01	—	—	16
17	—	—	—	·01	·04	—	—	—	·02	·09	—	—	17
18	—	—	—	—	·17	—	—	—	·40	—	·31	—	18
19	·02	—	—	·15	·16	—	—	—	·10	·61	—	—	19
20	—	—	·01	·13	·83	—	·05	·04	·01	·68	·22	·12	20
21	·01	—	·09	·18	—	—	—	1·26	·02	·64	·09	·17	21
22	·01	—	—	·11	·15	—	·04	—	·57	·20	·45	·12	22
23	—	—	—	—	·01	—	·34	—	·03	·55	·15	·28	23
24	—	—	—	—	·19	—	·22	—	·10	·10	·07	·01	24
25	—	—	·25	—	—	—	·65	—	·11	·76	·18	·01	25
26	—	—	·05	·14	—	—	·17	—	·03	·38	·27	—	26
27	—	—	·58	·30	·14	—	·15	—	—	·56	·02	·03	27
28	—	—	·27	·21	·05	—	·46	·01	—	·01	—	·11	28
29	—	—	·64	·13	·16	·47	·06	·55	·62	·64	·08	·48	29
30	—	×	·43	·01	—	·89	·62	·05	·73	·07	·76	·04	30
31	—	×	·03	×	·04	×	·19	—	×	·02	×	·68	31
TOTAL	6·09	—	3·29	4·19	3·24	1·36	4·53	2·88	7·20	8·89	3·28	3·02	YEAR'S TOTAL 47·97
*Days with ·01 in. or more.	17	—	13	24	21	2	18	12	23	27	17	19	193
*Days with ·04 in. or more.	10	—	11	19	17	2	15	8	17	23	13	13	148

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) George Ruff.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2110

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Brushford Nurseries Dulverton

in the County of Somersetshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 430 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·40	·40	·17	—	·13	·01	—	—	·01	—	·07	·51		1
2	·26	—	·63	—	·52	·40	—	—	—	—	·03	·07		2
3	·01	·38	·11	—	—	—	—	—	—	—	—	—		3
4	·28	·16	·04	—	·08	—	—	—	—	—	—	—		4
5	·16	·03	·49	—	·24	—	—	—	—	—	—	—		5
6	·01	·42	·05	—	·20	—	·07	—	—	·12	—	—		6
7	·33	·25	·03	—	·04	—	—	—	—	·06	—	·01		7
8	·06	·13	·02	—	·13	—	·21	·02	—	·13	—	—		8
9	—	·11	—	—	·75	—	·27	—	—	·49	·05	—		9
10	·07	·20	—	—	·02	—	·03	—	—	1·75	·05	—		10
11	·03	—	—	—	—	—	·23	·20	—	·22	—	—		11
12	·01	—	—	·06	·03	·08	·26	—	·55	·04	—	·01		12
13	—	—	—	—	·18	·04	·38	·13	—	·13	·10	—		13
14	·03	—	—	—	—	—	·04	·04	—	·01	·27	—		14
15	·50	—	·21	—	—	—	·06	·02	—	·10	·01	·03		15
16	—	·01	·68	—	—	·05	—	·02	—	·04	—	—		16
17	·04	·06	·45	—	—	·15	—	·01	·05	—	—	—		17
18	·08	—	·33	—	—	·26	—	—	·03	—	·04	—		18
19	·06	—	·28	—	—	·02	·06	·10	·07	—	·43	·01		19
20	—	·08	—	—	·01	·03	—	·10	·15	—	—	—		20
21	—	·02	—	—	—	·15	—	·12	—	·05	—	·01		21
22	—	—	—	·20	·09	·06	—	·51	·15	·01	—	—		22
23	—	—	—	·25	—	·16	—	·01	·25	·25	—	—		23
24	—	1·17	—	·12	—	—	—	·02	·03	·01	—	—		24
25	—		—	·10	—	·26	—	—	·10	·01	—	·09		25
26	—	1·07	—	·13	·45	—	—	—	—	·18	—	·01		26
27	—	·01	—	—	·03	—	—	—	·03	·76	—	·35		27
28	—	·25	—	·35	·02	—	·15	—	—	·37	—	·02		28
29	·08	X	—	·13	—	—	·01	—	—	—	—	—		29
30	·01	X	·13	·02	—	—	·06	—	·03	·06	—	·07		30
31	·28	X	·02	X	·01	X	—	—	X	·23	X	—		31
TOTAL	2·70	4·75	3·24	1·36	2·93	1·67	1·83	1·30	1·45	5·02	1·05	1·19	Year's Total 28·89	
*Days with ·01 in. or more.	19	18	15	9	17	13	13	13	12	21	9	12	171	
*Days with ·04 in. or more.	13	14	12	8	11	10	11	6	7	17	7	5	121	

† Spare column, no entries required.

(Signed) George R. H.

40-9999

*See Instruction 2 (*f*) on other side.

[P.T.O.

2110

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2110.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Brushford Nurseries.

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 430 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	—	—	—	—	·01	—	·66	·05	·04	·22	·68		1
2	·11	—	·10	—	—	—	—	·24	·64	·02	·14	·53		2
3	·02	·02	·01	—	·03	—	—	·02	·02	·23	—	·37		3
4	·23	—	·15	·08	·39	—	—	·03	·13	·55	—	·50		4
5	·01	—	·09	·03	·20	·09	—	1·33	—	·22	·41	·80		5
6	—	—	·41	·27	·77	—	—	—	—	·76	·07	·39		6
7	·13	—	—	—	—	—	—	·09	—	·23	·08	·22		7
8	·01	—	—	—	·15	—	—	—	·02	·07	·35	·78		8
9	—	—	·12	·13	—	—	—	·01	·02	·01	·29	·23		9
10	·22	—	·21	·28	—	—	—	·15	—	·04	·14	·06		10
11	·78	—	—	·59	—	—	—	·31	—	—	—	·55		11
12	·23	—	—	·22	—	—	—	·37	—	·01	—	·05		12
13	·46	—	·01	·36	—	—	—	—	—	·15	·01	·29		13
14	·83	—	·52	—	—	—	—	—	—	·09	·06	·22		14
15	·13	—	·23	—	·15	—	·01	·02	—	·44	·10	·38		15
16	·20	—	·53	·01	·03	—	—	—	·21	·[illegible]3	—	·21		16
17	·46	—	·04	·17	—	—	—	—	·38	·05	—	·24		17
18	·21	—	·24	·60	—	—	—	—	·10	·02	—	·50		18
19	·03	—	·25	—	·05	·10	—	·06	·16	·01	—	·35		19
20	—	—	·04	·19	·03	—	·27	—	·12	—	—	·02		20
21	·01	—	·08	—	·11	·24	—	·05	—	·21	·01	·15		21
22	·05	—	·09	—	—	—	—	·05	·44	·01	—	·85		22
23	·04	·03	·03	·29	—	·43	—	—	·14	—	—	·13		23
24	—	·26	·13	·02	—	·22	·24	—	·09	·07	—	·01		24
25	·29	·19	—	·28	—	1·14	·01	—	·01	·19	—	·69		25
26	·04	·01	·03	·08	—	·32	·01	—	·25	·04	·05	·26		26
27	—	—	—	·04	—	·40	—	—	·02	·14	·01	·13		27
28	—	—	—	·07	—	—	·30	·48	·33	·08	—	·84		28
29	—	×	—	—	—	—	·12	·20	·11	·15	·01	·06		29
30	·04	×	—	—	—	—	·01	·02	·11	·34	—	·25		30
31	—	×	—	×	·06	×	·06	·02	×	·07	×	·14		31
TOTAL	4·59	·51	3·31	3·71	1·97	2·95	1·83	4·11	3·35	4·27	1·95	11·28	Year's Total 43·43	
*Days with ·01 in. or more.	23	5	20	18	11	9	9	18	20	28	15	31	207	
*Days with ·04 in. or more.	18	2	16	15	8	8	5	12	15	21	11	29	160	160

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) George Reed.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2110.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Bradford Nurseries, Dorchester.

in the County of Somerset.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 5 in.

,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	·14	·54	—	—	·02	·04	—	·24	·52	·02	·50		1
2	—	·16	·02	—	—	·17	·01	—	·33	·25	·20	·20		2
3	·02	·17	·11	·02	·04	·06	·08	—	·60	·25	·08	—		3
4	·02	·25	—	·20	·05	·09	—	—	·04	·15	·24	·50		4
5	—	·46	·11	·07	—	·19	—	—	·20	·53	·18	·08		5
6	—	—	·01	·47	—	·66	—	—	—	—	·07	·22		6
7	—	—	—	·62	—	·08	—	—	—	·40	—	·18		7
8	—	—	—	·30	—	—	—	·09	—	·45	·23	·10		8
9	·01	—	—	·58	—	·07	—	—	—	·85	·67	—		9
10	—	—	·13	·30	—	·07	·03	—	—	·07	—	·01		10
11	·32	·01	·01	—	—	·22	—	—	·17	·08	·43	—		11
12	·06	·30	—	—	—	·19	—	—	—	·01	·09	—		12
13	·08	·24	—	·29	—	·02	—	—	·01	·04	·35	—		13
14	—	·13	—	·38	·01	·05	—	—	·21	·02	1·06	·22		14
15	—	·54	—	·64	·14	·08	—	—	·33	·01	·20	·27		15
16	—	·11	·12	·36	—	·02	·01	·01	·67	·08	·88	·09		16
17	—	·01	—	·10	1·07	·45	—	·19	·31	·15	·09	—		17
18	—	·09	—	·47	·01	—	·06	·16	·53	·11	—	·05		18
19	—	—	—	·07	·37	·06	·18	—	·27	·33	·20	·01		19
20	—	·32	—	·44	·12	·02	·06	—	·01	—	·25	—		20
21	—	·41	—	·11	—	—	·07	—	·06	·10	—	—		21
22	—	·13	·22	·35	—	—	—	—	·10	·02	—	—		22
23	—	—	·60	—	—	—	—	·36	·21	·37	—	·22		23
24	·25	·30	·02	·03	·15	·14	—	·25	·34	·07	—	·22		24
25	·39	·95	—	·01	·01	·01	—	—	—	—	—	·41		25
26	—	·52	—	—	—	—	—	·35	·15	·09	·15	·53		26
27	—	·07	—	—	—	—	·09	·20	·07	·25	·22	·45		27
28	·02	·21	—	—	—	—	·01	·25	·08	·24	·16	·02		28
29	—	×	—	—	—	—	—	·04	·24	·15	·23	·39		29
30	·07	×	—	—	—	·05	—	·55	·23	·06	1·74	·78		30
31	—	×	—	×	·02	×	—	·03	×	·64	×	·19		31
TOTAL	1·29	5·52	1·89	5·81	1·99	2·62	·59	2·48	5·40	6·29	7·74	5·44	Year's Total. 47·26	
* Days with .01 in. or more.	11	21	11	20	11	21	11	12	23	28	22	22	213	
* Days with .04 in. or more.	6	19	7	17	7	16	6	10	21	24	21	19	175	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) George Ruff

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2110.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Bradford Nurseries

in the County of Somersetshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·20	·04	·16	—	·08	1·06	·01	—	—	·10	·22		1
2	—	—	—	·02	—	·25	·05	·18	·05	—	·11	·02		2
3	·11	—	·13	·38	—	·25	·14	·16	·84	—	·09	·09		3
4	—	—	·21	—	—	·10	·05	·01	1·05	—	·12	·50		4
5	·46	·02	·05	—	—	—	·44	·07	·13	—	·03	·11		5
6	·07	—	·04	—	—	·03	·33	·18	·10	—	·17	·01		6
7	·44	—	·09	—	—	—	·48	—	·13	—	1·30	·06		7
8	·24	—	·43	—	—	—	1·01	—	—	—	·73	·05		8
9	·35	—	·16	—	—	—	·08	—	·12	—	·28	—		9
10	·05	·05	—	—	—	—	—	—	—	—	·33	·05		10
11	·20	—	—	—	·14	·14	·04	·07	·10	—	·71	—		11
12	·02	—	—	·07	—	—	·66	—	·39	·06	·37	—		12
13	·18	—	—	·02	—	—	·20	·03	·01	·19	·10	·73		13
14	—	·01	—	—	—	—	·66	—	·12	·10	·04	·45		14
15	—	—	—	—	·07	—	·12	—	·41	—	·32	·20		15
16	·01	·08	—	·11	·22	—	·08	—	—	—	·35	·12		16
17	·41	·52	·02	—	·13	—	·15	·01	—	·20	·10	·65		17
18	·06	·28	—	—	·01	·05	·70	·01	—	·18	—	·18		18
19	·45	·02	·04	·32	—	·56	·12	·21	—	·01	—	·01		19
20	·13	·32	·34	·03	—	—	·02	·01	·30	—	—	·01		20
21	·06	—	·07	·66	—	·05	·01	—	—	—	—	—		21
22	·28	·35	·36	—	—	—	·15	—	—	·01	—	·02		22
23	·05	·10	·06	·19	·07	—	·06	—	·01	·05	—	—		23
24	·09	·02	·01	·06	·13	—	·02	—	·04	·45	—	·02		24
25	·31	—	·27	·21	·01	—	·24	—	·32	·55	·03	—		25
26	·21	·27	·20	·08	—	—	·07	—	—	·35	—	—		26
27	·20	·02	·04	—	—	·02	·74	—	·05	·27	—	—		27
28	·56	—	·46	—	—	·13	·21	—	—	·02	—	·20		28
29	·08	·26	·04	—	—	·55	—	—	—	·12	·10	·23	23	29
30	·19	×	·06	—	·02	·11	·04	—	—	·33	—	·02		30
31	·32	×	·35	×	·01	×	·16	—	×	·20	×	·43		31
TOTAL	5·47	2·47	3·41	2·26	·81	2·32	7·39	90	4·17	3·09	5·38	4·38	Year's Total 42·05	
* Days with .01 in. or more.	27	15	22	13	10	13	29	12	17	16	19	23	216	
* Days with .04 in. or more.	24	10	20	9	6	11	26	6	15	13	17	16	173	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2110

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Brushford Mission.

in the County of Somersetshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 15 in.

,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·29	·02	·01	·13	—	—	·03	—	·13	·18	·08	·38		1
2	·58	·61	—	·11	—	—	—	—	·05	—	·01	·12		2
3	—	·27	·03	·22	·11	·01	·03	—	·09	—	—	·07		3
4	·19	·36	—	·07	·09	—	—	·04	—	—	—	·52		4
5	1·05	—	—	—	·01	—	·21	—	—	—	—	·11		5
6	·48	·31	·25	·37	·07	—	·20	—	—	·02	—	—		6
7	—	·78	·02	·25	—	·08	—	—	·09	·02	·01	·16		7
8	·01	·15	—	—	·31	·08	·07	—	—	—	·05	—		8
9	·01	·06	·11	·05	·23	—	·03	·07	·80	—	—	·09		9
10	·12	·03	·72	·38	—	·05	·01	·03	—	—	—	·35		10
11	·01	—	·21	·19	·37	·02	·49	·04	—	—	—	·05		11
12	·32	·35	·22	—	—	·35	·10	·08	·31	—	—	·19		12
13	—	·12	·98	·21	—	·01	—	·28	·01	—	—	}		13
14	—	·03	·30	·02	—	—	·06	·02	·10	—	—	·31 }		14
15	·53	·20	·07	·55	—	—	·09	—	·11	—	—	·18		15
16	·19	·22	·58	·08	—	—	·05	·53	·44	—	—	—		16
17	1·07	·10	·63	—	—	—	·03	·03	·08	—	·07	—		17
18	·15	·29	·30	—	—	·16	—	·01	·07	—	·18	·35		18
19	·21	·30	·07	·34	·05	·02	·01	—	·30	—	·41	·02		19
20	·60	·08	·04	·37	·06	—	—	—	·06	—	·01	·30		20
21	·41	·98	·11	·20	·23	—	·14	—	·09	·15	·17	·03		21
22	·11	·03	·17	—	·28	—	·25	—	·01	·69	·40	·05		22
23	·17	·20	—	—	·04	—	·03	—	—	·21	·71	·02		23
24	·66	·59	·05	—	—	—	·08	—	·02	·80	·01	·02		24
25	—	·86	·36	—	·01	—	—	—	—	·18	—	·05		25
26	—	·36	·04	—	·11	—	—	—	—	—	·01	—		26
27	—	}	—	—	—	—	—	—	—	·40	—	—		27
28	·28	·95 }	—	—	—	·02	—	—	—	·08	—	·02		28
29	·02	✕	—	—	—	—	—	—	—	·52	·25	·01		29
30	·30	✕	—	—	—	·28	—	—	·06	·21	·45	[illegible]		30
31	·53	✕	—	✕	—	✕	—	—	✕	·27	✕	—		31
TOTAL	8·29	8·25	5·27	3·54	1·97	1·08	1·91	1·13	2·82	5·73	2·82	3·40	Year's Total 44·21	✓
* Days with .01 in. or more.	24	26	21	16	14	11	18	10	18	13	15	23	209	✓
* Days with .04 in. or more.	20	23 2	18	15	12	6	11	6	15	11	10	1~~8~~7	163	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) George Reff.

[P.T.O.

COPY FOR OFFICIAL USE

Station No. 2110.

Section **A** for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Brushford Nurseries.

in the County of Dulverton, Somerset.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" Ground " Sea Level 450 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†		
1	—	·28	—	—	·01	·91	·18	·30	—	·47	·13	·59		1	
2	—	·12	—	·22	·08	—	—	—	—	·59	·11	·31	←	2	
3	—	—	—	[illegible]	·17	·04	·04	·01	—	·71	·06	·01		3	
4	·02	—	—	—	—	·04	·43	1·39	·04	·76	·09	·17		4	
5	·03	—	—	—	—	·04	·08	·05	·05	·80	·02	·20		5	
6	·23	—	—	—	—	·13	·90	—	·06	·23	—	·13		6	
7	·24	—	—	—	—	—	·35	·23	·07	·35	·01	·20		7	
8	·68	·07	·01	—	—	—	·19	·04	—	·64	—	·04		8	
9	·62	·25	—	—	—	·12	·02	·03	—	·04	—	·78		9	
10	·20	·02	—	—	—	—	·28	·05	—	·06	—	·74		10	
11	·25	—	—	—	—	·02	·06	·88	—	·01	·26	·66		11	
12	·48	·01	—	—	·26	—	·01	—	—	·42	·92	·01		12	
13	·10	—	—	—	·09	—	—	—	—	·13	·11	1·31		13	
14	·22	—	—	—	·08	—	·35	—	·05	·01	—	·01		14	
15	·25	—	—	—	·13	—	—	·07	—	·07	·18	·43		15	
16	·49	·01	·04	—	·02	—	—	·19	—	—	·26	·02		16	
17	—	·15	—	—	·03	—	·03	—	·11	·37	·06	—		17	
18	·28	—	—	—	·10	·08	—	·09	·33	·12	·44	—		18	
19	·02	—	—	—	—	—	·01	·06	·10	·01	·64	—		19	
20	·08	—	—	—	—	—	—	·01	·01	—	·28	—		20	
21	·11	—	—	—	—	·02	—	·05	·14	—	·21	·24		21	
22	·04	—	—	·12	—	·10	—	·53	·01	·04	·44	·06		22	
23	—	—	—	·01	—	·02	—	·01	—	—	·25	·02		23	
24	·01	—	·24	—	·09	—	—	·05	·11	—	·38	—		24	
25	·31	·15	·06	—	·23	—	·16	—	—	·07	·77	·06		25	
26	·37	·52	·15	—	·30	—	·05	—	—	·21	·18	·09		26	
27	·43	·42	—	—	·41	·31	·25	·40	—	·03	·37	—		27	
28	·45	·25	·03	—	·22	·22	·01	·48	—	·01	·03	·01		28	
29	·44	✕	·03	—	·45	—	·02	—	·15	·22	·45	·09		29	
30	·16	✕	·02	—	·09	·04	—	—	·35	·01	·48	·10		30	
31	·53	✕	—	✕	·35	✕	—	—	✕	·32	✕	·41		31	
TOTAL	7·04	2·25	·58	·35	3·11	2·09	3·42	4·92	1·58	6·70	7·93	6·69	Year's Total 46·66	✓	
* Days with .01 in. or more.	26	12	8	3	18	14	19	20	14	26	25	25	210 210	✓	
* Days with .04 in. or more.	22	9	4	2	15	11	13	16	12	20	22	19	165	✓	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) George Ruff. [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2110.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193~~8~~9.

Kept at BRUSHFORD NURSERIES

in the County of SOMERSET.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·24	—	·07	·05	·01	—	·30	·03	—	—	·16	·07		1
2	·22	—	—	·18	—	—	·02	·38	·23	—	·46	·30		2
3	·28	—	·05	·56	—	—	—	·11	·18	—	·07	·64		3
4	·01	—	·38	·61	·38	—	·43	·03	—	·29	·67	·67		4
5	—	—	·05	·24	—	—	·66	—	—	·27	·60	·06		5
6	·75	—	·10	—	—	—	·57	·04	—	·08	·21	—		6
7	·17	·17	—	—	—	—	·10	·02	—	—	·12	·50		7
8	·10	·34	·05	—	·06	—	·11	·06	—	·52	·64	·26		8
9	·11	·10	·05	—	—	—	—	·11	—	·25	·09	·10		9
10	·29	·03	—	—	—	·05	—	·17	·15	·20	—	·37		10
11	·06	·01	·10	—	—	—	—	—	—	·21	·01	—		11
12	·15	·11	—	·01	—	—	—	—	·04	·10	—	—		12
13	—	—	—	·21	—	·10	·17	—	·10	·26	·03	—		13
14	·70	·01	—	·06	·08	·15	·54	—	·08	·02	·16	·02		14
15	·46	·04	—	·17	·18	·61	1·36	—	—	·04	·44	·01		15
16	·08	·01	—	·16	·15	—	2·60	—	—	—	·92	—		16
17	·94	·03	—	—	·03	·25	·33	—	—	—	·24	—		17
18	·13	·14	·06	—	—	·13	1·02	—	—	·01	·85	—		18
19	·23	—	—	—	—	—	·25	—	—	—	·01	·03		19
20	·50	—	—	—	·02	·29	·01	1·39	—	—	—	·01		20
21	·05	·17	·34	—	·08	·20	·04	·33	—	—	—	—		21
22	1·45	·40	·32	·05	·04	·42	·16	—	—	—	·56	—		22
23	·03	·11	·08	·38	—	·01	·17	—	—	·19	·76	—		23
24	—	·01	·19	·08	—	·28	·32	·01	—	·33	—	—		24
25		·38	—	—	—	—	·16	·01	—	·20	1·13	—		25
26	1·91	·17	—	·09	—	—	·01	·43	—	·27	1·01	—		26
27	—	·17	·07	·01	—	·07	·06	·49	—	·04	·28	—		27
28	—	·18	·06	·39	—	·16	·09	—	—	—	·91	·07		28
29	·05	×	—	·12	—	·03	·07	—	—	·34	·45	—		29
30	—	×	—	·38	—	·12	·08	—	—	·16	·16	—		30
31	—	×	—	×	—	×	·18	·18	×	·45	×	—		31
TOTAL	8·91	2·58	1·97	3·75	1·03	2·87	8·81	3·79	·73	4·18	10·94	3·11	Year's Total 52·67	
* Days with .01 in. or more.	24	19	15	18	10	15	26	16	6	20	25	14	208	
* Days with .04 in. or more.	21	13	15	16	7	12	23	11	5	17	22	10	172	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) George [illegible]

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2110.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Brushford Nurseries Dulverton

in the County of Somersetshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 450 ft.

Ark

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·09	—	·09	·12	—	—	—	—	—	·16	—		1
2	—	·03	—	·11	—	—	·06	—	—	—	1·55	·01		2
3	—	·41	—	·04	—	—	—	—	—	·16	1·77	·08		3
4	—	·34	—	·25	—	—	·25	—	—	·30	·05	·10		4
5	·01	·01	—	—	—	—	·07	—	—	·44	·74	·37		5
6	·16	·46	—	—	—	—	·10	—	—	·41	·20	·34		6
7	·09	·09	—	·05	—	—	·45	—	·03	·02	—	·10		7
8	·01	—	—	—	—	—	—	—	—	·46	·18	·50		8
9	—	—	—	—	—	—	·37	·11	·09	·21	·93	·50		9
10	—	—	·01	—	—	—	·18	·03	·08	·24	·32	·37		10
11	—	·11	·02	·01	—	—	·67	—	·59	—	1·20	·02		11
12	—	—	·32	—	—	·09	·74	—	·07	—	·17	—		12
13	—	·02	·46	—	—	—	·63	—	—	·23	·78	·08		13
14	—	—	·18	·16	·03	—	·01	·04	·14	·51	·08	·40		14
15	—	x ·06	·02	·15	·13	—	·01	—	·29	·01	·38	·01		15
16	·09	·52	·37	·07	—	—	·06	—	·09	·56	·09	·05		16
17	—	x	·61	—	—	—	·12	—	·11	—	·01	·02		17
18	·28	x ·97	·31	·25	—	—	—	·01	·15	·04	·04	·30		18
19	—	·07	·20	·14	—	—	·46	—	·40	—	·22	·01		19
20	—	—	·08	·04	—	—	·14	·11	·34	·10	·17	—		20
21	—	—	·04	—	·22	·13	·04	—	—	—	·34	—		21
22	—	·01	·18	·22	·21	·37	—	—	·15	·02	—	—		22
23	—	·15	·08	·04	·09	·01	—	—	·06	·01	·03	—		23
24	—	—	·01	—	·03	·08	·34	—	—	—	—	—		24
25	·11	—	·01	·03	·19	·17	—	—	—	—	—	—		25
26	1·26	·20	—	·02	·31	—	·14	—	—	—	·03	—		26
27	·48	·10	·02	·29	·11	·01	·10	—	—	—	—	—		27
28	·58	·03	—	·40	·23	—	—	—	—	—	—	·01		28
29	·17	·11	·29	·58	—	·07	—	—	—	·02	—	·55		29
30	·03	×	·03	·16	·01	—	—	—	—	·34	·03	·29		30
31	·09	×	·03	×	—	×	—	—	×	·63	×	·29		31
TOTAL	3·36	3·78	3·27	3·50	1·68	·93	4·94	·30	2·59	4·71	9·47	4·40	Year's Total ~~[illegible]~~	42·93
* Days with .01 in. or more.	13	20	20	20	12	8	20	5	14	19	23	21	195	
* Days with .04 in. or more.	10	15	12	17	9	6	18	3	13	14	19	15	150	151

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) George Ruff

P.T.O.

EAST ANSTEY (DASS

Section **A** for the entry of
AIR MINISTRY

tion No. 2110/2
ORGANIZATION

FORM 1090

REGIS

2110/2
EAST ANSTEY
DASSELS
~~1939~~ 40

780401

Kept at DASSELS
in the County of SOMERS

Diameter of Funnel of Gauge 5
Height of top of Gauge above Grou
" Ground " Sea

cert for any

THE MORNING MEASURE

DAY

Jan. 1, following

An observer who does not conform to
year in the space on the right of thi

llowing

Plea

Date	Jan.	Feb.	Mar.	Ap								Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·30		·07	·04			·08	·01			·16	·07		1
2	·32			·12			·04	·48	·17		·34	·29		2
3	·29		·05	·81				·12	·13		·12	·60		3
4	·01		·30	·53	·28		·40	·13		·35	·67	·64		4
5			·07	·22	·02		·63			·36	·52	·06		5
6	·66	·02	·12	·01			·52	·04			·25			6
7	·26	·13					·11	·01			·14	·64		7
8	·08	·37	·06		·09	·17	·14	·05		·45	·48	·24		8
9	·26	·12	·04					·21		·12	·09	·11		9
10	·37	·04	·01			·06		·26	·27	·14	·04	·41		10
11	·06	·01	·20							·27	·02	·01		11
12	·20	·11							·07	·13	·02			12
13	·02			·31	·01	·10	·24		·08	·17	·01			13
14	·58	·01		·09	·11	·21	·67		·01	·03	·19	·03		14
15	·33	·05	·02	·21	·13	·59	1·13			·05	·48	·01		15
16	·16	·01		·19	·17		·69				1·02			16
17	·82	·05	·04		·01	·25	·27				·24			17
18	·20	·18				·18	·82				·94			18
19	·23						·07				·01	·02		19
20	·46				·01	·20	·06	·72						20
21	·07	·15	·37		·16	·23	·03	·15	·01					21
22	1·15	·32	·29	·06			·18				·60			22
23	·03	·04	·07	·37			·30			·21	·61			23
24	Snow ~~·22~~ ·80		·26	·07			·30			·22	·01			24
25	~~·65~~ 1·28	·33					·29	·02		·11	1·16			25
26	·01	·16		·12			·02	·36		·19	·96			26
27		·28	·06			·09	·08	·42			·26			27
28		·10	·06	·27		·22	·18				1·12	·09		28
29				·12		·03	·12			·28	·53			29
30		✕	·01	·35		·17	·07			·10	·20			30
31		✕		✕		✕	·11	·21	✕	·42	✕			31
TOTAL	~~7·72~~ 8·92	2·48	2·10	3·89	·99	2·50	7·55	3·19	·74	3·60	11·19	3·22	Year's Total ~~49·17~~ 50·37	Print wt
* Days with .01 in. or more.	25	19	18	17	10	13	26	15	7	17	28	14	209	
* Days with .04 in. or more.	22	15	15	16	6	12	24	12	5	16	23	11	177	

MAJOR FARQUHAR

† Spare column; no entries required.

(Signed) J.R. Farquhar, Major

* See Instruction 3 (f) on other side.

P.T.O.

EAST ANSTEY. (DASS

Section A for the entry of Daily Observations

Station No. 2110/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at DASSELS DULVERTON

in the County of SOMERSET

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" Ground " Sea Level 850 ft.

Query on 24 & 25 Jan sent from day 5/4/40 [illegible].

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·30		·07	·04			·08	·01			·16	·07		1
2	·32			·12			·04	·48	·17		·34	·29		2
3	·29		·05	·81				·12	·13		·12	·60		3
4	·01		·30	·53	·28		·40	·13		·35	·67	·64		4
5			·07	·22	·02		·63			·36	·52	·06		5
6	·66	·02	·12	·01			·52	·04			·25			6
7	·26	·13					·11	·01			·14	·64		7
8	·08	·37	·06		·09	·17	·14	·05		·45	·48	·24		8
9	·26	·12	·04					·21		·12	·09	·11		9
10	·37	·04	·01			·06		·26	·27	·14	·04	·41		10
11	·06	·01	·20							·27	·02	·01		11
12	·20	·11							·07	·13	·02			12
13	·02			·31	·01	·10	·24		·08	·17	·01			13
14	·58	·01		·09	·11	·21	·67		·01	·03	·19	·03		14
15	·33	·05	·02	·21	·13	·59	1·13			·05	·48	·01		15
16	·16	·01		·19	·17		·69				1·02			16
17	·82	·05	·04		·01	·25	·27				·24			17
18	·20	·18				·18	·82				·94			18
19	·23						·07				·01	·02		19
20	·46				·01	·20	·06	·72						20
21	·07	·15	·37		·16	·23	·03	·15	·01					21
22	1·15	·32	·29	·06			·18				·60			22
23	·03	·04	·07	·37			·30			·21	·61			23
24	Snow ·80 ~~·22~~		·26	·07			·30			·22	·01			24
25	1·28 ~~·65~~	·33					·29	·02		·11	1·16			25
26	·01	·16		·12			·02	·36		·19	·96			26
27		·28	·06			·09	·08	·42			·26			27
28		·10	·06	·27		·22	·18				1·12	·09		28
29				·12		·03	·12			·28	·53			29
30		✕	·01	·35		·17	·07			·10	·20			30
31		✕		✕		✕	·11	·21	✕	·42	✕			31
TOTAL	8·92 ~~7·72~~	2·48	2·10	3·89	·99	2·50	7·55	3·19	·74	3·60	11·19	3·22	Year's Total 50·3 ~~49·7~~	Print OK
* Days with .01 in. or more.	25	19	18	17	10	13	26	15	7	17	28	14	209	
* Days with .04 in. or more.	22	15	15	16	6	12	24	12	5	16	23	11	177	

MAJOR FARQUHAR

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) J. R. Farquhar. Major

[P.T.O.

COPY FOR OFFICIAL USE 131

Section **A** for the entry of Daily Observations

Station No. 2110/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193~~4~~0

Kept at DASSELS (East Anstey)
in the County of Somerset (S ~~N. Devon~~)
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" Ground " Sea Level 850 ft.

Accs Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

S = snow

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		·10		·13	·15						·13			1
2		·02		·15		~~·10~~	·10				1·50	·01		2
3		·44		·06						·19	1·80	·20		3
4		·48		·24		~~·25~~	·25			·21	·06	·16		4
5	·01	·01								·47	·89	·33		5
6	·13	·29				[illegible]	·28			·32	·25	·19		6
7	·07	·09		·05			·16		·03	·11		12 ~~·16~~		7
8									·01	·22	·19	·61		8
9							·41	·09	·13	·23	·67	·42		9
10			·02				·05	·03	·11	·38	·25	·45		10
11		·11	·02	·03		·04	1·78 ×				1·07	·01		11
12			·37			·07	- ×		·77		·17			12
13		·01	·49				·56		·06	·32	·66	·05		13
14		·04	·06	·11	·03			·10	·14	·54	·10	·38		14
15			·02	·12	·10				·35		·30			15
16	S ·04	·26	·38	·06			·09		·11	·57	·05	·07		16
17		·04	·65				·18		·13	·01	·01			17
18	S ·37	·85	·24	·50			·01	·06	·06	·05	·05	·41		18
19		·11	·13	·18			·38		·43	·01	·21			19
20			·07	·05			·18	·21	·28	·10	·13			20
21			·03		·20	·16	·01	·01			·40			21
22		·01	·22	·11	·27	·31			·28	·02	·01			22
23		·21	·18	·03	·10				·05	·01	·09			23
24				·01	·01	·08	·35							24
25	·15			·02	·16	·12			·01					25
26	1·37	·23			·37		·20				·04			26
27	·42	·09	·04	·38	·09	·05	·16	·01			·01			27
28	·38	·05		·03	·19							·07		28
29	S ·07	S ·06	·27	·51		·07				·04		·88 ×		29
30		✕	·02	·12						·54	·01	--- ×		30
31	·20	✕	·01	✕		✕			✕	·53	✕	·24		31
TOTAL	3·21	3·50	3·22	2·89	1·67	·90	5·15	·51	2·95	4·97	9·05	4·60	Year's Total 42·62	
* Days with .01 in. or more.	11	20	18	20	11	8	18	7	16	20	25	18	192	
* Days with .04 in. or more.	10	16	12	15	8	8	16	3	13	16	21	16	154	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) F. R. Farquhar Major [P.T.O.

DULVERTON

Section A for the en

AIR MI

Station No. 2110/5

NFALL ORGANIZATION

FORM 1090

RE

936

Circ Cent 29/5/37

2110/5

DULVERTON

CHILTONS HOUSE

1936 — 37

780401

Kept at Chiltons H

in the County of ...

D.

Diameter of Funnel of Gaug

Height of top of Gauge ab

,, Ground ,,

625598/37

THE MORNING ME **IOUS DAY**

An observer who does not co *of the following*
year in the space on the rig

Jan. 1, following
·33

Date	Jan.	Feb.	Ma								Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·29	·27	·30	·45		·04	·12	·17			·01			1
2	·02	·22	·05	·19		·12	1·05	·17			·14	·17		2
3	·01	·02		·05		·25	·07	·05	·25		·18	·03		3
4	·08	·03	·20	·33		·24	·20	·23	1·10		·03	·08		4
5	·05		·23	·01		·19	·03	·02	1·17		·16	·46		5
6	·52	·03	·07				·46	·21	·21		·05	·08		6
7	·13		·05			·05	·50	·23	·12		·23	·01		7
8	·50		·12				·42		·12		1·08	·08		8
9	·16		·48				·82		·02		·62	·07		9
10	·25	·06	·16			·02	·05		·20		·25	·02		10
11	·04		·01				·02		·01		·38	·01		11
12	·30	·03		·02	·20	·18	·04	·06	·10		·88	·07		12
13	·02			·06	·01		·83		·54	·06	·02	·02		13
14	·12	·02	·01	·09	·01	·01	·32	·06	·03	·32	·14	·90		14
15	·01	·03		·02		·15	·65		·11	·04	·03	·35		15
16		·02			·05	·02	·15		·46		·46	·14		16
17	·05	·13		·04	·21		·12		·04		·42	·22		17
18	·31	·64			·05		·21	·11		·24	·06	·71		18
19	·13	·22	·04		·02	·11	1·17	·03		·17		·24		19
20	·50	·03	·11	·37		·82	·21	·27				·01		20
21	·11	·47	·22	·07			·02	·03	·33			·04		21
22	·06		·24	·68		·07	·01	·01	·03	·01		·02		22
23	·33	·43	·17				·17			·02		·03		23
24	·06	·11	·12	·25	·99		·10			·06	·02			24
25	·27	·03	·02	·17	·15		·01		·10	·42				25
26	·26	·01	·30	·30	·02		·35		·54	·73	·05			26
27	·22	·25	·17	·03			·07		·01	·12				27
28	·16	·18	·15				·11		·05	·19				28
29	·51	·06	·46	·02		·08	·09			·10	·03	·28		29
30	·13	✗	·08		·01	·63	·02			·15	·08	·16		30
31	·38 ·27	✗ ·30	·20 ·45	✗ –	·01 ·04	✗ ·12	·11 ·17	–	✗ –	·50 ·01	✗ –	·33		31
TOTAL	5·99 ~~6·01~~	3·32 ~~3·29~~	4·11 ~~3·96~~	2·70 ~~3·15~~	·87 ~~·83~~	3·16 ~~2·98~~	8·55 ~~8·50~~	1·48 ~~1·65~~	5·54	3·14 ~~3·13~~	5·31 ~~5·32~~	4·53 ~~4·20~~	Year's Total ~~48·37~~ ~~48·55~~	
* Days with .01 in. or more.	30	22	24	17 ~~18~~	13 ~~12~~	16	31	13 ~~14~~	21	16 ~~15~~	21 ~~22~~	25 ~~24~~	249	
* Days with .04 in. or more.	27	12	21	12 ~~13~~	7 ~~6~~	13	26	9 ~~10~~	16	12	16	18 ~~17~~	189	

? 48·70

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

N

(*Signed*) Laurence B. Akers [P.T.O.

L.B. AKERS ESQ.

DULVERTON

Section **A** for the e

Station No. 2110/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Chittons House Dulverton

in the County of Somerset /5

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 6 in.

,, Ground ,, Sea Level 900 ft.

written 5/37

Circ sent 20/5/37

W. D.

625598/37

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ·33

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·29	·27	·30	·45		·04	·12	·17			·01			1
2	·02	·22	·05	·19		·12	1·05	·17			·14	·17		2
3	·01	·02		·05		·25	·07	·05	·25		·18	·03		3
4	·08	·03	·20	·33		·24	·20	·23	1·10		·03	·08		4
5	·05		·23	·01		·19	·03	·02	1·17		·16	·46		5
6	·82	·03	·07				·46	·21	·21		·05	·08		6
7	·13		·05			·05	·50	·23	·12		·23	·01		7
8	·50		·12				·42		·12		1·08	·08		8
9	·16		·48				·82		·02		·62	·07		9
10	·25	·06	·16			·02	·05		·20		·25	·02		10
11	·04		·01				·02		·01		·38	·01		11
12	·30	·03		·02	·20	·18	·04	·06	·10		·88	·07		12
13	·02			·06	·01		·83		·54	·06	·02	·02		13
14	·12	·02	·01	·09	·01	·01	·32	·06	·03	·32	·14	·90		14
15	·01	·03		·02		·15	·65		·11	·04	·03	·35		15
16		·02			·05	·02	·15		·46		·46	·14		16
17	·05	·13		·04	·21		·12		·04		·42	·22		17
18	·31	·64			·05		·21	·11		·24	·06	·71		18
19	·13	·22	·04		·02	·11	1·17	·03		·17		·24		19
20	·50	·03	·11	·37		·82	·21	·27				·01		20
21	·11	·47	·22	·07			·02	·03	·33			·04		21
22	·06		·24	·68		·07	·01	·01	·03	·01		·02		22
23	·33	·43	·17				·17			·02		·03		23
24	·06	·11	·12	·25	·99		·10			·06	·02			24
25	·27	·03	·02	·17	·15		·01		·10	·42				25
26	·26	·01	·30	·30	·02		·35		·54	·73	·05			26
27	·22	·25	·17	·03			·07		·01	·12				27
28	·16	·18	·15				·11		·05	·19				28
29	·51	·06	·46	·02		·08	·09			·10	·03	·28		29
30	·13	☒	·08		·01	·63	·02			·15	·08	·16		30
31	·38 ·27	☒ ·30	·20 ·45	☒ –	·01 ·04	☒ ·12	·11 ·17	–	☒ –	·50	☒ –	·33		31
TOTAL	5·99 ~~6·01~~	3·32 ~~3·29~~	4·11 ~~3·96~~	2·70 ~~2·15~~	·87 ~~·83~~	3·16 ~~2·98~~	8·55 ~~8·50~~	1·48 ~~1·65~~	5·54	·01 3·14 ~~3·13~~	5·31 ~~5·32~~	4·53 ~~4·20~~	Year's Total ~~48·37~~ ~~48·56~~	48·70
* Days with .01 in. or more.	30	22	24	17 ~~18~~	13 ~~12~~	16	31	13 ~~14~~	21	16 ~~15~~	21 ~~22~~	25 ~~24~~	249	
* Days with .04 in. or more.	27	12	21	12 ~~13~~	7 ~~6~~	13	26	9 ~~10~~	16	12	16	18 ~~17~~	189	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Laurence B. Akers [P.T.O.

L.B. AKERS ESQ.

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 193....

At ....

In the County of ....

Rain Gauge
Diameter of Funnel........................in.
Height of Top above Ground.........ft............in.
Height of Ground above Sea Level.................ft.

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	~~6·01~~	5·99			
FEB.	~~3·29~~	3·32			
MAR.	~~3·96~~	4·11			
APRIL	~~3·15~~	2·70			
MAY	~~·83~~	·87			
JUNE	~~2·98~~	3·16			
JULY	~~8·50~~	8·55			
AUG.	~~1·65~~	1·48			
SEPT.	5·54 ✓	5·54			
OCT.	~~3·13~~	3·14			
NOV.	~~5·32~~	5·31			
DEC.	~~4·20~~	4·53			
TOTAL	48·56	48·70		250	

Signature ....

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
Lawrence B. Akers
Chiltons House Dulverton Somerset.

Hour of observation by the clock—in Winter 9 Am in Summer 9 Am

Nearest Railway Station East Anstey Distance 1½ miles Direction from gauge SW.

Nearest Parish Church at East Anstey Distance 1¼ miles Direction from gauge SW.

Nature of objects nearest to gauge	Hedge	House	Gardenwall	Tree
Height of objects	6 ft.	35 ft	6 ft.	25 ft.
Distances ...	30 ft.	30 ft.	30 ft.	33 ft.
Directions from gauge ...	W.	N	E	S

If gauge has been moved during the year state—

Date of move.............................. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Monthly totals copied from press-cuttings.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

N

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2110/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Chilton Hurst Dulverton

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 6 in.

,, Ground ,, Sea Level 950 ft.

Letter re. exposure sent 17-2-38

not W. D.

this year 82

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.44	.04	.02	.19			.08		.14	.27	.14	.42		1
2	.33	.34		.20					.05		.02	.16		2
3	.01	.78	.03	.14	.18	.04	.06		.06		.02	.07		3
4	.21	.39		.07	.11	.09		.08				.62		4
5	1.07	.02		.01	.02		.44					.18		5
6	.30	.40	.18	.47	.14	.02	.22		.04					6
7		.78	.06	.15		.12				.05	.04	.12		7
8		.14		.01	.42	.27	.08		.12	.06	.02			8
9	.04	.07	.13	.08	.23		.02	.15	.86			.09		9
10	.15	.03	.72	.55		.07	.25	.09				.38		10
11	.05		.23	.16	.29	.03	.39	.47				.06		11
12	.37	.49	.25			.38	.06	.09	.31			.24		12
13		.16	.70	.22	.02	.15		.41	.12			.13		13
14	.02	.05	.07	.08			.04	.04	.12			.23		14
15	.50	.22	.24	.72			.16		.19			.25		15
16	.23	.15	.06	.07			.09	.55	.48					16
17	.95	.16	.54				.01	.04	.14		.09	.01		17
18	.17	.31	.86			.17	.02	.02	.29		.21	.40		18
19	.22	.10	.10	.44	.08	.02					.47	.02		19
20	.50	.12	.06	.37	.07				.38		.02	.30		20
21	.48	.54	.10	.18	.40		.20		.10	.24	.04	.01		21
22	.05	.03	.15		.28		.37		.02	.68	.56	.06		22
23	.53	.27	.02		.05		.02			.16	.44	.04		23
24	.20	.78	.05				.09		.02	.79	.02	.06		24
25	.02	.72	.38		.09		.01		.03	.12	.01	.08		25
26	.02	.33	.03		.03						.01	.02		26
27		.26								.59				27
28		.23				.05				.16		.02		28
29	.06					.30				.49	.38	.03	~~NP. high~~	29
30	.46	×							.14	.04	.56	.02		30
31	.50	×		×		×			×	.33	×			31
TOTAL	7.88	7.91	4.98	4.02	2.41	1.71	2.61	1.94	3.51	3.98	3.05	4.02	Year's Total 48.02	✓
* Days with .01 in. or more.	26	27	22	19	15	13	19	10	19	13	17	27	227	✓ ✓
* Days with .04 in. or more.	22	24	18	16	12	10	14	9	15	13	10	20	183	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Lawrence B. Akers

[P.T.O.

2111

Section **A** for the ent
AIR MIN

FOR OFFICIAL USE.
NFALL ORGANIZATION.

FORM 1090.

REC

93 1.

—

2111

DULVERTON C of E SCHOOL
1931 — 40

780401

Kept at Dulverton
in the County of S

Diameter of Funnel of Gauge
Height of top of Gauge above
" Ground "

n 27th May & has been
server. Return is O.K. otherwise
J Starch. 1/4/32

THE MORNING M **DAY.**

An observer who does not conf *f the following year in the space on the right*

Jan. 1, following

Date	Jan.	Feb.	Ma							Oct.	Nov.	Dec.	Date
	in.	in.								in.	in.	in.	
1	·02	·11	—	—	—	Tr.	·02	—	·5	—	Tr.	Tr.	1
2	·29	·05	—	·5	—	—	—	—	·75	·07	·10	·25	2
3	·02	—	—	·01	Tr.	·01	·04	—	·5	·02	1·9	Tr.	3
4	·08	—	·79	·16	—	·16	·57	·95	·34	·16	·03	·48	4
5	Tr.	·32	·15	·19	—	·57	·18	·6	—	Tr.	·07	·02	5
6	·01	·03	—	·03	·19	·28	·61	—	—	·42	·11	·3	6
7	—	·05	—	—	—	·08	—	—	—	·2	·56	·15	7
8	—	·36	—	·24	·3	·28	·03	·27	—	Tr.	·5	·15	8
9	—	·29	—	—	—	·1	—	·26	—	Tr.	·89	·03	9
10	—	·1	—	—	·12	—	·17	—	·08	·02	·5	·14	10
11	·41	·87	—	—	—	—	·06	·04	·18	·21	·45	—	11
12	·05	·07	—	—	·09	Tr.	·29	Tr.	·05	—	·06	—	12
13	·02	—	·03	—	·1	Tr.	·31	Tr.	·01	—	·3	Tr.	13
14	·05	·12	—	·12	·1	·28	·34	·13	·03	Tr.	·27	Tr.	14
15	—	·24	—	—	·07	·01	—	·13	·1	Tr.	Tr.	·02	15
16	·6	·17	—	·43	·08	·76	·03	·67	·08	Tr.	Tr.	Tr.	16
17	·8	·04	—	·01	—	·16	·48	·86	—	Tr.	Tr.	Tr.	17
18	·11	—	—	—	Tr.	·23	·23	—	·02	Tr.	·3	—	18
19	·17	·09	—	·17	·09	·04	Tr.	·84	·06	Tr.	·35	—	19
20	—	·06	·21	Tr.	—	—	—	·34	Tr.	·01	·51	—	20
21	·2	·03	·02	—	—	—	Tr.	·85	Tr.	—	·19	—	21
22	·5	·18	Tr.	·01	·05	—	Tr.	—	—	—	·10	—	22
23	·32	·02	—	·15	·51	—	—	·02	Tr.	—	·35	—	23
24	·2	·17	Tr.	·54	·09	—	·78	·11	—	—	·05	·04	24
25	·17	·39	—	·52	Tr.	—	·16	Tr.	Tr.	—	·05	·03	25
26	—	·24	—	·33	2·32	—	·29	—	Tr.	—	·38	—	26
27	·21	·32	—	—	—	Tr.	·1	—	Tr.	Tr.	·01	—	27
28	·44	·34	·11	—	—	—	·04	·06	—	·05	·85	·06	28
29	·21	—	·11	—	·02	—	·18	·08	—	·13	·07	·38	29
30	·52	✕	Tr.	·06	·07	—	Tr.	·08	·05	Tr.	Tr.	—	30
31	1·04	✕	—	✕	·3	✕	·02	Tr.	✕	—	✕	·39	31
TOTAL	6·44	4·66	1·42	3·47	4·5	2·96	4·93	6·29	2·75	1·29	8·95	2·44	YEAR'S TOTAL 50·10
*Days with ·01 in. or more.	23	24	7	16	16	13	21	17	14	10	25	14	200.
*Days with ·04 in. or more.	19	21	5	12	15	11	17	16	11	7	23	10	167.

40-9999

(Signed) Charles J. R. Weaver [P.T.O.

*See Instruction 2 (*f*) on other side.

2111

Section **A** for the ent

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Dulverton C.E. School
in the County of Somerset.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground – ft. 9 in.
,, Ground ,, Sea Level 550 ft.

2.32 inches occurred on 27th May & has been wrongly entered by observer. Return is O.K. otherwise
J Glasspoole. 1/4/32.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·11	—	—	—	Tr.	·02	—	·5	—	Tr.	Tr.	1
2	·29	·05	—	·5	—	—	—	—	·75	·07	·10	·25	2
3	·02	—	—	·01	Tr.	·01	·04	—	·5	·02	1·9	Tr.	3
4	·08	—	·79	·16	—	·16	·57	·95	·34	·16	·03	·48	4
5	Tr.	·32	·15	·19	—	·57	·18	·6	—	Tr.	·07	·02	5
6	·01	·03	—	·03	·19	·28	·61	—	—	·42	·11	·3	6
7	—	·05	—	—	—	·08	—	—	—	·2	·56	·15	7
8	—	·36	—	·24	·3	·28	·03	·27	—	Tr.	·5	·15	8
9	—	·29	—	—	—	·1	—	·26	—	Tr.	·89	·03	9
10	—	·1	—	—	·12	—	·17	—	·08	·02	·5	·14	10
11	·41	·87	—	—	—	—	·06	·04	·18	·21	·45	—	11
12	·05	·07	—	—	·09	Tr.	·29	Tr.	·05	—	·06	—	12
13	·02	—	·03	—	·1	Tr.	·31	Tr.	·01	—	·3	Tr.	13
14	·05	·12	—	·12	·1	·28	·34	·13	·03	Tr.	·27	Tr.	14
15	—	·24	—	—	·07	·01	—	·13	·1	Tr.	Tr.	·02	15
16	·6	·17	—	·43	·08	·76	·03	·67	·08	Tr.	Tr.	Tr.	16
17	·8	·04	—	·01	—	·16	·48	·86	—	Tr.	Tr.	Tr.	17
18	·11	—	—	—	Tr.	·23	·23	—	·02	Tr.	·3	—	18
19	·17	·09	—	·17	·09	·04	Tr.	·84	·06	Tr.	·35	—	19
20	—	·06	·21	Tr.	—	—	—	·34	Tr.	·01	·51	—	20
21	·2	·03	·02	—	—	—	Tr.	·85	Tr.	—	·19	—	21
22	·5	·18	Tr.	·01	·05	—	Tr.	—	—	—	·10	—	22
23	·32	·02	—	·15	·51	—	—	·02	Tr.	—	·35	—	23
24	·2	·17	Tr.	·54	·09	—	·78	·11	—	—	·05	·04	24
25	·17	·39	—	·52	Tr.	—	·16	Tr.	Tr.	—	·05	·03	25
26	—	·24	—	·33	2·32	—	·29	—	Tr.	—	·38	—	26
27	·21	·32	—	—	—	Tr.	·1	—	Tr.	Tr.	·01	—	27
28	·44	·34	·11	—	—	—	·04	·06	—	·05	·85	·06	28
29	·21	—	·11	—	·02	—	·18	·08	—	·13	·07	·38	29
30	·52	×	Tr.	·06	·07	—	Tr.	·08	·05	Tr.	Tr.	—	30
31	1·04	×	—	×	·3	×	·02	Tr.	×	—	×	·39	31
TOTAL	6·44	4·66	1·42	3·47	4·5	2·96	4·93	6·29	2·75	1·29	8·95	2·44	YEAR'S TOTAL 50·10
*Days with ·01 in. or more.	23	24	7	16	16	13	21	17	14	10	25	14	200.
*Days with ·04 in. or more.	19	21	5	12	15	11.	17	16.	11.	7	23	10	167.

40-9999

(Signed) Charles J. R. Weaver [P.T.O.

*See Instruction 2 (*f*) on other side

— File Ref: 775 ~~[illegible]~~

Section A **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

Station No 2/1/77

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Dulverton C.E. School.
in the County of Somerset.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground — ft 9 in.
,, Ground ,, Sea Level 550 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1·	—	—	·07.	·08	—	·21	·25	·51.	·02	·08	—	1
2	·48	Trace	—	·44	·15.	—	·04	·07.	1·43	Trace	·1	·63	2
3	·03	—	—	·06	·02	—	·05	·05.	·2	—	Trace.	·04	3
4	·4	—	—	·05	—	—	·05	·07.	Trace	—	·27.	—	4
5	1·07.	—	·14	Trace.	—	·01	·08	Trace.	·53	—	·01.	—	5
6	·35	—	—	·55.	·04	—	·3	—	·45	Trace.	—	—	6
7	·14	—	·1	·08	Trace	—	·65	—	·69	·73	—	—	7
8	—	—	·68	·08	·18	—	Trace.	—	·95	·71.	—	Trace.	8
9	·91	·04	—	·36	·03	—	—	—	·21	·1	—	—	9
10	·67	—	—	·36	·01	—	—	—	·04	·3	—	—	10
11	·02	—	—	·14	·13	—	—	—	·06	·2	·01	·05	11
12	·73	—	—	·02	·5	—	—	—	·09	·71	—	—	12
13	·15	—	—	·18	·03	—	—	Trace.	·11	·67.	—	—	13
14	·25	—	—	·7	·13	—	·35	·21	—	·12	·5	Trace.	14
15	Trace.	—	—	·19	·1	—	Trace.	Trace.	—	·06	·05	·4	15
16	·2	—	—	·21	—	—	1·3	—	—	·01	—	—	16
17	Trace.	—	—	·01	·04	—	·02	—	—	—	Trace.	·4	17
18	Trace.	—	—	Trace.	·16.	—	Trace.	—	·3	·16	·33	Trace	18
19	·03	—	—	·23	·11.	—	—	—	·1	·89	Trace.	—	19
20	Trace.	—	Trace	·2	·85	—	·2	·04	·13	·67	·1	·15	20
21	·02	—	·09	·18	—	—	—	·58	·1	·55	Trace.	·1	21
22	—	—	—	·12	·3	—	·21	·5	·5	·45.	·3	·11	22
23	·01	—	—	Trace.	·01	—	·32	—	·15	·72	·4	·28	23
24	Trace.	—	—	Trace.	·16	—	·22.	—	·06	Trace.	·5	—	24
25	—	—	—	—	—	—	·63.	—	—	·5	·25	·01	25
26	—	—	·25.	·12	—	—	·23.	—	·03	·9	·28	Trace.	26
27	—	—	·06	·15	·14	—	·43	—	—	·45	Trace.	·05	27
28	—	—	·6	·16.	·11.	—	·61.	—	Trace.	·05.	—	·01	28
29	—	—	·1	·13.	·15	·5	·18	—	·6.	·82	·7	·41	29
30	—	×	·68	·03	·05	·94	·54	·17.	·77	·1	Trace.	·08	30
31	—	×	·46	×	—	×	·81	·27	×	·4	×	·54	31
TOTAL	6·46.	·04	3·16.	4·82	3·48	1·45	7·43	2·21	8·01	10·29	3·88	3·26.	YEAR'S TOTAL 54·49
*Days with ·01 in. or more.	17	1	10.	25.	23.	3	21	10	22.	24	15	15	186.
*Days with ·04 in. or more.	12	1	10.	22.	18.	2	20	10	21.	23.	13	13	165

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) C. J. R. Weaver

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2111.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Dulverton C.E. School.

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 9 in.

" Ground " Sea Level 550 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·38.	—	·18	Tr.	·12	·06	—	—	·03.	·04	·02	·43.	1
2	·3	—	·62	—	Thunder. ·55	·39	—	—	Tr:	—	·03.	·12	2
3	·07	·63	·02	—	·01	Tr:	—	—	—	—	—	·01	3
4	·21	·42	·14	—	·27	—	—	—	—	—	—	—	4
5	·17	·02	·63	—	·31.	—	—	—	—	Tr.	—	—	5
6	·01	·2	·05	—	·12	—	—	—	—	·11	Tr.	—	6
7	·1	·35	·03	Tr.	·04	—	·18	—	—	·07	Tr.	·01	7
8	Tr.	·23	·01	Tr.	·02	—	·08	—	—	·15	Tr.	—	8
9	—	·1	—	—	—	—	·34	—	—	·74	—	Tr.	9
10	·1	·45	Tr.	—	·62	Tr:	·08	—	—	1·68.	·06	Tr.	10
11	—	—	—	—	—	·02	·41.	—	—	·16	—	—	11
12	Tr.	·01	—	·03.	·08	—	·3	·25	·44	—	—	—	12
13	·02	—	—	—	·11	—	·59	—	—	·15	·13	·04	13
14	·13	—	—	—	—	—	·11	·19	—	·03	·32	—	14
15	·4	—	·22	~~·7~~ —	—	—	·06	—	—	·11	·02	—	15
16	—	·03	·52	—	—	—	—	·12	Tr:	·03	—	—	16
17	·02	·04	·34	—	—	·11	—	·02	·06	Tr.	·56.	—	17
18	—	·03	·33	—	—	·14	—	·02	·02	Tr.	·01	—	18
19	Tr.	—	·32	—	—	·26.	·12	—	·25.	Tr.	·05	—	19
20	·12	·11	—	·02	·01	·04	—	·12	Tr:	—	—	·01	20
21	·04	·05	—	—	—	·05	Tr.	·13	—	·06	·12	—	21
22	—	—	—	·17	·09	—	—	·05.	·12	·01	Tr.	—	22
23	—	·41	—	·32	—	·2	—	·44	·24	·26	Tr.	Tr.	23
24	Tr.	·8	—	·12	—	Tr:	—	—	·01	·02	—	—	24
25	—	·4	—	·12	—	·4	—	·07	·13	·03	—	·12	25
26	·02	—	—	·18	·41.	·01	—	—	Tr:	—	—	—	26
27	—	·01	—	·37.	·19.	—	—	—	·05	—	—	·32	27
28	— ~~·04~~	·26	·06	·03	—	—	·18	—	Tr:	—	—	·05	28
29	·04	—	·07	·03	—	—	·04	Tr.	Tr:	—	—	·04	29
30	·06 ~~·37~~.	×	·1	·07	—	—	·12	—	Tr:	1·52	—	·05	30
31	·31	×	·09	×	—	×	Tr.	—	×	·14	×	—	31
TOTAL	2·50	4·55.	3·73	1·46	2·95.	1·68	2·61	1·41	1·35.	5·31	1·32.	1·20	YEAR'S TOTAL 30·07
*Days with ·01 in. or more.	18.	19.	17	11.	15.	11.	13	10.	10.	18.	10	11	163.
*Days with .04 in. or more.	14.	14.	14.	7.	12.	9.	13	8.	7.	13.	6.	8	125

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) C. J. R. Weaver.

P.T.O.

Section **A** **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

Station No 2111.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Dulverton C.E. School.

in the County of Somerset.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 9 in.

,, Ground ,, Sea Level 550. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	Tr:	Tr.	—	Tr.	—	—	·6	·05	·04	·25	·69	1
2	·11	·02	Tr.	—	Tr.	—	—	·3	·66	·01	·01	·71	2
3	·32	Tr:	·03	·06	·06	—	—	·03	Tr.	·29	·11	·38	3
4	·32	Tr:	·22	·11	·05	—	—	·01	·15	·83	Tr.	1·	4
5	Tr.	Tr:	·13	·03	·5	·08	—	·75	—	·21	Tr.	·38	5
6	·01	Tr:	·33	·13	·75	—	—	·02	—	·78	·65	·64	6
7	·14	Tr:	Tr.	—	·14	—	—	·04	—	·27	·1	·64	7
8	Tr.	Tr.	Tr.	—	Tr:	—	—	Tr.	·06	·09	·35	·38	8
9	·01	Tr.	·12	—	Tr.	—	—	·01	—	Tr.	·3	·15	9
10	·3	Tr:	·26	·44	Tr.	—	—	·1	—	·06	Tr.	·04	10
11	·3	Tr:	Tr.	·63	Tr.	—	—	·15	—	·01	·15	·5	11
12	1·03	Tr.	·01	·19	Tr.	—	—	·27	—	Tr.	Tr.	·07	12
13	·4	Tr:	Tr.	·16	Tr.	—	—	Tr.	—	·01	·04	·27	13
14	·7	Tr:	·42	·21	Tr.	—	Tr.	Tr.	—	·19	·06	·4	14
15	·12	Tr:	·04	Tr.	·2	—	—	·01	—	·2	·1	·32	15
16	·21	Tr:	·4	Tr.	—	—	·06	Tr.	·35	·3	·01	·22	16
17	·48	Tr:	·12	·23	—	—	—	—	·22	·01	Tr.	·21	17
18	·15	Tr:	·23	·59	—	·07	—	—	—	·06	Tr.	·65	18
19	·02	Tr:	·2	Tr.	·05	·01	—	Tr.	—	·02	Tr.	·33	19
20	—	Tr:	·04	·25	·08	·03	—	·02	·6	·01	Tr.	Tr.	20
21	—	Tr:	·02	Tr.	·06	·4	·29	·06	·11	·19	Tr.	·19	21
22	·08	Tr:	·24	Tr.	—	·46	Tr.	·07	·37	·04	Tr.	·86	22
23	·08	Tr.	·03	·38	—	—	—	·02	·13	·01	·01	·1	23
24	—	Tr:	·04	Tr.	—	·22	·23	Tr	·08	·06	—	·02	24
25	·26	Tr:	Tr.	·24	—	·6	Tr.	—	·03	·19	—	·4	25
26	·04	·51	·03	·25	—	·38	—	—	·01	·03	·05	·41	26
27	—	·02	Tr.	·08	—	·31	·08	—	·2	·27	·01	·81	27
28	—	Tr.	Tr.	·1	—	—	·1	·54	·33	·1	—	·12	28
29	—	·01	Tr:	Tr.	—	—	·2	·18	·01	·2	·01	·13	29
30	·03	×	Tr.	Tr.	—	—	Tr.	·02	·15	·31	·01	·14	30
31	Tr.	×	Tr.	×	·05	×	·15	·08	×	·07	×	·16	31
TOTAL	5·18	·56	2·91	4·08	1·94	2·56	1·11	3·28	3·51	4·86	2·22	11·32	YEAR'S TOTAL 43·53
*Days with ·01 in. or more.	22	4	19.	17	10	10	7	20	17	29.	17	30	202
*Days with .04 in. or more.	18	1.	14	16	10	8	7	12	14	21.	11.	29.	161.

40-9999

*See Instruction 2 (*f*) on other side,

(Signed) C. J. R. Weaver.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2111.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Dulverton C.E. School.

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 9 in.

,, Ground ,, Sea Level 550 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·05	·5	—	—	·04	·02	—	·23	·35	·03	·44		1
2	Trace.	·2	·02	—	—	·1	Trace	—	·18	·25	·08	·24		2
3	·04	·08	·01	·04	—	·21	·13	—	·65	·25	·15	Trace.		3
4	·02	·08	Trace	·21	—	·08	Trace	—	·09	·32	·27	·73		4
5	—	Trace	·01	·56	—	·36.	—	—	·26	·45	·09	·12		5
6	Trace	·9	Trace	·6	—	·54	—	—	Trace	Trace	·13	·21		6
7	Trace	Trace	·01	·35	—	·09.	—	—	Trace	·38	·27.	·18		7
8	Trace	Trace	Trace	·01	—	Trace	—	·79	Trace	·35	·04	·15		8
9	·04	Trace	Trace.	·39	—	·06.	—	—	Trace	·93	·48	—		9
10	Trace	Trace	Trace	—	—	·07	·04	—	Trace.	·12	·12	—		10
11	·15	·06	Trace	·1	—	·37	—	—	·15	·04	·43	·02		11
12	·15	·3	Trace	·15	—	·34	—	—	·01	·03	·08	—		12
13	·2	Trace	Trace	·44	·01	Trace	—	Trace	Trace	·07	·4	—		13
14	·01	·4	Trace	·64	—	·08	—	—	·35	·04	1·3	·26		14
15	Trace	·35	Trace	·33	·21	·27.	—	—	·35	·03	·87.	·3		15
16	Trace	·35	·08	—	—	·02	—	·04	Trace	·13.	·38	·08		16
17	·01	Trace	·09.	·08	·21	·5	·02	—	·8	·13	·03	—		17
18	Trace	·01	Trace	·63	·03	Trace	·13	·12	·23	·14	·05	·05		18
19	Trace	·01	Trace	·2	·47.	·21	·1	·13	·65	·4	·2	—		19
20	Trace.	—	Trace	·16.	·13	·05	·1	—	·35	Trace	·26.	—		20
21	Trace.	·4	·23	·4	—	Trace	—	—	·08	·13	—	—		21
22	Trace.	—	·5	Trace	—	Trace	Trace	[illegible]	·23	·1	Trace	—		22
23	Trace	—	·41	·01	·01	Trace	Trace	·43	·48	·39	Trace	·27		23
24	·01	Trace	Trace	—	·05	·1	—	·19	·14	·08	—	·28		24
25	·42	·3	Trace	—	·01	·15	—	Trace	Trace	—	—	·47		25
26	Trace	1·15	—	—	—	·01	·03	·34.	·24	—	·13	·55		26
27	Trace	·5	—	—	—	·01	·08	·11	·11	—	·37.	·43		27
28	·01.	·13	Trace	—	—	·01	·01	·28	·09	·42	·15	·03		28
29	Trace	×	Trace	Trace	—	—	—	·01	·25	·03	·3	·42		29
30	·01	×	Trace	—	—	·05	—	·7	·35	·3	1·42	·73		30
31	Trace.	×	Trace	×	Trace	×	—	·11	×	·8	×	·27		31
TOTAL	1·07 1·07	5·27	1·86	5·30	1·13	3·72	·66	2·65	6·27	6·66	8·03	6·23	Year's Total 48·85	
*Days with ·01 in. or more.	12	17	10	18	9	23	10	12+	22	26	25	21	205	✓
*Days with .04 in. or more.	6	15	6	16.	5	19	6	11+	21	23	23	19	~~160~~	× 170

† Spare column, no entries required.

(*Signed*) C. J. R. Weaver [P.T.O.

40-9999

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2111

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Dulverton C.E. School.

in the County of Somerset.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 9 in.

,, Ground ,, Sea Level 550 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	·26	·05	·17	—	·17	1·02		Tr.	Tr.	·11	·15		1
2	Trace	Tr.	Tr.		—	·48	·13	·33	·03	—	·11	Tr.		2
3	Trace	Tr.	·11	·51	—	·31	·15		·98	—	·1	·16		3
4	·07	—	·11		—	·13	—	·02	1·19	Tr.	·13	·5		4
5	·42	—	·2	Trace	—	—	·6	·17	·17	Tr.	Tr	·06		5
6	·16	—	·05	—	—	·04	·43	·25	·12	Tr.	·21	·04		6
7	·44	—	·05	—	—	—	·56	—	·25	Tr.	1·27	·16		7
8	·25	—	·46	—	—	—	·95	—	—	Tr.	·54	·08		8
9	·31	·09	·12	—	—	Tr.	·17	—	·14	·2	·34	Tr.		9
10	·18	—	—	—	—	Tr.	·12	·05	Tr.	·12	·3	Tr.		10
11	·05	—	—	—	·24	·16	·04	·08	·1	·11	·64	·54		11
12	·07	—	—	·09	—	Tr.	·76	Tr:	·35	Tr.	·41	·42		12
13	·12	—	—	Tr.	—	—	·39	·04	—	·11	·12	·68		13
14	Tr.	—	—	Tr.	—	·15	·75	Tr:	·25	—	·09	·46		14
15	Tr.	—	—	Tr.	·08	Tr.	·13	—	·22	—	·49	·17		15
16	Snow.	·11	—	·09	·22	Tr.	·11	—	Tr.	Tr.	·04	·26		16
17	·43	·58	—	—	·14	Tr.	·34	·05	Tr.	·02	Tr.	·75		17
18	·08	·22	·01	·38	·05	·15	·75	·01	Tr.	·35	Tr.	~~Tr.~~ ·27		18
19	·52	·03	·06		—	·44	·16	·25	Tr.	·1	Tr.	Tr		19
20	·09	—	·08	Tr.	—	Tr.	·04	·01	·36	Tr.	Tr.	Tr.		20
21	·08	·05	·22	—	—	·06	·02	—	Tr.	Tr.	Tr.	Tr.		21
22	·25	·45	·34	Tr.	—	Tr.	·18	—	Tr.	Tr.	Tr.	Tr.		22
23	·17	·11	·09	·25	·11	Tr.	·05	—	Tr.	·06	Tr.	·04		23
24	·31	·03	·01	·12	·2	Tr.	·32	—	·09	·49	Tr.	·01		24
25	·11	Tr.	·28	·30	·02	Tr.	·08	—	·36	·41	Tr.	Tr.		25
26	·21	·2	·2	·01	Tr.	Tr.	Tr:	—	·04	·53	Tr.	—		26
27	·13	·11	·27	—	—	Tr.	·11	—	·06	·25	Tr.	—		27
28	·6	·21	·18	—	—	·17	·14	—	Tr.	·1	Tr.	Tr.		28
29	·14	·14	·22	—	—	·32	Tr:	—	Tr.	·11	·01	·4		29
30	·27	×	·25	—	—	·35	·11	—	Tr.	·48	·11	Tr.		30
31	·34	×	·37	×	·03	×	·19	—	×	·14	×	·35		31
TOTAL	5·81	2·59	3·73	1·92	1·09	2·93	8·80	1·26	4·71	3·58	5·02	5·50	Year's Total. 46·94	
* Days with .01 in. or more.	26	14	22	Not 12	9	13	28	Not 13	16	16	17	19	~~180+~~	205
* Days with .04 in. or more.	25	12	20	known 10	7	13	27	known 9	15	15	16	18	~~168+~~	187

40-9999

† Spare column, no entries required.

(Signed) C. J. R. Weaver.

[P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2111.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at Dulverton C.E. School

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 9 in.

,, Ground ,, Sea Level 550 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·31	Tr:	Tr:	·17	Tr:	Tr:	–	–	·14	·22	·01	1·4		1
2	·69	·59	Tr:	·16	Tr:	Tr:	–	–	·04	Tr:	Tr:	·34		2
3	·01	·33	Tr:	·14	–	Tr:	·04	–	·07	Tr:	Tr:	·34		3
4	·17	·33	Tr:	·07	·1	·02	·01	·09	Tr:	Tr:	Tr:	·35		4
5	1·2	Tr:	·15	Tr:	·05	·01	·31	Tr:	–	Tr:	Tr:	(Shower) ·1		5
6	·4	·35	·02	·41	·09	Tr:	·15	Tr:	·07	·04 THUNDER	Tr:	·05		6
7	Tr:	·87	·06	·26	Tr:	Tr:	·01	Tr:	·1	Tr:	·02	·1		7
8	Tr:	·9	Tr.	Tr.	·3	·26	·1	Tr.	Tr:	Tr.	·03	·06		8
9	·01	·05	·19 SNOW	·27	·27	Tr:	Tr:	Tr.	·92	Tr.	Tr.	·34		9
10	·13	Tr.	·72	·17	Tr.	·02	·03	·18	Tr:	Tr:	Tr.	·12		10
11	Tr:	Tr:	·2	·24	·38	·12	·51	·1	Tr:	Tr:	Tr.	·3		11
12	·33	·25	·28	Tr:	Tr.	·3	·08	Tr:	·31	Tr:	Tr.	·22		12
13	Tr:	·28	·95 S	·24	·01	·06	·01	·38	Tr.	Tr.	Tr.	Tr.		13
14	Tr:	·01	·37 S	·05	Tr:	Tr:	·02	·27	·14	Tr.	Tr.	·22		14
15	·45	·19	·11	·41	Tr.	Tr.	·12	Tr.	·14	Tr.	Tr.	·37		15
16	·2	·23	·28	·31	Tr.	Tr.	·07	·35	·41	Tr.	Tr.	Tr.		16
17	·94	·01	·69	Tr.	Tr:	Tr:	–	·08	·02	Tr.	·11	·13		17
18	·2	·23	·22	Tr:	Tr:	·13	–	·04	·22	Tr.	·23	·24		18
19	Tr:	·22	·09	·45	·08	–	–	Tr.	·34	Tr.	Tr.	·05		19
20	·59	·02	·02	·41	·04	Tr.	·03	Tr	·01	Tr.	–	·21		20
21	·35	·5	·22	·19	·27	Tr.	·22	Tr.	·1	·2	·01	Tr.		21
22	·12	·07	·16	Tr.	·34	Tr.	·34	Tr.	Tr	·6	·43	·06		22
23	·18	·24	–	Tr.	·01	Tr.	·05	Tr.	Tr.	·21	·58	·02		23
24	·67	·57	·03	Tr.	Tr.	Tr.	·05	Tr.	·04	·87	Tr.	·06		24
25	Tr.	·89	·3	Tr.	–	Tr.	·04	Tr.	Tr.	·23	Tr.	·03		25
26	·03	·48	·11	Tr.	–	Tr.	Tr.	Tr.	Tr.	Tr.	Tr.	·05		26
27	·03	·51	Tr.	Tr.	Tr.	Tr.	Tr	Tr.	Tr.	·34	Tr.	Tr.		27
28	·5 SNOW	·12	–	Tr.	Tr.	·16	–	Tr	Tr.	·03	Tr.	Tr.		28
29	·06 SNOW	×	–	Tr.	–	Tr.	Tr:	Tr	Tr.	·56	·34	Tr.		29
30	·03	✕	–	Tr.	–	·03	–	Tr.	·05	·12	·54	·05		30
31	·79	✕	–	✕	–	✕	–	Tr.	✕	·24	✕	Tr.		31
TOTAL	8·39	8·24	5·17	3·95	1·94	1·11	2·79	1·49	3·72	3·66	2·30	5·21	Year's Total 46·77	46·77 ✓
* Days with .01 in. or more.	24	24	20	16	12	10	19	8	17	12	10	24	196	✓
* Days with .04 in. or more.	19.	21	17	16	10	6	13	8	15	12	6	22	165.	✓

† Spare column, no entries required.

(*Signed*) C. J. R. Weaver [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2111.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Dulverton Cr. School

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 9 in.

,, Ground ,, Sea Level 550 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Tr.	·64	Tr.	·01	Tr.	·85	·08	·21	—	·59	·32	·5		1
2	Tr.	·01	Tr.	·2	·01	—	·01	—	—	·63	·1	·28		2
3	Tr.	Tr.	Tr.	—	·35	·03	·13	1·1	—	·63	·07	Tr.		3
4	·03	Tr.	—	—	Tr.	·03	·41	·06	·14	1·02	·06	·2		4
5	·03	Tr.	—	—	Tr.	·1	·07	—	·12	·91	·08	·32		5
6	·3	Tr.	—	—	—	·2	·89	·97	·01	·22	·04	·25		6
7	·21	Tr.	—	—	—	—	·41	—	—	·31	·03	·18		7
8	·74	·05	—	—	—	—	·13	·10	—	·62	Tr.	Tr.		8
9	·67	·24	—	—	—	·17	·02	—	—	·04	Tr.	1·12		9
10	·34	Tr.	—	—	—	·01	·43	·9	—	·04	Tr.	·38		10
11	·28	Tr.	—	—	—	·02	·07	—	—	·03	·39	·71		11
12	·46	Tr.	—	—	·33	—	·02	—	—	·7	·8	1·36		12
13	1·4	·04	—	—	·12	Tr.	Tr.	—	—	·25	·12	Tr.		13
14	·34	Tr.	—	—	·1	—	·37	—	·04	Tr.	Tr.	Tr.		14
15	·26	Tr.	—	—	·13	—	—	·1	—	·1	·2	·43		15
16	·49	·05	·04	—	·06	—	—	·14	·06	Tr.	·39	Tr.		16
17	Tr.	·45	Tr.	—	·07	—	—	—	·51	·78	·01	Tr.		17
18	·36	Tr.	—	—	—	·08	·03	·21	·65	·08	·57	Tr.		18
19	·15	Tr.	—	—	—	—	—	—	·09	Tr.	·68	·47		19
20	Tr.	Tr.	—	—	—	·01	—	·01	·02	Tr.	·31	Tr		20
21	·05	Tr.	—	—	—	·12	—	·13	·14	Tr.	·25	Tr		21
22	·12	Tr.	—	·05	—	—	—	·57	·02	·04	·48	Tr.		22
23	·04	Tr.	—	·04	—	—	—	·03	·02	Tr.	·39	Tr.		23
24	Tr.	Tr.	·3	·01	·05	·02	—	·07	·03	Tr.	·48	Tr.		24
25	·3	·14	—	—	·24	·01	·01	Tr.	·04	·08	·72	Tr.		25
26	·39	·51	—	—	·52	·03	·02	—	—	·02	·18	—		26
27	·47	·51	—	—	·12	·36	·27	·56	—	Tr.	·5	—		27
28	·27	·28	—	—	·24	·24	—	·56	·04	Tr.	·05	·05		28
29	·43	✕	—	—	·49	—	·03	—	·16	·26	·45	·02		29
30	·17	✕	·01	—	—	·14	Tr.	—	·32	·01	·45	·1		30
31	·47	✕	—	✕	·42	✕	Tr.	—	✕	·4	✕	·44		31
TOTAL	8·77	2·92	·35	·31	3·25	2·42	3·4	5·72	2·41	7·76	8·12	6·81	Year's Total 52·24	52·24 ✓
* Days with .01 in. or more.	25	11	3	5	15	17	18	16	17	22	26	16	191	✓
* Days with .04 in. or more.	23	10	2	3	14	9	11	14	12	19	24	15	156	✓

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) C. J. R. Weaver

[P.T.O.

COPY FOR OFFICIAL USE File number 775545/27.

Section **A** for the entry of Daily Observations

Station No. 2111

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Dulverton C.E. School

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 9 in.

„ Ground „ Sea Level 550 ft.

afe

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·38	Tr.	·1	·09	·02	Tr.	·18	Tr.	·12	Tr.	·41	·06		1
2	·16	Tr.	Tr.	·16	Tr.	Tr.	·04	·5	·14	Tr.	·82	·28		2
3	·34	Tr.	·1	·62	Tr.	Tr.	Tr.	·1	·03	Tr.	·08	·96		3
4	Tr.	Tr.	·32	·6	·34	Tr.	·5	Tr.	Tr.	·31	·63	—		4
5	—	Tr.	·06	·17	·03	Tr.	·82	·01	Tr.	·23	·5	1·01		5
6	·88	Tr.	·03	·02	Tr.	Tr.	·65	·04	Tr.	·02	·72	Tr.		6
7	·12	·2	·05	Tr.	Tr.	Tr.	·16	·03	Tr.	Tr.	·31	·6		7
8	·78	·4	·03	—	·04	Tr.	·15	·08	Tr.	·5	·5	·34		8
9	·14	·15	·05	—	Tr.	Tr.	Tr.	·3	Tr.	·25	·01	·14		9
10	·3	·03	Tr.	—	Tr.	·05	Tr.	·08	·17	·15	·01	·54		10
11	·14	·04	·1	—	Tr.	Tr.	Tr.	Tr.	Tr.	·37	Tr.	Tr.		11
12	·24	·06	Tr.	Tr.	Tr.	Tr.	Tr.	Tr.	·04	·2	Tr.	Tr.		12
13	·01	Tr.	Tr.	·29	·01	·1	·25	Tr.	·15	·12	·2	Tr.		13
14	·78	Tr.	Tr.	·05	·09	·15	·68	Tr.	·04	·15	Tr.	Tr.		14
15	·41 Th	·07	Tr.	·22	·15	·6	1·92	Tr.	Tr.	Tr.	·15	Tr.		15
16	·17	·01	Tr.	·15	·25	·32	1·15	Tr.	Tr.	—	·98	·05		16
17	·74 Th	Tr.	Tr.	Tr.	Tr.	·65	·35	Tr.	Tr.	Tr.	·14	Tr.		17
18	·21	·16	·07	Tr.	Tr.	·15	1·1	Tr.	Tr.	Tr.	1·08	Tr.		18
19	·26	Tr.	Tr.	Tr.	Tr.	Tr.	·1	·02	Tr.	Tr.	Tr.	Tr.		19
20	·82	Tr.	Tr.	Tr.	·02	·33	Tr.	1·01	Tr.	Tr.	Tr.	Tr.		20
21	·15	·16	·43	Tr.	·15	·3	·15	·09	·04	Tr.	·7	Tr.		21
22	1·45	·42	·24	·08	Tr.	·25	·07	Tr.	Tr.	·3	·37	Tr.		22
23	Tr.	·07	·05	·38	Tr.	Tr.	·2	Tr.	Tr.	·13	Tr.	—		23
24	·18	·01	·18	·06	Tr.	·17	·3	Tr.	Tr.	·30	·02	—		24
25	× 1·35 Snow.	·34	·01	Tr.	Tr.	Tr.	·23	~~Tr.~~ ·15	Tr.	·22	1·58	Tr.		25
26	Tr.	·09	Tr.	·6	Tr.	Tr.	Tr.	·25	Tr.	·72	1·61	Tr.		26
27	·01	·25	·1	Tr.	Tr.	·1	·1	·66	Tr.	Tr.	·82	Tr.		27
28	·07	·2	·05	·58	Tr.	·2	·22	Tr.	Tr.	Tr.	1·0	·1		28
29	Tr.	×	Tr.	·22	Tr.	Tr.	·08	Tr.	Tr.	·51	·26	Tr.		29
30	Tr.	✕	Tr.	·5	Tr.	·16	·1	Tr.	Tr.	·72 ·12	Tr.	Tr.		30
31	Tr.	✕	Tr.	✕	Tr.	✕	·02	·15	✕	·42	✕	Tr.		31
TOTAL	10·09	2·66	1·97	4·79	1·1	3·53	9·52	3·47	·73	5·02	12·9	4·08	Year's Total 59·86	
* Days with .01 in. or more.	24 ✓	17	17	17	10	14	24	15	8	18	23	10	197	
* Days with .04 in. or more.	22 ✓	14	14	16	6	14	23	12	7	17	20	10	175	

† Spare column, no entries required.

(*Signed*) E. J. R. Weaver [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE File number 775545/27

Section **A** for the entry of Daily Observations

Station No. 2111

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Dulverton C.E. School

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

,, Ground ,, Sea Level 550 ft.

Ref

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Tr.	·25	Tr.	·05	Tr.	—	—	—	—	—	·14	—		1
2	Tr.	·05	Tr.	·10	Tr.	—	1·09	—	—	—	2·60	Tr.		2
3	Tr.	·57	Tr.	Tr.	Tr.	—	—	—	—	·16	1·25	·25		3
4	·01	·45	Tr.	·2	Tr.	—	·16	—	Tr.	·46	·04	·26		4
5	·02	Tr.	Tr.	Tr.	Tr.	—	·07	—	—	·53	·81	·43		5
6	·17	·39	Tr.	Tr.	Tr.	—	·21	—	—	·34	·24	·33		6
7	·01	Tr.	Tr.	~~Tr.~~ ·01	Tr.	—	·49	—	·02	·05	Tr.	·11		7
8	Tr.	Tr.	Tr.	Tr.	Tr.	—	—	—	Tr.	Tr.	·27	·58		8
9	Tr.	·12	Tr.	Tr.	Tr.	—	·5	·1	·09	·25	·76	·48		9
10	Tr.	Tr.	Tr.	Tr.	Tr.	—	·24	Tr.	Tr.	Thunder ·38	·23	·31		10
11	Tr.	·76	Tr.	Tr.	Tr.	·09	Thunder ·98	Tr.	·1	—	1·4	Tr.		11
12	Tr.	Tr.	·39	·07	Tr.	·08	·95	Tr.	Tr.	—	·26	Tr.		12
13	Tr.	·05	·16	Tr.	Tr.	—	·67	·02	·96	·32	·85	·43		13
14	Tr.	Tr.	Tr.	·12	Tr.	—	Tr.	Tr.	·2	·41	·05	·09		14
15	Tr.	Tr.	·01	·23	Tr.	—	Tr.	Tr.	·35	·27	Tr.	—		15
16	·1	1·71	·43	Tr.	Tr.	—	·09	—	·15	·47	·4	—		16
17	Tr.	·1	·7	Tr.	·12	—	·2	—	·11	Tr.	·09	Tr.		17
18	Tr.	—	·31	1·00	Tr.	—	—	·02	·07	·03	·06	·38		18
19	·2	Tr.	Tr.	·19	Tr.	—	·43	—	·29	·04	·04	Tr.		19
20	Tr.	Tr.	Tr.	·05	·24	—	·2	·08	·13	·09	·15	·04		20
21	Tr.	Tr.	·12	Tr.	·23	·31	Tr.	Tr.	·27	Tr.	·44	Tr.		21
22	Tr.	·01	·23	Thunder ·26	Tr.	·18	Tr.	—	·14	Tr.	·02	—		22
23	Tr.	Tr.	·16	Tr.	·15	·02	Tr.	—	Tr.	·04	·07	—		23
24	Tr.	Tr.	Tr.	Tr.	·1	—	·36	—	Tr.	—	Tr.	—		24
25	·15	Tr.	Tr.	Tr.	·1	·12	Tr.	—	Tr.	—	Tr.	—		25
26	1·35	·25	·01	Tr.	·31	—	·21	—	Tr.	—	Tr.	Tr.		26
27	·52	—	·02	Tr.	·13	·03	·07	—	—	—	Tr.	—		27
28	× 1·25	·14	·28	·5	·21	—	Tr.	—	—	—	Tr.	·07		28
29	× Snow	·21	·08	·18	Tr.	Tr.	—	—	—	·03	Tr.	·75		29
30	✓	✕	·02	·05	Tr.	—	—	—	Tr.	·55	·01	·24		30
31	✗	✕	·01	✕	—	✕	—	—	✕	·56	✕	Snows ·33		31
TOTAL	3·78	4·46	2·91	3·51	1·59	·83	6·92	·22	2·88	4·98	10·28	5·08	Year's Total 47·44	
* Days with .01 in. or more.	13	14	15	14	9	7	17	4	13	18	22	16	~~159~~	162
* Days with .04 in. or more.	9	13	10	13	9	5	17	2	12	17	20	16	~~141~~	143

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) C. J. R. Weavers.

P.T.O.

DULVERTON (BARONS DOWN)

2111/4
DULVERTON
BARONS DOWN
1935 —— 38

780401

Section **A** for the entry of D
AIR MINISTRY.-

...tion No. 2111/4
ORGANIZATION.

FORM 1090.

REGIST

Kept at Barons Down - D
in the County of Somerse

t/35

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
,, Ground ,, Sea Lev

THE MORNING MEASUR

An observer who does not conform to th ... owing
year in the space on the right of this

P

Jan. 1, following

Date	Jan.	Feb.	March	A							Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	··12	·49	—	Tr	·04	·04	—	·22	·34	·02	·59	1
2	—	·10	·02	—	—	·18	·02	—	·17	·24	·10	·34	2
3	Tr	·11	·08	·03	·04	·13	·02	—	·60	·28	·17	trace	3
4	—	·23	·02	·15	·08	·08	—	—	·08	·13	·21	·55	4
5	—	·37	·09	·09	—	·12	—	—	·27	·65	·15	·15	5
6	—	—	—	·47	—	·70	—	—	Tr	Tr	·11	·15	6
7	—	—	—	·57	—	·07	—	—	—	·35	trace	·17	7
8	—	—	Tr.	·34	—	Trace	—	·20	—	·30	·25	·09	8
9	Tr.	—	—	·70	Tr	·06	—	—	·07	·92	·52	trace	9
10	—	—	·15 Sn	·34	—	·06	·03	—	Tr	·07	·01	—	10
11	·26	·05	Tr.	Tr	—	·34	—	—	·16	·07	·46	—	11
12	·06	·28	—	—	—	·28	—	Tr	·01	Tr	·07	—	12
13	·08	·25	—	·18	Tr.	·01	—	—	Tr	·09	·35	—	13
14	Tr.	·14	—	·45	·01	·04	—	—	·20	·04	·95	·27	14
15	—	·76	—	·68	·10	·19	—	·01	·43	·05	·17	·28	15
16	—	·18	·10	·27	Tr.	Tr.	·05	·02	·78	·10	·94	·02	16
17	—	Tr.	Tr.	·07	·90 (3" snow)	·51	Tr	·15	·30	·08	·08	—	17
18	—	·12	—	·65	·01	·02	·05	·08	·73	·14	trace	·03	18
19	—	Tr.	—	·10	·30	·12	·12	—	·32	·48	·18	trace	19
20	—	·35	—	·35	·10	·05	·06	—	·01	Trace	·24	—	20
21	Tr	·38	Tr.	·10	—	Tr	—	—	·05	·09	trace	—	21
22	~~Tr~~·01	·07	·20	·44	~~[illegible]~~	—	—	—	·29	·04	—	—	22
23	—	Tr.	·50	—	·01	—	—	·42	·26	·44	—	·26	23
24	·21	.40	·01	·04	~~[illegible]~~	·12	—	·23	·35	·13	—	·24	24
25	·38	·60 snow	—	·02	·01	·07	—	—	—	—	—	·26	25
26	—	·50	—	—	—	Tr.	Tr	·31	·25	·06	·10	·55	26
27	Tr.	·12	—	—	—	—	·07	·09	·10	·16	·35	·43	27
28	·03	.11	—	—	—	—	·02	·20	·70	·13	·15	·01	28
29	—	×	—	—	—	—	—	·01	·22	·17	·26	·41	29
30	·09	×	—	—	—	·07	—	·72	·23	·12	1·54	·80	30
31	—	×	—	×	·03	×	—	·05	×	·58	×	·25	31
TOTAL	1·15	5·24	1·66	6·04	1·59	3·26	·48	2·49	6·80	6·25	7·38	5·85	YEAR'S TOTAL 48·19
*Days with ·01 in. or more.	9	20	10	20	11	21	10	13	24	27	23	20	208
*Days with .04 in. or more.	6	20	7	18	6	19	6	10	22	27	21	16	178

Print

40-9999
*See Instruction 2 (*f*) on other side.

N

(*Signed*) B. Stanley Bullivant P.T.O.

B.S. BULLIVANT Esq

DULVERTON (BARONS DOWN)

Section **A** for the entry of D [redacted] ation No. Z111/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

383124/35

Kept at Barons Down – Dulverton

in the County of Somerset

~~Som~~ | 5

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 11 in.

,, Ground ,, Sea Level 860 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	··12	·49	–	Tr	·04	·04	–	·22	·34	·02	·59	1
2	–	·10	·02	–	–	·18	·02	–	·17	·24	·10	·34	2
3	Tr	·11	·08	·03	·04	·13	·02	–	·60	·28	·17	trace	3
4	–	·23	·02	·15	·08	·08	–	–	·08	·13	·21	·55	4
5	–	·37	·09	·09	–	·12	–	–	·27	·65	·15	·15	5
6	–	–	–	·47	–	·70	–	–	Tr	Tr	·11	·15	6
7	–	–	–	·57	–	·07	–	–	–	·35	trace	·17	7
8	–	–	Tr.	·34	–	Trace	–	·20	–	·30	·25	·09	8
9	Tr.	–	–	·70	Tr	·06	–	–	·07	·92	·52	trace	9
10	–	–	·15	·34	–	·06	·03	–	Tr	·07	·01	–	10
11	·26	·05	Tr.	Tr	–	·34	–	–	·16	·07	·46	–	11
12	·06	·28	–	–	–	·28	–	Tr	·01	Tr	·07	–	12
13	·08	·25	–	·18	Tr.	·01	–	–	Tr	·09	·35	–	13
14	Tr.	·14	–	·45	·01	·04	–	–	·20	·04	·95	·27	14
15	–	·76	–	·68	·10	·19	–	·01	·43	·05	·17	·28	15
16	–	·18	·10	·27	Tr.	Tr.	·05	·02	·78	·10	·94	·02	16
17	–	Tr.	Tr.	·07	·90 (3" snow)	·51	Tr	·15	·30	·08	·08	–	17
18	–	·12	–	·65	·01	·02	·05	·08	·73	·14	trace	·03	18
19	–	Tr.	–	·10	·30	·12	·12	–	·32	·48	·18	trace	19
20	–	·35	–	·35	·10	·05	·06	–	·01	Trace	·24	–	20
21	Tr	·38	Tr.	·10	–	Tr	–	–	·05	·09	trace	–	21
22	~~Tr~~·01	·07	·20	·44	~~·01~~	–	–	–	·29	·04	–	–	22
23	–	Tr.	·50	–	·01	–	–	·42	·26	·44	–	·26	23
24	·21	·40	·01	·04	~~·01~~	·12	–	·23	·35	·13	–	·24	24
25	·28	·60 snow	–	·02	·01	·07	–	–	–	–	–	·26	25
26	–	·50	–	–	–	Tr.	Tr	·31	·25	·06	·10	·55	26
27	Tr.	·12	–	–	–	–	·07	·09	·10	·16	·35	·43	27
28	·03	·11	–	–	–	–	·02	·20	·70	·13	·15	·01	28
29	–	X	–	–	–	–	–	·01	·22	·17	·26	·41	29
30	·09	X	–	–	–	·07	–	·72	·23	·12	1·54	·80	30
31	–	X	–	X	·03	X	–	·05	X	·58	X	·25	31
TOTAL	1·15	5·24	1·66	6·04	1·59	3·26	·48	2·49	6·80	6·25	7·38	5·85	YEAR'S TOTAL 48·19
*Days with ·01 in. or more.	9	20	10	20	11	21	10	13	24	27	23	20	208
*Days with .04 in. or more.	6	20	7	18	6	19	6	10	22	27	21	16	178

Print

40-9999

*See Instruction 2 (*f*) on other side.

N

(*Signed*) B. Stanley Bullivant [P.T.O.

B.S. BULLIVANT Esq

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. ~~383124/35~~ 2/11/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

B. S. BULLIVANT,

Kept at BARONS DOWN,

in the County of DULVERTON.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 11 in.

" Ground " Sea Level 860 ft.

To date

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·18	·06	·19	—	·06	·96	·03	trace	—	·08	·12		1
2	—	Trace	Trace	·04	—	·25	·08	·20	·06	—	·12	—		2
3	·05	·03	·12	·04	—	·22	·12	·07	·98	—	·09	·14		3
4	trace	Tr.	·20	trace	—	·16	·02	trace	1·01	—	·11	·44		4
5	·39	·01	·05	"	—	Tr.	·40	·20	·15	—	·02	·09		5
6	·14	—	·04	—	—	·05	·42	·24	·16	—	·12	·02		6
7	·39	—	·12	—	—	Tr	·74	trace	·25	—	1·23	·07		7
8	·28	·04	·48	—	—	—	·80	"	tr.	tr	·54	·08		8
9	·33	·03	·13	—	—	Trace	·18	"	·15	"	·21	trace		9
? 10	·07	trace	trace	—	—	—	trace	"	tr.	—	·25	—		10
11	·25	·10	—	[illegible]	Trace	·16	"	·06	·11	—	·68	·05		11
12	·01	—	—	·04	—	Trace	1·02	trace	·25	·05	·24	—		12
13	·07	Trace	—	Trace	—	Trace	·35	·03	tr	·17	·10	·82	(·82)	13
14	—	"	—	Trace	—	·16	·67	—	·16	·07	·07	·48		14
15	—	—	—	—	·10	—	·13	—	·34	—	·51	·16		15
16	Trace	·10	—	·03	·25	—	·10	—	·02	—	·51	·18		16
17	·34	·64	—	—	·16	Trace	·14	·05	tr	·24	·06	·75		17
18	·07	·26	·02	—	·02	·20	·83	·01	—	·12	tr.	·25		18
19	·48	·02	·04	·30	—	·16	·12	·26	—	tr	—	·02		19
20	·10	·42	·15	·08	—	—	·02	·01	·41	—	—	·01		20
? 21	·05	trace	·09	·57	—	·05	·01	—	·20	tr	—	—		21
22	·27	·13	·47	Trace	—	—	·19	—	tr	"	trace	·02		22
23	·06	·09	·08	·22	·14	·05	·08	—	—	·06	—	trace		23
24	·14	·02	·04	·18	·26	—	·05	—	·08	·29	—	·01		24
25	·34	trace	·16	·26	·03	—	·39	—	·40	·55	·02	—		25
26	·20	·17	·25	·01	Tr.	—	·07	—	tr	·32	—	—		26
27	·16	·07	·06	Tr	—	—	·15	—	·81	·22	—	—		27
28	·60	trace	·44	Tr	—	·34	·41	—	tr	·02	trace	·26		28
29	·13	·28	·09	—	—	·33	·02	—	—	·18	·07	·17		29
30	·22	✗	·16	—	·02	·12	·09	—	—	·34	—	trace		30
31	·33	✗	·38	✗	Tr.	✗	·13	—	✗	·20	✗	·36		31
TOTAL	5·49	2·59	3·63	1·96	·98	2·31	8·69	1·16	4·74	3·03	5·03	4·50	Year's Total 44·11	
* Days with .01 in. or more.	26	17	22	12	8	14	29	11	17	14	19	21	210	
* Days with .04 in. or more.	24	12	21	11	5	14	25	7	15	13	17	16	180	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) B. Stanley Bullivant

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 211/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

B. S. BULLIVANT,

Kept at BARONS DOWN,

in the County of DULVERTON, Som

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground ft. 11 in.

,, Ground ,, Sea Level 860 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·30	trace	·30	·16	—	—	·03	—	·12	·19	·12	·33		1
2	·66	·50	—	·15	—	—	trace	—	·04	trace	trace	·15		2
3	·01	·27	·02	·10	·23	·02	·02	—	·09	—	"	·06		3
4	·15	·31	trace	·12	·15	trace	trace	·10	—	—	"	·63		4
5	1·12	trace	—	trace	trace	—	·24	—	—	—	—	·05		5
6	·47	·34	·26	·37	·08	—	·18	—	·01	~~·03~~	trace	—		6
7	trace	·89	·03	·25	trace	·11	trace	—	·07	·04	"	·10		7
8	"	·02	·02	trace	·35	·09	·06	—	trace	trace	·07	·03		8
9	·01	·04	trace	·06	·22	—	·02	·07	·90	—	—	·04		9
10	·10	trace	·83	·42	trace	·06	·01	·07	trace	—	—	·40		10
11	·02	—	·16	·20	·20	·02	·49	·09	—	—	trace	·07		11
12	·34	·36	·23	trace	—	·32	·05	·07	·19	—	"	·22		12
13	trace	·08	·33	·25	trace	·18	trace	·29	·04	—	—	·07		13
14	—	·03	·99	·05	—	—	·05	·02	·10	—	—	·20		14
15	·45	·16	·13	·67	—	—	·12	—	·12	—	—	·23		15
16	·15	·15	·55	·06	—	—	·05	·43	·36	—	—	trace		16
17	1·07	·10	·01	—	—	—	·04	·02	·10	—	·09	—		17
18	·20	·21	·27	—	—	·15	trace	trace	·07	—	·20	·37		18
19	·08	·22	·07	·39	·05	trace	"	—	·26	—	·46	trace		19
20	·61	·07	·06	·40	·06	—	—	—	·04	—	—	·22		20
21	·37	·80	·21	·14	·20	—	·20	—	·09	·05	·07	·04		21
22	·12	trace	·16	trace	·23	—	·31	—	·02	·55	·43	·04		22
23	·22	·21	·01	—	·06	—	·03	—	trace	·16	·53	·01		23
24	·70	·50	·03	—	trace	—	·05	—	·01	·82	trace	·05		24
25	trace	·86	·39	—	·01	—	trace	—	trace	·15	—	·07		25
26	"	·36	·03	—	·12	trace	—	—	—	trace	·01	trace		26
27	—	·24	trace	—	—	—	trace	—	—	·40	—	—		27
28	·36	·35	—	—	—	·02	—	—	—	·09	—	·03		28
29	·03		—	—	—	trace	—	—	—	·48	·30	·02		29
30	·34	✕	—	—	—	·22	—	—	·05	·06	·53	trace		30
31	·52	✕	—	✕	—	✕	—	—	✕	·24	✕	"		31
TOTAL	8·40	7·07	5·09	3·59	1·96	1·19	1·95	1·16	2·68	3·26	2·81	3·43	Year's Total 42·59	✓ ✓
* Days with .01 in. or more.	24	23	22	16	13	10	27	9	19	13	11	23	210	✓ ✓
* Days with .04 in. or more.	20	21	15	16	12	7	13	7	16	12	10	19	168	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) B. Stanley Bullivant

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2111/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938.

B. S. BULLIVANT,

Kept at BARONS DOWN,

in the County of DULVERTON. Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 11 in.

,, Ground ,, Sea Level 860 ft.

Totals ✓ week

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	·21	tr.	—	tr	·80	·25	·41	—	·36	·14	·59		1
2	trace	·11	—	·15	·11	~~·80~~	tr.	tr	—	·60	·08	·24		2
3	—	·44	—	—	·14	·03	·10	·01	·02	·61	·06	tr		3
4	·02	~~tr.~~	—	—	tr	·04	·33	1·53	·06	·89	·04	·18		4
5	·03	—	—	tr	—	·08	·13	·06	·07	·83	·02	·20		5
6	·29	—	—	—	—	·15	·84	tr.	·09	·19	tr	·21		6
7	·25	—	—	—	—	trace	·36	·06	·19	·25	·02	·19		7
8	·62	·05	tr	—	—	—	·10	·14	tr	·68	tr	·01		8
9	·49	·18	tr	—	—	·30	Tr.	·02	—	·01	tr	·82		9
10	·11	·02	—	—	—	Tr.	·21	·13	—	·05	tr	·61		10
11	·27	tr	—	—	—	·01	·08	·66	tr	·02	·37	·37		11
12	·42	tr	—	—	·29	Tr	·01	tra.	tr	·67	·87	·01		12
13	·12	—	—	—	·09	—	tr.	—	—	·20	·11	1·28		13
14	·39	—	—	—	·08	—	·37	—	·03	tr	tr	tr		14
15	·19	—	tr	—	·15	—	tr.	·04	—	·09	·20	·43		15
16	·52	·02	·03	—	·06	—	—	·12	tr	tr	·23	tr		16
17	trace	·06	tr	—	·02	—	tr	tr	·10	·38	·07	—		17
18	·32	·02	—	—	·11	·08	tr	·15	·38	·10	·44	—		18
19	·09	—	—	—	—	Tr	tr	·07	·10	tr	·67	—		19
20	·11	—	—	—	—	—	—	—	·01	—	·31	—		20
21	·11	—	—	tr.	—	—	—	·06	·14	—	·30	·24		21
22	·03	—	—	·14	tr	·09	—	·58	tr	·06	·43	·04		22
23	tr.	—	—	·02	tr	·01	—	·02	tr	tr	·31	—		23
24	tr	—	·19	—	·09	—	tr	·12	·05	—	·31	—		24
25	·28	·16	·02	—	·23	Tr	·14	tr	tr	·08	·68	—		25
26	·30	·45	·09	—	·34	·01	·01	—	—	·16	·17	·18		26
27	·28	·33	tr	—	·42	·33	·24	·57	·02	·07	·40	tr		27
28	·31	·28	·03	—	·11	·16	·01	·57	·02	·01	·03	tr		28
29	·35	×	tr	—	·38	—	·02	tr	·11	·26	·40	·05		29
30	·14	×	tr.	—	·05	·11	tr.	—	·27	tr	·45	·11		30
31	·43	×	—	×	·33	×	—	—	×	·38	×	·39		31
TOTAL	6·47	1·89	·35	·31	3·20	2·20	3·20	5·26	1·66	6·95	7·11	6·15	Year's Total 44·75	
*Days with ·01 in. or more.	25	12	5	3	17	14	16	19	16	23	25	19	194	
*Days with ·04 in. or more.	22	9	2	2	16	10	12	16	11	20	22	17	159	

(22)

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) B. Stanley Bullivant

17/2/39

P.T.O.

2112

LISCOMBE

1931 – 36.

780401

20634/2-8

2112

COPY FOR OFFICIAL USE.

FFICE.—BRITISH RAINFALL ORGANIZATION.

NFALL IN 1931.

IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	.17		.28			.06		.60	.05			1
2	.16	.03		.74			.02		.96	.06	.07	.13	2
3	.07	.09	.72				.09	.03	.56	.02	1.94	.20	3
4	.08		.29	.05	.02	.36	.47	.70	.45	.10	.04	.18	4
5		.36		.15	.02	.64	.24	.15		.01	.02	.41	5
6		.04		.04	.04	.18	.41	.01		.33	.04	.44	6
7		.05			.30	.25	.08	.31		.20	.68	.07	7
8		.44		.25		.25	.03	.24		.03	.33	.21	8
9		.31		.11		.83	.07			.02	.75	.02	9
10		.13			.19	.07	.10	.04	.09		.35	.03	10
11	.32	.86			.01	.30	.03	.01	.06		.55	.01	11
12	.06	.08			.06		.31	.01	.15	.15	.04		12
13	.02	.08	.08		.08		.23	.07	.02	.05			13
14	.04	.14			.18	.22	.39	.18	.05		.50		14
15	.02	.06		.03	.16			.70	.20		.01	.01	15
16	.10	.02		.11	.15	1.07	.11	.41	.06				16
17	.05	.05		.25		.12	.52	.15	.03		.01		17
18	.03		.01	.01		.20	.19	.94			.30		18
19	.13	.08	.09	.09		.06	.03	.16	.09		.19		19
20	.01	.25	.11					1.13		.02	.59		20
21		.09			.10		.01	.03			.10		21
22	.28	.15	.02		.06		.01				.04		22
23	.30	.02	.01	.60	.48	.03	.02		.02		.61		23
24	.48	.04	.01	.59	.12	.03	.80	.05	.01		.01	.01	24
25	.16	.05	.01	.42			.15				.04	.01	25
26	.01	.22		.32		.01	.30				.97	.02	26
27	.31	.42		.01	1.82	.01	.19			.03	.07	.02	27
28	.31	.19	.11	.02	.65		.03	.03			.01	.06	28
29	.18		.18		.03		.24	.07		.03	.05	.16	29
30	.29	×	.01		.03		.03	.05	.04	.03			30
31	.23	×		×	.20	×	.03		×		×	.36	31
TOTAL	4.19	4.42	1.65	4.07	4.70	4.63	5.89	5.47	3.39	1.13	8.21	2.54	YEAR'S TOTAL 49.59
*Days with ·01 in. or more.	24	26	13	18	20	17	29	22	16	15	26	18	244
*Days with ·04 in. or more.	19	23	7	14	15	13	19	16	12	7	21	10	176

40-9999

(Signed) E. W. Darby [P.T.O.

*See Instruction 2 (*f*) on other side.

S [redacted] 20634/28. 2112 COPY FOR OFFICIAL USE.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Liscombe

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 950 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in	
1	.05	.17		.28			.06		.60	.05			1
2	.16	.03		.74			.02		.96	.06	.07	.13	2
3	.07	.09	.72				.09	.03	.56	.02	1.94	.20	3
4	.08		.29	.05	.02	.36	.47	.70	.45	.10	.04	.18	4
5		.36		.15	.02	.64	.24	.15		.01	.02	.41	5
6		.04		.04	.04	.18	.41	.01		.33	.04	.54	6
7		.05			.30	.25	.08	.31		.20	.68	.07	7
8		.44		.25		.25	.03	.24		.03	.23	.21	8
9		.31		.11		.83	.07			.02	.75	.02	9
10		.13			.19	.07	.10	.04	.09		.35	.02	10
11	.32	.86			.01	.30	.03	.01	.06		.55	.01	11
12	.06	.08			.06		.31	.21	.16	.15	.04		12
13	.02	.08	.08		.08		.33	.07	.02	.05			13
14	.04	.14			.18	.22	.39	.18	.05		.50		14
15	.02	.06		.03	.14			.70	.20		.01	.01	15
16	.10	.02		.11	.15	1.07	.11	.14	.06				16
17	.05	.05		.25		.12	.52	.15	.03		.01		17
18	.03		.01	.01		.20	.19	.94			.30		18
19	.13	.08	.09	.09		.06	.03	.16	.09		.19		19
20	.01	.25	.11					1.13		.02	.59		20
21		.09			.10		.01	.03			.10		21
22	.28	.15	.02		.06		.01				.04		22
23	.30	.02	.01	.60	.48	.03	.02		.02		.61		23
24	.48	.04	.01	.57	.12	.03	.80	.05	.01		.01	.01	24
25	.16	.05	.01	.42			.15				.04	.01	25
26	.01	.22		.32		.01	.30				.97	.02	26
27	.31	.42		.01	1.82	.01	.19			.03	.07	.02	27
28	.31	.19	.11	.02	.65		.03	.03			.01	.06	28
29	.18		.18		.03		.24	.07		.03	.05	.16	29
30	.29	×	.01		.03		.03	.05	.04	.03			30
31	.73	×		×	.20	×	.03		×		×	.36	31
													YEAR'S TOTAL
TOTAL	4.19	4.42	1.65	4.07	4.70	4.63	5.89	5.47	3.39	1.13	8.21	2.54	49.59
*Days with ·01 in. or more.	24	26	13	18	20	17	29	22	16	15	26	18	244
*Days with ·04 in. or more.	19	23	7	14	15	13	19	16	12	7	21	10	176

40-9999

(*Signed*) E W Darby [P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2112

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Liscombe

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 980 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in	in	in	in.	in	in.	in.	in.	in.	in.	in.	in.	
1	.62			.35	.05		.25	.38	.35	.03	.06		1
2	.20			.04	.20			.06	.90	.04	.12	.68	2
3	.10			.07	.02	.03	.05		.41	.06		.03	3
4	.06					.01	.06	.06			.33		4
5	.78		.10					.02	.40				5
6	.70		.03	.30			.39		.45	.02			6
7	.17		.04	.03					.45	.95			7
8			.54	.07	.09				.65	.37			8
9	.75	.04		.22	.04				.40	.15			9
10	.40			.41	.07	.01			.19	.40			10
11	.08			.17	.07			.01	.26	.36		.05	11
12	.85			.02	.70				.11	.42	.01	.02	12
13	.16			.19	.10		.32	.15	.02	.72	.45	.28	13
14	.16			.05	.15					.11		.03	14
15	.01			.14	.09		.04			.03	.06	.11	15
16	.27			.46	.01		1.28			.01			16
17				.04	.05		.06		.01	.10	.02		17
18	.02				.15				.12		.30		18
19	.02			.08	.25				.11	.93	.01		19
20	.02		.01	.28	.95			.02	.04	1.10	.20	.16	20
21			.10	.27	.02			.34	.02	.63	.04	.18	21
22				.12	.25		.05		.73	.30	.56	.12	22
23	.04				.02		.35		.06	.73	.10	.22	23
24		.01			.06		.48			.14	.03		24
25		.01	.18	.02	.05		.60		.18	.80	.21		25
26		.01	.10	.22			.44		.08	.26	.16		26
27			.62	.26	.15	.01	.21			.81	.03	.06	27
28			.21	.17	.07		.54	.03				.04	28
29			.82	.29	.15	.44	.29	.50	.50	.63	.02	.43	29
30		×	.69	.06	.03	.89	.62	.15	.86	.07	.72	.04	30
31		×	.22	×	.06	×	.36		×	.02	×	.50	31
													YEAR'S TOTAL
TOTAL	5.41	.07	3.66	4.33	3.85	1.39	6.39	1.72	7.30	10.19	3.43	2.95	50.69
*Days with ·01 in. or more.	19	4	13	25	26	6	18	11	23	27	19	16	207
*Days with .04 in. or more.	15	1	12	22	21	2	18	7	20	22	13	13	166

107

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) E W Darby

[P.T.O.

2112

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~2112~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Liscombe

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 950 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.21	.85	.17		.10	.04			.01	.02	.04	.50		1
2	.20	.02	.15		.56	.38					.05	.05		2
3	.07	.26	.31		.05									3
4	.21	.33	.08		.10									4
5	.20	.06	.52		.12						.01			5
6	.06	.39	.05		.45		.02			.10				6
7	.20	.21			.01		.03			.05				7
8	.06	.09			.08		.60			.07		.03		8
9		.04			.56		.45			.40	.04			9
10	.04	.12			.02		.07			1.90	.03			10
11	.26					.01	.57	.52		.15				11
12				.06		.12	.15		.54	.07				12
13	.02				.10	.22	.23	.08		.20	.16			13
14	.04					.01	.18	.12		.06	.23			14
15	.56		.07				.05	.14		.16	.09			15
16		.04				.08								16
17	.25	.07	1.10			.15		.08	.13		.01			17
18	.04		.62			.21					.04			18
19	.08		.32				.02		.10		.58			19
20		.10	.65		.23	.04		.14	.38		.02			20
21						.01		.27		.08				21
22		.10		.20	.08			.49	.13					22
23		1.05		.37		.18		.04	.18	.21				23
24		.23		.19		.07		.04	.13	.14				24
25		.64		.12		.10	.01		.23	.06		.15		25
26		.35		.29	.34				.04	.07		.02		26
27		.03		.02	.40				.13	.80		.40		27
28		.20		.42	.02		.20			.35		.01		28
29	.05			.04			.06		.07	.01		.02		29
30	.04	×	.14	.05	.01		.08		.02	.03		.06		30
31	.15	×	.03	×	.02	×			×	.32	×			31
TOTAL	2.74	4.98	4.21	1.76	3.05	1.62	3.22	1.92	2.09	5.25	1.30	1.24	Year's Total 33.38	
*Days with ·01 in. or more.	19	20	13	10	18	14	15	10	12	21	12	9	173	
*Days with .04 in. or more.	18	19	12	9	12	11	11	10	11	18	8	5	144	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required

(*Signed*) E W Darby

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2112

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Liscombe

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.19		.02					.61	.18	.06	.31	.85		1
2	.02		.05					.21	.79	.01		.65		2
3	.10				.04			.04	.02	.20		.46		3
4	.27		.19	.16	.28	.11		.07	.14	.50		.54		4
5	.02		.04	.08	.12	.02		1.20		.24	.55	.96		5
6	.05		.35	.12	.75			.01		.85	.48	.43		6
7	.08							.09		.30	.01	.74		7
8	.02				.10				.04	.09	.78	.80		8
9	.01		.18	.09				.01	.02	.05	.39	.30		9
10	.15		.43	.38				.24		.03	.25	.03		10
11	.91		.02	.52				.29			.01	.63		11
12	.08			.08				.51				.06		12
13	.66			.29		.02		.01		.03		.15		13
14	.57		.53	.04	.01					.04	.06	.36		14
15	.22		.15	.01	.22		.04	.01		.26	.20	.55		15
16	.35		.49		.02				.02		.04	.18		16
17	.58		.04	.15	.05				.44	.03	.01	.20		17
18	.15		.14	.79					.06			.73		18
19	.02		.26		.02	.10		.05	.25	.01		.30		19
20			.09	.25	.05		.27		.15	.04	.01	.02		20
21			.16	.04	.03	.46	.02	.12	.01	.18	.02	.22		21
22	.08		.16		.01			.18	.53	.15		.86		22
23	.15	.03	.03	.34		.47		.13	.02	.01		.07		23
24		.39	.08	.05		.25	.17		.27	.06		.03		24
25	.32	.16		.62		.11			.02	.15		.77		25
26	.14		.02	.13		.28			.25	.05	.01	.05		26
27				.15		.16		.01	.04	.15		.08		27
28				.16		.05	.04	.53	.27	.10		.90		28
29							.12	.21	.14	.20	.02	.07		29
30	.06	×					.05	.02	.15	.18		.36		30
31		×		×		×	.09	.02	×	.03	×	.09		31
TOTAL	5.20	.61	3.43	4.45	1.70	2.03	.80	4.57	3.81	4.00	3.15	12.44	Year's Total. 46.19	
* Days with .01 in. or more.	24	4	20	20	13	11	8	22	21	27	16	31	217	
* Days with .04 in. or more.	19	2	16	19	8	9	7	15	15	20	9	28	167	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) E. W. Darby

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2112

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935

Kept at Liscombe

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ... in.

,, Ground ,, Sea Level 980 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	.05	.74			.03	.03		.25	.24	.02	.34		1
2		.05	.02			.14	.02		.01	.33	.14	.26		2
3		.07	.07			.25	.02		.95	.29	.13	.01		3
4	.05	.21	.05	.11	.12	.13			.10	.07	.27	.78		4
5	.01	.40	.04	.10		.35			.22	.40	.09	.20		5
6			.04	.52		.78				.01	.30	.20		6
7			.01	.71		.14				.28	.01	.20		7
8				.43						.45	.40	.13		8
9				.86		.01			.04	1.40	.45			9
10	.03		.20	.44		.08	.07		.02	.09	.12	.02		10
11	.23	.03				.30			.21	.14	.45	.02		11
12	.05	.21				.69			.05	.01	.17			12
13	.08	.39				.01				.08	.28			13
14	.02	.02		.35	.02	.15			.78	.04	1.25	.40		14
15		1.20		.72	.18	.20	[illegible]	.02	.35	.04	.24	.20		15
16		.16	.03	.25	.01	.03	.04	.06	.53	.12	.97	.05		16
17	.01	.01		.35	1.34	.68	.04	.14	.40	.08	.15			17
18		.05		.83	.02	.10	.01	.06	1.10	.12	.01	.06		18
19		.06		.16	.48	.10	.13		.33	.32	.16			19
20		.60		.37	.13	.09	.11		.11	.04	.36	.02		20
21		.38	.03	.27		.01	.08		.63	.10	.01	.02		21
22		.14	.15	.48					.18	.04		.33		22
23		.01	.45		.03			.29	.17	.50		.24		23
24	.14	.37	.02	.02		.05		.20	.48	.11		.09		24
25	.15	1.07		.04	.16	.05		.38		.01		.45		25
26		.50				.01			.28	.07	.14	.45		26
27		.25					.02	.23	.29	.09	.22	.44		27
28		.15					.01	.28	.09	.14	.12	.04		28
29	.05							.08	.14	.01	.20	.45		29
30	.07	×				.03		1.31	.60	.32	1.23	.80		30
31		×		×		×		.07	×	.61	×	.34		31
TOTAL	.91	6.38	1.85	7.01	2.49	4.41	.58	3.12	8.31	6.55	7.89	6.54	Year's Total. 58.04	
* Days with .01 in. or more.	13	23	13	18	10	24	12	12	25	31	26	26	233	
* Days with .04 in. or more.	8	19	8	17	6	17	6	11	23	27	22	21	185	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(*Signed*) E. W. Darby

[P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations**

Station No. 2112

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Liscombe

in the County of Somerset

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 980 ft.

820634/28

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.09	.23	.08	.27		.20	.94	.12						1
2	.02	.02		.06		.19	.08	.07						2
3	.03	.03	.20	.39		.42	.13	.01						3
4			.21	.02		.20	.04							4
5	.52	.02	.04			.01	.25	.20						5
6	.16		.07			.05	.18	.22						6
7	.32		.24				1.20							7
8	.34		.74				.70							8
9	.30	.05	.39				.38							9
10	.08	.08					.01	.38						10
11	.26	.04			.32	.10	.01	.06						11
12	.01			.06		.04	1.17	.02						12
13	.70				.01	.01	.26	.55						13
14		.03	.02	.02			.86							14
15					.05		.33							15
16	.16	.11		.04	.24	.06	.10							16
17	.20	.61			.10		.24	.09						17
18	.16	.20					1.64							18
19	.58	.11	.02	.26		.73	.38	.40						19
20	.08	.45	.31	.50			.13							20
21	.18		.16	.81		.06	.01							21
22	.12	.45	.35				.35							22
23	.05	.14	.14	.30	.16		.19							23
24	.15	.04	.03	.12	.21		.01							24
25	.35		.26	.48	.04		.38							25
26	.13	.25	.40	.05			.12							26
27	.24	.40	.18				.15							27
28	.54	.11	.57	.01			.09							28
29	.12	.41	.08			1.14	.01							29
30	.19	✕	.10		.01	.38	.10							30
31	.35	✕	.38	✕	.03	✕	.20		✕		✕			31
TOTAL	5.74	3.78	4.91	3.39	1.17	3.59	10.52	1.63					Year's Total	
* Days with .01 in. or more.	28	20	22	15	10	14	31	11						
* Days with .04 in. or more.	25	16	19	12	7	12	26	9						

Left Here in September

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) S.W. Darby [P.T.O.

2113.

Winsford.

1931 - 40.

780401

9467/30

2113

Secti

FOR OFFICIAL USE.

CE.—BRITISH RAINFALL ORGANIZATION.

FORM

FALL IN 1931 .

K

in

D

H

TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	·12	/	·43	/	/	·06	/	·75	·08	/	/	1
2	·20	·03	/	·70	/	/	·01	/	·84	·06	·15	·53	2
3	·02	/	·83	/	/	/	·11	·08	·33	·02	2·79	·39	3
4	·16	/	·10	·15	·02	·20	·66	·62	·43	·11	Tr	·14	4
5	/	·31	·10	·20	/	·60	·14	·19	/	Tr	·05	·59	5
6	/	·07	/	·04	·10	·19	·42	Tr	/	·44	·21	·85	6
7	/	·04	/	/	·25	·11	·02	·30	/	·17	·53	·14	7
8	/	·33	/	·19	/	·28	/	·31	/	·02	·14	·22	8
9	·02	·54	/	/	/	1·02	·09	/	/	·01	·70	·02	9
10	/	·14	/	/	·27	·16	·10	·06	·04	/	·53	Tr	10
11	·31	1·10	/	/	·01	·25	·08	·01	·07	/	·55	Tr	11
12	·03	·05	/	/	/	/	·18	/	·10	·20	·04	/	12
13	/	·06	·09	/	·12	Tr	·19	·19	·01	/	·03	/	13
14	·08	·10	/	/	·22	·27	·49	·05	·04	/	·53	/	14
15	·02	·29	/	·03	·08	·07	Tr	·74	·13	/	Tr	·01	15
16	·06	·20	/	·27	·16	1·01	·04	·51	·07	/	/	/	16
17	·07	·01	/	·20	/	·03	·37	·01	·04	/	·01	/	17
18	·10	/	/	·01	/	·24	·14	·74	·01	/	·30	/	18
19	·12	·06	·05	·05	/	·21	Tr	·55	·06	/	·33	/	19
20	·01	·16	·17	/	/	/	/	1·10	/	/	·44	/	20
21	·30	·05	·02	·01	·09	/	/	·01	/	/	Tr	/	21
22	·66	·11	/	/	·07	/	/	/	/	·02	·22	/	22
23	·43	·03	/	·71	·60	·01	·01	·01	/	/	·55	·01	23
24	·16	·03	Tr	·66	·09	·03	·83	·05	·03	/	·02	Tr	24
25	·18	·11	/	·37	Tr	/	·10	/	/	/	·04	·01	25
26	·01	·16	/	·36	/	/	·30	/	/	/	1·03	·02	26
27	·34	·38	Tr	·02	2·93	·01	·09	/	/	·02	·14	·02	27
28	·37	·32	·13	·05	·06	/	·02	·06	/	·12	/	·20	28
29	·23	X	·11	/	·03	/	·29	·04	/	·21	·05	·28	29
30	·13	X	/	/	·01	/	·01	·09	·03	·01	/	·01	30
31	1·38	X	Tr	X	·31	X	·01	/	X	/	X	·27	31
TOTAL	5·45	4·82	1·60	4·45	5·42	4·69	4·76	5·72	2·98	1·49	9·38	3·68	YEAR'S TOTAL 54·44
*Days with ·01 in. or more.	25 ~~6~~	25 ~~4~~	9 ~~X~~	18 ~~4~~	18 ~~4~~	17 ~~4~~	25 ~~6~~	21 ~~4~~	16 ~~4~~	14 ~~6~~	23 ~~3~~	17 ~~4~~	228 ~~53~~
*Days with ·04 in. or more.	19	21	8	14	14	13	19	17	12	8	20	10	175

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Rainald S. Le B

[P.T.O.

Secti [redacted] 7/30. 2113

FOR OFFICIAL USE.

CE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Winsford
in the County of Somerset
Diameter of Funnel of Gauge 6 in.
Height of top of Gauge above Ground 1 ft – in.
,, Ground ,, Sea Level 620 ft.

daf/o

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	·12	—	·43	—	—	·06	—	·75	·08	—	—	1
2	·20	·03	—	·70	—	—	·01	—	·84	·06	·15	·53	2
3	·02	—	·83	—	—	—	·11	·08	·33	·02	2·79	·39	3
4	·16	—	·10	·15	·02	·20	·66	·62	·43	·11	Tr	·14	4
5	—	·31	·10	·20	—	·60	·14	·19	—	Tr	·05	·59	5
6	—	·07	—	·04	·10	·19	·42	Tr	—	·44	·21	·86	6
7	—	·04	—	—	·25	·11	·02	·30	—	·17	·53	·14	7
8	—	·35	—	·19	—	·28	—	·31	—	·02	·14	·22	8
9	·02	·54	—	—	—	1·02	·09	—	—	·01	·70	·02	9
10	—	·14	—	—	·27	·16	·10	·06	·04	—	·53	Tr	10
11	·31	1·10	—	—	·01	·25	·08	·01	·07	—	·55	Tr	11
12	·03	·05	—	—	—	—	·18	—	·10	·20	·04	—	12
13	—	·06	·09	—	·12	Tr	·19	·19	·01	—	·03	—	13
14	·08	·10	—	—	·22	·27	·49	·05	·04	—	·53	—	14
15	·02	·29	—	·03	·08	·07	Tr	·74	·13	—	Tr	·01	15
16	·06	·20	—	·27	·16	1·01	·04	·51	·07	—	—	—	16
17	·07	·01	—	·20	—	·03	·37	·01	·04	—	·01	—	17
18	·10	—	—	·01	—	·24	·14	·74	·01	—	·30	—	18
19	·12	·06	·05	·05	—	·21	Tr	·55	·06	—	·33	—	19
20	·01	·16	·17	—	—	—	—	1·10	—	—	·44	—	20
21	·30	·05	·02	·01	·09	—	—	·01	—	—	Tr	—	21
22	·66	·11	—	—	·07	—	—	—	—	·02	·22	—	22
23	·43	·03	—	·71	·60	·01	·01	·01	—	—	·55	·01	23
24	·16	·03	Tr	·66	·09	·03	·83	·05	·03	—	·02	Tr	24
25	·18	·11	—	·37	Tr	—	·10	—	—	—	·04	·01	25
26	·01	·16	—	·36	—	—	·30	—	—	—	1·03	·02	26
27	·34	·38	Tr	·02	2·93	·01	·09	—	—	·02	·14	·02	27
28	·37	·32	·13	·05	·06	—	·02	·06	—	·12	—	·20	28
29	·23	×	·11	—	·03	—	·29	·04	—	·21	·05	·28	29
30	·13	×	—	—	·01	—	·01	·09	·03	·01	—	·01	30
31	1·38	×	Tr	×	·31	×	·01	—	×	—	×	·27	31
TOTAL	5·45	4·82	1·60	4·45	5·42	4·69	4·76	5·72	2·98	1·49	9·38	3·68	YEAR'S TOTAL 54·44
*Days with ·01 in. or more.	25 ~~6~~	25 ~~4~~	9 ~~X~~	18 ~~4~~	18 ~~4~~	17 ~~4~~	25 ~~6~~	21 ~~4~~	16 4	14 ~~6~~	23 ~~8~~	17 ~~4~~	228 ~~55~~
*Days with ·04 in. or more.	19	21	8 ~~X~~	14	14	13	19	17	~~12~~	8	20	10	175

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Rainald S. Le B

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2113

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Winsford

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 620 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·66	/	/	·57	·09	/	·59	·03	·36	·02	·05	·06	1
2	·42	/	/	·03	·23	/	·02	·03	1·38	·02	·14	·63	2
3	·12	/	/	·08	·03	/	·04	/	·13	·03	·07	·02	3
4	·07	/	/	Tr	/	/	·05	·06	/	/	·37	·01	4
5	1·74	/	·16	/	/	/	Tr	/	·45	/	/	/	5
6	1·21	/	·05	·56	/	/	·26	/	·25	·02	/	/	6
7	·17	/	·08	·07	·01	/	/	/	1·08	1·26	/	/	7
8	/	/	·74	·15	·18	/	/	/	·13	·32	/	/	8
9	1·06	·06	~~·28~~ /	·38	/	/	/	/	·65	·07	/	/	9
10	·47	/	/	·47	·07	·01	/	/	·40	·52	/	/	10
11	·05	/	/	·17	·07	/	/	/	·07	·13	/	·04	11
12	·95	/	/	·01	·75	/	/	/	·06	·47	/	·02	12
13	·21	·01	/	·04	·04	/	·31	·16	Tr	·79	/	·35	13
14	·13	/	/	·24	·16	/	Tr	/	/	·04	·52	·05	14
15	·02	/	/	·14	·10	/	·18	/	/	·05	·05	·10	15
16	·37	/	/	·60	/	/	1·69	/	/	·14	/	/	16
17	Tr	/	/	·02	·05	/	·01	/	/	·01	/	/	17
18	·02	/	/	/	·15	/	/	/	·16	/	·32	/	18
19	·04	/	/	·25	·35	/	/	/	·09	·81	Tr	/	19
20	/	/	/	·22	·75	/	/	·02	·01	1·20	·19	·18	20
21	·01	/	·09	·31	Tr	/	/	·26	Tr	·79	·12	·16	21
22	Tr	/	·02	·12	·14	/	·02	Tr	·75	·28	·57	·13	22
23	/	/	/	/	·02	/	·32	/	·07	·67	·25	·17	23
24	/	Tr	/	/	·10	/	·20	/	·13	·23	·03	Tr	24
25	/	·02	·19	/	/	/	·56	/	·19	·70	·36	/	25
26	/	/	·09	·22	/	/	·38	/	·05	·27	·16	/	26
27	/	/	·70	·25	·22	·02	·28	/	/	·65	·03	·06	27
28	/	/	·27	·15	·23	/	·36	·02	/	/	/	·08	28
29	/	/	1·01	·19	·12	·48	·28	·50	·49	1·04	·11	·49	29
30	/	×	·70	·03	·02	1·03	·64	·11	·84	·19	·65	·01	30 116
31	/	×	·12	×	·07	×	·62	/	×	·02	×	·52	31
TOTAL	7·70	·09	4·22	5·27	3·95	1·54	6·21	1·19	7·74	10·74	3·99	3·08	YEAR'S TOTAL 55·42
*Days with ·01 in. or more.	18 ~~3~~	3 ~~2~~	13	24	23 ~~4~~	4 ~~2~~	19 ~~3~~	9 ~~4~~	21 ~~1~~	27 ~~6~~	17 ~~2~~	18 ~~4~~	196 ~~26~~
*Days with .04 in. or more.	15	1	12	20	19	2	16	5	20	21	15	14	160

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Rainald S. Le Bas

Capt

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 2113

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at WINSFORD

in the County of SOMERSET

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 620 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·33	·73	·20		·08	·03			·03	·01	·03	·52		1
2	·46	Tr	·90		·53	·39					·04	·18		2
3	·11	26	·18		·02									3
4	·35	·24	·05		·10									4
5	·25	·06	·60		·18									5
6	·01	·41	·88		·15		·02			·13				6
7	·25	·20	·01				·06			·05		·05		7
8	06	·10	·02		·10	·06	·40			·05				8
9		·14			·66		·50			·99	·03			9
10	·06	119					·28	·01		1·80	·03			10
11							·20	·46		·14				11
12				03	·04	·09	·52		39	·02				12
13					·09	·27	·55	·10		·24	·09	·04		13
14	·18						·07	·06		·05	28			14
15	·37		·31				·01	·09		·17	·04	·02		15
16		·01	·97			·08			·01	09	Tr	Tr		16
17	·65	·09	·58			·20		·15	·15		·01			17
18	·11	Tr	·36			·20					·04			18
19	·06		·43			·02			·11		·48			19
20		·12	Tr			·03		·10	·32		·01			20
21		·06						·15		·05				21
22				·25	·09			·49	·18	·02				22
23		·73		30		·15			·15	29				23
24		·15		·19		Tr				·01				24
25		}		·14	Tr	·20			·25	·03		·15		25
26		94 }		·19	·70				·01	·36		·01		26
27		·02			·03				·10	47		33		27
28		·27		·39			·20		Tr	·41		·12		28
29	·10	×		·02			·04	·01	·01			·01		29
30	·06	×	·11	·02			119		·06	·26		·10		30
31	·55	×	·03	×	03	×	Tr		×	·03	×			31
TOTAL	3·46	4·72	4·83	1·53	2·20	1·72	2·99	1·62	1·77	5·63	1·08	1·53	Year's Total 33·~~10~~ 08	
*Days with ·01 in. or more.	17	18	15	9	14	12	13	10	13	22	11	11	165 ~~34~~	
*Days with .04 in. or more.	16	16	12	6	11	9	11	8	9	16	6	8	128	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Rainald S. Le Bas Capt

[P.T.O.

FILE No 3467/30

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2113

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at WINSFORD
in the County of SOMERSET
Diameter of Funnel of Gauge 6 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 620 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·09	/	·01	/	/	·02	/	·89	·25	·03	·58	·99		1
2	·11	/	·04	/	/	/	/	·23	·85	02	·16	·52		2
3	·12	·02	/	/	·04	/	/	Tr	Tr	23	/	·56		3
4	·39	/	·18	·21	·29	/	/	·03	·21	·39	/	·51		4
5	Tr	/	·10	·02	·22	·10	/	1·24	/	·14	1·20	1·07		5
6	·11	/	·25	·82	·83	/	/	·02	/	·78	·14	·37		6
7	·14	/	/	/	/	/	/	·10	/	·37	·09	·76		7
8	/	/	/	/	·11	/	/	/	·02	·25	·66	·77		8
9	·62	/	·16	·03	/	/	/	·06	/	·03	·47	·38		9
10	·22	/	·43	·37	/	/	/	·41	/	·02	·25	·03		10
11	1·05	/	·02	·53	/	/	/	·18	/	/	·01	·85		11
12	·31	/	/	·04	/	/	/	·35	/	·01	/	·08		12
13	·70	/	Tr	·34	/	·01	/	Tr	/	·06	/	·21		13
14	·64	/	·66	·01	/	/	/	/	/	·08	·11	·33		14
15	·09	/	·28	/	·27	·03	·05	/	/	·30	·25	·63		15
16	·66	/	·58	·01	/	/	/	/	·48	·04	·01	·18		16
17	·85	/	·06	·31	·03	/	Tr	/	·11	·03	/	·36		17
18	·20	/	·27	·77	·01	·05	/	/	·11	/	/	1·05		18
19	/	/	·23	/	·08	·04	/	·07	·24	·02	/	·33		19
20	/	/	·07	·21	·02	/	·34	/	·10	·02	/	·02		20
21	/	/	·13	/	/	·44	/	·13	·01	·23	·02	·13		21
22	·05	/	·16	/	/	/	/	·22	·43	·11	/	·69		22
23	·07	Tr	·03	·56	/	·45	·07	/	·22	·01	/	·04		23
24	Tr	·36	·05	·02	/	·26	·08	/	·09	·07	/	·01		24
25	·31	·18	/	·68	/	·10	/	/	·03	·23	/	·69		25
26	·08	Tr	·01	·03	/	·33	/	/	·31	·13	·04	·08		26
27	/	/	/	·17	/	·12	Tr	·02	·03	·24	Tr	·20		27
28	/	/	/	·07	/	/	·08	·63	·25	·29	Tr	·90		28
29	/	×	/	/	/	/	·05	·13	·21	·18	Tr	·10		29
30	·06	×	/	/	/	/	·03	·02	·20	·24	/	·49		30
31	/	×	/	×	·03	×	·07	/	×	·10	×	·13		31
TOTAL	~~6·37~~ 6·21	·56	3·66	~~4·60~~ 4·50	1·93	1·95	·77	4·73	4·15	4·65	3·99	13·46	Year's Total ~~50·82~~ ~~50·72~~ 50·62	
*Days with ·01 in. or more.	21	3	20	19	14	12	8	17	19	28	14	31	203	
*Days with .04 in. or more.	20	2	16	13	9	9	7	13	15	20	11	29	161	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required

(*Signed*) Reinald S de B

[P.T.O.

~~COPY FOR OFFICIAL USE.~~ File No 3467/30

Section **A** **for the entry of Daily Observations.** Station No 2113

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at WINSFORD

in the County of SOMERSET

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 620 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	.08	.74	/	/	.03	.02	/	.23	.16	.04	.52	1
2	/	.05	.03	/	/	.11	.02	/	Tr	.30	.13	.47	2
3	.05	.06	.08	.05	.06	.20	/	/	1.00	.29	.05	/	3
4	TR	.21	.05	.18	.02	.83	/	/	.13	.09	.26	.01	4
5	/	.38	.18	.18	/	.07	/	/	.24	.45	.22	.21	5
6	/	/	Tr	.53	/	.79	/	/	.01	/	.15	.22	6
7	/	/	/	.74	/	.19	/	/	/	.46	/	.11	7
8	/	/	/	.54	/	/	/	/	/	.35	.36	.07	8
9	.02	/	/	.99	/	.02	/	/	.05	1.75	.57	Tr	9
10	.01	/	.25	.57	/	.07	.05	/	.03	.11	/	.01	10
11	.34	.11	.08	/	/	.42	/	/	.10	.10	.40	.03	11
12	.07	.38	/	/	/	.50	/	Tr	.05	.01	.15	/	12
13	/	.12	/	.40	/	.01	/	/	Tr	.10	.37	./	13
14	.14	.14	/	.27	.02	.27	/	/	.82	.06	1.10	.37	14
15	/	.60	~~.81~~	.81	.15	.65	/	Tr	.19	.03	.26	.41	15
16	/	.28	.04	.31	/	.02	.03	.07	.64	.08	1.17	.02	16
17	/	.01	/	.17	1.23	.84	.02	.19	.19	.09	.10	/	17
18	/	.13	/	.76	.05	.02	.04	.18	1.40	.25	/	.03	18
19	/	.04	/	.17	.38	.12	.20	/	.39	.66	.23	.01	19
20	Tr	.64	/	.33	.10	.03	.02	/	.01	/	.29	/	20
21	/	.67	.02	.07	/	/	.05	/	.37	.05	/	/	21
22	/	.06	.02	.35	/	/	/	/	.17	.05	/	/	22
23	/	/	.45	/	.03	/	/	.40	.51	.45	/	.28	23
24	.15	.42	/	.06	.15	.14	/	.18	.19	.05	/	.18	24
25	.45	1.20	/	.06	.08	.18	/	Tr	.01	/	/	.47	25
26	/	.56	/	/	/	Tr	.01	.46	.26	.03	.07	.51	26
27	/	.26	/	/	/	/	.02	.31	.22	.15	.27	.39	27
28	.05	.09	/	/	/	/	/	.45	.10	.15	.08	.02	28
29	Tr	X	/	/	/	/	/	.02	.36	.14	.32	.54	29
30	.06	×	/	/	Tr	.02	/	1.18	.62	.39	1.88	.83	30
31	Tr	×	/	×	.13	×	/	.08	×	.72	×	.25	31
TOTAL	1.38	6.48	2.10	7.04	2.10	5.01	.48	3.52	8.28	7.53	8.66	6.86	YEAR'S TOTAL 59.44
*Days with ·01 in. or more.	11	22	11	20	12	22	11	11	26	26	22	23	212
*Days with .04 in. or more.	9	21	9	20	9	15	4	10	22	25	22	17	183

40-9999

*See Instruction 2 (*f*) on other side,

(Signed) Rainald de B

P.T.O.

File No 3457/30

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2113

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at WINSFORD

in the County of SOMERSET

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 620 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.07	.19	.04	.22	/	.17	.69	.08	~~.38~~ /	/	.07	.08		1
2	/	Tr	/	.05	/	.21	.03	.06	.29	/	.11	.01		2
3	.03	.03	.14	.94	/	.40	.10	.01	.90	/	.05	.08		3
4	/	Tr	.04	Tr	/	.18	.01	.20	.56	/	.12	.57		4
5	.50	Tr	.07	/	/	/	.42	.08	.21	/	/	.25		5
6	.15	/	.06	/	/	.02	.58	.08	.14	/	.36	.02		6
7	.36	/	.20	/	/	/	1.08	/	.24	/	1.34	.06		7
8	.33	/	.65	/	/	/	.84	/	/	/	.93	.11		8
9	.32	.03	.18	/	/	.04	.10	/	.04	/	.31	Tr		9
10	.11	.03	/	/	/	/	.04	.22	/	/	.32	Tr		10
11	.24	.04	/	/	/	.09	.03	.05	.41	/	.69	.06		11
12	.01	/	/	.03	/	Tr	.96	Tr	.18	.03	.09	/		12
13	.11	/	Tr	/	/	.02	.13	.02	.01	.22	.12	1.07		13
14	/	.02	/	.01	/	.16	.63	/	.25	.11	.01	.70		14
15	/	/	/	/	.05	Tr	.13	/	/	/	.45	.25		15
16	.05	.09	/	.03	.22	.02	.09	/	.05	/	.61	.22		16
17	.46	.65	/	/	.11	/	.21	.02	/	.19	.11	1.59		17
18	.06	.20	.01	/	.09	.29	1.31	Tr	/	.12	/	.26		18
19	.56	.04	/	.60	/	.35	.25	.36	/	.01	/	.02		19
20	.12	.37	.23	.58	/	Tr	.01	Tr	.40	/	/	.02		20
21	.08	.01	.10	/	/	.03	/	/	.05	/	/	Tr		21
22	.21	.62	.43	Tr	/	/	.30	/	/	/	/	.07		22
23	.04	.08	.08	.30	.17	/	.16	/	/	.09	/	/		23
24	.15	.04	.03	.30	.15	/	.08	/	.07	.62	/	/		24
25	.09	/	.42	.29	.01	/	.19	/	.50	.56	.02	/		25
26	.29	.31	.27	/	/	/	.11	/	/	.24	/	/		26
27	.21	.34	.09	/	/	/	.18	/	.03	.26	/	/		27
28	.49	.07	.45	/	/	.25	.05	/	/	.04	/	·44		28
29	.07	.41	.04	/	/	.68	.01	/	/	.06	.03	·12		29
30	.15	×	.07	/	.02	.25	.08	/	/	.86	Tr	/		30
31	.33	×	.32	×	.01	×	.11	/	×	.06	×	·56		31
TOTAL	5.49	3.57	3.83	3.35	.83	3.16	8.81	1.18	4.33	3.47	5.74	6·56	Year's Total. 50·32	
* Days with .01 in. or more.	27	19	21	11	9	16	30	11	17	15	18	21	215	
* Days with .04 in. or more.	25	14	19	8	6	12	25	8	15	13	15	17	177	

40-9999

† Spare column, no entries required.

(*Signed*) Rainald S Le B

* See Instruction 2 (f) on other side. [P.T.O.

File No 3467/30 2113

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2113

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at WINSFORD

in the County of SOMERSET

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground I ft. - in.

,, Ground ,, Sea Level 620 ft.

A.ke

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.37	Tr	.0I	.II	-	-	.02	-	.I5	.27	.I2	.48		1
2	.44	.92	-	.I3	-	-	-	-	.02	Tr	.02	.25		2
3	.03	.5I	.0I	.I8	.I6	.0I	.07	-	.04	-	-	.06		3
4	.I7	.40	-	.09	.09	.0I	.02	-	-	-	-	.88		4
5	I.02	.33	.-	Tr	.0I	-	.37	.04	-	-	-	.I0		5
6	.39	.33	.26	.46	.05	-	.08	-	.02	.22	-	.0I		6
7	.0I	.93	.08	.30	-	.25	-	-	.06	.I5	.0I	.24		7
8	-	.09	.02	-	.34	.28	.I3	-	.03	Tr	.08	-		8
9	.03	.05	.I0	.I0	.20	.0I	-	.09	.9I	-	-	.I5		9
10	.26	.0I	.80	.37	-	.06	.03	.02	-	-	-	.62		10
11	.06	-	.26	.I7	.62	.02	.38	.09	-	-	-	.II		11
12	.47	.33	.66	-	-	.34	.0I	.05	.36	-	-	.49		12
13	Tr	.03	I.32	.24	-	.24	-	.23	.0I	-	-	.II		13
14	-	.03	.I4	.04	-	Tr	.05	.03	.I8	-	-	.27		14
15	.47	.32	.08	.79	-	-	.27	.02	.32	-	-	.2I		15
16	.I3	,23	.69	.II	-	Tr	.09	.37	.26	-	-	-		16
17	I.07	.I0	.69	-	-	-	.0I	.05	.I2	-	.I3	-		17
18	.22	.I9	.38	-	-	.I8	-	.0I	.34	-	.35	.30		18
19	.I5	.I2	.I0	.43	.I0	.02	.0I	-	.24	-	.6I	.0I		19
20	.62	.07	.I0	.57	.03	-	-	-	.03	-	-	.32		20
21	.50	.62	.23	.II	.54	-	.I9	-	.09	.I6	.03	.65		21
22	.06	.0I	.I6	-	.32	-	.37	-	.03	.82	.40	.07		22
23	.22	.3I	Tr	-	.05	-	.02	-	-	.I3	.50	.03		23
24	.66	.44	-	-	.07	-	.03	-	.03	.80	.0I	.I0		24
25	-	I.I2	.37	-	.04	-	-	-	.02	.I4	-	.04		25
26	-	.48	.02	-	-	-	-	-	-	-	-	.02		26
27	-	.83	-	-	-	-	-	-	-	.72	-	-		27
28	x .65 }	.II	-	-	-	.03	-	-	-	.I4	-	.06		28
29		X	-	-	-	.I2	-	-	-	.50	.36	.0I		29
30	.20	X	-	-	-	.02	-	-	.05	.07	.70	-		30
31	.54	X	-	X	-	X	-	-	X	.2I	X	-		31
TOTAL	8.62	8.58	6.48	4.20	2.62	I.59	2.I5	I.00	3.25	4.33	3.32	4.99	Year's Total 5I.I3	✓
* Days with .01 in. or more.	2~~4~~5	25	2I	I6	I4	I4	I8	II	2I	I3	I3	25	2I~~5~~6	✓
* Days with .04 in. or more.	2~~1~~2	2I	I7	I6	I2	8	8	5	I3	I3	9	20	I6~~2~~3	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Rainald S. Le Bas

[P.T.O.

FILE No 3467/30

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2113

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at WINSFORD

in the County of SOMERSET

Diameter of Funnel of Gauge 5 ~~6~~ ins.

Height of top of Gauge above Ground I ft. - in.

" Ground " Sea Level 620 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	.3I	-	-	-	.97	.26	I.49	-	.6I	.I8	.65		1
2	-	.12	-	.11	-	-	-	-	-	.54	.I8	.25		2
3	-	Tr	-	-	.20	.04	.02	.03	.06	I.32	.I5	.0I		3
4	.03	)	-	)	.42	.04	.54	I.25	-	.87	.03	.36		4
5	.03	-	-	-	-	.05	.05	Tr	.I0	.96	.02	.20		5
6	.42	-	-	-	)	.32	I.09	.I4	.05	.51	.0I	.26		6
7	.39	-	-	-	-	-	.44	.I9	.03	.26	.04	.I8		7
8	.83	-	-	-	-	-	.I5	.06	-	I.20	-	.02		8
9	.76	.24	-	-	-	.29	.02	.36	-	.05	.0I	I.2I		9
10	.II	.03	-	-	-	-	.I2	.II	-	.06	-	.65		10
11	.45	.0I	-	-	-	.0I	.06	.38	-	.02	.34	.64		11
12	.64	.04	-	-	.3I	-	-	-	-	.95	I.I2	.0I		12
13	.I2	Tr	-	-	.I5	-	-	Tr	-	.46	.I3	I.40		13
14	.50	Tr	-	-	.I0	)	.36	)	Tr	-	-	.0I		14
15	.43	-	-	-	.20	-	-	.08	-	.I3	.2I	.38		15
16	.8I	.05	.05	-	.09	-	-	.06	)	Tr	.22	-		16
17	-	.32	Tr	-	.0I	-	.0I	-	.27	.32	.04	-		17
18	.40	-	-	-	.I4	.07	-	.48	.I9	.I2	.55	-		18
19	.I0	-	-	-	-	-	-	.I3	.I5	-	.56	-		19
20	.08	-	-	-	-	-	-	.03	.I3	-	.37	-		20
21	.09	-	-	-	-	-	-	.II	Tr	-	.37	.I4		21
22	.06	-	-	.05	-	.06	-	.42	-	.02	.64	.03		22
23	Tr	-	-	.03	Tr	-	-	Tr	.02	-	.49	.0I		23
24	.05	Tr	.I5	-	.I8	-	-	.05	.05	-	.36	-		24
25	.3I	.25	.0I	-	.20	.04	.09	Tr	-	.09	.96	-		25
26	.44	.47	.04	-	.64	.2I	.03	-	-	.2I	.I5	.I0		26
27	.30	.23	Tr	-	.40	.24	.33	.70	.05	.03	.70	-		27
28	.25	.33	.0I	-	.09	.30	.05	.58	-	.0I	.I0	.02		28
29	.26	X	-	-	.78	.08	.03	-	.22	.27	.5I	.07		29
30	.I4	X	-	-	.04	.08	.02	-	.24	-	.39	.07		30
31	.80	X	-	X	.43	X	)	-	X	.60	X			31
TOTAL	8.80	2.40	.26	.I9	4.34	2.80	3.67	6.65	I.56	9.6I	8.83	7.23	Year's Total 56.34	
* Days with .01 in. or more.	26	I2	5	3	I7	I5	I8	I9	I3	23	27	23	20I	
* Days with .04 in. or more.	24	I0	3	2	I6	I4	I2	I7	II	I9	23	I6	I67	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 22113

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Winsford

in the County of Somerset

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 620 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.39	-	.15	.07	.06	-	-	.02	)	-	.16	.17		1
2	.20	-	-	.11	Tr	-	-	.31	.24	-	.18	.29		2
3	.32	-	.05	.79	-	-	-	.05	.26	)	.07	.56		3
4	.03	-	.63	.50	.39	-	.48	.01	-	.27	.50	.63		4
5	-	-	.05	.37	.02	-	.49	-	-	.29	.72	.05		5
6	.79	-	.10	.03	-	-	1.00	.06	-	-	.32	-		6
7	.43	.39	-	-	-	.17	.20	.02	)	-	.30	1.05		7
8	.24	.45	.05	-	-	-	.24	.07	-	.62	.49	.48		8
9	.10	.15	.06	-	-	-	-	.32	-	.17	.35	.20		9
10	.33	.02	-	-	-	.01	-	.10	.11	.16	.08	.48		10
11	.05	.06	.10	-	-	-	-	-	-	.44	.02	.01		11
12	.17	.03	-	.01	-	-	-	-	.17	.02	.01	-		12
13	.06	-	-	.29	.02	.06	.25	-	Tr	.33	.07	-		13
14	.85	.03	.02	.05	.06	.09	.62	)	-	.25	.26	-		14
15	.58	-	-	.16	.10	.96	1.28	-	-	-	.49	.03		15
16	.12	.02	-	.08	.48	-	.20	-	-	-	.54	-		16
17	.90	.07	-	-	.01	.21	.42	-	-	-	.04	-		17
18	.13	.09	.12	-	-	.10	.81	-	-	-	1.07	.01		18
19	.37	-	-	-	-	.03	.67	.19	-	-	.01	.02		19
20	.68	-	-	-	.01	.08	-	1.13	-	-	-	-		20
21	.04	.32	.22	-	.14	.38	.03	.02	.08	-	-	-		21
22	1.62	.51	.20	.07	-	.45	.13	-	.05	-	.93	-		22
23	.02	.05	.05	.35	-	-	.46	-	-	.10	1.32	-		23
24	.75	.07	.16	.10	-	.39	.17	-	-	.14	-	-		24
25	) .97	.31	.01	.24	-	-	.15	.07	-	.25	1.44	-		25
26	)	.33	-	.24	-	-	.02	.38	-	.23	1.60	-		26
27	-	.33	.17	-	-	.10	.23	.26	-	-	.15	-		27
28	.01	.18	.09	.51	-	.26	.56	-	-	.02	.59	.11		28
29	.06	X	-	.23	)	-	.11	.01	-	.67	.38	-		29
30	-	✕	.02	1.01	-	.41	.06	Tr	-	.15	.21	-		30
31	-	✕	-	✕	-	✕	.06	.33	✕	.35	✕	-		31
TOTAL	10.10	3.41	2.36	4.95	1.39	3.64	8.94	3.35	.91	4.49	12.30	4.09	Year's Total 58.83	✓
* Days with .01 in. or more.	27	18	18	18	10	15	23	17	6	17	27	14	210	✓
* Days with .04 in. or more.	24	14	16	16	6	13	21	12	6	15	24	10	177	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Ronald S. Le B

P.T.O.

COPY FOR OFFICIAL USE 3467/30

Section A for the entry of Daily Observations

Station No. 2II3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1930

Kept at Winsford

in the County of Somerset

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground I ft.) in.

,, Ground ,, Sea Level 620 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.09	-	.I2	.II	-	-	-	-	-	.43	-		1
2	-	.06	-	.I5	Tr	-	.02	-	-	-	3.I0	-		2
3	6	.60	-	.05	-	-	-	-	-	.23	I.3I	.20		3
4	-	.I8	-	.II	-	-	.08	-	-	.45	.I5	.I0		4
5	.03	Tr	-	-	-	-	-	-	-	I.23	.89	.66		5
6	.20	.44	-	-	-	-	.I5	-	-	.53	.38	.56		6
7	.09	.I6	-	.04	.04	-	.I4	-	.02	.04	-	.I7		7
8	Tr	-	-	-	-	-	.04	-	.02	.3I	.3I	.42		8
9	6	-	-	-	-	-	.44	.2I	.04	.3I	.96	.52		9
10	-	-	-	-	-	-	.I5	-	.07	.28	.3o	.2I		10
11	-	.05	.04	.05	.I3	.I8	.20	-	.53	-	2.I8	-		11
12	-	-	.33	-	-	.07	I.28	-	-	-	.33	-		12
13	-	.04	.73	-	-	-	.48	-	.07	.I9	.85	.I0		13
14	-	-	.05	.II	.03	-	.0I	.03	.20	.44	.03	.38		14
15	-	.04	.0I	.I2	.II	-	.02	-	.22	-	.33	Tr		15
16	.I6	.58	.28	.03	-	-	.06	-	.08	I.I2	.08	-		16
17	-	.95	.50	.05	-	-	.I2	-	-	-	.03	-		17
18	.57	.05	.37	.93	-	-	.0I	.05	.I0	.07	.05	.27		18
19	-	Tr	.I8	.24	-	-	I.26	-	.54	-	.44	Tr		19
20	-	-	.02	.04	-	-	.I2	.I4	.I9	.I0	.3I	.05		20
21	-	-	-	-	.32	-	-	.02	-	-	.8I	-		21
22	.06	.04	.I4	.30	.I5	.33	-	-	.32	-	-	-		22
23	-	.I4	.I9	.04	.II	.20	Tr	Tr	-	.I9	.I6	.0I		23
24	-	-	.0I	.0I	.0I	.04	.40	-	.02	-	-	-		24
25	.I6	-	.04	.07	.22	.05	Tr	-	-	-	-	-		25
26	I.03	.35	.02	.05	.29	.06	.I5	-	-	-	.05	-		26
27	.54	.30	.02	.3I	.09	.0I	.I0	-	-	-	-	-		27
28	.69	.09	-	.06	.I6	-	-	-	-	-	-	.04		28
29	.23	.09	.40	.76	Tr	.06	-	-	-	.04	-	.40		29
30	-	X	.0I	.05	-	-	-	-	-	.6I	-	.I9		30
31	.08	X	.I2	X	-	X	-	-	X	.5I	X	.30		31
TOTAL	3.84	4.25	3.57	3.69	I.58	I.00	5.27	.45	2.47	6.65	I3.48	4.58	Year's Total 50.83	
* Days with .01 in. or more.	I2	I8	I9	22	I3	9	20	5	I4	I7	22	I7	I87	
* Days with .04 in. or more.	~~I2~~ 11	I8	I3	20	I0	8	I6	3	II	I7	2o	I6	I6~~6~~ 5	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Ramald S. Le Bas

P.T.O.

2114 ~~—~~

STONE LODGE. EXTON

1931

72/29

2114

Sec

Fo

FOR OFFICIAL USE.

FICE.—BRITISH RAINFALL ORGANIZATION.

FALL IN 1931 .

WD

rr for W D . Query form 906 sent 25.2.32
observer agrees 4/3/32. [illegible]

TO THE PREVIOUS DAY.

An observer who does … ding made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
·28.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	~~·28~~	~~·96~~	~~·18~~	~~—~~	~~—~~	~~·46~~	~~—~~	~~·02~~	~~·01~~	~~—~~	~~—~~	~~—~~	1
2	—	·10	·02	·32	—	—	·05	—	·75	—	—	—	2
3	·29	·03	—	·77	—	trace	—	—	·73	·05	—	·59	3
4	·30	~~[illegible]~~	·83	—	—	—	·04	·13	·32	—	1·54	—	4
5	—	~~[illegible]~~	·20	·08	—	·20	·57	·74	·31	—	—	—	5
6	—	·36	—	·13	·03	·60	·26	·24	—	—	—	·72	6
7	—	·07	—	·04	·12	·16	·63	fog trace	—	—	·32	·53	7
8	—	·08	—	—	·20	·13	·03	·34	—	·75	·45	·47	8
9	—	·20	—	·07	—	·18	·01	·30	—	—	·95	·25	9
10	—	·25	—	—	—	·69	·05	—	—	·24	·27	—	10
11		·16	—	—	·07	·04	·06	·06	—	—	·35	—	11
12	·27	·69	—	—	—	·22	·05	·03	—	—	·19	—	12
13	—	·04	·10	·02	·04	—	·20	—	·15	—	—	—	13
14	—	·03	—	—	·04	—	·18	·12	—	—	—	—	14
15	·07	·11	—	—	·16	·19	·48	·11	—	—	·80	—	15
16	·02	·18	—	·04	·08	trace	—	·80	·07	—	—	—	16
17	·03	·12	—	·20	·11	·75	·07	·43	·13	—	—	—	17
18	·07	·01	—	·16	trace	·07	·20	·03	·04	—	—	—	18
19	·05	—	·01	·02	—	·14	·14	·87	—	—	—	—	19
20	·07	·02	·04	—	—	·11	·03	·17	·09	—	·69	—	20
21	·02	·10	·18	—	—	—	—	·83	—	—	·35	—	21
22	·20	·09	·02	·06	·11	—	·01	·02	—	—	—	—	22
23	·35	·09	·02	—	—	—	—	·06	—	—	—	—	23
24	·30	·04	·01	·48	·05	—	—	·04	—	—	·50	—	24
25	·03	·02	·02	·55	·60	·04	·71	·06	—	—	—	—	25
26	·27	·04	—	·30	·07	—	·07	—	—	—	—	—	26
27	—	·08	—	·28	—	—	·30	—	—	—	·90	—	27
28	·22	·18	—	—	2·96	—	·12	—	—	—	·17	—	28
29	·40	—	·13	—	·17	·01	·04	·04	—	—	—	—	29
30	·11	×	·11	—	·01	—	·08	·06	—	1·44	—	—	30
31	·07	×	—	×	·01	×	·03	·13	×	—	×	—	31 46.84
TOTAL	·96 4·10	·18 ~~3·17~~ 3·27	1·69	3·52	·46 ~~5·09~~ 5·29	3·53	·02 4·43	·91 5·62	~~2·69~~ 2·59	2·48	7·48	·22 ~~2·56~~ 2·84	YEAR'S TOTAL ~~45·54~~
*Days with ·01 in. or more.	20	25	13	16	18	15	26	22	9	4	13	56	1872
*Days with ·04 in. or more.	16	20	7	14	14	14	20	18	9	4	13	56	155 ~~142~~

40-9999

(Signed) R. H. Arundell [P.T.O.

*See Instruction 2 (*f*) on other side.

Se 72/29.

2114

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Stone Lodge - Exton

in the County of Dulverton - Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ... in.

,, Ground ,, Sea Level 1100 ft.

WD

corr for W.D. Query form 906 sent 25.2.32
observer agrees 4/3/32. JGlasspoole

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·28.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·28	·96	·18	—	—	·46	—	·02	·01	—	—	—	1
2	—	·10	·02	·32	—	—	·05	—	·75	—	—	—	2
3	·29	·03	—	·77	—	trace	—	—	·73	·05	—	·59	3
4	·30	[illegible]	·83	—	—	—	·04	·13	·32	—	1·54	—	4
5	—	[illegible]	·20	·08	—	·20	·57	·74	·31	—	—	—	5
6	—	·36	—	·13	·03	·60	·26	·24	—	—	—	·72	6
7	—	·07	—	·04	·12	·16	·63	fog trace	—	—	·32	·53	7
8	—	·08	—	—	·20	·13	·03	·34	—	·75	·45	·47	8
9	—	·20	—	·07	—	·18	·01	·30	—	—	·95	·25	9
10	—	·25	—	—	—	·69	·05	—	—	·24	·27	—	10
11		·16	—	—	·07	·04	·06	·06	—	—	·35	—	11
12	·27	·69	—	—	—	·22	·05	·03	—	—	·19	—	12
13	—	·04	·10	·02	·04	—	·20	—	·15	—	—	—	13
14	—	·03	—	—	·04	—	·18	·12	—	—	—	—	14
15	·07	·11	—	—	·16	·19	·48	·11	—	—	·80	—	15
16	·02	·18	—	·04	·08	trace	—	·80	·07	—	—	—	16
17	·03	·12	—	·20	·11	·75	·07	·43	·13	—	—	—	17
18	·07	·01	—	·16	trace	·07	·20	·03	·04	—	—	—	18
19	·05	—	·01	·02	—	·14	·14	·87	—	—	—	—	19
20	·07	·02	·04	—	—	·11	·03	·17	·09	—	·69	—	20
21	·02	·10	·18	—	—	—	—	·83	—	—	·35	—	21
22	·20	·09	·02	·06	·11	—	·01	·02	—	—	—	—	22
23	·35	·09	·02	—	—	—	—	·06	—	—	—	—	23
24	·30	·04	·01	·48	·05	—	—	·04	—	—	·50	—	24
25	·03	·02	·02	·55	·60	·04	·71	·06	—	—	—	—	25
26	·27	·04	—	·30	·07	—	·07	—	—	—	—	—	26
27	—	·08	—	·28	—	—	·30	—	—	—	·90	—	27
28	·22	·18	—	—	2·96	—	·12	—	—	—	·17	—	28
29	·40	—	·13	—	·17	·01	·04	·04	—	—	—	—	29
30	·11	×	·11	—	·01	—	·08	·06	—	1·44	—	—	30
31	·07	×	—	×	·01	×	·03	·13	×	—	×	—	31
TOTAL	·96 4·10	·18 ~~3·77~~ 3·27	1·69	3·52	·46 ~~5·29~~ 5·29	3·53	·02 4·43	·01 5·62	~~2·69~~ 2·59	2·48	7·48	·28 ~~2·56~~ 2·34	46·84 YEAR'S TOTAL ~~45·54~~
*Days with ·01 in. or more.	20	25	13	16	18	15	26	22	9	4	13	56	1872
*Days with ·04 in. or more.	16	20	7	14	14	14	20	18	9	4	13	56	~~142~~ 155

40-9999

(Signed) R. H. Arundell [P.T.O.

*See Instruction 2 (*f*) on other side.

188

2115

Section **A** for the entry of Coord. for ai

AIR MINISTRY

FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

REGIST

Kept at Cutcombe Wh

in the County of Somers

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of thi

llowing

Jan. 1, following

2115
WHEDDON CROSS
CUTMORE
1931 —— 33

7/80401

Date	Jan.	Feb.	March								Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·10		·39			·02		·73	·04	·01		1
2	·24	·04	·02	·72	·03				·34		·14	·60	2
3	·04		·82				·07	·09	·24		2·54	·27	3
4		·04	·19	·14	·04	·22	·60	1·18	·27	·07		·11	4
5		·31		·20	·04	·67	·15	·21			·02	·68	5
6		·12		·04	·09	·09	·73			·39	·22	·84	6
7		·02			·13	·09	·08	·21		·12	·47	·08	7
8		·23		·09		·22				·03	·28	·16	8
9		·50				·79	·04				·87		9
10	·03	·11			·09	·08	·10	·07			·47	·01	10
11	·26	·83	·03		7 –	·24	·05	·02	·06		·44		11
12	·02				·02		·18		·10	·25			12
13					·07	·23	·21	·09	·02	·01		·01	13
14	·04	·17	·02		·22		·45		·06		·45		14
15	·01	·25		·02	·06	·02		·72				·05	15
16	·08	·15		·27	·22	·94	·07	·57	·15				16
17	·06			·13		·04	·24		·04		·01		17
18	·11					·19	·22	·87			·18		18
19	·10	·10				·08	·01	·55	·17		·37		19
20	·01	·08	·17					1·09					20
21	·27	·08	·01	·01	·08			·01			·07		21
22	·75	·10			·05						·09		22
23	·27	·02		·69	·48	·01				·01	·02		23
24	·15	·02	·02	·75	·07	·08	·72	·02	·04		·03		24
25	·16	·08		·19			·07				·04		25
26	·25	·09		·32			·43				·95	·08	26
27	·25	·23			2·90		·10			·04	·18	·02	27
28	·24	·07	·16	·05	·15		·04	·03				·16	28
29	·20		·10		·02		·19	·03		·43	·04	·46	29
30	·12	×			·02		·03	·10	·01				30
31	1·37	×		×	·35	×			×		×	·23	31
TOTAL	5·06	3·74 ~~2·97~~	1·54	4·01	5·13	3·99	4·80	5·86	225	1·39	7·89	3·76	YEAR'S TOTAL 49·42
*Days with ·01 in. or more.	24	23	10	15	20	17 ~~16~~	23	18	13	10	23	15	211
*Days with ·04 in. or more.	19	20	5	13	16	14?	20	13	11	7	18	12	168

40-9999 M

*See Instruction 2 (*f*) on other side.

(Signed) W. J. Lovey [P.T.O.

188

2115

Section A for the entry of Coord. for an

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Cutcombe, Wheddon Cross

in the County of Somerset

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·10		·39			·02		·73	·04	·01		1
2	·24	·04	·02	·72	·03				·34		·14	·60	2
3	·04		·82				·07	·09	·24		2·54	·27	3
4		·04	·19	·14	·04	·22	·60	1·18	·27	·07		·11	4
5		·31		·20	·04	·67	·15	·21			·02	·68	5
6		·12		·04	·09	·09	·73			·39	·22	·84	6
7		·02			·13	·09	·08	·21		·12	·47	·08	7
8		·23		·09		·22				·03	·28	·16	8
9		·50				·79	·04				·87		9
10	·03	·11			·09	·08	·10	·07			·47	·01	10
11	·26	·83	·03		} –	·24	·05	·02	·08		·44		11
12	·02				} ·02	}	·18		·10	·25			12
13					·07	} ·23	·21	·09	·02	·01	}	·01	13
14	·04	·17	·02		·22		·45	}	·06		} ·45		14
15	·01	·25		·02	·06	·02		} ·72				·05	15
16	·08	·15		·27	·22	·94	·07	·57	·15				16
17	·06			·13		·04	·24		·04		·01		17
18	·11					·19	·22	·87			·18		18
19	·10	·10				·08	·01	·55	·17		·37		19
20	·01	·08	·17					1·09					20
21	·27	·08	·01	·01	·08			·01			·07		21
22	·75	·10			·05						·09		22
23	·27	·02		·69	·48	·01				·01	·02		23
24	·15	·02	·02	·75	·07	·08	·72	·02	·04		·03		24
25	·16	·08		·19			·07				·04		25
26	·25	·09		·32			·43				·95	·08	26
27	·25	·23			2·90		·10			·04	·18	·02	27
28	·24	·07	·16	·05	·15		·04	·03				·16	28
29	·20	×	·10		·02		·19	·03		·43	·04	·46	29
30	·12	×			·02		·03	·10	·01				30
31	1·37	×		×	·35	×			×		×	·23	31
TOTAL	5·06	~~2·97~~ 3·74	1·54	4·01	5·13	3·99	4·80	5·86	225	1·39	7·89	3·76	YEAR'S TOTAL 49·42
*Days with ·01 in. or more.	24	23	10	15	20	17 ~~16~~	23	18	13	10	23	15	211
*Days with ·04 in. or more.	19	20	5	13	16	14?	20	13	11	7	18	12	168

40-9999

(Signed) W. J. Lovey [P.T.O.

*See Instruction 2 (*f*) on other side.

687222/26.

2115

FORM 1090.

B Monthly Summary.

*** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1931

At Wheddon Cross

In the County of Somerset.

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 6 *in.*
- *Height of ~~Ground~~* about *above Sea Level* 945 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	5·06	1·37	31	24	
FEB.	2·95	·83	11	23	
MAR.	1·54	·82	3	10	
APRIL	4·01	·75	24	15	
MAY	5·13	2·90	27	20	
JUNE	3·99	·94	16	17	
JULY	4·80	·73	6	23	
AUG.	5·86	1·18	4	18	
SEPT.	2·25	·73	1	13	
OCT.	1·39	·43	29	10	
NOV.	7·98	2·54	3 ~~27~~	23	
DEC.	3·76	·84	6	15	
Total	48·72			211	

Signature W. J. Torey

M

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

W. J. Torey
Wheddon Cross Taunton

Hour of observation by the clock—in Winter 9 in Summer 9

Nearest Railway Station Dunster Distance 7 miles Direction from gauge N.E.

Nearest Parish Church at Cutcombe Distance 1/2 m Direction from gauge do

Nature of objects nearest to gauge	Hedge		
Heights of objects	7ft		
Distances ..	15ft		
Directions from gauge ..	South		

If gauge has been moved during the year state— No

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B.**)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by John Corah & Son, Ltd., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

21.15

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Cutcombe, Wheddon Cross

in the County of Somerset

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

Estimations = modifications by surrounding stations

Nov. ? ow. O.K.

T[illegible] March

From May onwards Obs. by Mrs Russell

2. continuation stations

Looks W D from [illegible]

School closed since [illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in. W D	in.	in.	
1	·47					·04	·07	–		·80	·02	(·57)	1
2	·15				·37	·01			·07		·05	·37	2
3	·05								+1·50	·01			3
4	·05				·03		·35			·16	·25		4
5	1·38		·08				·06		·68	·01		·06	5
6	1·13		·02				·02		·20			·01	6
7	·18		·05				·10	+1·00	·20	·01			7
8			·53						·54	·75			8
9	1·17				·11				·27	·27			9
10	·49									·08			10
11	·07				·05					·27			11
12	1·03				·06				·32	·13		·06	12
13	·28				·66	·04			·06	·27		·02	13
14	·32						·47		·01	·73		·30	14
15	·04									·80	·37	·05	15
16	·44										·50	·03	16
17													17
18	·01						·65			·06	·37		18
19	·03						·01		·13		·20		19
20									·13	(+·50) ·22			20
21			·04				·02		·02	1·10	·10	·04	21
22			·03						·01	·50	·35	·10	22
23					2·00			(1·30) ~~[illegible]~~	·71	·36	·25	·07	23
24					·02				·15	(+·50) ·16	·46		24
25			·14		·17				·25	·10	·02		25
26			·09		·03				·07	(+·50) ·19	·18		26
27			·73				+4·50		·13	·25	·15		27
28	·02		·20										28
29			1·04			+(1·00)				·90		+1·00	29
30		×	·49	(4·25)	·06	·37		·36	·50	1·10	(·70) ~~[illegible]~~		30
31		×	·22	×		×		·05	× +·80		×		31
TOTAL	7·31	·10	3·66 ~~3·38~~	(4·25)	+·04 ~~3·56~~ 3·60	+·07 (1·49)	(6·18)	(1·71)	(7·75)	(9·93)	(3·97)	2·68	YEAR'S TOTAL (52·63)
*Days with ·01 in. or more.	18												
*Days with ·04 in. or more.	15												

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W. J. Lovey

[P.T.O.

Mrs. Russell from May. Part [illegible]

2115

Sectio **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 10

REGISTER OF RAINFALL IN 1933.

Kept at Cutcombe, Wheddon Cross

in the County of Somerset

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

Jan. School open only 4 days owing to influenza. Feb. most month School closed; no record kept.

No other values available for 1933

Container leaked. May resume in 1934.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2			·05										2
3			·05										3
4													4
5			·06										5
6			·06										6
7		·02	·06										7
8		·03	·02										8
9	·37	·01	·02										9
10		·07											10
11	·05												11
12	·03												12
13		·02											13
14													14
15													15
16			·16										16
17		·03	·07										17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X	·03										30
31		X		X		X			X		X		31
TOTAL	·45	·18	·58										YEAR'S TOTAL
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

D M

(*Signed*)..........

[P.T.O.

Cori A

Section A for the entry of

AIR MINISTR

FORM 1090

REGIS

XC

Kept at Newland

in the County of Somer

Diameter of Funnel of Gauge.....

Height of top of Gauge above Gr

,, Ground ,, Sea

THE MORNING MEASURE

An observer who does not conform to
year in the space on the right of this

Plea

2115/2

WITHYPOOL
NEWLAND
1940

780401

ation No. 2115/2

L ORGANIZATION

0

39/41

DAY

llowing

Jan. 1, following

Date	Jan.	Feb.	Mar.	Ap								Dec.	†	Date
	in.	in.	in.	in					in.	in.	in.	in.		
1				.11	.06	—	—	—	—	—	.31	—		1
2				.23	—	—	—	—	—	—	3.25	.02		2
3				.9	—	—	.08	—	—	27	1.52	.30		3
4				.17	—	—	.10	—	—	.59	.15	.21		4
5				—	—	—	.01	—	—	1.42	.86	.65		5
6				—	—	—	.01	—	.02	.67	41	.57		6
7				.04	—	—	.18	—	.01	.11	—	.19		7
8				—	—	—	.05	—	.01	.20	.35	.62		8
9				—	—	—	.44	.29	.08	.34	.69	.63		9
10				—	—	—	.22	—	.12	35	.27	.25		10
11				.9	—	.07	[illegible]2	—	—	—	2.35	—		11
12				1	—	.07	1.84	—	.86	—	.44	—		12
13				—	—	—	.16	.07	.10	.23	.75	.13		13
14				.12	—	—	.01	.01	.19	.42	.12	.59		14
15				.21	.13	—	.01	—	.30	—	.28	—		15
16				.07	—	—	—	—	[illegible]	.67	.06	.15		16
17				.19	—	—	.29	—	.29	—	.01	.01		17
18				.96	—	—	—	.06	.14	.13	.07	.44		18
19				.27	—	—	1.15	—	.75	—	.57	—		19
20				.5	—	—	.14	.14	.14	.11	.38	.04		20
21				—	.24	.31	.07	—	—	—	1.05	—		21
22				.14	.24	.19	—	.01	.15	.01	—	—		22
23				.4	.05	.01	—	—	.04	.20	.27	—		23
24				.2	—	.04	.39	—	—	—	—	—		24
25				.14	.23	.09	.03	—	—	—	—	—		25
26				.2	.24	—	.18	—	—	—	.09	—		26
27				.24	.9	—	.03	—	—	—	—	—		27
28				.1	.23	—	—	.03	—	—	—	.06		28
29				.77	—	.08	—	—	—	.06	—	.65		29
30		✕		.7	—	—	—	—	—	.69	.01	.23		30
31		✕		✕	—	✕	—	—	✕	68	✕	.9		31
TOTAL				4.04	1.51	.86	5.71	.61	3.31	7.15	14.26	5.83	Year's Total "	
* Days with .01 in. or more.				22	9	8	21	7	16	18	23	19	"	
* Days with .04 in. or more.				19	9	7	12	4	13	17	21	17	"	

X Rev. F. M. Etherington

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Francis M. Etherington

P.T.O.

Corr A

Section **A** for the entry of ation No. 2115/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Newland (Withypool)

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 940 ft.

A 201739/41

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				.11	.06	—	—	—	—	—	.31	—		1
2				.23	—	—	—	—	—	—	3.25	.02		2
3				.9	—	—	.08	—	—	27	1.52	.30		3
4				.17	—	—	.10	—	—	.59	.15	.21		4
5				—	—	—	.01	—	—	1.42	.86	.65		5
6				—	—	—	.01	—	.02	.67	41	.57		6
7				.04	—	—	.18	—	.01	.11	—	.19		7
8				—	—	—	.05	—	.01	.20	.35	.62		8
9				—	—	—	.44	.29	.08	.34	.69	.63		9
10				—	—	—	.22	—	.12	35	.27	.25		10
11				.9	—	.07	.32	—	—	—	2.35	—		11
12				1	—	.07	1.84	—	.86	—	.44	—		12
13				—	—	—	.16	.07	.10	.23	.75	.13		13
14				.12	—	—	.01	.01	.19	.42	.12	.59		14
15				.21	.13	—	.01	—	.30	—	.28	—		15
16				.07	—	—	—	—	.11	.67	.06	.15		16
17				.19	—	—	.29	—	.29	—	.01	.01		17
18				.96	—	—	—	.06	.14	.13	.07	.44		18
19				.27	—	—	1.15	—	.75	—	.57	—		19
20				.5	—	—	.14	.14	.14	.11	.38	.04		20
21				—	.24	.31	.07	—	—	—	1.05	—		21
22				.14	.24	.19	—	.01	.15	.01	—	—		22
23				.4	.05	.01	—	—	.04	.20	.27	—		23
24				.2	—	.04	.39	—	—	—	—	—		24
25				.14	.23	.09	.03	—	—	—	—	—		25
26				.2	.24	—	.18	—	—	—	.09	—		26
27				.24	.9	—	.03	—	—	—	—	—		27
28				.1	.23	—	—	.03	—	—	—	.06		28
29				.77	—	.08	—	—	—	.06	—	.65		29
30		✕		.7	—	—	—	—	—	.69	.01	.23		30
31		✕		✕	—	✕	—	—	✕	68	✕	.9		31
TOTAL				4.04	1.51	.86	5.71	.61	3.31	7.15	14.26	5.83	Year's Total "	
* Days with .01 in. or more.				22	9	8	21	7	16	18	23	19	"	
* Days with .04 in. or more.				19	9	7	12	14	13	17	21	17	"	

Rev. F. M. Etherington

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Francis M. Etherington

P.T.O.

2116

FORM 1090. **B** Mo Su

*** The following register of month &c., is NOT required if daily values are given on the other si* … and also the space for … egister should be sent:—

2116
EXFORD
STOCKLEIGH LODGE
1931 —— 40

780401

RAINFALL IN 1931

At Ley, Exford

In the County of Somerse

Rain Gauge
Diameter of Funnel 5
Height of Top above Ground 1 *ft*
Height of Ground above Sea Level

in Summer 8

12 Direction from gauge S.E

½ m Direction from gauge E

neat

Directions from gauge ..

Month.	Total Depth.	• Greatest Fall in 24 hours.		Nu Di ·01 or m	
	Inches.	Inches.	Date.		
JAN.	5·78				
FEB.	5·05				
MAR.	1·28				
APRIL	5·10				
MAY	~~3·40~~	5·40 5·40			
JUNE	~~5·35~~	4·35			
JULY	~~5·50~~	4·50			
AUG.	~~6·51~~	5·51			
SEPT.	~~1·16~~	2·16			
OCT.	1·86				
NOV.	10·23				
DEC.	4·02				
Total	~~56·24~~ 56·24				

Signature F. G. Heal

*See Instruction 2 (*f*) below.

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

May 2nd lon

May to Sept adjusted for date of reading.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090. **B** Me
Su

2116

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.*

RAINFALL IN 1931

At Ley, Exford

In the County of Somerset

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 6 *in.*
- *Height of Ground above Sea Level* 1000 *ft.*

Month.	Total Depth.	* Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	5.78				
FEB.	5.05				
MAR.	1.28				
APRIL	5.10				
MAY	~~3.40~~	5.40 5.40			
JUNE	~~5.35~~	4.35			
JULY	~~5.50~~	4.50			
AUG.	~~6.51~~	5.51			
SEPT.	~~1.16~~	2.16			
OCT.	1.86				
NOV.	10.23				
DEC.	4.02				
Total	~~56.2[illegible]~~ 56.24				

Signature F. G. Heal

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter 9 in Summer 8

Nearest Railway Station ~~[illegible]~~ Dulverton Distance 12 Direction from gauge S.E

Nearest Parish Church at ½ ~~[illegible]~~ Exford Distance ½ m Direction from gauge E

Nature of objects nearest to gauge	nothing	anyway	near	
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move ...... Distance ...... Direction ......

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

May 2nd [illegible]

May to Sept adjusted for date of reading.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

X EXFORD (STOCKLEIGH LODGE) X 814160/27

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2116

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Stockleigh Lodge. Exford

in the County of Somerset

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft ... in.

" Ground " Sea Level 980 ft.

Continuation for Exford (North Ley)

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1										1·00	·04	·69	1
2									·36		·06	·70	2
3									1·45		·22		3
4									·15		·05	·02	4
5									·42		·54		5
6									·21				6
7													7
8									1·14	1·45			8
9									·36	·23			9
10									·17	·17			10
11									·48	·77			11
12									·12	·13			12
13									·15	·62			13
14										·77		·37	14
15										·15	·30	·09	15
16										·12		·07	16
17										·20			17
18													18
19									·18	~~·30~~	·39		19
20									·10				20
21										1·40	·17	·19	21
22										·83	·14	·25	22
23									·71	·50	·82	·23	23
24									·08	·78	·51	·10	24
25									·07	·24			25
26									·45	·86	·52		26
27									·09	·32	·18		27
28										·83	·20	·20	28
29										1·29	·30	·08	29
30		X							·47	·10		·58	30
31		X		X		X			X		X	·03	31
TOTAL									7·16	12·87	4·44	3·61	YEAR'S TOTAL
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

The Gauge at Exford (North Ley) was out during the earlier part of the year & Colonel Wiggin took [illegible] in September — no earlier records are available (Enc 18A of 814160/27)

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) COL. W.W. WIGGIN

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 846

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Exford (Stockleigh Lodge)

in the County of Somerset.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 980 ft.

Somerset/5

Cump 1932.

Chief Point 2115 14/6/3x

B.A.

Day

AV. 54·8.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	73	71	45								4		1
2	24	91	24		37	3					5		2
3	57	26	1·20		61	24					7		3
4	9	27	25		5								4
5	48	5			13								5
6	11	55	1·02								1		6
7	25	25	10		29								7
8	32				27		14						8
9		11	20		2		28						9
10		55			15		70			1·60	10		10
11					75		13			2·45			11
12	22	25				22	35			33			12
13							46	35	34	8			13
14					18		43	25		25			14
15	79						45			1	55		15
16			35			13	20			39	3		16
17			1·22			29							17
18		25	41						25				18
19			47			44							19
20			33				20				94		20
21								52	85				21
22								30		14			22
23								60	12				23
24				51		11				31			24
25				31				×	13				25
26				23		7			25				26
27				36	60				2	72			27
28		15							5	55		88	28
29				24			15			50			29 39·8
30		×										22	30 39·81
31	62	×		×		×	25		×	28	×		31
TOTAL	4·42	4·31	6·24	1·65	3·42	1·53	3·71	2·02	2·01	7·61	4·79	1·10	YEAR'S TOTAL ~~[illegible]~~
*Days with ·01 in. or more.	11	12	12	5	11	8	12	5	8	13	8	2	~~107~~
*Days with ·04 in. or more.	11	12	12	5	10	7	12	5	7	12	6	2	~~101~~

40-9999

*See Instruction 2 (*f*) on other side.

D O

(Signed) Lt Col W. W. Wiggin

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2116

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Stockleigh. Exford

in the County of Somerset.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 900 ft.

Days ✓ alf

WP

Circ C. sent 7/5/35.

acw

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·16.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1								·10			·35			1
2	·11		·03					.95	·26	.05	.74	1·65		2
3			·03					.20	1·08	·05	.10	·75		3
4	·30				·12			.04		.15		·65		4
5	·40		.12	·18	·50	·			·10	.61		·50		5
6	·02		·09		.93	·20		1·21		.15	1·52	1·27		6
7	·25		·21	·10	.10			·10		.95		·45		7
8	·28		·14					·11	.02	·43	·16	1·05		8
9					·10				·14	·36	·72			9
10	·03							·10		·03	·83	1·50		10
11	·35		·32	·45				·49			·32	·15		11
12	1·24		·01	·59				38		·08		·73		12
13	·31			~~3~~				45		·01				13
14	·84		·02	·30						·		·20		14
15	·58		·72							·21	·16	·52		15
16	07		·15	·35						·24		·78		16
17	·70		·75						·46	·10		·18		17
18	·68		·08						·9		·25	·36		18
19	·30		·18	·50	·55	·15			·16	·06		1·12		19
20									.43	·03		·42		20
21			·19	·24			·43		·11					21
22	1·		·16			·62		·26		·36		·16		22
23	·17		·24					·25	·71	·16		·75		23
24			·03	·72		·49			·20	·05		·4		24
25		·37				·36	·12		·14	·12				25
26	·41	·16	·05	·63		·5			·03	·14		·95		26
27	·08					·45			·53	·18		·23		27
28				·22		·20			·5	·25		·15		28
29				·4			·20	.75	·35	.41		·93		29
30		×					·05	·27	·48	.20		·14		30
31	·15	×		×		×	·27	·05	×	1·35	×	·65		31
TOTAL	7·27	·53	3·51	4·32	2·20	2·52	1·17 ~~1·07~~	5·61 ~~5·71~~	5·34	5·68 ~~5·33~~	4·90 ~~5·15~~	16·94 ~~14·78~~	Year's Total 57·79 ~~57·78~~	
*Days with ·01 in. or more.	~~21~~	2	~~19~~	12	6	8	5	16	~~18~~	25	10	26	168	
*Days with ·04 in. or more.	19	2	14	12	6	8	5	16	16	~~21~~	10	26	155	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Walter W. Wiggin. Lt Col

[P.T.O.

211 6

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. ~~2116~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

No Days

Kept at Stockleigh, Exford.
in the County of Somerset.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft – in.
,, Ground ,, Sea Level 1000 ft.

acw

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
·08

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·16		·09				·04		·09	·54	·71	2·05		1
2	·10	·06	·67						·35	·30	·13			2
3		·07	·14			·28			·06	·38		·72		3
4		·07			·05	·50			1·94	·14	·16			4
5	·15	·15		·10					·11	·23	·31	·65		5
6		·46		·30		·09			·22	·20	·25	·66		6
7				·70		·83								7
8				·72		·30				·56		·31		8
9				·72						·11	·40	·11		9
10				1·65						2·33	·57			10
11	·02			·50					·03	·17				11
12	·35	·15				·48			·20	·06	·50			12
13	·12					·69			·09		·18			13
14	·23	·55		·48						·21	·45			14
15		·16		·33		·30			·61	·10	1·60	·32		15
16		·61		·95	·19	·30			·28	·13	·26	·22		16
17		·25		·40				·06	·83	·08				17
18				·16	1·20	·88	·24	·20	1·20	·10	·07			18
19		·20		·81	·06			·33	·40	·31				19
20		·10		·33	·53		·25		·01	·49	·26			20
21		·88		·32			·17		·46	·08	·32			21
22		·55	·28						1·20					22
23			·22	·40					·40	·15				23
24			·70		·25			·37	·60	·30				24
25	·28	·52	·03					·15	·24	·15				25
26	·36	·75		·08					·38	·05	·05	·37		26
27		·59						·80	·15	·13	·06	·10		27
28		·24				·28	·07	·43				·07		28
29	·04					·06	·04	·49		·20	·40	·42		29
30		×						·11	·62	·25	·60	·61		30
31	·12	×		×		×		1·65	×	·35	×	1·02		31
TOTAL	1·93.	6·31	2·13	7·98	2·28	4·98	·81	4·39.	10·47.	7·90.	7·38.	7·63	Year's Total. 64·19.	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(*Signed*) Walter W Wright

[P.T.O.

Corr: for B.A. annual total.

21.16

FORM 1090.

B Monthly Summary.

, **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 193..6

At ....

In the County of ....

Rain Gauge
- Diameter of Funnel..............................in.
- *Height of Top above Ground.........ft.............in.*
- *Height of Ground above Sea Level..................ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.					
FEB.					
MA					
AP					
MA					
JUN					
JUL					
AUG					
SEPT.					
OCT.					
NOV.					
DEC.					
TOTAL					

STOCKLEIGH LODGE, EXFORD

January	6.18
February	2.96
March	4.00
April	4.39
May	.69
June	3.19
July	9.90
August	1.63
September	5.33
October	3.21
November	8.21
December	6.31
Total	56.0

Signature ....

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter.......................in Summer...................

Nearest Railway Station.................................. Distance................ Direction from gauge............

Nearest Parish Church at................................ Distance................ Direction from gauge............

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

per Mr S.L. Rogers
press cuttings

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\begin{matrix}17\\18\end{matrix}\Big\}\,\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

Copy by B.R.O.

2116

FORM 1090.

B Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937.

At Exford (Stockleigh Ho.)

In the County of Somerset

Rain Gauge
- Diameter of Funnel..........................in.
- *Height of Top above Ground.........ft.............in.*
- *Height of Ground above Sea Level...................ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	9.57				
FEB.	10.34				
MAR.	5.13				
APRIL	4.87				
MAY	2.59				
JUNE	1.71				
JULY	2.40				
AUG.	1.31				
SEPT.	4.22				
OCT.	4.21				
NOV.	3.10				
DEC.	6.42				
TOTAL	55.87 ✓				

Signature Mrs Wiggin ~~Lt. Col. W.W. Wiggin~~ ‡

* See Instruction 3 *(f)* below.

‡ per S.L. Rogers, Esq.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter..................in Summer..................

Nearest Railway Station.............................. Distance..........Direction from gauge..........

Nearest Parish Church at.............................. Distance..........Direction from gauge..........

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.............................. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 / 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

2116

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938.

At Exford (Stocklegh Ho.)

In the County of Somerset

Rain Gauge
- Diameter of Funnel..........in.
- *Height of Top above Ground*.......*ft*..........*in.*
- *Height of Ground above Sea Level*..........*ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	8·64				
FEB.	2·94				
MAR.	·85				
APRIL	·26				
MAY	4·33				
JUNE	3·89				
JULY	4·94				
AUG.	7·32				
SEPT.	1·66				
OCT.	10·46				
NOV.	11·13				
DEC.	6·60				
TOTAL	63·02				

Signature Mrs Wiggin ‡

‡ per S. W. Rogers Esq.

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter..........in Summer..........

Nearest Railway Station.......... Distance.......... Direction from gauge..........

Nearest Parish Church at.......... Distance.......... Direction from gauge..........

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.......... Distance.......... Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91

S.O. Code No. 40-9999

2116

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1939.

At Stockleigh Lodge, Exford

In the County of Somerset

Rain Gauge
- Diameter of Funnel..........in.
- *Height of Top above Ground.......ft..........in.*
- *Height of Ground above Sea Level..........ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	10.31				
FEB.	4.71				
MAR.	2.61				
APRIL	3.54				
MAY	2.86				
JUNE	3.20				
JULY	8.05				
AUG.	4.08				
SEPT.	·91				
OCT.	4.59				
NOV.	13.64				
DEC.	5.13				
TOTAL	63.63				

Signature (Mrs) E. Diggin

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter..........in Summer..........

Nearest Railway Station.............. Distance.......... Direction from gauge..........

Nearest Parish Church at.............. Distance.......... Direction from gauge..........

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.............. Distance.......... Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copy by B.R.O.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91
S.O. Code No. 40-9999

FORM 1090.

B Monthly Summary.

\. The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 19~~34~~40

At Exford

In the County of Somerset

Rain Gauge
Diameter of Funnel 4 in.
Height of Top above Ground 1 *ft.* 3 *in.*
Height of Ground above Sea Level ~~900~~ *ft.* 1000

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	~~2~~4·85	1.94	27		
FEB.	~~7~~5.53	1.67	19		
MAR.	3.77	1.88	18		
APRIL	4.23	1.24	19		
MAY	1.73	·69	27		
JUNE	·84	·72	26		
JULY	6.49	1.83	20		
AUG.	·60				
SEPT.	3.65	·89	13		
OCT.	6.84	1.10	7		
NOV.	16.86	3.53	3		
DEC.	5.16	·89	11		
TOTAL	60·55				

Jan. & Feb apportioned.

Signature H. L. Allen. (Sec: for Mrs Edith Wiggin)

Cannot forward [illegible]

* See Instruction 3 *(f)* below.

C Particulars of Station.

2116.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
Mrs Wiggin.
Stocklinch Lodge. Exford. Minehead. Som:

Hour of observation by the clock—in Winter 10 · 0 a.m. in Summer 9 . 0 . a. m.

Nearest Railway Station Dulverton Distance 12 miles Direction from gauge West.

Nearest Parish Church at Exford Distance 1 Mile Direction from gauge East

Nature of objects nearest to gauge	English Yew Trees.			
Height of objects	25 feet			
Distances ...	20 feet.			
Directions from gauge ...	Surround.			

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M. O.
16 JAN 1941
B. R.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 / 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 2778/2036 21,000 10/38 W. H. & S. 668/91
S.O. Code No. 40-9999

2116/5

SIMONSBATH. HONEYMEAD.
SOMERSET.
1940

Section **A** for the entry of Dai
AIR MINISTRY.

Station No. 2116/5
LL ORGANIZATION

FORM 1090

REGIST

1940

Kept at Honeymead, Simo
in the County of Somerset
Diameter of Funnel of Gauge
Height of top of Gauge above Ground
„ Ground „ Sea Lev

THE MORNING MEASUREME … DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1				·13	·05	–		–	trace	–	·85	·03		1
2				·01	trace	–		–	–	–	·26	·04		2
3				·02	–	–	~~·45~~	–	–	–	3·07	·35		3
4				·25	–	–		–	–	·29	1·53	·20		4
5				~~Trace~~	·05	–	~~·07~~	–	–	·55	·24	·64		5
6				Trace	trace	–	·07	–	–	1·50	·91	·53		6
7				·04	–	–	·02	–	·06	·80	·81	·22		7
8				·01	–	–	·1	–	·01	·16	·01	·62		8
9			(1·50)	–	–		·03	–	·1	·16	·17	·75		9
10				Trace	–		·45	·35	·01	·39	1·01	·22		10
11			4	·15	–	4	·24	–	·21	·44	·38	–		11
12			4	·04	–	4	·26	–	–	–	2·05	–		12
13			~~4~~	Trace	–		2·18	–	·87	–	·75	–		13
14			4	·10	·01		·26	·03	·13	·19	·6	·55		14
15			✓	·12	trace		·05	·07	·32	·28	4	·01		15
16			4	1·2	–		trace	–		trace	·34 4	·18		16
17			·44	1·2	–		·26	–		·61	·05	–		17
18			·43	·76	–		·26	–	4	–	trace	·34		18
19			·4	·14	–		·01	·15	4	·08	·02	trace		19
20			(·12)	·01	–		1·13	–	4 2·13	trace	·50	–		20
21			~~·22~~ (·15)	·042	·24	4	·48	·16		·11	·38	–		21
22			~~·35~~	·03	·1	4	·01	·01	4	Trace	1·36	–		22
23			(·19)	·10	·04	4	trace	·01		·24	trace	·57		23
24			~~·02~~ ·15	·09	·03	4	·01	–	✓	–	·3	–		24
25			·10	·01	·15	4	·44	·01						25
26			·05	·03	·40	4	·04	–		–	·4	–		26
27			·02 (·05)	·05	·15	✓	·17	·07	trace	–	·11			27
28			~~·35~~	·04	·35		·09	–	–	–	·01	–		28
29			·04	·08	–	4	–	trace	–	–	–	·04		29
30	–	✕	·35	·15	·01	–	–	–	–	·03	–	·55		30
31		✕	·025	✕	–	✕	–	–	✕	·58	✕	·16		31
TOTAL	(5·50)	(6·00)	3.86 3·825	3·41	1·54	from (·95)	6th Aug ~~6·56~~	·86	3·85	6·41	15·83	5·75	Year's Total ~~38…~~	(59·57)
* Days with .01 in. or more.	(12)	(18)	19	25	12	(9)	21	9	13 ~~9~~	16	25	18	(197)	
* Days with .04 in. or more.	(11)	(18)	17	15	8	(8)	16	5	10	15	22	15	(160)	

* See Instruction 3 (f) on other side.

·95 from June 8th to July 14th

5·61

† Spare column, no entries required.

(Signed) …… [P.T.O.

Section **A** for the entry of Daily Observations

Station No. 2116/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

1940

ND

Kept at Honeymead, Simonsbath, Minehead

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ......ft. ......in.

„ Ground „ Sea Level 1250 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1				·13	·05	–		–	trace	–	·85	·03		1
2				·01	trace	–		–	–	–	·26	·04		2
3				·02	–	–	~~·95~~	–	–	–	3·07	·35		3
4				·25	–	–		–	–	·29	1·53	·20		4
5				~~Trace~~	·015	–	~~·07~~	–	–	·55	·24	·64		5
6				trace	trace	–	·07	–	–	1·50	·91	·53		6
7				·01	–	–	·02	–	·06	·80	·81	·22		7
8				·01	–	–	·1	–	·01	·16	·01	·62		8
9			(1·50)	–	–		·03	–	·1	·16	·17	·75		9
10				Trace	–		·45	·35	·01	·39	1·01	·22		10
11			4	·15	–	4	·24	–	·21	·44	·38	–		11
12			4	·04	–	4	·26	–	–	–	2·05	–		12
13			4	Trace			2·18	–	·87	–	·75	–		13
14			4	·10	·01		·26	·03	·13	·19	·6	·55		14
15			✓	·12	trace		·05	·07	·33	·28	4	·01		15
16			4	·2	–		trace	–	–	trace	·34 4	·18		16
17			·44	1·2	–		·26	–		·61	·05	–		17
18			·43	·16	–		·26	–	4	–	trace	·64		18
19			·4	·14	–		·01	·15	4	·08	·59	trace		19
20				·01	–		1·13	–	4 2·13	trace	·50	–		20
21			(·12) ~~·35~~	·043	·24		·48	·16		·11	·38	–		21
22			(·15) ~~·35~~	·03	·1	4	·01	·01	4	Trace	1·36	–		22
23			(·79)	·10	·04	4	trace	·01		·24	trace	·05		23
24			~~·95~~	·09	·03	4	·01	–	✓	–	·3	–		24
25			·10	·01	·15	4	·44	·01						25
26			·05	·03	·40	4	·04	–		–	ti	–		26
27			·02	·05	·15	✓	·17	·07	trace	–	·11			27
28			(·05) ~~·35~~	·04	·35		·09	–	–	–	·01	–		28
29			·04	·08	–	4	–	trace	–	–	–	·04		29
30		✕	·35	·15	·01		–	–	–	·03	–	·55		30
31		✕	·025	✕	–	✕	–	–	✕	1·56	✕	·16		31
TOTAL	(5·50)	(6·00)	3·85 ~~3·825~~	3·41	1·54	(·95) from	~~6·56~~ 6th Aug	·86	3·85	6·41	15·63	5·75	Year's Total ~~38~~ (59·57)	
* Days with .01 in. or more.	(12)	(18)	19	25	12	(9)	21	9	13 9	16	25	18	(197)	
* Days with .04 in. or more.	(11)	(18)	17	15	8	(8)	16	5	10	15	22	15	(160)	

* See Instruction 3 (f) on other side.

·95 from June 8th to July 4th

5·6

† Spare column, no entries required.

(Signed) .... [P.T.O.

2117

Section **A** for the entry of

AIR MINISTRY

FORM 1090.

REGIST

Kept at Wayford Ma

in the County of Somer

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea Le

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of thi

OPY FOR OFFICIAL USE.

ORGANIZATION.

llowing

Jan. 1, following

2117

CRWKERNE

WAYFORD MANOR

1931 — 40

780401

Date	Jan.	Feb.	March								Nov.	Dec.	*Date*
	in.	in.	in.					in.	in.	in.	in.	in.	
1		·06		·24	·11				·25	·03			1
2	·40	·04		·52			·03		·53		·08	·24	2
3	·08		·61				·001		·13		2·20	·05	3
4	·06		·11		·04	·13	·34	·11	·28	·02	·08	·01	4
5		·29		·07	·05	·56	·07	·15			·06	·25	5
6		·09	·02	·06	·07	·10				·22	·30	·62	6
7					·21	·28	·20	·23			·73	·10	7
8		·25		·17		·41		·15		·08	·11		8
9		·16				·07	·04				·56	·10	9
10	·01	·05			·03	·12		·05	·20		·41		10
11	·15	·47				·18			·05		·34		11
12		·05						·01	·17	·05			12
13		·02	·02		·03		·25			·03			13
14		·05	·01		·04	·14	·20	·04	·16		·28		14
15		·11		·05	·21		·98	·19				·05	15
16		·18		·07	·21	·65		·17	·07				16
17	·01	·18		·13			·19				·01		17
18			·04	·05		·17		1·10	·15		·38		18
19		·001	·07	·06		·26	·04	·05	·04	·001	·28		19
20	·15	·13	·18	·001	·13			·27		·01	·03	·03	20
21	·38		·07		·16						·01		21
22	·43	·001		·01	·65						·62		22
23	·34	·02		·09	·17	·001		·02	·03		·04		23
24	·08		·02	·91			·70	·45			·47	·001	24
25		·01		·21			·03				·63		25
26		·03		·16	1·05		·39				·04	·03	26
27	·22	·26			·14		·18			·05			27
28	·06	·06	·07	·03			·05	·05				·01	28
29	·06		·12	·01				·09	·01	·06	·08	·05	29
30		×	·03		·06		·08	·08	·03			·20	30
31	·85	×		×	·04	×	·02		×		×		31
TOTAL	3·28	2·512	1·37	2·841	3·40	3·071	3·791	3·21	2·10	·551	7·74	1·75	YEAR'S TOTAL 35·616
*Days with ·01 in. or more.	15	20	13	17	18	12	17	17	14	9	22	13	187
*Days with ·04 in. or more.	13	16	8	14	16	12	14	15	11	5	19	9	152

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Humphrey. L. P. Baker

P.T.O.

2117

Section **A** for the entry of

OPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Wayford Manor, Crewkerne

in the County of Somerset

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·06		·24	·11				·25	·03			1
2	·40	·04		·52			·03		·53		·08	·24	2
3	·08		·61				·001		·13		2·20	·05	3
4	·06		·11		·04	·13	·34	·11	·28	·02	·08	·01	4
5		·29		·07	·05	·56	·07	·15			·06	·25	5
6		·09	·02	·06	·07	·10				·22	·30	·62	6
7					·21	·28	·20	·23			·73	·10	7
8		·25		·17		·41		·15		·08	·11		8
9		·16				·07	·04				·56	·10	9
10	·01	·05			·03	·12		·05	·20		·41		10
11	·15	·47				·18			·05		·34		11
12		·05						·01	·17	·05			12
13		·02	·02		·03		·25			·03			13
14		·05	·01		·04	·14	·20	·04	·16		·28		14
15		·11		·05	·21		·98	·19				·05	15
16		·18		·07	·21	·65		·17	·07				16
17	·01	·18		·13			·19				·01		17
18			·04	·08		·17		1·16	·15		·38		18
19		·001	·07	·06		·26	·04	·05	·04	·001	·28		19
20	·15	·13	·18	·001	·13			·27		·01	·03	·03	20
21	·38		·07		·16						·01		21
22	·43	·001		·01	·65						·62		22
23	·34	·02		·09	·17	·001		·02	·03		·04		23
24	·08		·02	·91			·70	·45			·47	·001	24
25		·01		·21			·03				·63		25
26		·03		·16	1·05		·39				·04	·03	26
27	·22	·26			·14		·18			·05			27
28	·06	·06	·07	·03			·05	·05				·01	28
29	·06		·12	·01				·09	·01	·06	·08	·05	29
30		×	·03		·06		·08	·08	·03			·20	30
31	·85	×		×	·04	×	·02		×		×		31
TOTAL	3·28	2·512	1·37	2·841	3.40	3·071	3·791	3·21	2·10	·551	7·74	1·75	YEAR'S TOTAL 35·616
*Days with ·01 in. or more.	15	20	13	17	18	12	17	17	14	9	22	13	187
*Days with ·04 in. or more.	13	16	8	14	16	12	14	15	11	5	19	9	152

40-9999

(*Signed*) Humphrey L. P. Baker P.T.O.

*See Instruction 2 (*f*) on other side.

2117

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 2117

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Wayford Manor, Crewkerne

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 10 in.

,, Ground ,, Sea Level 400 (c) ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01			·15	·08		·09	·47			·07		1
2	·02			·18	·30			·03				·27	2
3						·18	·04		·06	·15		·06	3
4	·05				·02	·22		·15	·43		·41		4
5	·24		·04						·15				5
6	·25		·03	·16			·08		·37	·02			6
7			·06	·17	·21				·38	2·10		·02	7
8		·05	·88							·08			8
9	1·58				·07				·55				9
10	·47			·49	·03	·02			·06	·12			10
11	·04				·04		·02	·01	·05	·36		·16	11
12	·88			·09	·40	·001			·02	·29	·02	·02	12
13	·06			·30	·06		·31	·04		·67		·25	13
14	·40			·21	·15			·01		·04	·21	·01	14
15	·05			·08	·33					·09	·21	·02	15
16	·32			·14								·02	16
17	·05			·05						·10			17
18					·53						·20		18
19					·25				·74	·22		·01	19
20	·01		·01	·01	1·56		·001	·20	·06	·60	·29	·11	20
21	·02		·17	·18				·02	·88	·29	·01	·20	21
22			·06				·04			·45	·26	·01	22
23						·10	·24		·21	·67	·03	·09	23
24							·76			·18	·02		24
25			·17	·02			·08		·15	·20	·04	·03	25
26			·17	·06	·08		·32			·10	·09		26
27			·65	·93	·25		·05			·42		·15	27
28			·05	·14	·15		·05			·31		·12	28
29			·69	·10	·68	·43		·45	·41	·08	·20	·73	29
30	·02	×	·03	·05	·05	2·53	·44		1·18		1·20	·47	30
31		×	·07	×	·04	×	·36		×	·02	×	·63	31
TOTAL	4·47	·05	3·08	3·51	5·28	3·49	2·89	1·38	5·70	7·46	3·26	3·38	YEAR'S TOTAL 43·95
*Days with ·01 in. or more.	17	1	14	19	20	6	14	9	16	23	15	20	174
*Days with .04 in. or more.	12	1	11	17	18	5	13	5	15	21	11	12	141

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) Humphrey L. P. Baker

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2 117

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Wayford Manor, Crewkerne
in the County of Somerset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft 10 in.
,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·96	·31	·12		·05	·03			·01		·05	·28		1
2	1·05		1·17		·27							·02		2
3	·07	·10	·30											3
4	·12	·01			·30									4
5		·05	·68								·04			5
6		·62	·01		·37					·13	·01			6
7		·06			·06					·39		·02		7
8	·01	·02	·04				·30			·04				8
9		·05			·04		·25			·20				9
10		·46			·31	·15	·31			·65	·09			10
11	·13					·08	·24	·47		·02				11
12				·15			·06		·87		·03			12
13	·01				·04	·02	·35	·27		·04				13
14	·05						·21	·19		·10	·45			14
15	·82		·24			·01	·60	·03		·15				15
16		·03	1·21			·03			·03	·24		·01		16
17	·04	·25	·27			·05			·27					17
18	·05		·58			·10					·03			18
19	·03		·28					·801	·05		·24			19
20		·04				·09			·04			·03		20
21		·05		·03	·05	·14			·06	·11	·03			21
22				·10	·02	·20		·18	·03		·01			22
23		·25		·47		·18		·22	·24	·18				23
24		1·90		·27		·02	·01		·19	·03				24
25		1·21		·38		·42		·01	·03			·09		25
26		·79		·13	·10	·11			·04	·05		·01		26
27		·02			·65		·001		·05	·42		·45		27
28				·20	·57		·20			·08		·03		28
29	·17			·22			·02					·04		29
30	·02	×	·11				·06		·10	·01		·08		30
31	·23	×	·11	×		×			×	·07	×			31
TOTAL	3·76	6·22	5·12	1·95	2·83	1·63	2·611	1·38	2·01	2·91	·98	1·06	Year's Total 32·46	
*Days with ·01 in. or more.	15	18	13	9	13	15	12	8	14	18	10	11	156	
*Days with ·04 in. or more.	11	14	12	8	12	10	10	5	10	15	5	5	117	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) Humphrey L. P. Baker

[P. T. O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 2117

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Wayford Manor, Crewkerne

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 10 in.

,, Ground ,, Sea Level 425 ft.

Dup

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04					·06		1·13	·30		·15	·96		1
2	·15		·09						1·30	·04		·31		2
3	·04	·05						·02		·56		·43		3
4	·07		·15	·32				·03	·43	·69		·41		4
5			·01	·05	·38			1·34		·07	·12	·66		5
6	·08		·39		·16			·01	·04	·47	·07	·69		6
7	·11				·27			·15		·13		1·14		7
8	·01								·03		·37	·29		8
9	·05		·28		·24						·74	·32		9
10	·60	·01	·15	·49							·16	·12		10
11	·78	·01	·08	·28			·05	·10				·68		11
12	·02		·01				·24	·18				·19		12
13	·54			·55							·07	·43		13
14	·44		·64	·05							·22	·72		14
15	·09		·07	·02	·14				·01	·12		·41		15
16	·11	·01	·41		·03						·25	·18		16
17	·10			·19	·10				·18	·14		·57		17
18	·10		·31	·55					·04			·11		18
19			·19	·10		·01		·06	·01			·33		19
20			·10	·08		·04				·05				20
21						·12		·07		·48		·04		21
22			·12				·10	·14	·27			·47		22
23		·01	·04	·26		·22		·04	·12	·04		·24		23
24		·15	·11	·06		·08	·17		·25			·06		24
25	·54	·07		·39		·04				·48		1·20		25
26		·001	·16	·35		·16			·17		·06	·13		26
27						·11			·02	·04	·01	·30		27
28				·10		·05		·67	·21	·03		1·19		28
29								·04	·27	·07		·05		29
30	·05	×					·04		·14			·35		30
31		×		×		×	·06	·20	×		×	·02		31
TOTAL	3·92	·311	3·31	3·84	1·32	·89	·66	4·18	3·79	3·41	2·22	12·90	Year's Total. 40·75 ✓	
* Days with .01 in. or more.	19	7	18	16	7	10	6	15	17	15	11	30	171	
* Days with .04 in. or more.	17	3	15	15	7	9	6	12	13	14	10	29	150	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Humphrey L. P. Baker.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2117

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Wayford Manor, Crewkerne

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 10 in.

,, Ground ,, Sea Level c: 420 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			·60			·29	·12		·19	·07	·18	·58		1
2		·02				·20			·12	·39	·13	·17		2
3	·02		·10		·09	·33			·06	·30	·44	·07		3
4		·18		·10	·02	·39			·07	·21	·19	·62		4
5		·31	·02	·05		·04			·21	·04	·05			5
6		·07		·66		1·25				·07	·13	·17		6
7				·34		·26				·18	·03	·06		7
8				·34					·17	·32	·43			8
9	·01			·57		·17			·02	·78	·56			9
10	·03		·35	·04		·05				·02	·04			10
11	·22		·02	·17		·28			·02		·74			11
12	·08	·13				·77			·07		·15			12
13	·07	·16		·52		·11					·09			13
14		·01		·50	·04	·04					1·41	·35		14
15		·08		1·09	·06	·20			·19		·28	·14		15
16		·07		·09		·30			1·17		1·47	·02		16
17				·02	·91	·19		·25	·07	·03	·16			17
18		·09		·26			·07		·41	·07		·06		18
19		·07		·02	·42	·05	·15		·06	·23	·33			19
20		·30		·25	·15						·29			20
21		·75	·02	·14			·02							21
22		·16	·06		·05			·07	·08	·03				22
23			·10					·24	·11	·35		·19		23
24	·03	·90	·04		·17			·72	·28	·20		·61		24
25	·28	·11		·07	·05	·07						·35		25
26		·66				·08		·85	·09			·97		26
27		·21							·08	·05	·05	·75		27
28		·05						·03	·18		·07	·02		28
29					·02				·16		·05	·81		29
30	·04	×						·66	·02	·08	·05	·67		30
31		×		×		×			×	·96	×	·70		31
TOTAL	·78	4·33	1·31	5·23	1·98	5·07	·36	2·82	3·83	4·38	7·32	7·31	Year's Total. 44·72	
* Days with .01 in. or more.	9	19	9	18	11	19	4	7	22	19	23	19	179	
* Days with .04 in. or more.	5	17	6	16	9	19	3	6	19	16	23	17	156	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Humphrey. L.P. Baker. [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2117

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Wayford Manor, Crewkerne

in the County of Somerset

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground ft. 10" in.

,, Ground ,, Sea Level c. 420 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	·43	·01	·48		·37	·22				·07	·04		1
2				·05		·04	·20	·02			·05			2
3				·67		·10	·12	·04	·63		·45			3
4	·06		·18			·35			·22		·03	·07		4
5	1·10		·02					·04	·14		·02	·12		5
6	·10		·08			·08	·17	·02	·37		·50			6
7	·04		·45				·20				·54	·06		7
8	·75		·57				·10				·28	·04		8
9	·81		·18				·31		·09		·06			9
10	·03	·06					·03				·14			10
11	·20	·04				·10	·05				1·21			11
12	·07			·09		·35	·22	·02	·43		·07			12
13	·06						·15	·02		·05	·14	1·06		13
14							·64		·14			·81		14
15		·06			·12		·04		·15		·05	·61		15
16		·22		·31	·35	·02	·17		·10		·07	·08		16
17	·03	1·28			·30		·88				·03	·53		17
18	·17	·32				·20	·95					·22		18
19	·67	·13	·05	·03		·50	·08			·12				19
20	·07	·34	·21	·14		·12	·04		·28			·04		20
21			·04	·50					·02					21
22	·12	·77	·64				·50							22
23	·13	·07	·19	·17	·02		·38			·10				23
24	·20	·14	·04		·09		·41		·04	·25				24
25	·13		·28	·13			·40		·11	·28				25
26	·33	·16	·32				·08		·03	·10				26
27	·46	·32	·14				·37			·24				27
28	1·16		·97				·40					·45		28
29	·03	·13	·07				·02			·10	·11	·14		29
30	·20	✕				·02				·33				30
31	·08	✕	·46	✕	·07	✕	·12		✕	·22	✕	·50		31
TOTAL	7·13	4·47	4·90	2·57	·95	2·25	7·25	·16	2·75	1·79	3·82	4·77	Year's Total 42·81	
* Days with .01 in. or more.	25	15	19	10	6	12	27	6	14	10	17	15	176	
* Days with .04 in. or more.	22	15	17	9	5	10	25	2	12	10	14	15	156	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Humphrey L.P. Baker [P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 2117

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Wayford Manor, Crewkerne

in the County of Somerset

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground ft. 10" in.

" Ground " Sea Level c: 420 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07			·16					·03		·09	·92		1
2	·04	·78		·28					·12			·45		2
3		·37	·20	·09			·05							3
4	·05	1·20										·25		4
5	·15						·19							5
6	·17	·31	·37	·15	·05		·36			·04				6
7		·73		·16	·09	·04				·04	·02	·93		7
8		·03			·28						·12			8
9			·08	·20	·23		·09		·60					9
10	·17		·62	·15		·22		·16				·31		10
11	·05		·32	·08	·57	·02	·59					·01		11
12	·90	·17	·07	·09		·45	·05	·25	·14			·63		12
13		·06	·62	·15				·19	·04			·02		13
14		·02	·62	·05			·05	·15	·08			·08		14
15	·45	·14	·03	·20			2·42		·32			·19		15
16	·09	·14	·95	·09				·29	1·10					16
17	·67	·06	·68					·05	·17		·43			17
18	·40	·08	·13			·06			·31		·20	·31		18
19	·04	·06	·08	·10	·04							·05		19
20	·41	·09	·10	·25	·12				·05			·84		20
21	·64	·45	·36	·10	·20		·05		·07	·05	·27	·15		21
22	·24	·02	·15	·01	·59	·56	·09		·14	1·52	·85	·12		22
23	·47	·26	·01		·21					·40	·19			23
24	·44	·57	·01						·11	1·09		·02		24
25	·04	·71	·35		·35				·03	·35				25
26		·47			·39							·05		26
27		·25		·09						·85				27
28	·34	·02								·18				28
29	·05					·04				1·04	·12			29
30	·73	✕				·03				1.0	·15			30
31	·20	✕		✕		✕			✕	·31	✕			31
													Year's Total	
TOTAL	6·81	6·99	5·75	2·31	3·12	1·42	3·94	1·09	3·31	5·97	2·44	5·33	48·48	✓
* Days with .01 in. or more.	23	23	19	18	12	8	10	6	15	12	10	14	173	✓
* Days with .04 in. or more.	23	19	16	16	12	6	10	6	13	12	9	14	156	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Humphrey L. G. Baker

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2117

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Wayford Manor, Crewkerne

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ... ft. 10 in.

,, Ground ,, Sea Level C420 ft.

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·09			·01	·35	·41			·61	·03	·14		1
2							·03			·23	·10	·24		2
3					·22					·82	·06			3
4	·04					·03	·20	·55		·07		·29		4
5						·02	·05	·10		·20				5
6						·05	·56		·06	·04		·03		6
7	·28					·08	·70		·08	·09		·03		7
8	·22					·14	·08	·16		·24		·06		8
9	·17	·05				·06						·85		9
10	·09						·02	·30						10
11	·14							·03			·55	·66		11
12	·31				·25			·01		·30	·17	·01		12
13	·23				·11						·44	1·04		13
14					·09		·78		·06					14
15	·19				·07		·14	·01		·26	·06	·83		15
16	·21							·03		·10	·07			16
17		·21							·21	·19				17
18	·18				·10	·08			·41	·04	·42			18
19								·08	·22		·46			19
20											·95			20
21								·10	·10		·29	·12		21
22				·11		·07		·35			·36	·07		22
23				·09					·08		·06			23
24			·14						·07		·24			24
25	·14	·54			·30		·30			·05	1·30			25
26	·31	·64			·56		·05	·02		·11	·04	·25		26
27	·06				·16	·19	1·00	·10			·42			27
28	·06				·30	·14		·60	·11					28
29	·03				·50				·35	·15	·46	·07		29
30	·07	✕			·05	·23			·50		·15	·05		30
31	·24	✕		✕	·23	✕			✕	·22	✕	·25	"d"	31
TOTAL	2·97	1·53	·14	·20	2·95	1·44	4·32	2·44	2·25	3·72	6·63	4·99	Year's Total 33·58	✓
* Days with .01 in. or more.	~~18~~	~~5~~	~~1~~	~~2~~	~~14~~	~~12~~	~~13~~	~~14~~	~~12~~	~~17~~	~~20~~	~~17~~	~~145~~	low
* Days with .04 in. or more.	17	5	1	2	13	10	11	9	12	17	19	14	130	

See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) .... P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 2117

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at WAYFORD MANOR, CREWKERNE

in the County of SOMERSET

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" Ground " Sea Level C 420 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02		·22	·02	·06		·07	·33	·08		·05	·02		1
2				·40				·40	1·05		·15	·15		2
3	·44		·05	·71				·20	·03		·28	·45		3
4			·63	·23	·34		·22	·37		·85	·15	·21		4
5				·16	·04		·10	·10		·34	1·02			5
6	·51					·06	·85	·06			·32			6
7		·55	·07		·05						·97	55		7
8	·05	·38	·07				·08	·19		·64	·34	28		8
9	·05		·08					·06		·28	·03	23		9
10	·19					·07		·18	·05	·04	·07	21		10
11			·15							·15		01		11
12											·04			12
13				19		·02	·57			1·12	·08			13
14	·95			·10	·05	·02	·34		·13	·11	·37	05		14
15	·73				·09	·97	·33		04	·10	·30	03		15
16	·14				·07	·05	·17				·27			16
17	·70				·10	·02	·22				·08			17
18	·13		·05			·24	·62				·52			18
19	·35						·14					18		19
20	·34				·03	·95	·10	·63						20
21	·09	·57			·09	·04	·09	·03						21
22	·55	·47	·09			·54	·46				·28			22
23				·21			·08				1·20			23
24	·45		·16			·57	1·02							24
25	·95	·15		·02			·10	·02		·14	·27			25
26		·17						·11			·38			26
27		·48	·05			·03				·03	·10			27
28		·11		·12		·05	·21				·34	19		28
29				·12			·17			·45	·10			29
30		✕		·43		·21		·11		·09	·03			30
31		✕		✕		✕		·16	✕	·53	✕			31
TOTAL	6·64	2·88	1·62	2·71	·92	3·84	5·94	2·95	1·38	4·87	7·74	2·56	Year's Total 44·05	
* Days with .01 in. or more.	~~17~~	~~8~~	~~11~~	~~12~~	~~10~~	~~15~~	~~20~~	~~15~~	~~6~~	~~14~~	~~25~~	~~13~~	~~166~~	
* Days with .04 in. or more.	16	8	11	10	9	11	20	13	5	13	23	10	149	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Humphrey L.P. Baker

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2117

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at WAYFORD MANOR CREWKERNE

in the County of SOMERSET

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ... ft. 10 in.

,, Ground ,, Sea Level c 420 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·02									·18			1
2		·05		·25		·04					·65	·02		2
3	·04	·67					·02			·19	·98	·26		3
4	·09	·15					·06			·21	·12	·02		4
5										·06	·15			5
6	·33	·81								·25	·08	·12		6
7	·09						·06			·02		·03		7
8										·59		·12		8
9				·02			·20			·05	·81	·27		9
10							1·08		·04		·12			10
11							·30		·01		·85			11
12			·23	·02			·21		·42		·09			12
13			·55				·15			·07	1·45	·04		13
14			·26		1·07				·38	·58		1·27		14
15		·06		·06	·38		·30		·14	·16	·78			15
16		·70	·26				·16			1·00	·37	·04		16
17			·50				·05		·10		·22			17
18	·18	·38	·37	·44			·15			·15	·03	·08		18
19			·09	·14			·13		·11		·25			19
20									11	·12	·06			20
21			·06		·23						1·24			21
22						·45								22
23		·10	·20			·11					·02			23
24							·30		·03					24
25	·08		·05											25
26	·91				·20									26
27	·38			·02	·24									27
28	·28	·04												28
29	·15	·24	·27	·53						·15		·24		29
30		✕		·09						·10		·12		30
31	·02	✕	·05	✕		✕			✕	·92	✕	·44		31
TOTAL	2·55	3·22	2·89	1·57	2·12	·60	3·17	0	1·94	5·22	9·05	3·07	Year's Total 35·40	
* Days with .01 in. or more.	11	11	12	9	5	3	14	0	9	16	19	14	123	
* Days with .04 in. or more.	10	10	12	6	5	3	13	0	7	15	17	11	109	

† Spare column, no entries required.

(*Signed*) Humphrey T. P. Baker [P.T.O.

* See Instruction 3 (f) on other side.